




65-13512


6N1W1

Sec 19
LOT 4 (SWSW)

IMPROVED

SEP 12 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = No Scale

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		3		Gould	Model 48GS30
					SN# 19418041-09-94
					MTR# 2C95-10-0475

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


2. Measurements: None - closed pipe system - 45 Psi op. Pressure.

MICROFILMED

AUG 21 1988

SOUTHWEST EMMETT QUADRANGLE
IDAHO
7.5 MINUTE SERIES (TOPOGRAPHIC)

2771 IV
(MONTOUR 1:62 50)



T6N
R1W
Sec. 19
Gov. Lot 4
SWSW

P/O, waste water
(65-13540)

P/O, well
(65-13512)

MICROFILMED
AUG 21 1998
65-13512
65-13540

T6N

RIW

S19

SWSW

Lot 4

65-13512

65-13540

NORTH

39.88

Sec. 18

NORTH

Se

3

639.28

6

39.76

80

160

4

39.64

S. 89° 45' E.

79.76

N

(19.76)

(20.00)

40.00

1

39.67

80

160

2

39.82

Sec. 19

NORTH

Se

3

639.58

6

39.97

80

160

4

40.12

S. 89° 51' E.

80.06

S. 8

(20.06)

(20.00)

40.00

1

40.15

80

160

2

40.18

Sec. 30

NORTH

Se

3

640.78

6

40.21

MICROFILMED
AUG 21 1998

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

This well serves an irrigation sprinkler system that is interconnected with a waste water pump (WR# 65-13540) at a drain ditch on the west side of the property (5.0 AC.)

Don Tomich Water Rights Examiner
Signature of Dept. Representative & Title

5-7-97
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



MICROFILMED
AUG 21 1998


View Looking South

MICROFILMED
AUG 21 1998

65-13512



P/D well p/u lawn/yard.
Last Chance Ditch Co.
Ditch in Center-Right.
Note Sprinkler Hand Lines



Lot 2
P/D well, p/u lawn, View Looking West



P/u
Lawn / yerd.
View
Looking
West



P/D for
Waste
Water
Pump.
WR#65-13540

View
Looking
Southwest

MICROFILM
AUG 21 1998

65-13512

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 65-13512

Priority: June 14, 1994

Maximum Diversion Rate:

0.15 CFS

This is to certify, that WILLIAM E LANCASTER
DONNA R LANCASTER

3702 MILL RD

EMMETT ID 83617

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 14, 1994; and has submitted Proof of Beneficial Use on July 17, 1996. An examination indicates that the works have a diversion capacity of 0.160 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	0.15 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: Lot 4 (SWSW), Sec. 19, Township 06N, Range 01W
GEM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06N	01W	19	Lot 4 (SWSW)	5		5

Total number of acres irrigated: 5

CONDITIONS OF APPROVAL AND REMARKS

1. This right when combined with all other rights shall provide no more than 4.5 afa per acre at the field headgate for irrigation of the lands above.
2. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right and shall only divert groundwater under this right when water from the appurtenant surface water rights cannot be delivered to the right holder.
3. This right shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use.
4. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor exceed a combined annual maximum diversion volume of 22.5 af at the field headgate for the lands above.
5. The acres shown above are also irrigated under Right 65-13540 from waste water.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 30TH day of JUNE, 1999.

MICROFILMED

[Signature]
Acting for KARL J. DREHER, Director

RECEIVED

AUG 10 1998

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ASSIGNMENT OF PERMIT

I, Winston E & Jean F. Boyd, hereby assign to William E. & Donna L. Lencastre
 of, 3702 Mill Rd. Emmett, Id. 83617 208-365-5111
 (Full Address) (Phone)

All my right, title, and interest in and to Permit No. 65-13512 to
 appropriate the public waters of the State of Idaho.

or, (for partial assignments)

The following described portion of my right, title, and interest in and to
 Permit No. _____ to appropriate the public waters of the State of
 Idaho. (Describe portion of the permit assigned listing the number of acres in each 40-acre
 subdivision, point of diversion location, and the amount of water in cubic feet per second.)


Made this 28 day of JULY, 1998.

Winston E. Boyd & Jean F. Boyd
 Permit Holder

State of Idaho North Carolina

County of Edgemont^{SS}

On this 28 day of July, 1998, personally appeared before me the signer(s) of the
 above instrument, who duly acknowledged to me that he (she) (they) executed the same.



Vanessa Whitaker
 Notary Public residing at _____

My commission expires: 5-31-2000

MICROFILMED

AUG 29 1998

RECEIVED

JUL 17 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-13512 Telephone No. 365-5111
2. Name(s) of Permit Holder(s): WINSTON E. & JEAN F. BOYD
3. Mailing Address: 3702 MILL RD EMMETT ID 83617-8842
4. Source of Water: Groundwater If **GROUNDWATER** (well), Date Drilled: mo. 12 / yr. 94
- a. Well Driller: Dennis Phipps Drilling Permit Number: 65-94C-0417-000
- b. **OPTIONAL:**
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 5 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: .15 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes _____	or	No <u>✓</u>
	Has the measuring device been installed?	Yes _____	or	No <u>✓</u>
Flow Measurement Port:	Is a flow measurement port required?	Yes _____	or	No <u>✓</u>
	Has the measurement port been installed?	Yes _____	or	No <u>✓</u>

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: WINSTON or JEAN BOYD Telephone Number: 365-5111

Address: 3702 MILL RD EMMETT ID 83617-8842

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

AUG 09 1996

Signature of permit holder: Winston E. Boyd Date: 7/15/96
(include your title, if on behalf of company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13512

Proposed Priority: June 14, 1994 Maximum Diversion Rate: 0.15 CFS

This is to certify, that JEAN F BOYD
WINSTON E BOYD
3702 MILL RD
EMMETT ID 83617

has applied for a permit to appropriate water from: GROUNDWATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.15 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 4(SWSW), Sec. 19, Township 06N, Range 01W
GEM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06N	01W	19	Lot 4(SWSW)	5		5

Total number of acres irrigated: 5

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **September 1, 1996.**
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. A well drilled pursuant to this permit must be located at least 500 feet from any existing well. Well spacing closer than 500 feet must be approved by the Department of Water Resources.
6. Construction of the well must comply with Idaho well construction standards.
7. The right holder shall use the full allotment of his surface water right, to the extent it is available, in conjunction with groundwater diverted pursuant to this right.
8. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

SEP 12 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13512

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

31st day of August, 1994

for J. Keith Higginson
R. Keith Higginson, Director

1994

WELL DRILLER: PLEASE COMPLETE FOR VERBALS
IDWR Employee Issuing Verbal: _____
Verbal Issued Date: _____ Time: _____

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT (FOR THE CONSTRUCTION OF A WELL)

1. Applicant (please print): Winstone E. Boyd
2. Mailing Address: 3702 MILL RD
City & State EMMETT ID Zip Code 83617 Telephone 365-5111
- ☒ Well Owner ☐ Well Operator ☐ Contractor or Other, specify _____
3. Proposed Well Location: Twp. 6N, Rge. 1W, Sec. 19, SW 1/4 SW 1/4
Gov't Lot No. 4 County GEM
Street Address of Well Site above City _____
Give at least name of road + Distance to Road or Landmark
Lot, block and subdivision _____

4. Proposed Use of Well:

- ☐ DOMESTIC: The use of water for homes, organization camps, public campgrounds, livestock (1,000 head or less) and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

- NON-DOMESTIC: ☒ Irrigation ☐ Municipal ☐ Industrial
☐ Stock ☐ Test ☐ Other _____
(Over 1,000 Head) (Describe)

☐ INJECTION

- ☐ MONITORING: A well bore schematic and map is required for each blanket permit.
No. of proposed wells: _____

5. Well Construction Information:

- A. ☒ New well ☐ Modify ☐ Replace
- B. Proposed Casing Diameter 6" Proposed Maximum Depth 100'
- C. Anticipated bottom hole temperature:
☒ 85°F or less ☐ 85°F to 212°F ☐ 212°F or more
(Cold Water Well) (Low Temp. Geo. Well) (Geothermal Well)

6. Construction Start Date: approx 8/1/94
7. Anticipated Well Driller: Dennis Phipps Driller's Lic. No. 332
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's Signature Winstone E. Boyd Date 7/25/94
Title owner
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved

Date 8-31-94

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
2. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum of 50 feet and 100 feet respectively from a septic tank.
3. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
4. Approval of this drilling permit does not authorize trespass on the land of another party.
5. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
6. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
7. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

SPECIFIC CONDITIONS:

[Signature]
Signature of Authorized Department Representative

[Signature]
Title

Receipt No. W017798 Received by EC Fee \$200 Date 7-28-94

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension expires: _____

SEP 12 1994

RECEIVED

AUG 11 1994

Ident. No. 65-13512

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: JEAN F BOYD 208-365-5111
Address: 3702 MILL RD
EMMETT ID 83617
AND/OR
Name: WINSTON E BOYD 208-365-5111
Address: 3702 MILL RD
EMMETT ID 83617

2. Source: GROUND WATER Trib. to:
3. Location of Point of Diversion: Lot 4 (SWSW), Sec. 19, Township 06N, Range 01W
GEM County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.150		

5. Total quantity to be appropriated is:
0.150 CFS (and/or) AF

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc.
WELL, PUMP, FLOOD OR SPRINKLER IRRIGATION
b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
c. Proposed well diameter is 6 inches; proposed depth of well is 100
feet.
d. Is groundwater with a temperature greater than 85F being sought? NO
e. If well is already drilled, when?
Drilling Firm
Well was drilled for

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 4 year(s).

SEP 12 1994

8. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
06N	01W	19	Lot 4(SWSW)	5		5

Total number of acres irrigated: 5

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:

11. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Minister E. Bay
Applicant

Received by gy4 Date 6/14/94 Time 1125 Preliminary check by g

Fee \$ 30- Receipted by gy4 # X1017592 Date 6/14/94

Publication prepared by ST Date 6-29-94 Published in Min. Index

Publication approved ST Date 7-25-94

SEP 12 1994


Comments: Date: 6/14/1994 User-ID: HODGES

Subject:

SUPPLEMENTAL USE

Use will be supplemental to Last Chance Irrigation on 2-3 acres
and primary on balance of acreage. Irrigation of lawn/pasture/
trees. Well is separate from domestic well.

SEP 12 1994




65-13512

6N/W

Sec 19
LOT 4 (SWSW)

SEP 12 1994





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 1, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

WILLIAM E LANCASTER
DONNA R LANCASTER
3702 MILL RD
EMMETT ID 83617

RE: Water Rights 65-13512 & 65-13540

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed licenses confirming that water rights have been established in accordance with the permits referenced above. The licenses are preliminary orders issued by the Department pursuant to section 67-5243, Idaho Code. They can and will become final orders without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley Walter Keen".

Shelley Walter Keen
Water Rights Supervisor

SWK:klt

Enclosures

MICROFILMED


AUG 10 1999

CERTIFICATE OF MAILING

I hereby certify that on the 1st day of July, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Rights 65-13512/ 65-13540

WILLIAM E LANCASTER
DONNA R LANCASTER
3702 MILL RD
EMMETT ID 83617


Kari Lynn Townsend
Secretary

MICROFILMED

AUG 10 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED

AUG 10 1999

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

APR 10 1999

MEMORANDUM

TO: File 65-13512

FROM: Sharla

DATE: June 21, 1999

RE: Recommendation Adjustment(s)

The adjustments to licensing recommendations for Permit 65-13512 are as follows:

The annual volume/acre for this area is 4.5 af. Overlapping conditions will reflect this figure.

Exam Date: May 7, 1997
Examiner: Dan Tomich

MICROFILMED

AUG 10 1999

LICENSE REVIEW CHECKLIST

PERMIT NO. 65-13512 DATE 6/21/99 REVIEWER: SHARLA

NAME/Address Change/OK
OK - assigned to Larvaster's

SOURCE OK Does change clarify orig intended source? If no, Void permit

POINT OF DIV OK Change (P39 /P47) Add (P45/P42) Feds - P40

W32 (multiple in JJJ)
W36 (overlap)
W59 (subd desc)

Overlaps: Right(s): _____
File reviewed _____ Profile reports printed _____

PLACE OF USE OK Change (P41/P47) Add (P41/P42) Feds - P43

W60 (subd. desc)
W27 (ppu acre limit)

Overlaps: Right(s): _____
File reviewed _____ Profile reports printed _____

PD & PU amend (P37) Feds - P48

RATE OF DIV

Permitted Rate .15 cfs

Fee limit .20 cfs \$5000

Measured 1 cfs

Theoretical .16 cfs

Recommended Total Div Rate .15 cfs

WATER USES

WATER USES	Change (P46)	af	Irrig -	overlap (R58-R61, R62-R65, R66-R69)
<u>420</u> <u>.15</u> cfs	<u>af</u>			supp gw (~~WB7/065/0797~~) spec no irr. dist
_____ cfs	<u>af</u>			overlap spec combined rts (W35)
_____ cfs	<u>af</u>			<1acre (W31)
_____ cfs	<u>af</u>			(W01/WB5/070/071/075)
_____ cfs	<u>af</u>		Domestic -	(W42 or W43/025/027/R22 or R23)
TOTALS _____ cfs	<u>af</u>		Power -	Fire (077) Wtr Quality (081/R07)
			Fish (042)	(W22/047/27A)
			Payette -	

but waste water overlap

Flow rate _____ cfs X _____ days X 1.98 = _____ af

REMARKS _____

ADD'L CONDITIONS _____ Watermaster Control WD# _____

GW Measurement/Measuring Device

050 Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority _____ yes ✓ no

SRBA Claim N/A

Adjust Memo 1.02/ac

Amend letters _____



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

August 12, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

WILLIAM E LANCASTER
DONNA R LANCASTER
3702 MILL RD
EMMETT ID 83617

RE: ASSIGNMENT OF PERMITS 65-13512/65-13540

Dear Mr. & Mrs. Lancaster:


We acknowledge receipt of the correspondence changing ownership of the above referenced water rights to you. We have modified our computer records to reflect this change in ownership. A copy of a computer generated report is enclosed for each water right for your information.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address **PRIOR** TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address **AFTER** July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,



JIM JOHNSON, Manager
Water Right Permits Section

JJ:klt

Enclosures

MICROFILMED

AUG 21 1998

Boise, Idaho 83720-0098

BOYD702 836172017 1698 08 07/11/98
RETURN TO SENDER
BOYD
1133 N MAIN ST
WAKE FOREST NC 27587-8239

曉東生一子

[illegible]



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 8, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

WILLIAM E LANCASTER
DONNA R LANCASTER
3702 MILL ROAD
EMMETT ID 83617-8842

RE: Change of Ownership - Permits 65-13512 & 65-13540

Dear Mr. & Mrs. Lancaster:

The Notice of Change of Water Right Ownership forms that you submitted to our Western region office have been forwarded to me for processing.

In order to change ownership for a permit, an Assignment of Permit form is required. I have enclosed assignment forms for your convenience. Please note that there is a \$25.00 filing fee required for these forms.

We will be happy to complete the handling of your requested ownership change for the above mentioned permits upon receipt of the completed assignment forms and the \$50.00 filing fees (\$25.00 per form).

If you have any questions regarding this matter, please call me at 208-327-7941.

Sincerely,

Kari Lynn Townsend
Secretary

Enclosure

cc: Winston & Jean Boyd

ENCLOSURE

AUG 7 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

FEB 11 1998

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-13512

1. Owner: Jean F. & Winston E. Boyd Phone No. (208) 365-5111

Current Address: 3702 Mill Rd., Emmett, ID 83617-8842

2. Accompanied by: Winston "Bill" Boyd EXAM DATE: 5-7-97

Address: (Same) Phone No. (Same)

Relationship to Permit Holder: (Same)

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 65-13540 (wastewater), 65-13609
(Last Chance Ditch Co.)
2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	4		SW	SW	19	6N	1W	Gem	Site Visit, map

2. Place(s) of Use:


Indicate Method of Determination Site Visit, map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
6N	1W	19											5.0						5.0
													Lot 4						

MICROFILMED

FEB 11 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = No Scale

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required)

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		3		Gould	Model 48GS30
					SN# 19418041-09-94
					MTR# 2C95-10-0475

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - closed pipe system - 45 Psi op. Pressure.

E. NARRATIVE/REMARKS/COMMENTS

1. This permit is for a well and sprinkler system to irrigate 5.0 AC. of land. The pipe system consists of a 2" PVC buried mainline, and hand line sprinkler pipes above ground. The 2" PVC mainline is interconnected with a waste water pump located at the drain ditch on the west side of the property (WR# 65-13540). The system has gate valves, and is controlled by a pressure switch located on the waste water pump piping. The operating pressure is 45 PSI.

2. An irrigation ditch from the Last Chance Ditch Co. (WR- 65-13609) passes through the East side of the lot. They were using this water to irrigate the land, but decided to drill the well, and use waste water because of continuous problems with other users on this ditch. The water is still available to use on their lot.

3. The lot is 272' X 866', 5.37 Acres total. The irrigated portion is about 95% of the land.

4. For condition 2 - They are not using the surface water from Last Chance Ditch Co. at this time - but can still use it as the ditch is operated during the irrigation season. They do use the surface waste water in conjunction with the

Have conditions of permit approval been met? ☐ yes ☒ no

Well.

MICROFILMED

Additional Computation Sheets Attached

$$Q_{max} = \frac{(8.8)(34\text{HP})(70\%)}{10' + (45\text{psi})\left(\frac{34'}{14.7\text{psi}}\right)} = 0.16 \text{ cfs} > 0.15 \text{ cfs}$$

$$\begin{aligned} \phi_{\text{Allowed}} &= (0.03 \frac{\text{ctc}}{\text{Ac}})(5.0 \text{ Ac.}) \\ &= \underline{0.15 \text{ ctc}} \end{aligned}$$

1. Volume Calculations for Irrigation:

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{(5.0 \text{ AC})(3.5 \frac{\text{AF/A}}{\text{AC}})}{1} = 17.5 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.15) / 246 / (1.9835) = 73.2$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 17.5 \text{ AFA}$$

$$\text{Irrigated Acres} = \left[(272' \times 860') / (66 \times 66 \times 10) \right] [95\%] = 5.10 \text{ Ac.}$$

Allow 5.0 Ac.

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	03/15	11/15	0.15	17.5
		Totals:	0.15	17.5

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


Field Examiner's Name James Zorich Date 1-15-98

Reviewer	Date
----------	------

SEAL

2771 IV
(MONTGOMERY 162)

538



P/O, well
(65-13512)

REC'D
MED
JUN 21 1946
65-13512
65-13540

		39.88	Sec. 18				
T6N	3	639.28					Se
RIW	39.76						6
S19	4	80	160				
SWSW	39.64						
Lot 4	S. 89° 45' E.	79.76					N
	(19.76)	(20.00)	40.00				
	1						
	39.67						
	2	80	160				
65-13512	2						
65-13540	39.82	Sec. 19					Se
	3	639.58					6
	39.97						
	4	80	160				
	40.12						
	S. 89° 51' E.	80.06					S. E
	(20.06)	(20.00)	40.00				
	1						
	40.15						
	2	80	160				
	2						
	40.18	Sec. 30					Se
	3	640.78					6
	40.21						

NORTH

NORTH

NORTH

MICROFILMED
JUN 21 1988

IDAHO DEPARTMENT OF WATER RESOURCES
WELL INSPECTION FORM

65-94-C-0417-000

1. DRILLING PERMIT NO: 65-94-C-0417-000 OTHER APPLICABLE NO: 65-13572
2. OWNER: Jean F. & Winston E. Boyd Phone: (208) 365-5111
Address: 3702 Mill Rd., Emmett, ID 83617
3. WELL LOCATION: Twp 6N, Rge. 1W, Sec. 19, SW 1/4 SW 1/4
County Gem (Provide sketch map and photo on reverse.)
4. DRILLER: Dennis Phipps Lic. No. 332
When Drilled? 8-1-94 to 12-31-94
5. WELL CONSTRUCTION:
Casing Diameter 8 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 155 ft. Method Drilled Air Rotary + Cable Tool
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving Good
Auger to a depth of _____ ft. Evidence of Annular Seal ☒ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 10 ft. Water Temperature Cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____


How far away from the well is this source? _____

9. REMARKS: This well serves an irrigation sprinkler
system that is interconnected with a waste
water pump (WR# 65-13540) at a drain
ditch on the west side of the property (S.O.A.C.)

Don Zomich Water Rights Examiner
Signature of Dept. Representative & Title

5-7-97
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:




103720
AUG 21 1998

Lot 2

P/D
well.

P/u
Lawn.

View
Looking
West



P/D
well

P/u
Lawn/yard.

Last
Chance
Ditch Co.
Ditch
in
Center-Right.
Note Sprinkler
Hand Lines




view Looking
South

65-13512

2 of 2



P/u
Lawn / yard.
View
Looking
West



P/D for
Waste
Water
Pump.
WR#65-13540

View
Looking
Southwest

65-13512

65-13512

Office Use Only
Inspected by _____
Twp _____ Rge _____ Sec _____
_____ 1/4 _____ 1/4 _____ 1/4
Lat _____ Long _____


1. DRILLING PERMIT NO. 65-94-C-0417-000
Other IDWR No 65-13512

2. OWNER:

Name Bill Boyd
Address 3702 Mill Rd.
City Emmatt State IL Zip 83017

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.


 Twp. 6 North ☒ or South ☐
 Rge. 1 East ☐ or West ☒
 Sec. 19 1/4 SW 1/4 NW 1/4
 Gov't Lot 4 County Gen.
 Lat: _____ Long: _____

Address of Well Site

Address of Well Site Same City Emmett
(Give at least name of road + Distance to Road or Landmark)

Lt _____ Blk _____ Sub Name _____

4. USE:

☒ Domestic ☐ Municipal ☐ Monitor ☒ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK check all that apply (Replacement etc)

☒ New Well ☐ Modify ☐ Abandonment ☐ Other _____

6. DRILL METHOD

☒ Air Rotary ☒ Cable ☐ Mud Rotary ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	~~Sacks or~~ Pounds	
Bentonite	0	18	400	Pow.

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) _____

Was drive shoe seal tested? ☐ Y ☒ N How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
8	141	146	250	Steel	☐	☐	☐	☐
5	141	148	258	Steel	☐	☐	☐	☐
5	153	155	258	Steel	☐	☐	☐	☐

Length of Headpipe 7' 1" Length of Tailpipe 2'

9. PERFORATIONS/SCREENS

☐ Perforations Method 304 Stainless
☒ Screens Screen Type Houston

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
148	153	.040		5		☐	☐
						☐	☐
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

Depth flow encountered _____ ft. Describe access port or control devices *Well Seal*

11. WELL TESTS:

☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Yield gal /min	Drawdown	Pumping Level	Time
80			1

Water Temp _____ Bottom hole temp _____

Water Quality test or comments: _____

Depth first Water Encountered

12. LITHOLOGIC LOG: (Describe repairs or abandonment) Water

[illegible]Completed Depth 155 (Measurable)

Date Started 8-1-54 Completed 12-31-54

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the ng was removed.

Firm Name Dennis Phillips Firm No 332

Firm Official [Signature] Date 1-15-95

and

Supervisor or Operator _____ Date _____

(Sign once if Firm Official & Operator)

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 65-13512 Reviewed by JH Date 8-1-96

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 65-94-C-2417-000
200- Amount paid for permit yes Correct?
no Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50- Amount Submitted
yes Correct?
no Required?
 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	<u> </u>
No. of days late	<u> </u>	<u> </u>
Priority Date	<u> </u>	<u> </u>
New Priority Date	<u> </u>	<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof acceptable.

DATA ENTRY

New Address X Proof Made 7-17-96

August 5, 1996

JEAN F BOYD
WINSTON E BOYD
3702 MILL RD
EMMETT ID 83617

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13512

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

SEP 09 1996

June 30, 1996

JEAN F BOYD
WINSTON E BOYD
3702 MILL RD
EMMETT ID 83617

PROOF DUE NOTICE

RE: PERMIT NO. 65-13512

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1996. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 1, 1994

JEAN F BOYD
WINSTON E BOYD
3702 MILL RD
EMMETT ID 83617

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-13512

Dear Permit Holder(s):

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.


As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the completion date requesting you to file either a Proof of Beneficial Use form or a Request for an Extension of Time form.

Also enclosed is a copy of the approved drilling permit submitted in connection with this water right.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as far as possible from surface water channels and casing your well so that groundwater tributary to surface water flows are not diverted will reduce the potential for the watermaster to regulate your water use.

Sincerely,


JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosures

SEP 1 2 1994

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 65-13512 Name: Boyd Date: 8/22/94 Correct Fee? ✓

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
SYSTEM COMPLETED:

No - 26A P17
Complete in 1 year - P16

Yes
Proof not submitted - P16
Proof submitted - NA

GROUNDWATER:

+ 0.2 cfs <FLO-CH> - T17 (new), 01K (existing), No MD
- 0.2 cfs - No MD <FLOW CHART>

Drilling Permit:

Included w/permit - Permit No. _____ P99
Existing well - NA (pre 7/1/87)
No WD permit? - 046-46A(Irr)-46B-~~P23~~ (post 7/1/87)

SURFACE WATER: not in WD - T17 (+.2 w/pump), No MD <FLOW CHART>

LOCATION:

Water District(~~dem~~) - WD No. 65
*Surface water - 005 (req) 01J-P08 <FLOW CHART>
(doesn't sink) or 01H-P01 <FLOW CHART>; No MD
Groundwater - P05 (new irrigation well)
In stream channel - 030 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Drainage Districts - 024
Flood Control Dist. - 063
Boise Front (63) - 058 (-85° GW temp only)
Swan Falls Flag - B <SEE CONDITION CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non Trust <1> - 048-049 (Consumptive Uses), NA

RIVER BASINS (*Surface water):

Boise R(63) - 05A (if WD), 11E (non-domestic use), NA
Payette R(65) - 064(consump. use), 047-P04(Payette Lake), NA
Snake R(01/02/03) - 11A-P04 (01), 061-P07 (02/03 No WD Cond.), NA

USE:

Fish Propagation - 07A-042 (req) & 010/06A/09E(WQ)-P10
044 (N 1000 Spr)
Irrigation - 03A/057, 803(if GW use SW 1st) (~~15A~~ PU comp), NA
Power - 08A-17K-025-027(req); 01F(MD)-P19; 09E(WQ)-P10;
+25 cfs-P18; 17G(FERC) or 17M(FERE); 18B-P09
Mining - 054 (req) & 06A/010/09E-P10
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA
Domestic (surface) - 021(Boise R + L Peak), 27A(Payette R), NA

OWNERSHIP:

Non land owner - 004 (PD/PU)

PROTESTED:

- 020(Prehearing agreement)/W19(See Order)

OTHER CONDITIONS:

REMARKS:

BENEFICIAL USE DUE:

- 9-1-1996

COMMENTS:

- Turn use supplemental to Last Chance Irr. water
route with drilling permit.

WR0749NP
No. P65-13512

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 08/22/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	JEAN F BOYD	06/14/1994	IRRIGATION	03-15 11-15	0.15 CFS	
C	WINSTON E BOYD					
	3702 MILL RD					
	EMMETT ID 83617					
	(208) 365-5111					
				TOTAL DIVERSION:	0.15 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion: T06N R01W S19 Lot 04(SWSW)

GEM County

Place of use Legal Description for: IRRIGATION

NE												NW				SW				SE							
T	R	S	: Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	: Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	: Lt	Ac	Lt	Ac	: Lt	Ac	Lt	Ac	: SUM
06N	01W	19	:								:								:				:				5.0
TOTAL ACRES																								5.0			

Pou County: GEM

Other Water Rights with Same Point(s) of Diversion and Source:
65-05464 65-10939 65-13512

Other Water Rights Listing Overlapping Place(s) of use:
65-01623 65-13512 65-13540

Conditions of Approval:

- 26A - Project construction shall commence within one year from the
 - date of permit issuance and shall proceed diligently to
 - completion unless it can be shown to the satisfaction of the
 - Director of the Department of Water Resources that delays were
 - due to circumstances over which permit holder had no control.
- 046 - Right holder shall comply with the drilling permit
 - requirements of Section 42-235, Idaho Code.
- 46A - A well drilled pursuant to this permit must be located at least
 - 500 feet from any existing well. Well spacing closer than 500
 - feet must be approved by the Department of Water Resources.
- 46B - Construction of the well must comply with Idaho well
 - construction standards.
- 803 - The right holder shall use the full allotment of his surface
 - water right, to the extent it is available, in conjunction with
 - groundwater diverted pursuant to this right.
- 057 - The rate of diversion of water for irrigation under this right
 - and all other water rights on the same land shall not exceed
 - 0.03 cubic feet per second for each acre of land.

Dates:	App. Received:	06/14/1994	Priority Date:	06/14/1994
	Proof Due Date:	09/01/1996	Proof Made Date:	
	Exam Made Date:		Exam Sent to S.O.:	
	Licensed Date:			

WR0749NP
No. P65-13512

IDaho DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 08/22/94
PAGE: 2

=====

Misc: Water District Number: 65 Field Exam Fee:

Comments: Date: 06/14/1994 User-ID: HODGES Subject: SUPPLEMENTAL USE
Use will be supplemental to Last Chance Irrigation on 2-3 acres
and primary on balance of acreage. Irrigation of lawn/pasture/
trees. Well is separate from domestic well.

Audit: 08/22/94 CZIMMER

IDAHO DEPARTMENT OF WATER RESOURCES
PLACE OF USE 1/4 1/4 COMPARISON REPORT

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		NE		NW		SW		SE		NE		NW		SW		SE		
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
P6513512	T06N R01W S19	GROUNDWATER								04-05								5
A6500054A	PAYETTE RI :	32	39	35	36	38	39	24	23	31	02	299						
A6500054B	PAYETTE RI :	32	39	35	36	38	39	24	23	31	02	299						
6500054X	PAYETTE RI :	32	39	35	36	38	39	24	23	31	02	299						
A6500054X	PAYETTE RI :	32	39	35	36	38	39	24	23	31	02	299						
6500066	PAYETTE RI :						34			02		36						
A6500066	PAYETTE RI :						34			02		36						
A6500067	PAYETTE RI :						34			02		36						
6500610	GROUNDWATE :	02										2						
6501305	GROUNDWATE :							12			36	48						
A6501305	GROUNDWATE :							12			36	48						
6501623	WASTE WATE <i>George Rose</i> :							03-23	04-20			43						
A6501623	WASTE WATE :							03-23	04-20			43						
6506951	GROUNDWATE :			10								10						
6513512	GROUNDWATE :								04-05			5						
6513540	WASTE WATE <i>application, same people, POB</i> :								04-05			5						
A6518338	GROUNDWATE :							02				2						
	C450-W 56 :	40	35	38	40	35	36	38	35	42	37	42	41	459				
NO QTRS	MAPPING	Lot01-41 Lot02-41 Lot03-41 Lot04-36																

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: 6 DATE: 6/17/94 APPLICATION: 65-13512

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use: Gov't. Lots: ☒ P/D
☒ Nature of proposed use: (Include description of use) ☒ P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

RECEIVED
AUG 11 1994

ADDITIONAL INFORMATION

Department of Water Resources

YES NO

- ☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion:
☐ Field check required: Field check by: _____
☐ Field report attached:
☒ Critical groundwater area:
☒ Groundwater management area:
☒ 1992 moratorium
☒ Copy to SCA staff (perennial stream, non-pump diversion):
☒ Send dam safety information:
☒ Send power requirement letter:
☒ Send fish farm requirement letter:
☒ Power residency affidavit:
☒ Power efficiency form:
☒ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

☒ Additional information on reverse side:

NOTE

D. Permit Appl. in file -
(no # yet but
\$200 = fee paid)

Request per office visit to
approve immediately upon approval
of w.r. Appl. - per W. Boyd 7/25/94

-82

PROCESSING

APPLICATION NO.

65-13512

YES NO

☒ ☐
☐ ☒
☒ ☐

In form for advertising:

Statewide advertising: (> 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☒ ☐

Publication dates and paper recorded on application:

Protests received. Final date for protest 7-25-94

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, Deny

Measuring device required:

Measuring port required:

Water delivered by water master? District #

Special conditions of approval or cover letter:

26A (Allow 2 yrs), 46

X See below for additional information

Recommended Date or Priority 6/14/94

Recommended by: Dnr

Date 8/6/94

STATE OFFICE REVIEW

See below for additional information. By Date

ADDITIONAL INFORMATION

P/U

P/D

overlap info

65-05464 Rom

←

10939 Rom

←

01623 vrn (20 ac)

plz issue the attached drilling permit when the water right permit is issued.

RECEIVED

JUL 15 1994

WATER RESOURCES
WESTERN REGION

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
SS.
COUNTY OF GEM,

Ginger Johnson being first
duly sworn, on her oath deposes and
says that she is the clerk of the Mes-
senger Index, a legal weekly news-
paper published at Emmett, in Gem
County, Idaho; that said newspaper
is in general circulation in said
county and has been published unin-
terruptedly and continuously for
more than 78 weeks prior to the
first publication of the annexed
document; and that the document
notice, process, or advertisement
hereunto annexed was published in
the regular edition of Messenger
Index for two

consecutive weekly issues thereof,
beginning with the issue of
7-6, 1994,
and ending with the issue of
7-13, 1994

Ginger Johnson
Subscribed and sworn to me this

13th day of
July, 1994

Notary Public

Residing at Emmett, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s)
have been filed to appropriate the
public waters of the State of Idaho:

65-13512

BOYD, JEAN F
BOYD, WINSTON E
3702 MILL RD
EMMETT, ID 83617

Source: GROUNDWATER

Diversion Pt: LOT 4 (SWSW)
Sec 19 T 06N R 01W in GEM
County.

Use: IRRIGATION

Total Diversion: (.150 CFS) (.150
CFS)

Date Filed: 6/14/1994

In: GEM County

T06N R01W S19 Lot 4(SWSW)

5.0 ACRES TOTAL

Permits will be subject to all prior
water rights. Protests may be sub-
mitted based on the criteria of Sec.
42-203A, Idaho Code. Any protest
against the approval of this applica-
tion must be filed with the Director,
Dept. of Water Resources, West-
ern Region, 2735 Airport Way,
Boise, Idaho 83705 together with a
protest fee of \$25.00 on or before
JULY 25, 1994. The protestant
must also send a copy of the
protest to the applicant.

R. KEITH HIGGINSON,
Director

Pub: 7 - 6, 13, 1994

Legal Notice No. 1960

Published in the Messenger Index

MY COMMISSION EXPIRES
JUNE 21st, 1997

My Commission Expires _____

SEP 12 1994

65-13512

BOYD, JEAN F
BOYD, WINSTON E
3702 MILL RD
EMMETT, ID 83617

Source: GROUNDWATER

Diversion Pt: LOT 4 (SWSW) Sec 19 T 06N R 01W in GEM County.

Use: IRRIGATION (.150 CFS)
Total Diversion: (.150 CFS)

Date Filed: 6/14/1994

In: GEM County
T06N R01W S19 Lot 4(SWSW)

5.0 ACRES TOTAL

6-13-94