




65

ESS MTA

SW

24000

565

10'

566

567

R2E R3E

568000m E

568

ROAD CLASSIFICATION

1 MILE

569

Printed Highway

Light-duty road, hard or

570

44° 5'

116° 07' 30"

571

4970000m

4975

572

4974

55'

573

4972

4971

574

4970

4969

575

4968

4967

576

4966

4965

577

4964

4963

578

4962

4961

579

4960

4959

580

4958

4957

581

4956

4955

582

4954

4953

583

4952

4951

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Lyle G. Saxton</u> Address <u>2823 Apache Way Boise, Id.</u> Owner's Permit No. <u>65-89-C-0027-000</u>		7. WATER LEVEL Static water level <u>23</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>44</u> of. Quality <u>GOOD</u> Describe artesian or temperature zones below																																															
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Bailer ☒ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>25</u></td><td><u>58</u></td><td><u>1</u></td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	<u>25</u>	<u>58</u>	<u>1</u>																																								
Discharge G.P.M.	Pumping Level	Hours Pumped																																															
<u>25</u>	<u>58</u>	<u>1</u>																																															
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection (specify type) _____ ☐ Other _____		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td><u>9</u></td><td><u>0</u></td><td><u>3</u></td><td><u>Top Soil</u></td><td></td><td>☒</td></tr><tr><td><u>9</u></td><td><u>3</u></td><td><u>12</u></td><td><u>CEMENTED SAND, GRAVEL & BOULDERS</u></td><td></td><td>☒</td></tr><tr><td><u>9</u></td><td><u>12</u></td><td><u>19</u></td><td><u>BROWN CEMENTED SAND</u></td><td></td><td>☒</td></tr><tr><td><u>6</u></td><td><u>19</u></td><td><u>38</u></td><td><u>BROWN CEMENTED SAND</u></td><td></td><td>☒</td></tr><tr><td><u>6</u></td><td><u>38</u></td><td><u>52</u></td><td><u>BROWN SAND & GRAVEL</u></td><td></td><td>☒</td></tr><tr><td><u>6</u></td><td><u>52</u></td><td><u>60</u></td><td><u>SAND, GRAVEL & BOULDERS</u></td><td></td><td>☒</td></tr></tbody></table>		Bore Diam.	Depth		Material	Water		From	To	Yes	No	<u>9</u>	<u>0</u>	<u>3</u>	<u>Top Soil</u>		☒	<u>9</u>	<u>3</u>	<u>12</u>	<u>CEMENTED SAND, GRAVEL & BOULDERS</u>		☒	<u>9</u>	<u>12</u>	<u>19</u>	<u>BROWN CEMENTED SAND</u>		☒	<u>6</u>	<u>19</u>	<u>38</u>	<u>BROWN CEMENTED SAND</u>		☒	<u>6</u>	<u>38</u>	<u>52</u>	<u>BROWN SAND & GRAVEL</u>		☒	<u>6</u>	<u>52</u>	<u>60</u>	<u>SAND, GRAVEL & BOULDERS</u>		☒
Bore Diam.	Depth		Material		Water																																												
	From	To		Yes	No																																												
<u>9</u>	<u>0</u>	<u>3</u>	<u>Top Soil</u>		☒																																												
<u>9</u>	<u>3</u>	<u>12</u>	<u>CEMENTED SAND, GRAVEL & BOULDERS</u>		☒																																												
<u>9</u>	<u>12</u>	<u>19</u>	<u>BROWN CEMENTED SAND</u>		☒																																												
<u>6</u>	<u>19</u>	<u>38</u>	<u>BROWN CEMENTED SAND</u>		☒																																												
<u>6</u>	<u>38</u>	<u>52</u>	<u>BROWN SAND & GRAVEL</u>		☒																																												
<u>6</u>	<u>52</u>	<u>60</u>	<u>SAND, GRAVEL & BOULDERS</u>		☒																																												
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____		10. Work started <u>5-27-89</u> finished <u>5-27-89</u>																																															
5. WELL CONSTRUCTION Casing schedule: ☐ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>250</u> inches</td><td><u>6</u> inches</td><td><u>1</u> feet</td><td><u>59</u> feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inch by _____ inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Model No. _____ Type _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ feet Placed from _____ feet to _____ feet Surface seal depth <u>11</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Pudding clay Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>SANITARY Well Seal</u>		Thickness	Diameter	From	To	<u>250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>59</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>GUSTIN & SONS</u> Firm No. <u>408</u> Address <u>HC 38 Boise, Idaho</u> Signed by (Firm Official) <u>Robert E. Gustin</u> and <u>Robert E. Gustin</u> (Operator) AUG 9 1996															
Thickness	Diameter	From	To																																														
<u>250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>59</u> feet																																														
_____ inches	_____ inches	_____ feet	_____ feet																																														
_____ inches	_____ inches	_____ feet	_____ feet																																														
_____ inches	_____ inches	_____ feet	_____ feet																																														
Number	From	To																																															
_____ perforations	_____ feet	_____ feet																																															
_____ perforations	_____ feet	_____ feet																																															
_____ perforations	_____ feet	_____ feet																																															
6. LOCATION OF WELL Sketch map location must agree with written location. <table border="1"><tr><td>N</td><td></td><td></td><td></td><td></td></tr><tr><td>W</td><td></td><td></td><td></td><td>E</td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td>S</td><td></td><td></td><td></td><td></td></tr></table> County <u>VALLEY</u> <u>SE 1/4 SE 1/4 Sec. 7 T. 18 N. R. 36 E.W.</u> Subdivision Name _____ Lot No. _____ Block No. _____		N					W				E											S																											
N																																																	
W				E																																													
S																																																	

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT


Drilling Permit 65-89-C-0027-000

Form 238 7
9 82

STATE OF IDAHO DEPARTMENT OF WATER RESOURCES WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Lyle G. Saxon</u> Address <u>7823 Apache Way Boise, Id.</u> Owner's Permit No. _____	7. WATER LEVEL Static water level <u>23</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow: _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>44</u> of. Quality <u>GOOD</u> Describe artesian or temperature zones below																																														
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailer ☒ Air ☐ Other <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr> <td style="text-align: center;"><u>25</u></td> <td style="text-align: center;"><u>58</u></td> <td style="text-align: center;"><u>1</u></td> </tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>25</u>	<u>58</u>	<u>1</u>																																								
Discharge G.P.M.	Pumping Level	Hours Pumped																																													
<u>25</u>	<u>58</u>	<u>1</u>																																													
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">9</td> <td style="text-align: center;">0</td> <td style="text-align: center;">3</td> <td>Top Soil</td> <td></td> <td style="text-align: center;">X</td> </tr> <tr> <td style="text-align: center;">9</td> <td style="text-align: center;">3</td> <td style="text-align: center;">12</td> <td>Cemented Sand, Gravel & Boulders</td> <td></td> <td style="text-align: center;">X</td> </tr> <tr> <td style="text-align: center;">9</td> <td style="text-align: center;">12</td> <td style="text-align: center;">19</td> <td>Brown Cemented Sand</td> <td></td> <td style="text-align: center;">X</td> </tr> <tr> <td style="text-align: center;">6</td> <td style="text-align: center;">19</td> <td style="text-align: center;">38</td> <td>Brown Cemented Sand</td> <td></td> <td style="text-align: center;">X</td> </tr> <tr> <td style="text-align: center;">6</td> <td style="text-align: center;">38</td> <td style="text-align: center;">52</td> <td>Brown Sand & Gravel</td> <td style="text-align: center;">X</td> <td></td> </tr> <tr> <td style="text-align: center;">6</td> <td style="text-align: center;">52</td> <td style="text-align: center;">60</td> <td>Sand, Gravel & Boulders</td> <td style="text-align: center;">X</td> <td></td> </tr> </tbody> </table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	9	0	3	Top Soil		X	9	3	12	Cemented Sand, Gravel & Boulders		X	9	12	19	Brown Cemented Sand		X	6	19	38	Brown Cemented Sand		X	6	38	52	Brown Sand & Gravel	X		6	52	60	Sand, Gravel & Boulders	X	
Bore Diam.	Depth		Material	Water																																											
	From	To		Yes	No																																										
9	0	3	Top Soil		X																																										
9	3	12	Cemented Sand, Gravel & Boulders		X																																										
9	12	19	Brown Cemented Sand		X																																										
6	19	38	Brown Cemented Sand		X																																										
6	38	52	Brown Sand & Gravel	X																																											
6	52	60	Sand, Gravel & Boulders	X																																											
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	RECEIVED MAY 31 1989 Department of Water Resources Boise, Idaho																																														
5. WELL CONSTRUCTION Casing schedule: ☐ Steel ☐ Concrete ☐ Other <table style="width: 100%;"> <tr> <td>Thickness</td> <td>Diameter</td> <td>From</td> <td>To</td> </tr> <tr> <td><u>250</u> inches</td> <td><u>6</u> inches</td> <td><u>1</u> feet</td> <td><u>59</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table style="width: 100%;"> <tr> <td>Number</td> <td>From</td> <td>To</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ feet Placed from _____ feet to _____ feet Surface seal depth <u>19</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>SANITARY Well Seal</u>		Thickness	Diameter	From	To	<u>250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>59</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet														
Thickness	Diameter	From	To																																												
<u>250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>59</u> feet																																												
_____ inches	_____ inches	_____ feet	_____ feet																																												
_____ inches	_____ inches	_____ feet	_____ feet																																												
_____ inches	_____ inches	_____ feet	_____ feet																																												
Number	From	To																																													
_____ perforations	_____ feet	_____ feet																																													
_____ perforations	_____ feet	_____ feet																																													
_____ perforations	_____ feet	_____ feet																																													
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>VALLEY</u> <u>SE 1/4 SE 1/4 Sec. 7, T. 18N N/S, R. 3E E/W.</u>	10. Work started <u>5-27-89</u> finished <u>5-27-89</u> 11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>GOSWIN, PAUL WOLF</u> Firm No. <u>408</u> Address <u>HC 38 Boileau, Idaho</u> Signed by (Firm Official) <u>Paul Wolf</u> and (Operator) <u>Paul Wolf</u>																																														

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 65-13505

Priority: March 22, 1994

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that FAITH CARTER
LOREN S CARTER

3401 TAMARACK ST

BOISE ID 83703

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 22, 1994; and has submitted Proof of Beneficial Use on May 31, 1996. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: SESE, Sec. 7, Township 18N, Range 03E
VALLEY County

PLACE OF USE: DOMESTIC

TWN RGE SEC

18N 03E 7

SESE

CONDITIONS OF APPROVAL AND REMARKS

1. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 4TH day of JUNE, 1999.


Acting for KARL J. DREHER, Director

MICROFILMED

JUN 09 1999

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Application	65-13505	Loren S. Carter Lyle G. Saxton	.04
Full Assignment	65-13505	Loren S. Carter Faith Carter	.04

AUG 09 1996

7/94

RECEIVED

MAY 31 1996

Department of Water Resources

For Office Use Only
\$25 Filing Fee
Receipt# 0035072
Date 5-31-96

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ASSIGNMENT OF PERMIT

We, Loren S. Carter and
Lyle G. Saxton, hereby assign to Loren S. Carter or Faith Carter
of, 3401 Tamarack St, Boise, ID 83703 (208) 342-4775
(Full Address) (Phone)

All my right, title, and interest in and to Permit No. 65-13505 to
appropriate the public waters of the State of Idaho.

Q, (for partial assignments)

The following described portion of my right, title, and interest in and to
Permit No. _____ to appropriate the public waters of the State of
Idaho. (Describe portion of the permit assigned listing the number of acres in each 40 acre
subdivision, point of diversion location, and the amount of water in cubic feet per second.)

Made this 30 day of May, 1996.

Loren S. Carter
Permit Holder
Lyle G. Saxton
Permit Holder

State of Idaho)
County of Ada) ss

On this 31st day of May, 1996, personally appeared before me the signer(s) of the
above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Sharla R. Curtis
Notary Public residing at
Emmett, Id

seal

My commission expires: 10-6-96

AUG 08 1996

RECEIVED

MAY 31 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-13505 Telephone No. (208) 342-4775
2. Name(s) of Permit Holder(s): Loren S. and/or Faith Carter
3. Mailing Address: 3401 Tamarack St. Boise, ID 83703
4. Source of Water: Ground water If GROUNDWATER (well), Date Drilled: mo. May / yr. 1989
 - a. Well Driller: Gestrin-Yankee Well Drilling Drilling Permit Number: 65-89-C-0027-000
 - b. **OPTIONAL:**
Pump Horsepower: 1/2 Pressure (psi): 50# Dynamic pumping level (ft): 30'
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 1 Stockwater (No. and type of stock): —
Irrigation (No. of acres): — Other: —
6. Total rate of diversion and/or volume for which proof is submitted: 0.04 cfs OR — acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes <u>—</u>	or	No <u>✓</u>
	Has the measuring device been installed?	Yes <u>—</u>	or	No <u>✓</u>
Flow Measurement Port:	Is a flow measurement port required?	Yes <u>—</u>	or	No <u>✓</u>
	Has the measurement port been installed?	Yes <u>—</u>	or	No <u>✓</u>
8. Fee Enclosed: \$ N/A (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Loren S. Carter Telephone Number: See above
Address: See above
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Loren S. Carter Date: 5/30/96
(include your title, if on behalf of company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13505

Proposed Priority: March 22, 1994 Maximum Diversion Rate: 0.08 CFS

This is to certify, that LOREN S CARTER
LYLE G SAXTON
3401 TAMARACK DR
BOISE ID 83703

has applied for a permit to appropriate water from: GROUNDWATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/15 to 10/15	0.02 CFS
DOMESTIC	01/01 to 12/31	0.06 CFS
	Totals	0.08 CFS

LOCATION OF POINT(S) OF DIVERSION: SESESE , Sec. 7, Township 18N, Range 03E
VALLEY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
18N	03E	7	SESE	1		1

Total number of acres irrigated: 1

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:


1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1996.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
5. Domestic use is for 2 homes.


This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

3rd day of August, 1994.

RECEIVED

AUG 15 1994


R. Keith Higginson, Director



JUN 29 1994

Form 202
10/92

RECEIVED

MAR 23 1994

WATER RESOURCES
WESTERN REGION

Department of Water Resources
STATE OF IDAHO

Ident No 65-13505

DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1 Name of applicant Loren S. Carter &/or Lyle G. Saxton Phone (208)342-4775
Post office address 3401 Tamarack Dr., Boise, ID. 83703

2 Source of water supply Groundwater which is a tributary of -----

3 Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt Lot -----
Sec. 7 Township 18N Range 3E B M Valley County; additional
points of diversion if any -----

4 Water will be used for the following purposes:

* Amount .06 ^{max allowable for 2 homes} for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .02 for IRR purposes from ----- to ----- (both dates inclusive)
(cfs or acre-feet per annum)

Amount ----- for ----- purposes from ----- to ----- (both dates inclusive)
(cfs or acre-feet per annum)

Amount ----- for ----- purposes from ----- to ----- (both dates inclusive)
(cfs or acre-feet per annum)

5 Total quantity to be appropriated is (a) 0.08 ^{OK g4} and/or (b) -----
cubic feet per second acre feet per annum

6 Proposed diverting works.

a. Description of ditches, flumes, pumps, headgates, etc Well & Pump

b. Height of storage dam ----- feet; active reservoir capacity ----- acre-feet, total
reservoir capacity ----- acre-feet, period of year when water will be diverted to storage:
----- to ----- inclusive

Existing Well
c. Proposed well diameter is 6" inches; proposed depth of well is 60' feet.

d. Is ground water with a temperature of greater than 85°F being sought? No

e. If well is already drilled, when? 1989; Drilling firm Gestrin-Yankee Well Drilling;

Well was drilled for (well owner) Lyle G. Saxton

7. Time required for the completion of the works and application of the water to be proposed beneficial use is

2 years (minimum 1 year).

*irrigation occurring per Mr. Saxton up to 1/2 ac per home.

AUG 15 1994

8. Description of proposed uses (if irrigation only, go to item 9).

- a. Hydropower; show total feet of head and proposed capacity in KW _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal, show name of municipality _____
- d. Domestic, show number of households. 2 Cabins
- e. Other; describe fully _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
18N	3E	7																I	I
18N	3E	7																D	

Total number of acres to be irrigated 1

10. Describe any other water rights used for the same purposes as described above. None

- 11 a. Who owns the property at the point of diversion? Applicants
- b. Who owns the land to be irrigated or place of use? Applicants
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: One cabin is constructed and the other is under construction. Water has been used in one cabin since 1989.

AUG 15 1994

[illegible]

Loren S. Carter
(Applicant)
Lyle S. Taylor

Received by ju Date 3-22-94 Time 10:26 Preliminary check by Cy
Fee \$ 30.00 Receipted by ju # C029851 Date 3-22-94
Publication prepared by st Date 4-27-94 Published in Star News
Publication approved st Date 6-7-94

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____

1 Approval of said application is subject to the following limitations and conditions:

a SUBJECT TO ALL PRIOR WATER RIGHTS.

b Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 _____


c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit

e. Other.

RECEIVED

AUG 15 1994





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

June 7, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

FAITH CARTER
LOREN S CARTER
3401 TAMARACK ST
BOISE ID 83703

RE: WATER RIGHT NO. 65-13505

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


MICROFILMED
JUN 09 1999

CERTIFICATE OF MAILING

I hereby certify that on the 7th day of **June, 1999**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 65-13505

FAITH CARTER
LOREN S CARTER
3401 TAMARACK ST
BOISE ID 83703


Kari Lynn Townsend
Secretary

MICROFILMED
JUN 09 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED

JUN 09 1999

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

LICENSE REVIEW CHECKLIST

PERMIT NO. 65-13505 DATE 5/28/99 REVIEWER: SHARLA

NAME Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK Change (P39 /P47) Add (P45/P42) Feds - P40

W32 (multiple in 1/4)
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s) _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE OK Change (P41/P47) Add (P41/P42) Feds - P43

W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PD & PU amend (P37) Feds - P48

RATE OF DIV

Permitted Rate .08 cfs

Fee limit .04 cfs

Measured Sum cfs

Theoretical Sum cfs

Recommended Total Div Rate .04 cfs

WATER USES

Dom. OK .04 cfs 1.2 af
 _____ cfs _____ af
 _____ cfs _____ af
 _____ cfs _____ af
 _____ cfs _____ af
 _____ cfs _____ af
 TOTALS _____ cfs _____ af

Irng - overlap (R58-R61, R62-R65, R66-R69)
 supp gw (WB7/065/079)
 overlap spec. combined rts (W35)
 <1 acre (W31)
 Domestic (W01/WB5/070/071/075)
 Power (W42 or W43/025/027/R22 or R23)
 Fish (042) Fire (077) Wtr Quality (081/R07)

Flow rate .04 cfs X 365 days X 1.98 = 29.0 af

REMARKS _____

ADD'L CONDITIONS _____ Watermaster Control WD# _____

_____ GW Measurement/Measuring Device

_____ Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority _____ yes _____ no

SRBA Claim N/A

Adjust Memo _____
 Amend letters _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 08 1997

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-13505

1. Owner: Loren S & Faith Carter Phone No. _____

Current Address: 3401 Tamarack St Boise ID 83703

2. Accompanied by: NONE - in office exam EXAM DATE: 12/16/96

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: N/A Domestic

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SE	7	18N	3E	Valley	Assessor's Ofc, map

2. Place(s) of Use:

Indicate Method of Determination above

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
18N	3E	7																D	

MICROFILMED

JAN 09 1999

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required)

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4. *See remarks*

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: *None*

MICROFILMED

JUN 09 1993

E. NARRATIVE/REMARKS/COMMENTS

In-office exam for single domestic use.

Well drilled pursuant to 65.89.C.0027.000.

Verification of ownership, location & single dwelling obtained from Valley County Assessor's ofc. 12/16/96.

Permit originally for 2 homes. Assignment in May 96 to Carter from original permit holders. Proof shows only one home - assessor shows only one improvement on two lots.

Domestic for one home w/ lawn (see application).

Fla. aka tax 46-A, within SESE Sec 7.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

JUN 09 1999

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

*D/I internal & external = 1.2 AF***H. RECOMMENDATIONS**

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>DOMESTIC</u>	<u>1/1</u>	<u>12/31</u>	<u>.04</u>	<u>1.2</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>.04</u>	<u>1.2</u>

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ___ None
___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATIONField Examiner's Name C. Hodges Date 12/16/96

Reviewer _____ Date _____

SEAL

MICROFILMED

JUN 09 1997

Valley Co Assessor 3824295

Tax 46-A legal OK w/in SESE
S07.

2 lots, one home.

12/16/96 cjl-

NOT REFILED

NOV 24 1999

R2E R3E 568000m

ROAD CLASSIFICATION

United States road built on

65-13505

MICROFILMED

JUN 09 1999

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 65-13505 Reviewed by [Signature] Date 7-12-96

GENERAL CONSIDERATIONS

TYPES OF USE

no Name same as permit? assignment ~~res~~, dom
no Address same as permit? _____
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

_____ Surface water source
✓ Ground water source
yes Drilling permit required?
no Copy in the file? Drilling Permit No. 65-89-C-0027-000
10- Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

no Required?
/ Amount Submitted
/ Correct?
no Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received	_____	<u>/</u>	_____
Date proof due	_____		_____
No. of days late	_____		_____
Priority Date	_____		_____
New Priority Date	_____		_____

DEFICIENCIES OR ACTION ITEMS

Process assignment
Proof acceptable

DATA ENTRY

New Address 3401 Tamarack St. Proof Made 5-31-96
Brose, IL 63703



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR
July 17, 1996

LOREN S. & FAITH CARTER
3401 TAMARACK ST
BOISE ID 83703

PROOF ACKNOWLEDGEMENT LETTER

RE: Permit No. 65-13505

Dear Permit Holder:

The Department acknowledges receipt of the correspondence and assignment of permit form transferring ownership of the above referenced water right to you. We have modified our computer records to reflect this change in ownership.

Additionally, the department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that Section 42-248, Idaho Code, which became affective on July 1, 1996, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Please contact any office of the department for the proper form to file a change of ownership of a water right and/or a change in the address of the owner. Failure to maintain current records with the department could result in the assessment of a monetary penalty.

If you have any questions concerning this matter, contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,



JULIE L. YARBROUGH
Senior Secretary

C: IDWR - Regional Office

AUG 09 1996

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1 WELL OWNER Name <u>Lyle G Saxton</u> Address <u>7823 Arrowhead Way Boise, Id.</u> Owner's Perm. No. <u>65-89-C-0067 000</u>	7 WATER LEVEL Static water level <u>23</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug Temperature <u>44</u> OF Quality <u>GOOD</u> Describe artesian or temperature zones below																																					
2 NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement Abandoned (describe abandonment procedures such as materials plug depths etc in lithologic log)	8 WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 5px;"> <tr> <th style="width: 33%;">Discharge G.P.M.</th> <th style="width: 33%;">Pumping Level</th> <th style="width: 33%;">Hours Pumped</th> </tr> <tr> <td style="text-align: center;"><u>25</u></td> <td style="text-align: center;"><u>58</u></td> <td style="text-align: center;"><u>1</u></td> </tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>25</u>	<u>58</u>	<u>1</u>																															
Discharge G.P.M.	Pumping Level	Hours Pumped																																				
<u>25</u>	<u>58</u>	<u>1</u>																																				
3 PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection (specify type)	9 LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Water Yield No.</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">9</td> <td style="text-align: center;">0</td> <td style="text-align: center;">3</td> <td>Top Soil</td> <td style="text-align: center;">X</td> </tr> <tr> <td style="text-align: center;">8</td> <td style="text-align: center;">3</td> <td style="text-align: center;">12</td> <td>CEMENTED SAND, GRAVEL Boulders</td> <td style="text-align: center;">X</td> </tr> <tr> <td style="text-align: center;">9</td> <td style="text-align: center;">12</td> <td style="text-align: center;">19</td> <td>BROWN CEMENTED SAND</td> <td style="text-align: center;">X</td> </tr> <tr> <td style="text-align: center;">6</td> <td style="text-align: center;">19</td> <td style="text-align: center;">38</td> <td>BROWN CEMENTED SAND</td> <td style="text-align: center;">X</td> </tr> <tr> <td style="text-align: center;">6</td> <td style="text-align: center;">38</td> <td style="text-align: center;">52</td> <td>BROWN SAND & GRAVEL</td> <td style="text-align: center;">X</td> </tr> <tr> <td style="text-align: center;">6</td> <td style="text-align: center;">52</td> <td style="text-align: center;">100</td> <td>SAND, GRAVEL & Boulders</td> <td style="text-align: center;">X</td> </tr> </tbody> </table> 	Bore Diam	Depth		Material	Water Yield No.	From	To	9	0	3	Top Soil	X	8	3	12	CEMENTED SAND, GRAVEL Boulders	X	9	12	19	BROWN CEMENTED SAND	X	6	19	38	BROWN CEMENTED SAND	X	6	38	52	BROWN SAND & GRAVEL	X	6	52	100	SAND, GRAVEL & Boulders	X
Bore Diam	Depth		Material	Water Yield No.																																		
	From	To																																				
9	0	3	Top Soil	X																																		
8	3	12	CEMENTED SAND, GRAVEL Boulders	X																																		
9	12	19	BROWN CEMENTED SAND	X																																		
6	19	38	BROWN CEMENTED SAND	X																																		
6	38	52	BROWN SAND & GRAVEL	X																																		
6	52	100	SAND, GRAVEL & Boulders	X																																		
4 METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other																																						
5 WELL CONSTRUCTION Casing schedule ☐ Steel ☐ Concrete ☐ Other <table style="width: 100%; margin-top: 5px;"> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> <tr> <td style="text-align: center;"><u>250</u> inches</td> <td style="text-align: center;"><u>6</u> inches</td> <td style="text-align: center;"><u>1</u> feet</td> <td style="text-align: center;"><u>59</u> feet</td> </tr> <tr> <td style="text-align: center;">inches</td> <td style="text-align: center;">inches</td> <td style="text-align: center;">feet</td> <td style="text-align: center;">feet</td> </tr> <tr> <td style="text-align: center;">inches</td> <td style="text-align: center;">inches</td> <td style="text-align: center;">feet</td> <td style="text-align: center;">feet</td> </tr> <tr> <td style="text-align: center;">inches</td> <td style="text-align: center;">inches</td> <td style="text-align: center;">feet</td> <td style="text-align: center;">feet</td> </tr> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inch by _____ inches Number From To _____ perforations feet feet _____ perforations feet feet _____ perforations feet feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>19</u> Material used in seal ☐ Cement grout ☒ Bentonite ☐ Pudding clay ☐ Sealing procedure used ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>SAWTRAY Well Seal</u>	Thickness	Diameter	From	To	<u>250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>59</u> feet	inches	inches	feet	feet	inches	inches	feet	feet	inches	inches	feet	feet																		
Thickness	Diameter	From	To																																			
<u>250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>59</u> feet																																			
inches	inches	feet	feet																																			
inches	inches	feet	feet																																			
inches	inches	feet	feet																																			
6 LOCATION OF WELL Sketch map location must agree with written location  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Valley</u> <u>SE & SE & Sec. 7 T. 18N R. 3E EW</u>	10 Work started <u>5-27-89</u> finished <u>5-27-89</u>																																					
11 DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed Firm Name <u>G. Saxton & Son, Inc.</u> Firm No. <u>408</u> Address <u>MC 38 Bull Mountain</u> <u>5-27-89</u> Signed by (Firm Official) <u>Robert Saxton</u> and (Operator) <u>Robert Saxton</u>																																						

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

April 30, 1996

LOREN S CARTER
LYLE G SAXTON
3401 TAMARACK DR
BOISE ID 83703

PROOF DUE NOTICE

RE: PERMIT NO. 65-13505

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1996.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 4, 1994

LOREN S CARTER
LYLE G SAXTON
3401 TAMARACK DR
BOISE ID 83703

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-13505

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.


Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over a horizontal line.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosures



AUG 15 1994

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

Application #: 65-13205 Name: Carter/Saylor Date: 6/30/94

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust

SYSTEM COMPLETED:

No - 26A-P17

Complete in 1 year - P16

Yes

Proof not submitted - P16

Proof submitted - NA

GROUNDWATER:

+ 0.2 cfs <flo-ch> - T17 (new), 01K (existing), No MD

- 0.2 cfs - No MD <flow chart>

Drilling Permit:

Included w/permit - Permit No. 65-89-C-0027-000, P99

Existing well - NA (pre 7/1/87)

No WD permit? - 046-46A(Irr)-46B-P23 (post 7/1/87)

SURFACE WATER: not in WD - T17 (+.2 w/pump), No MD <flow chart>

LOCATION:

Water District(dem) - WD No. 65

*Surface water - 005 (req) 01J-P08 <flow chart>
(doesn't sink) or 01H-P01 <flow chart>; No MD

Groundwater - P05 (new irrigation well)

In stream channel - 030 (stream channel alteration)

Irr Dist/Canal Co. - 023 (Twin Falls area)

Drainage Districts - 024

Flood Control Dist. - 063

Boise Front (63) - 058 (-85° Groundwater temp)

Swan Falls Flag - B <See condition code chart>

Trust - 051-052-053-P74 (Consumptive Uses), NA

Non Trust <1> - 048-049 (Consumptive Uses), NA

RIVER BASINS (*Surface water):

Boise R(63) - 05A (if WD), 11E (non-domestic use), NA

Payette R(65) - 064(consump. use), 047-P04(Payette Lake), NA

SNAKE R(01/02/03) - 11A-P04 (01), 061-P07 (02/03 No W.D.Cond.), NA

USE:

Fish Propagation - 07A-042 (req) & 010/06A/09E(WQ)-P10
044 (N 1000 Spr)

Irrigation - 803(if GW use SW 1st)(+5A do POU comp), NA

Power - 08A-17K-025-027(req); 01F(MD)-P19; 09E(WQ)-P10;
+25 cfs-P18; 17G(FERC) or 17M(FERE); 18B-P09

Mining - 054 (req) & 06A/010/09E-P10

Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

Domestic (surface) - 021(Boise R + L Peak), 27A(Payette R), NA

OWNERSHIP:

Non land owner - 004 (PD/PU) _____

PROTESTED:

Prehearing agreement- 020

OTHER CONDITIONS:

- 057 _____

REMARKS:

- 1 wol(2) _____

BENEFICIAL USE DUE:

- 7-1-1996 _____

COMMENTS:

- _____

DATE: 06/30/94
PAGE: 1

Misc: Water District Number: 65 Field Exam Fee:

WR0749NP
No. P65-13505

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 06/30/94
PAGE: 2

=====
Comments: Date: 04/26/1994 User-ID: HODGES Subject: DIVERSION DESCRIPTION
Well drilled under 65-89-C-0027-000; 6" by 60' deep well with
pump; drilled in 1989 by Gestrin-Yankee Well Drilling. One cabin
is constructed and the other is under construction. Use has
occurred in first cabin since 1989.

Audit: 06/30/94 CZIMMERM

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: Cyl DATE: 4/11/94 APPLICATION: 65-13505

REQUIRED INFORMATION

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
Address:
Source: (See USGS Quad for names of water sources)
Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
County:
Quantity: (flow and/or volume)
Period of use:
Nature of proposed use: (Include description of use)
Description of diverting works:
Time required for beneficial use of water:
Place of use or acres irrigated:
Map:
Signature: (If applicant is corp., partnership, or public utility, title of signatory is required)
Fee:
Yes ☐ No ☐ In form to receipt:

Gov't. Lots:

P/D

P/U

RECEIVED
JUN 29 1994

ADDITIONAL INFORMATION

Department of Water Resources

YES NO
☐ ☐ Overlapping place of use: (Describe source & relationship to present application on the back.)
☐ ☐ Overlapping point of diversion:
☐ ☐ Field check required: Field check by: _____
☐ ☐ Field report attached:
☐ ☐ Critical groundwater area:
☐ ☐ Groundwater management area:
☐ ☐ 1992 moratorium
☐ ☐ Copy to SCA staff (perennial stream, non-pump diversion):
☐ ☐ Send dam safety information:
☐ ☐ Send power requirement letter:
☐ ☐ Send fish farm requirement letter:
☐ ☐ Power residency affidavit:
☐ ☐ Power efficiency form:
☐ ☐ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐ ☐ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☐ ☐ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side:

PROCESSING

APPLICATION NO. 65-13505

YES NO

☒ ☐
☒ ☐
☒ ☐

In form for advertising:

Statewide advertising: (> 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # _____

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☒ ☐

Publication dates and paper recorded on application:

Protests received. Final date for protest 5-23-94

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, DWR

Measuring device required:

Measuring port required:

Water delivered by water master? District # _____

Special conditions of approval or cover letter:

26A (Allow 2 yrs), Domestic use is for in-house use and non-consumptive outside use for 2 homes.☒ See below for additional informationRecommended Date or Priority 3/23/1994Recommended by: DWRDate 6/27/94STATE OFFICE REVIEW☐ See below for additional information. By _____ Date _____ADDITIONAL INFORMATIONNo O-LAPS.

Publisher's Affidavit of Publication


STATE OF IDAHO

County of Valley

} .SS

RECEIVED
JUN 01 1994


I, Ramona A. George, being duly sworn and say, I am the receptionist of The Central Idaho Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the NOTICE OF APPLICATION, a copy of which is enclosed hereto and is a part hereof, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number there of during the period of time of publication, and was published in the newspaper proper and not in a supplement, and that publication of such notice began May 5, 1994 and ended May 12, 1994.


Subscribed and sworn before me this 26th day of May, 1994.
STATE OF IDAHO

COUNTY OF VALLEY

}

On this 26th day of May, in the year of 1994, before me, a Notary Public, personally appeared Ramona A. George, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same



Tom Grote
Notary Public for Idaho
Residing at McCall, Idaho
Commission Expires: 1999

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been
filed to appropriate the public waters of the
State of Idaho:

65-13505

CARTER, LOREN S
SAXTON, LYLE G
3401 TAMARACK DR
BOISE, ID 83703
Source: GROUNDWATER
Diversions Pt SESESE Sec 7 T 18N R 03E

in VALLEY County.
Use: IRRIGATION (.020 CFS)
DOMESTIC (.060 CFS)
Total Diversion: (.080 CFS)
Date Filed: 3/22/1994
In: VALLEY County
T18N R03E S07 SESE
1.0 ACRES TOTAL

Permits will be subject to all prior water
rights. Protests may be submitted based on the
criteria of Sec. 42-203A, Idaho Code. Protests
must be filed with the Director, Dept of Water
Resources, Western Region, 2735 Airport Way,
Boise, Idaho 83705 on or before May 23, 1994.

R. KEITH HIGGINSON, Director 2t5/12

Drilling Permit 65-89-C-0027-000



1. 10-2-89
9. R.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

USE TYPEWRITER OR
BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well

1 WELL OWNER Name <u>Lyle G Saxton</u> Address <u>7823 Applebany Boise, ID</u> Owner's Permit No _____	7 WATER LEVEL Static water level <u>23</u> feet below land surface Flowing? ☐ Yes ☒ No GPM flow _____ Artesian closed in pressure <u>psi</u> Controlled by ☐ Valve ☐ Cap ☐ Plug Temperature <u>44</u> OF Quality <u>GOOD</u> (Do not be affected by temperature zone below)																																												
2 NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials plug depths etc in lithologic log)	8 WELL TEST DATA Pump ☐ Bailor ☒ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Discharge GPM</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr> <td><u>5-8</u></td> <td><u>5-8</u></td> <td><u>1</u></td> </tr> </table>	Discharge GPM	Pumping Level	Hours Pumped	<u>5-8</u>	<u>5-8</u>	<u>1</u>																																						
Discharge GPM	Pumping Level	Hours Pumped																																											
<u>5-8</u>	<u>5-8</u>	<u>1</u>																																											
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (Specify type)	9 LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Water Yes No</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>9</u></td> <td><u>0</u></td> <td><u>3</u></td> <td><u>Top Soil</u></td> <td>☒</td> </tr> <tr> <td><u>9</u></td> <td><u>3</u></td> <td><u>12</u></td> <td><u>Cemented Sand, Gravel & boulders</u></td> <td>☒</td> </tr> <tr> <td><u>9</u></td> <td><u>12</u></td> <td><u>18</u></td> <td><u>Brown Cemented Sand</u></td> <td>☒</td> </tr> <tr> <td><u>6</u></td> <td><u>18</u></td> <td><u>38</u></td> <td><u>Brown Cemented Sand</u></td> <td>☒</td> </tr> <tr> <td><u>6</u></td> <td><u>38</u></td> <td><u>52</u></td> <td><u>Brown Sand + Gravel</u></td> <td>☒</td> </tr> <tr> <td><u>6</u></td> <td><u>52</u></td> <td><u>60</u></td> <td><u>Sand, Gravel & boulders</u></td> <td>☒</td> </tr> </tbody> </table> 	Bore Diam	Depth		Material	Water Yes No	From	To	<u>9</u>	<u>0</u>	<u>3</u>	<u>Top Soil</u>	☒	<u>9</u>	<u>3</u>	<u>12</u>	<u>Cemented Sand, Gravel & boulders</u>	☒	<u>9</u>	<u>12</u>	<u>18</u>	<u>Brown Cemented Sand</u>	☒	<u>6</u>	<u>18</u>	<u>38</u>	<u>Brown Cemented Sand</u>	☒	<u>6</u>	<u>38</u>	<u>52</u>	<u>Brown Sand + Gravel</u>	☒	<u>6</u>	<u>52</u>	<u>60</u>	<u>Sand, Gravel & boulders</u>	☒							
Bore Diam	Depth		Material	Water Yes No																																									
	From	To																																											
<u>9</u>	<u>0</u>	<u>3</u>	<u>Top Soil</u>	☒																																									
<u>9</u>	<u>3</u>	<u>12</u>	<u>Cemented Sand, Gravel & boulders</u>	☒																																									
<u>9</u>	<u>12</u>	<u>18</u>	<u>Brown Cemented Sand</u>	☒																																									
<u>6</u>	<u>18</u>	<u>38</u>	<u>Brown Cemented Sand</u>	☒																																									
<u>6</u>	<u>38</u>	<u>52</u>	<u>Brown Sand + Gravel</u>	☒																																									
<u>6</u>	<u>52</u>	<u>60</u>	<u>Sand, Gravel & boulders</u>	☒																																									
4 METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	5 WELL CONSTRUCTION Casing schedule ☐ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>250</u> inches</td> <td><u>6</u> inches</td> <td><u>1</u> feet</td> <td><u>59</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Diameter</th> <th>Slot size</th> <th>Set from</th> <th>feet to</th> </tr> </thead> <tbody> <tr> <td>_____</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>_____</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> </tbody> </table> Gravel packed? ☐ Yes ☒ No Size of gravel _____ feet to _____ feet Placed from _____ feet to _____ feet Surface seal depth <u>18</u> Material used in seal ☐ Cement grout ☒ Bentonite ☐ Pudding clay ☐ _____ Sealing procedure used ☐ Slurry pit ☐ Temp surface casing ☒ Over bore to seal depth Method of joining casing ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>SANITARY WELL SEAL</u>	Thickness	Diameter	From	To	<u>250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>59</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	Diameter	Slot size	Set from	feet to	_____	_____	_____	_____	_____	_____	_____	_____
Thickness	Diameter	From	To																																										
<u>250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>59</u> feet																																										
_____ inches	_____ inches	_____ feet	_____ feet																																										
_____ inches	_____ inches	_____ feet	_____ feet																																										
_____ inches	_____ inches	_____ feet	_____ feet																																										
Number	From	To																																											
_____ perforations	_____ feet	_____ feet																																											
_____ perforations	_____ feet	_____ feet																																											
_____ perforations	_____ feet	_____ feet																																											
Diameter	Slot size	Set from	feet to																																										
_____	_____	_____	_____																																										
_____	_____	_____	_____																																										
6. LOCATION OF WELL Sketch map location must agree with written location  Subdivision Name _____ Lot No _____ Block No _____ County <u>VALLEY</u> <u>SE 1/4 SE 1/4 Sec 2, T. 18N, R. 25E, E/W</u>	11 DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed Firm Name <u>GUSTIN WALKER WELL DRILLING</u> Firm No. <u>408</u> Address <u>MC 38 Baldern, ID 83722</u> Signed by (Firm Official) <u>Robert Walker</u> and (Operator) <u>Robert Walker</u>																																												

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

65-13505

CARTER, LOREN S
SAXTON, LYLE G
3401 TAMARACK DR
BOISE, ID 83703

Source: GROUNDWATER

Diversion Pt: SESESE Sec 7 T 18N R 03E in VALLEY County.

Use: IRRIGATION (.020 CFS)
DOMESTIC (.060 CFS)
Total Diversion: (.080 CFS)

Date Filed: 3/22/1994

In: VALLEY County
T18N R03E S07 SESE

1.0 ACRES TOTAL

APR 1994