



WATER RESOURCES

65-13504
8N2E Sec 28

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None


MICROFILMED

APR 13 1999

AW CREEK
25 000

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

DEPAR



1 of 3

P/D

Spring

Development
Area



P/D

Plastic
Storage
Tank
just
below

Spring



MICROFILMED

APR 13 1999

65-13504

2 of 3



Note: The trailer
Horn on the far left
of photo is not used.

P/D
P/u
Storage
Tank
foreground,
under sand
pile; and
Camp
Trailers
under the
big tree.

[on left
and right
of Tree.]



P/u
Pipe Stand
+ hoses
for each
Camp
Trailer.
One hose
is wrapped
in
Insulation.

MICR FILMED

65-13504

APR 13 1999

3 of 3

P/u

Camp trailer
on right
of Tree,
and 5th
wheel
Camp
Trailer on
left of
Tree.






P/u

Stock
Trough,
(Blue)
and
small
yard/garden
area
below
Trailers.



MICROFILMED

65-13504
APR 13 1999



grid system w/ rises & and spring rock

MICROFILMED
JUN 25 1997

Completed 5/14/96

retaining wall →

note: collected water goes into a ~~small~~ buried 1,100 gal. storage tank.

The Idaho World

P O Box 99
Garden Valley, ID 83622
208 462-3487

RECEIVED
MAY 05 1994
WATER RESOURCES
WESTERN REGION

State of Idaho >
>
County of Boise >

Wayne Hart, being duly sworn, deposes and says: that he is the manager and principal clerk of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and the State of Idaho; the said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for two (2) consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy eight weeks past previous to the first publication of this notice. Such notice was published with the issue beginning with April 6, 1994 and ending with the issue of April 13, 1994.

Wayne Hart

State of Idaho >
Boise >
County of Boise >

On this 2 day of May in the year 1994, before me, a notary public, personally appeared WAYNE HART known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

[Signature]
Notary Public for Idaho

Garden Valley, ID
Residing at

My commission expires 2-20-97

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-13504 ✓

HARNDEN, JOHNNY
HARNDEN, DEVOTA
PO BOX 171
HORSESHOE BEND, ID 83629

Source: SPRING

Tributary: BROWNLEE CREEK

Diversion Pt: NESWSE Sec 28 T 08N R 02E in BOISE County.
NWSWSE Sec 28 T 08N R 02E in BOISE County.

Use: IRRIGATION (.060 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.100 CFS)

Date Filed: 3/23/1994

In: BOISE County
T08N R02E S28SWSE

2.0 ACRES TOTAL

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before APRIL 25, 1994.

R. KEITH HIGGINSON, Director

Published in The Idaho World April 6 and 13, 1994.

MICROFILMED

JUL 01 1994

State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 65-13504

Priority: March 23, 1994

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that JOHNNY HARNDEN
DEVOTA HARNDEN

PO BOX 456

HORSESHOE BEND ID 83629-0456

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 23, 1994; and has submitted Proof of Beneficial Use on May 28, 1997. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from:

SPRING

tributary to BROWNLEE CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 28, Township 08N, Range 02E
BOISE County

PLACE OF USE: DOMESTIC

TWN RGE SEC


08N 02E 28

SWSE

CONDITIONS OF APPROVAL AND REMARKS

1. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
2. Upon specific notification by the Department, the right holder shall install a lockable device of a type acceptable to the Department in a manner that will provide the watermaster suitable control of the diversion.
3. Single point of diversion located on or near line between NESWSE and NWSWSE, S28, T08N, R02E.
4. Domestic use is for 2 camp trailers.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 29TH day of MARCH, 1999.


Acting for KARL J. DREHER, Director

MICROFILMED

APR 13 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

PROOF OF BENEFICIAL USE

MAY 28 1997

The Idaho Department of Water Resources considers this form a statement that the permit holder (State of Idaho) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-13504 Telephone No. 1(208) 793-3141
2. Name(s) of Permit Holder(s): JOHNNY HARNDEN (DEVOTA HARNDEN) DIVORCED
3. Mailing Address: P.O. Box 456, HORSESHOE BEND, ID. 83629
4. Source of Water: SPRING / GRAVITY FLOW If GROUNDWATER (well), Date Drilled: mo. NA / yr. NA
 - a. Well Driller: NA Drilling Permit Number: NA
 - b. **OPTIONAL:**
Pump Horsepower: NA Pressure (psi): NA Dynamic pumping level (ft): NA
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 1 Stockwater (No. and type of stock): NA
Irrigation (No. of acres): 2 Other: NA
6. Total rate of diversion and/or volume for which proof is submitted: 0.20 cfs OR 0-20 acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes <u> </u>	or	No <u> </u>
	Has the measuring device been installed?	Yes <u> </u>	or	No <u> </u>
Flow Measurement Port:	Is a flow measurement port required?	Yes <u> </u>	or	No <u> </u>
	Has the measurement port been installed?	Yes <u> </u>	or	No <u> </u>
8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: JOHNNY HARNDEN Telephone Number: 1(208) 793-3141
Address: P.O. Box 456, H.S. BEND, ID. 83629
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Johnny Harnden Date: 5/25/97
(include your title, if on behalf of company or organization)

MICROFILMED

JUN 25 1997

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13504

Proposed Priority: March 23, 1994

Maximum Diversion Rate:

0.10 CFS

This is to certify, that **JOHNNY HARNDEN**
DEVOTA HARNDEN
PO BOX 171
HORSESHOE BEND ID 83629-0171
has applied for a permit to appropriate water from:

SPRING

tributary of **BROWNLEE CREEK**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.06 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.10 CFS

LOCATION OF POINT(S) OF DIVERSION:

NESWSE , Sec. 28, Township 08N, Range 02E
NWSWSE , Sec. 28, Township 08N, Range 02E
BOISE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
08N	02E	28	SWSE	2		2

Total number of acres irrigated: 2

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1997.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Use of water under this right is subject to control by the watermaster of State Water District No. 65.
5. A measuring device and lockable controlling works of a type acceptable to the Department shall be permanently installed and maintained as part of the diverting works prior to diversion of water under this right.
6. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

APPROVED

01 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water


NO. 65-13504

CONDITIONS/REMARKS:

7. Single point of diversion located on or near line between NESWSE and NWSWSE, S28, T08N, R02E.
8. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this

25th day of May, 1994.


for R. Keith Higginson, Director

65-13504

JUL 01 1994

RECEIVED
MAY 12 1994

Ident. No. 65-13504

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: JOHNNY HARNDEN
Address: PO BOX 171
HORSESHOE BEND ID 83629

208-793-2366

AND/OR

Name: DEVOTA HARNDEN
Address: PO BOX 171
HORSESHOE BEND ID 83629

208-793-2366

2. Source: SPRING

Trib. to: BROWNLEE CREEK

3. Location of Point of Diversion:

NESWSE Sec. 28, Township 08N, Range 02E
NWSWSE Sec. 28, Township 08N, Range 02E
BOISE County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.060		
DOMESTIC	01/01	12/31	0.040		

5. Total quantity to be appropriated is:

0.100 CFS (and/or) AF

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc.
PERFORATED COLLECTION, PIPELINE TO STORAGE TANK AT P/U

b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.

c. Proposed well diameter is inches; proposed depth of well is
feet.

d. Is groundwater with a temperature greater than 85F being sought? NO

e. If well is already drilled, when?

Drilling Firm

Well was drilled for

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 3 year(s).

1994

8. Place of Use: IRRIGATION

TWN RGE SEC	ACRES	ACRES	ACRES	TOTAL
08N 02E 28	SWSE 2			2

Total number of acres irrigated: 2

Place of Use: DOMESTIC, same as IRRIGATION use

9. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:

Domestic use is for one home.

Single point of diversion located on tract line between NESWSE
and NWSWSE.

11. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

Lahmy Narmolen
Applicant

Received by CYU Date 3/23/94 Time 1:30 Preliminary check by g

Fee \$ 30- Receipted by CYU # W017291 Date 3/23/94

Publication prepared by ST Date 3-29-94 Published in Id. World

Publication approved ST Date 5-5-94

JUL 01 1994

WATER RESOURCES

65-13504
8N2E Sec 28

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

March 31, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

JOHNNY HARNDEN
DEVOTA HARNDEN
PO BOX 456
HORSESHOE BEND ID 83629-0456

RE: WATER RIGHT NO. 65-13504

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED


APR 13 1999

CERTIFICATE OF MAILING

I hereby certify that on the **31st** day of **March, 1999**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 65-13504

JOHNNY HARNDEN
DEVOTA HARNDEN
PO BOX 456
HORSESHOE BEND ID 83629-0456


Kari Lynn Townsend
Secretary

MICROFILMED

APR 13 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED

APR 13 1999

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of, or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

APR 14 1997

B/U FIELD EXAM REVIEW

By CindyPermit #: 65-13504 Name: Harnden Date: 3/17/99 ✓ Lots ✓

NAME	Chng	Same	Or Address Change?	<u>Box 456 793-3141</u>
SOURCE		✓	Clarify source	
			Prelim. Order to Void - Source change.	
P/D		✓	Amendment Needed? Addn'l 1/4? <u>Legal</u>	P39
			Same 1/4? <u>W32</u>	P36
			Overlap(s) <u>none</u>	
P/U		✓	Amendment Needed?	P41
			Overlap(s) <u>none</u>	
			(Gov't use special P's)	*P/D & P/U Amend? P37
RATE		✓	Permit/proof fee limits <u>0.10</u>	<u>1</u> <u>0.20</u>
		✓	Measured Quantity = <u>none</u> cfs	Theoretical Quantity = <u>none</u> cfs
			<u>dom = 0.04</u>	
			(HP) <u>8.8 x 0.70 x</u>	
			<u>_____ + (231 x _____)</u>	cfs
		✓	Recommended capacity <u>0.04</u> cfs	
		✓	Recommended rate <u>0.04</u> cfs	
VOLUME		✓	Season: (<u>1</u>) <u>1/1 - 12/31</u> = <u>365</u> days	
			Calculations:	
			<u>Dom = 1</u>	
		✓	Flow limit: <u>0.04</u> cfs x <u>365</u> days/yr. x 1.9835 = <u>29.0</u> AF	
			Recommended volume <u>1.2</u> AF	
USES		✓	Same Nature of Use? <u>delete irr; no irr use found</u>	P46
			Amendment Needed?	
REMARKS			Multiple p/d's in same 1/4? Use W32	
		✓	<u>1) W01 / 2 Exclusions.</u>	
CONDITIONS			<u>OIP</u> Measuring Device (R43) or Lockable Controlling Works (R02)	
			<u>R04</u> Watermaster Control (R04) - WD # _____	
			<u>+</u> Irrigation rate/annual volume overlap	
			<u>+</u> GW irrigation replaces surface water (050)	
			<u>+</u> GW irrigation supplements surface water (065)	
			<u>+</u> Water Quality	
			<u>+</u> Other _____	
PRIORITY	App Rcd	<u>3/23/94</u>	Due	<u>6/1/97</u>
	Receipt#	<u>C039001</u>	Fee OK? (Yes/No)	<u>\$50.00</u>
	Order to Reinstate Needed?	<u>Yes/No Done?</u>	Advanced to:	<u>_____</u>
	Priority	<u>3/23/94</u>	Examined	<u>7/16/98</u>

COMMENTS: had OIP, didn't dev. irr, only dom, should be OIP.

USE	CFS	VOLUME
<u>Dom</u>	<u>0.04</u>	<u>1.2</u>
<u>/</u>	<u>/</u>	<u>/</u>
<u>/</u>	<u>/</u>	<u>/</u>
<u>/</u>	<u>/</u>	<u>/</u>
TOTAL	<u>0.04</u>	<u>1.2</u>

SRBA Overlap none
Adjustment Memo none
LICENSE
#1 AMEND: _____ /P38
#2 AMEND: (R)P42/(C)P47

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 8 1998
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-13504

1. Owner: Johnny & Devota Harnden Phone No. (208) 793-3141

Current Address: P.O. Box 456, Horse shoe Bend, ID 83629

2. Accompanied by: (Talked to Michelle, EXAM DATE: 7-16-98

Address: Johnnys Niece, 392-4161, Phone No. _____

Relationship to Permit Holder: and she said that Johnny would not be there)

3. Source: Spring tributary to Brownlee Creek

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion: one pt. of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
(on line)		NE	SW	SE	28	8 N	2 E	Boise	Site Visit Map
		NW	SW	SE					

2. Place(s) of Use:


Indicate Method of Determination Site Visit Map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
8N	2E	28															D		

MICROFILMED

APR 13 1999

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required)

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None

E. NARRATIVE/REMARKS/COMMENTS

1. This permit was for irrigation (2 Ac.) and Domestic - one Home. The actual water use is for 2 trailers (a 5th wheel & a camp), one stock trough for horses, and a small yard and garden by the trailers. There is not 2 Ac. of irrigation at the site. The yard & garden would be within the $\frac{1}{2}$ Ac. of irrigation allowed under Domestic.
2. A single spring development fills a 4' diameter X 5' long buried plastic storage tank. The storage tank supplies water through a 1" PVC buried pipeline to a 1" steel pipe stand w/valve at the camp trailer site. Each trailer is supplied with water through a hose from the pipe stand. A $\frac{1}{2}$ " hose from the storage tank provides stock water to one trough by the trailer, and a small yard & garden.
3. For condition 5 - there is no measuring device, but a lock could be installed at the pipe stand. This may not be a practical requirement for this small spring water system.
4. There are two camp trailers on the site, not one home, but the water requirement

Have conditions of permit approval been met? ☒ yes ☐ no

Would not be more than a normal domestic use.

I think the conditions of the permit have been met in general for a domestic use.

3FF 1 3 1999

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: None

No Irrigation found other than less than 1/2 Ac.
of yard/garden.

Allow Domestic of 0.04 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

Allow Domestic use only - 1.2 AFA

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Domestic</u>	<u>01/01</u>	<u>12/31</u>	<u>0.04</u>	<u>1.2</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>0.04</u>	<u>1.2</u>

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ____ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ☒ Other

No Irrigation
found, only
Domestic

I. AUTHENTICATIONField Examiner's Name Don Tommel Date 11-25-78


Reviewer _____ Date _____

SEAL

AW CREEK
25 000

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

DEPAR



1 of 3

P/D

Spring


Development
Area



P/D

Plastic
Storage
Tank
just
below

Spring



65-13504

2 of 3




Note: The trailer
Horn on the far left
of photo is not used.

P/D
P/u

Storage
Tank
foreground,
under sand
pile; and
Camp
Trailers
under the
big tree.

[On left
and right
of Tree.]



P/u

Pipe Stand
+ hoses
for each
Camp
Trailer.
One hose
is wrapped
in
Insulation.

65-13504

3 of 3

P/u

Camp trailer
on right
of Tree,
and 5th
wheel

Camp
Trailer on
left of
Tree.



P/u

Stock
Trough,
(Blue)
and

Small
yard/garden
area

below

Trailers.



65-13504

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 65-13504 Reviewed by [Signature] Date 6-12-97

GENERAL CONSIDERATIONS

yes Name same as permit?
no Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

dam, irr.

Correct Uses? yes

SOURCE OF WATER

☒ Surface water source

☐ Ground water source

☒ Drilling permit required?

☒ Copy in the file? Drilling Permit No. _____

☒ Amount paid for permit

☒ Well log in the file?

_____ Correct?

LICENSE EXAMINATION FEE

yes Required?
50- Amount Submitted
yes Correct?

MEASURING DEVICE

yes Required?
no Installed?
no Waiver requested?

PRIORITY CALCULATION

Date proof received	_____
Date proof due	_____
No. of days late	_____
Priority Date	_____
New Priority Date	_____

[Handwritten calculation: Date proof received - Date proof due = Priority Date]

DEFICIENCIES OR ACTION ITEMS

*Advise of measurement condition.
Proof acceptable*

DATA ENTRY

New Address P.O. Box 456 Proof Made 5-28-97



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR
June 23, 1997

JOHNNY HARNDEN
DEVOTA HARNDEN
PO BOX 456
HORSESHOE BEND ID 83629

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13504

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Condition #5 of your water right permit, requires that the permit holder install and maintain a permanent measuring device as part of this diversion. This condition must be complied with before the department conducts the license examination or you can request, in writing, a waiver of the condition.

Please be advised that Section 42-248, Idaho Code, which became affective on July 1, 1996, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Please contact any office of the department for the proper form to file a change of ownership of a water right and/or a change in the address of the owner. Failure to maintain current records with the department could result in the assessment of a monetary penalty.

If you have questions concerning the field examination or measuring device requirement, please contact the **WESTERN** Regional Office in Boise, at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

C: IDWR - Region

MICROFILMED
JUN 25 1997



grid system w/ rebar & spring rock

MICROFILMED
JUN 25 1997

Completed 5/14/96 retaining wall →
note: collected water goes into a ~~large~~ buried 1,100 gal storage tank.

March 31, 1997

JOHNNY HARNDEN
DEVOTA HARNDEN
PO BOX 171
HORSESHOE BEND ID 836290171

PROOF DUE NOTICE

RE: PERMIT NO. 65-13504

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1997.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED
JUN 25 1997





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 26, 1994

JOHNNY HARNDEN
DEVOTA HARNDEN
PO BOX 171
HORSESHOE BEND ID 836290171

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-13504

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

Be sure to note the special condition requiring you to install a measuring device and lockable controlling works that will enable the watermaster to control the rate of diversion.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', with a long horizontal line extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

JUL 01 1994

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

Application #: 65-13504 Name: Harnden Date: 5/16/94

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust

SYSTEM COMPLETED:

No - '26A-P17

Complete in 1 year - P16

Yes

Proof not submitted - P16

Proof submitted - NA

GROUNDWATER:

+ 0.2 cfs <flo-ch> - T17 (new), 01K (existing), No MD

- 0.2 cfs - No MD <flow chart>

Drilling Permit:

Included w/permit - Permit No. _____, P99

Existing well - NA (pre 7/1/87)

No WD permit? - 046-46A(Irr)-46B-P23 (post 7/1/87)

SURFACE WATER: not in WD - T17 (+.2 w/pump), No MD <flow chart>

LOCATION:

Water District(dem) - WD No. 65

*Surface water - 005 (req) 01J-P08 <flow chart>
(doesn't sink) or 01H-P01 <flow chart>; No MD

Groundwater - P05 (new irrigation well)

In stream channel - 030 (stream channel alteration)

Irr Dist/Canal Co. - 023 (Twin Falls area)

Drainage Districts - 024

Flood Control Dist. - 063

Boise Front (63) - 058 (-85° Groundwater temp)

Swan Falls Flag - 8 <See condition code chart>

Trust - 051-052-053-P74 (Consumptive Uses), NA

Non Trust <1> - 048-049 (Consumptive Uses), NA

RIVER BASINS (*Surface water):

Boise R(63) - 05A (if WD), 11E (non-domestic use), NA

Payette R(65) - 064(consump. use), 047-P04(Payette Lake), NA

Snake R(01/02/03) - 11A-P04 (01), 061-P07 (02/03 No W.D.Cond.), NA

USE:

Fish Propagation - 07A-042 (req) & 010/06A/09E(WQ)-P10
044 (N 1000 Spr)

Irrigation - 803(if GW use SW 1st)(+5A do POU comp), NA

Power - 08A-17K-025-027(req); 01F(MD)-P19; 09E(WQ)-P10;
+25 cfs-P18; 17G(FERC) or 17M(FERE); 18B-P09

Mining - 054 (req) & 06A/010/09E-P10

Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

Domestic (surface) - 021(Boise R ↑ L Peak), 27A(Payette R), NA

OWNERSHIP:

Non land owner - 004 (PD/PU) _____

PROTESTED:

Prehearing agreement- 020

OTHER CONDITIONS:

REMARKS:

057
① w001(1) ② w033

BENEFICIAL USE DUE:

COMMENTS:

6-1-1997

① Div Desc

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROOF READING REPORT

05/16/94 11:02:12
Page 1

Water Right Number - ~~P05-15504~~

Prefix Translation: ~~PERMIT~~

Old (D) Number -

+ - - - - Last Name - - - - + + - First Name - - + + - - - - - Address - - - - - +

*** C - CURRENT OWNER ***

~~HARNDEN~~ ~~JOHNNY~~

1 - PO BOX 171

2 -

3 -

City- HORSESHOE BEND

State- ID Zip- 836290171

Phone - 208-793-2366

~~HARNDEN~~ ~~DEVOTA~~

1 - PO BOX 171

2 -

3 -

City- HORSESHOE BEND

State- ID Zip- 836290171

Phone - 208-793-2366

+ - - Priority Date - - + + - - - Region - - - + + - - - Stage - - - + + - - - Status - - - +

~~05/23/1994~~

14 WESTERN

P - ~~PERMIT~~

+ - - - - Source - - - - + + - - - - - Tributary - - - - - +

~~SPRING~~

~~BROWNLEE CREEK~~

+ - - - - Point of Diversion - - - - - +

Twn Rng Sec Tract Lot RFlg County Diversion Name Diversion Rate Diversion No.

~~08N 02E 28 NE SW SE (15) BOISE~~

~~NW SW SE (15) BOISE~~

+ - - - - Water Use - - - - - +

Code Description Period From Period To Diversion Rate Diversion Volume

~~04 - IRRIGATION 03/15 11/15 0.060~~

~~43 - DOMESTIC 01/01 12/31 0.040~~

+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Div. Capacity - +

0.100

+ - - - - Place of Use - - - - - +

Twn Rng Sec Tract Lot Acres Code Description County

~~08N 02E 28 SW SE 2.0 01 IRRIGATION (15) BOISE~~

Total Acres: ~~2.0~~

+ - - Diversion Means - PERFORATED COLLECTION, PIPELINE TO STORAGE TANK AT P/U

+ - - Non-Irrigation Use -

+ - - Other Rights for Same Use -

+ - - - - Remarks - - - - - +

Single point of diversion located on or near line between NESWSE
and NWSWSE, S28, T08N, R02E.
Domestic use is for 1 home.

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROOF READING REPORT

Water right number - P65-13504

Prefix Translation: PERMIT

+ - - - - Old Water Right Numbers - - - - - +
+ - - - - Old Water Right Numbers - - - - - +
No Old Water Right Numbers found.

+ - - - - Conditions of Approval - - - - - +
26A - Project construction shall commence within one year from the
- date of permit issuance and shall proceed diligently to
- completion unless it can be shown to the satisfaction of the
- Director of the Department of Water Resources that delays were
- due to circumstances over which permit holder had no control.
003 - Use of water under this right is subject to control by the
- watermaster of State Water District No. 8DISTRICT.
01A - A measuring device and lockable controlling works of a type
- acceptable to the Department shall be permanently installed and
- maintained as part of the diverting works prior to diversion of
- water under this right.
05Z - The rate of diversion of water for irrigation under this right
- and all other water rights on the same land shall not exceed
- 0.03 cubic feet per second for each acre of land.

+ - - - - Decree Plaintiff - - - + + - - - - Decree Defendant - - - + + - Decree Date - +
00/00/0000

+ - - - - Comments - - - - - +
Date: 05/16/1994 User Id: CZIMMERM Subject: ~~DIVERSION DESCRIPTION~~
Perforated collection box, flumes, pumps, headgates, etc.

+ - - Audit Fields - 05/16/94 CZIMMERM

+ - - - - Water Rights Dates and Flags Area - - - - - +
Proof Due Date - ~~00/01/1997~~ Field Exam Made - 00/00/0000 Field Exam Fee -
Approved/Denied - 00/00/0000 Protested Date - 00/00/0000 Swan Falls - ~~P~~
Proof Made Date - 00/00/0000 Hearing Date - 00/00/0000 Temporary Right - P
Exam to S.O. Date- 00/00/0000 Verified Date - 00/00/0000 DLE/Carey Act -
Order Show Cause - 00/00/0000 Receipt Number - W017291 Water District - ~~8~~
Licensed Date - 00/00/0000 Appl Received - 03/23/1994 Transfer/Amended -
Decree Date - 00/00/0000 Presumption Flag -

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: lg DATE: 3/24/94 APPLICATION: 65-13504

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ signature: (If applicant is corp., partnership, or other entity, a signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

Gov't. Lots:
☒ P/D
☐ P/U

RECEIVED
MAY 12 1994

ADDITIONAL INFORMATION

Department of Water Resources

YES	NO	
☐	☒	Overlapping place of use: (Describe source & relationship to present application on the back.)
☐	☒	Overlapping point of diversion:
☐	☐	Field check required: Field check by: _____
☐	☐	Field report attached:
☐	☒	Critical groundwater area:
☐	☒	Groundwater management area:
☐	☒	1992 moratorium
☐	☒	Copy to SCA staff (perennial stream, non-pump diversion):
☐	☒	Send dam safety information:
☐	☒	Send power requirement letter:
☐	☒	Send fish farm requirement letter:
☐	☒	Power residency affidavit:
☐	☒	Power efficiency form:
☐	☒	Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐	☒	Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☐	☒	<u>*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT</u>

DATE REQUESTED: _____

☒ Additional information on reverse side:

PROCESSING

APPLICATION NO. 65-13504

YES NO

☒ ☒
☒ ☒
☒ ☒

In form for advertising:

Statewide advertising: (> 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☒ ☒
☒ ☒
☒ ☒
☒ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☒ ☒
☒ ☒
☒ ☒
☒ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # _____

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☒
☒ ☒

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☒
☒ ☒
☒ ☒
☒ ☒
☒ ☒
☒ ☒
☒ ☒
☒ ☒

Publication dates and paper recorded on application:

Protests received. Final date for protest 4-25-94

Protest dates, resolution of protest recorded on application:

Recommendations attached:

Measuring device required:

Measuring port required:

Water delivered by water master? District # by watermaster

Special conditions of approval or cover letter:

26A (Allow 3 yrs)☒ See below for additional informationRecommended Date or Priority 3/23/1994Recommended by: AnsDate May 10, 1994STATE OFFICE REVIEW☒ See below for additional information. By _____ Date _____ADDITIONAL INFORMATION


The Idaho World

P O Box 99
Garden Valley, ID 83622
208 462-3487

RECEIVED
MAY 05 1994
WATER RESOURCES
WESTERN REGION


State of Idaho >
>
County of Boise >

Wayne Hart, being duly sworn, deposes and says: that he is the manager and principal clerk of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and the State of Idaho; the said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for two (2) consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy eight weeks past previous to the first publication of this notice. Such notice was published with the issue beginning with April 6, 1994 and ending with the issue of April 13, 1994.



State of Idaho >
Boise >
County of Boise >

On this 2 day of May in the year 1994, before me, a notary public, personally appeared WAYNE HART known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.


Notary Public for Idaho

Garden Valley, ID
Residing at

My commission expires 2-20-97

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho

65-13504 ✓ 

HARNDEN, JOHNNY
HARNDEN, DEVOTA
PO BOX 171
HORSESHOE BEND, ID 83629

Source, SPRING

Tributary: BROWNLEE CREEK

Diversion Pt: NESWSE Sec 28 T 08N R 02E in BOISE County.
NWSWSE Sec 28 T 08N R 02E in BOISE County.

Use: IRRIGATION (.060 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.100 CFS)

Date Filed: 3/23/1994

In: BOISE County
T08N R02E S28SWSE

2.0 ACRES TOTAL

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code. Protests must be filed with the Director, Dept of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before APRIL 25, 1994.

R. KEITH HIGGINSON, Director

Published in The Idaho World April 6 and 13, 1994

JUL 01 1994

65-13504

HARNDEN, JOHNNY
HARNDEN, DEVOTA
PO BOX 171
HORSESHOE BEND, ID 83629

Source: SPRING

Tributary: BROWNLEE CREEK

Diversion Pt: NESWSE Sec 28 T 08N R 02E in BOISE County.
 NWSWSE Sec 28 T 08N R 02E in BOISE County.

Use: IRRIGATION (.060 CFS)
 DOMESTIC (.040 CFS)
 Total Diversion: (.100 CFS)

Date Filed: 3/23/1994

In: BOISE County
 T08N R02E S28 SWSE

2.0 ACRES TOTAL

JUL 01 1994