


pld & plu
both QCC



TION
R4E
S.23


Govt. Lots
5 1/2 5 1/2 only
- fl 1/11/94

- Lot 4 Wooded
River Subd.

- Straddles SE NW
NESW on East
Side of River
per Assessor's
Office

APR 13 1994

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

B. S. D. Cullbert
(Applicant)
Shelly R. Debrecht

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	3/4	NOT REQUIS	-	2"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: 5 GALLON BUCKET; THEORETICAL 35 psi
16 SEC

DEPARTMENT OF AGRICULTURE

DEC 15 1987

RECEIVED


MICROFILMED

APR 16 1998

WOODED RIVER SUBDIVISION

SITUATE IN SECTION 23, T.10N., R.4E, B.M., BOISE COUNTY, IDAHO


1990



This sketch is for location purposes only. The Company assumes no liability for variations.

PIONEER TITLE COMPANY
of Ada County

MICROFILMED
APR 16 1998



VIEW OF LINE IN THE MIDDLE
FORK OF THE PAYETTE. THE LINE
SIMPLY LEAD TO HOSES, THEN
IS HOOKED TO SPRINKLERS THAT
IRRIGATE THE LAWN



PHOTO ONE-

>

VIEW OF THE DOMESTIC
AND THE SYSTEM IN USE.
SYSTEM, AS CAN BE SEEN,
WAS FUNCTIONAL AT THE
TIME OF THE EXAM.



PHOTO TWO-

MICROFILMED
APR 16 1998

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13496

Priority: January 4, 1994

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

2.1 AF

This is to certify, that BOB L ALBRECHT
SHELLY R ALBRECHT

9045 MCMILLAN RD
BOISE ID 83704

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated January 4, 1994; and
has submitted Proof of Beneficial Use on March 16, 1994. An examination indicates
that the works have a diversion capacity of 0.040 cfs of water from:

PAYETTE RIVER, MIDDLE FORK tributary to PAYETTE RIVER, SOUTH FORK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.02 CFS	2.1 AF

LOCATION OF POINT(S) OF DIVERSION: SENW , Sec. 23, Township 10N, Range 04E
BOISE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10N	04E	23	SENW	0.6		0.6

Total number of acres irrigated: 0.6

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
6. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.

MICROFILMED

APR 16 1998

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13496

CONDITIONS OF APPROVAL AND REMARKS

7. When water is not available to fill this right, the right holder shall cease diversion or shall rent water from the Payette River Rental Pool.
8. Place of use is located within Lot 4, Wooded River Subdivision.
9. This right when combined with all other rights shall provide no more than 0.02 cfs nor more than 2.1 afa at the field headgate for the land described above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 4TH day of FEBRUARY, 1998.


Acting for KARL J. DREHER, Director

MICROFILMED
APR 16 1998

RECEIVED
 MAR 16 1994
 Department of Water Resources

 STATE OF IDAHO
 DEPARTMENT OF WATER RESOURCES
 PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-13496 Telephone No. 378-1082
2. Name(s) of Permit Holder(s): Bob L. + Shelly R. Albrecht
3. Post Office Address: 9045 McMillan Rd Boise, ID 83704
4. Source of Water: Payette River, Middle Fork

a. If ground water, well driller's name: _____ Date drilled: _____

b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic _____ (No. of households)

Irrigation 1 (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

6. Total rate and/or volume for which proof is submitted 0.03 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☒ Yes ☒ No Installed? ☐ Yes ☒ No

OR

Flow Measurement Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Bob L. Albrecht
Name

378-1082
Telephone No.

9045 McMillan Rd Boise, ID 83704
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

3-15-94
Date

Bob L. Albrecht
Signature (and title if on behalf of a company or organization)

MAINTAINED

APR 19 1994

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13496

Proposed Priority: January 4, 1994

Maximum Diversion Rate:

0.03 CFS

This is to certify, that **BOB L ALBRECHT**
SHELLY R ALBRECHT
9045 MCMILLAN RD
BOISE ID 83704

has applied for a permit to appropriate water from:

PAYETTE RIVER, MIDDLE FORK

tributary of **PAYETTE RIVER, SOUTH FORK**

and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

IRRIGATION

03/15 to 11/15

0.03 CFS

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 23, Township 10N, Range 04E

NESW , Sec. 23, Township 10N, Range 04E

BOISE County

PLACE OF USE: IRRIGATION

TWN RGE SEC

ACRES

ACRES

ACRES

TOTAL

10N 04E 23

SENW 0.5

NESW 0.5

1

Total number of acres irrigated:

1

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **March 1, 1995**.
2. Subject to all prior water rights.
3. Use of water under this right is subject to control by the watermaster of State Water District No. 65.
4. A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this right.
5. When water is not available to fill this right, the right holder shall cease diversion or shall rent water from the Payette River Rental Pool.
6. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
7. Place of use is located within Lot 4, Wooded River Subdivision. Single point of diversion on or near line between SENW and S23, T10N, R04E.

MACDONALD

APR 19 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13496

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

10th day of March, 1994.

R. Keith Higginson
for R. Keith Higginson, Director

RECEIVED
APR 19 1994

RECEIVED
FEB 28 1994

Ident. No. 65-13496

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: BOB L ALBRECHT 208-378-1082
Address: 9045 McMILLAN RD
BOISE ID 83704
AND/OR
Name: SHELLY R ALBRECHT 208-378-1082
Address: 9045 McMILLAN RD
BOISE ID 83704
2. Source: PAYETTE RIVER, MIDDLE FORK Trib. to: PAYETTE RIVER, SOUTH FORK
3. Location of Point of Diversion: SENW Sec. 23, Township 10N, Range 04E
BOISE County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	04/15	10/15	0.030		
5. Total quantity to be appropriated is:
0.030 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
PUMP
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is inches; proposed depth of well is
feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO
 - e. If well is already drilled, when?
Drilling Firm
Well was drilled for
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 year(s).

RECEIVED

APR 19 1994

8. Place of Use: IRRIGATION

TWN RGE SEC	ACRES	ACRES	ACRES	TOTAL
10N 04E 23	SE1/4 1	NESW		1

Total number of acres irrigated: 1

9. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing.

10. Remarks:

Property also known as lot 4, Wooded River Subdivision. Single point of diversion on or near line between SE1/4 and NESW, S23, T10N, R04E.

11. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Applicant

Received by _____ Date _____ Time _____ Preliminary check by _____

Fee \$ 30.00 Receipted by _____ #W017077 Date 1/ 4/1994

Publication prepared by _____ Date _____ Published in _____

Publication approved _____ Date _____

RECORDED

APR 19 1994

RECEIVED
Form 202
10/92
JAN 04 1994
WATER RESOURCES
WESTERN REGION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident No 65-13496

To appropriate the public waters of the State of Idaho

1. Name of applicant Bob L. & Shelly R. Albrecht Phone 378-1082
Post office address 9045 McMullan Road Boise, Idaho
2. Source of water supply middle fork - Payette River which is a tributary of South Fork of Payette River
3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot —
Sec. 23 Township 10 N. Range 4 E B.M. Boise County, additional
points of diversion if any NE SW 5, 23 T10N R4E
4. Water will be used for the following purposes:
Amount 2 Acre-feet for land prep. & irrigation purposes from April 1 to November 30 (both dates inclusive) *
(cfs or acre-feet per annum)
Amount .03 for Irrigation purposes from April 15 to Nov 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .03 and/or (b) 2
cubic feet per second acre feet per annum *
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Myers 2 horse power Pump (Electric)
b. Height of storage dam N/A feet; active reservoir capacity N/A acre-feet, total
reservoir capacity N/A acre-feet; period of year when water will be diverted to storage:
N/A to N/A inclusive.
c. Proposed well diameter is N/A inches; proposed depth of well is N/A feet.
d. Is ground water with a temperature of greater than 85°F being sought? No
e. If well is already drilled, when? —; Drilling firm —;
Well was drilled for (well owner) — APR 19 1993

7. Time required for the completion of the works and application of the water to be proposed beneficial use is *

Immediate years (minimum 1 year). = 1 yr.

① Standard Irr. Season 3/24 cfs. P/O per subd. info & topo, SEE
Applicant's map.

* No indication of storage. Use is
1 Acre. Assume max rate &
std. seasons; min. time. - 7/2 1/8/94

8 Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households _____
- Other; describe fully. _____

9. Description of place of use

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
10N	4E	23								1/2	1/2								1

Total number of acres to be irrigated 1


10 Describe any other water rights used for the same purposes as described above. None

- Who owns the property at the point of diversion? Bob L. E. Shelly R. Albrecht
- Who owns the land to be irrigated or place of use? Same
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

12. Remarks: Property also known as Lot 4, Wooded River Subdivision.
Single point of diversion on or near line between SE¼ and
NE¼, S23, T10N, R04E.

APR 19 1994
 per Applicant's
 map & assever.
 #52 1/10/94

P/u per Applicant's
 info & per topog. map assever.



A hand-drawn map on graph paper showing a property boundary and river. The map includes the following labels and features:

- Top Labels:** "Middle Fork Payette River -" and "1985".
- Left Side:** "Middle Fork" and "1985".
- Right Side:** "1985".
- Center:** "Subject Property", "Lot 4", "Wooded River Sub.", and "1.001 Acres".
- Bottom Left:** "341".
- Bottom Right:** "382.63".
- Bottom Right Stamp:** "SEE topo - 82 1/11/94", "MIDGLEY", and "APR 19 1994".

B.S.D. Cillner
(Applicant)
Shelly R. Debrecht

Received by VR Date 1-4-94 Time 11:35 Preliminary check by R
Fee \$ 30- Received by AB # W017077 Date 1-4-94
Publication prepared by ST Date 1-13-94 Published in Id. World
Publication approved ST Date 2-15-94

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No _____, and said application is hereby _____.

1 Approval of said application is subject to the following limitations and conditions:

a SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED

APR 19 1994

MEMORANDUM

DATE: February 18, 1998
TO: File No. 65-13496
FROM: Cindy Lou Zimmerman *CLZ*
SUBJECT: Telephone Conversation

I received a telephone call today from Shelly Albrecht informing the department they had moved and requesting their address on the above right be updated. Their new address is:

Bob & Shelly Albrecht
20 Wooded River Dr.
Garden Valley ID 83622
phone: (208) 462-3900

I updated the database this date.

MICROFILMED
APR 16 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

February 5, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

BOB L. ALBRECHT
SHELLY R. ALBRECHT
9045 MCMILLAN RD
BOISE ID 83704

RE: WATER RIGHT NO. 65-13496

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

APR 16 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

MICROFILMED

APR 16 1998

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


MICROFILMED
APR 16 1998

CERTIFICATE OF MAILING

I hereby certify that on the 5th day of February, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 65-13496

BOB L ALBRECHT
SHELLY R ALBRECHT
9045 MCMILLAN RD
BOISE ID 83704


Kari Lynn Townsend
Secretary

MICROFILMED

APR 16 1998

B/U FIELD EXAM REVIEW

by Cindy Lou

Permit #: 65-13496 Name: Albrecht Date: 1/30/98 ✓ Lots ✓

NAME	Chng	Same	Or Address Change?
SOURCE		✓	Clarify source Prelim. Order to Void - Source change.
P/D		✓	Amendment Needed? Addn'l 1/4? <u>Legal</u> <u>delete NESW</u> <u>SESW only</u> P39 Same 1/4? <u>W32</u> P36 Overlap(s) _____
P/U		✓	Amendment Needed? <u>delete NESW 0.5 acres.</u> <u>SESW Only 0.6 acres</u> P41 Overlap(s) _____ (Gov't use special ¶s) <u>*P/D & P/U Amend? P37</u>
RATE		✓	Permit/proof fee limits <u>0.03</u> <u>1</u> <u>0.20</u> Measured Quantity = <u>0.04</u> cfs Theoretical Quantity = <u>0.05</u> cfs <u>irr = 0.03 x 0.6 = 0.018 ≈ 0.02 cfs</u> (HP) <u>8.8 x 0.70 x 0.75</u> <u>5 + (2.31 x 35) = 0.05</u> cfs Recommended capacity <u>0.04</u> cfs Recommended rate <u>0.02</u> cfs
VOLUME		✓	Season: <u>(3 13.5)</u> <u>4/15-10/15</u> = <u>184</u> days Calculations: <u>irr = 0.6 ac x 35 = 2.1</u> Flow limit: <u>0.04 cfs x 184 days/yr. x 1.9835 = 14.6</u> AF Recommended volume <u>2.1</u> AF
USES		✓	Same Nature of Use? _____ P46 Amendment Needed? _____
REMARKS		✓	Multiple p/d's in same 1/4? Use W32 <u>① W22 ② W31 ③ W60 ④ W31/0.02/2.1</u>
CONDITIONS			<u>R02</u> Measuring Device (R43) or Lockable Controlling Works (R02) <u>R04</u> Watermaster Control (R04) - WD # <u>65</u> <u>RMK</u> Irrigation rate/annual volume overlap ____ GW irrigation replaces surface water (050) ____ GW irrigation supplements surface water (065) ____ Water Quality ____ Other _____
PRIORITY	App Rcd	<u>1/4/94</u>	Due <u>3/1/95</u> Rcd <u>3/16/94</u> Receipt# <u>602989</u> Fee OK? <u>(Yes) No</u> \$50 Order to Reinstate Needed? Yes <u>(No)</u> Done? _____ Advanced to: _____ Priority <u>1/4/94</u> Examined <u>6/24/94</u>

COMMENTS: reduce to 0.6 acres

USE	CFS	VOLUME
<u>irr</u>	<u>0.02</u>	<u>2.1</u>
<u>TOTAL</u>	<u>0.02</u>	<u>2.1</u>

SRBA Overlap none
Adjustment Memo -
LICENSE
#1 AMEND _____/P38
#2 AMEND: (R)P42/(C)P47

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

DEC 12 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-13496

1. Owner: BOB L. ALBRECHT AND SHELLY ALBRECHT Phone No. 378-1082

Current Address: 9045 McMillan Rd BOISE IDAHO 83704

2. Accompanied by: BOB L. ALBRECHT EXAM DATE: 6-24-94

Address: SAME Phone No. SAME

Relationship to Permit Holder: SAME

3. Source: Middle Fork, Payette River tributary to Payette River, South Fork

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 65-03227B + 5 OTHERS

2. Other water rights with the same point of diversion: 65-03222 + 10 OTHERS

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	NW	23	10N	4E	BOISE	Guards - Owner Id

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
10N	4E	23								.6									.6

MICROFILMED

DEC 12 1994

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	3/4	NOT 12/18/18	-	2"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: 5 GALLON BUCKET; THEORETICAL 35 PSI
16 SEC

DEPARTMENT OF AGRICULTURE

DEC 15 1987

RECEIVED

MICROFILMED

APR 16 1998

E. NARRATIVE/REMARKS/COMMENTS

THIS SYSTEM PUMPS FROM THE MIDDLE FORK OF THE PAYETTE RIVER. THE OWNER HAS INSTALLED A $\frac{3}{4}$ HP IN THE RIVER THAT LIFTS WATER 5' FOR IRRIGATION PURPOSES. THE OWNER USES HOSES & RANLARDS TO IRRIGATE THE .6 ACRES. THE SYSTEM RUNS AT A PSI OF @ 35psi.

* OTHER WR #'S ARE NEIGHBORS IN SAME $\frac{1}{4}$ / $\frac{1}{4}$ THAT ALSO HAVE WR'S IN THE PAYETTE RIVER, MIDDLE FORK, OR HAVE WELLS IN THE SAME $\frac{1}{4}$ / $\frac{1}{4}$.

* NOTE: PERMIT IS INCORRECT; HAS LISTED A P/D OF 1N 4E SEC 23 N2W. THE OTHER P/D OF 10N 4E SEC 23 SENW IS CORRECT & THE ONLY P/D NEEDED.
Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

APR 16 1998

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

$$\text{THEORETICAL; } \frac{3/4 \times 8.8 \times 70}{(2.3 \times 35) + 5' \text{ lift}} = \frac{1.62}{85.5} = .05 \text{ cfs}$$

$$\text{NEED: } .03 \times .6 = .02$$

$$\text{PERMIT; } .03$$

5 gallon bucket @ 16 sec = .04 cfs system capacity
(EXHIBIT 10)

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .6 \times 3.5 = 2.1 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .02 \times 184 \times 1.9835 = 7.3 \text{ AFA}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{D.R.} = 2.1 \text{ AFA}$$

2. Volume Calculations for Other Uses:

-NA-

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4-1	10-15	.02 cfs	2.1 AFA
Totals:			.02 cfs	2.1 AFA

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name David Gray Date 7-12-94

Reviewer _____ Date _____

SEAL


MICROFILMED

APR 16 1998

WOODED RIVER SUBDIVISION

SITUATE IN SECTION 23, T10N., R.4E, B.M., BOISE COUNTY, IDAHO


1990



This sketch is for location purposes only. The Company assumes no liability for variations.

PIONEER TITLE COMPANY
of Ada County

MICROFILMED
APR 16 1998



MICROFILMED
APR 16 1998

Smith

VIEW OF LINE IN THE MIDDLE
FORK OF THE PAYETTE. THE LINE
SIMPLY LEAD TO HOSES. THEN
IS HOOKED TO SPRINKLERS THAT
IRRIGATE THE LAWN



PHOTO ONE-

>

VIEW OF THE DOMESTIC
AND THE SYSTEM IN USE.
SYSTEM, AS CAN BE SEEN,
WAS FUNCTIONAL AT THE
TIME OF THE EXAM.




PHOTO TWO-

MICROFILMED
APR 13 1998

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 65-13496 Reviewed by [Signature] Date 3-18-94

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

irr.
Correct Uses? yes

SOURCE OF WATER

☒ Surface water source
☐ Ground water source

☐	Drilling permit required?
☐	Copy in the file? Drilling Permit No. _____
☐	Amount paid for permit _____ Correct?
☐	Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50.00 Amount Submitted
yes Correct?

MEASURING DEVICE

yes Required?
no Installed?
no Waiver requested?

PRIORITY CALCULATION

Date proof received		
Date proof due	-	
No. of days late	=	
Priority Date	+	
New Priority Date		

DEFICIENCIES OR ACTION ITEMS

Proof acceptable, advise in act. letter
ned for lockable device before exam

DATA ENTRY

New Address _____ Proof Made 3-16-94

March 23, 1994

BOB AND SHELLY ALBRECHT
9045 MCMILLAN RD
BOISE ID 83704

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 65-13496

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that one of the conditions of your water right permit (copy enclosed) requires the permit holder to install a lockable measuring devise. This condition must be complied with before the license exam, or you can request, in writing, a waiver of the condition.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise, at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED

APR 19 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 18, 1994

SHELLY R ALBRECHT
9045 MCMILLAN RD
BOISE ID 83704

RE: Permit No. 65-13496

Dear Mrs. Albrecht:

In follow-up to our telephone conversation today, the error found in the legal description of the point of diversion on the original permit was a typographical error and that error has been corrected.

I am forwarding to you a corrected copy of your permit which supersedes the copy of the permit you previously received. Please disregard the previous copy of the permit.

I apologize for any inconvenience this oversight may have caused.

If you have any questions or I can be of further assistance, please feel free to contact me directly at 327-7944.

Sincerely,

Cindy Zimmerman
CINDY ZIMMERMAN
Water Resource Agent

Enclosure

APR 19 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 10, 1994

BOB L ALBRECHT
SHELLY R ALBRECHT
9045 MCMILLAN RD
BOISE ID 83704

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-13496

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a lockable device that will provide the watermaster control on your diversion.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', with a long horizontal line extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

APR 19 1994

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

Application #: 65-13496 Name: Albrecht Date: 3/2/94

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust

SYSTEM COMPLETED:

No - 26A-P17

Complete in 1 year - P16

Yes

Proof not submitted - P16

Proof submitted - NA

GROUNDWATER:

+ 0.2 cfs <flo-ch> - T17 (new), 01K (existing), No MD

- 0.2 cfs - No MD <flow chart>

Drilling Permit:

Included w/permit - Permit No. _____, P99

Existing well - NA (pre 7/1/87)

No WD permit? - 046-46A(Irr)-46B-P23 (post 7/1/87)

SURFACE WATER: not in WD - -P_ (+.2 w/pump), No MD <flow chart>

LOCATION:

Water District(dem) - WD No. 65

*Surface water - 005 (req) 01J-P08 <flow chart>
(doesn't sink) or 01H-P01 <flow chart>; No MD

Groundwater - P05 (new irrigation well)

In stream channel - 030 (stream channel alteration)

Irr Dist/Canal Co. - 023 (Twin Falls area)

Drainage Districts - 024

Flood Control Dist. - 063

Boise Front (63) - 058 (-85° Groundwater temp)

Swan Falls Flag - B <See condition code chart>

Trust - 051-052-053-P74 (Consumptive Uses), NA

Non Trust <1> - 048-049 (Consumptive Uses), NA

RIVER BASINS (*Surface water):

Boise R(63) - 05A (req), 11E (non-domestic use), NA

Payette R(65) - 064(consump. use), 047-P04(Payette Lake), NA

Snake R(01/02/03) - 11A-P04 (01), 061-P07 (02/03 No W.D.Cond.), NA

USE:

Fish Propagation - 07A-042 (req) & 010/06A/09E(WQ)-P10

444 (N 1000 Spr)

Irrigation - 803(if GW use SW 1st)(+5A do POU comp), NA

Power - 08A-17K-025-027(req); 01F(MD)-P19; 09E(WQ)-P10;

+25 cfs-P18; 17G(FERC) or 17M(FERE); 18B-P09

Mining - 054 (req) & 06A/010/09E-P10

Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

Domestic (surface) - 021(Boise R ↑ L Peak), 27A(Payette R), NA

OWNERSHIP:

Non land owner - 004 (PD/PU) _____

PROTESTED:

Prehearing agreement- 020

OTHER CONDITIONS:

REMARKS:

① Single P/D located on/ near between SENG & NESW, S23, T10N, R4E.

② P/D located within Lt 4, Wooded R. Sub.

BENEFICIAL USE DUE:

COMMENTS:

- 3-1-1995

- ① Div Desc.

WR0749NP
No. 65-13496

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 03/02/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	BOB L ALBRECHT	01/04/1994	IRRIGATION	03-15 11-15	0.03 CFS	
C	SMELLY R ALBRECHT 9045 MCMILLAN RD BOISE ID 83704 (208) 378-1082					
TOTAL DIVERSION:					0.03 CFS	

Water Source: PAYETTE RIVER, MIDDLE FORK

Tributary to: PAYETTE RIVER, SOUTH FORK

Stage: PERMIT

Point(s) of Diversion:

✕ T10N
T04N R04E S23
T10N R04E S23

NESW
SENW

BOISE County
BOISE County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
10N	04E	23	:									.5			.5						1.0
																				TOTAL ACRES	1.0

Pou County: BOISE

Other Water Rights with Same Point(s) of Diversion and Source:
65-03227B 65-11140 65-13496

Other Water Rights Listing Overlapping Place(s) of use:
65-03222 65-03227B 65-03227X 65-05714 65-07981 65-08290 65-10861 65-11140 65-13488 65-13496

Conditions of Approval:

- 005 - Use of water under this right is subject to control by the watermaster of State Water District No. 65.
- 01H - A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this right.
- 064 - When water is not available to fill this right, the right holder shall cease diversion or shall rent water from the Payette River Rental Pool.
- 057 - The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

Remarks: Place of use is located within Lot 4, Wooded River Subdivision. Single point of diversion on or near line between SENW and NESW, S23, T10N, R04E.

Dates: App. Received: 01/04/1994 Priority Date: 01/04/1994
Proof Due Date: 03/01/1995 Proof Made Date:
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: 65 Field Exam Fee:

* Database updated 3/18/94 czg

WR0749NP
No. P65-13496

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 03/02/94
PAGE: 2

=====

Comments: Date: 03/02/1994 User-ID: ZIMMERMA Subject: DIVERSION DESCRIPTION
Myers 2 hp pump in stream.

Audit: 03/02/94 ZIMMERMA

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

10N 4E 5.23

Lot 4 Wounded Run Subd.
Boise Co.

INITIAL REVIEW BY: SL DATE: 1/10/94 APPLICATION: 65-13496

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

Gov't. Lots:

N P/D
P/U

ADDITIONAL INFORMATION

YES NO 1 Acre irrig
N/A ☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion:
☒ Field check required: Field check by: _____
☒ Field report attached:
☒ Critical groundwater area:
☒ Groundwater management area:
☒ 1992 moratorium
☒ Copy to SCA staff (perennial stream, non-pump diversion):
☒ Send dam safety information:
☒ Send power requirement letter:
☒ Send fish farm requirement letter:
☒ Power residency affidavit:
☒ Power efficiency form:
☒ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

☒ Additional information on reverse side:

RECEIVED
FEB 28 1994

Department of Water Resources

PROCESSING

APPLICATION NO. 65-

YES NO

☒ ☐
☒ ☐
☒ ☐

In form for advertising:

Statewide advertising: (> 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # _____

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☒ ☐
☒ ☐

Publication dates and paper recorded on application:

Protests received. Final date for protest 2-7-94

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, Over

Measuring device required: Too small

Measuring port required:

Water delivered by water master? District # 65

Special conditions of approval or cover letter: _____

OS (65, Payette R.), O/D

☒ See below for additional information

Recommended Date or Priority 1/4/1994

Recommended by: Bra

Date 2/25/1994

STATE OFFICE REVIEW

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION

Watermaster comment N/A for Mid. Fk. Payette but we may require
storage water at times.

Include warning about limited summer water in permit approval cover letter

65-13496

ALBRECHT, BOB L
ALBRECHT, SHELLY R
9045 MCMILLAN RD
BOISE, ID 83704

Source: PAYETTE RIVER, MIDDLE FORK Tributary: PAYETTE RIVER, SOUTH FORK

Diversion Pt: SENW Sec 23 T 10N R 04E in BOISE County.

Use: IRRIGATION (.030 CFS)
Total Diversion: (.030 CFS)

Date Filed: 1/ 4/1994

In: BOISE County
T10N R04E S23 SENW NESW

1.0 ACRES TOTAL

MINIDOC 100

APR 19 1994

The Idaho World

P O Box 99
Garden Valley, ID 83622
208 462-3487

RECEIVED

FEB 15 1994

WATER RESOURCES
WESTERN REGION

State of Idaho >
>
County of Boise >

Wayne Hart, being duly sworn, deposes and says: that he is the manager and principal clerk of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and the State of Idaho; the said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for 100 consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy eight weeks past previous to the first publication of this notice. Such notice was published with the issue beginning with Jan 12, 1994 and ending with the issue of Jan 26, 1994.

Wayne Hart

State of Idaho >
>
County of Ada >

On this 17th day of February in the year 1994, before me, a notary public, personally appeared WAYNE HART known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Wayne Hart
Notary Public for Idaho

Boise ID
Residing at

My commission expires 9/10/94

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-13493

HEAD, DAVID J
HEAD, GINGER
4173 WISTERIA WAY
BOISE, ID 83704

Source: GROUNDWATER

Diversion Pt: SENW Sec 13 T 07N R 02E in BOISE County.

Use: IRRIGATION (.150 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.190 CFS)

Date Filed: 12/30/1993

In: BOISE County
T07N R02E S13 SENW

5.0 ACRES TOTAL

65-13495

JONES, RAYMOND
JONES, VICKI
2000 GOURLEY
BOISE, ID 83705

Source: UNNAMED STREAM Tributary: PAYETTE RIVER

Diversion Pt: NESESE Sec 19 T 09N R 04E in BOISE County.

Use: IRRIGATION (.030 CFS)
IRRIGATION STORAGE (.20 AF)
IRRIGATION FROM STORAGE (.20 AF)
WILDLIFE STORAGE (.20 AF)
RECREATION STORAGE (.20 AF)
Total Diversion: (.030 CFS)

Date Filed: 1/7/1994

In: BOISE County
T09N R04E S19 SESE

0.5 ACRES TOTAL

65-13496

ALBRECHT, BOB L
ALBRECHT, SHELLEY R
9045 MCMILLIAN RD
BOISE, ID 83704

Source: PAYETTE RIVER, MIDDLE FORK Tributary: PAYETTE RIVER,
SOUTH FORK

Diversion Pt: SENW Sec 23 T 10N R 04E in BOISE County

Use: IRRIGATION (.030 CFS)
Total Diversion: (.030 CFS)

Date Filed: 1/4/1994

In: BOISE County
T10N R04E S23 SENW NESW

1.0 ACRES TOTAL

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Protests must be filed with the Director, Dept of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before FEBRUARY 7, 1994.

R. KEITH HIGGINSON, Director

Published in The Idaho World January 19 and 26, 1994.

APR 19 1994