




20

21

22

23

29

28

27

26

32

33

34

35

5

2

Gulch

Wakefield

CANAL
PACIFIC

POWER
UNION

TRAIL

PAYETTE

Horseshoe Bend

Diversion Dam

Pioneer Cemetery

Side channel of RIVER

River boundary

NOTE

Assume from Application
that pld on side channel
in NENE otherwise would
be in SENE.

-SL 8/20/93

HORSESHOE
Robbs

Cottonwood

MICROFILMED
OCT 25 1993

Shaffer

HARRIS

2 CREEK

Millpond

52

15

BM 2590

BM 2605

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604

BM 2604


BM 2604

BM 2604


BM 2604

How much we love the
little things of life

7N
2E
S.34
NENE
Lat 4



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Century	1	13718	Wayne	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

MICROFILMED

AUG 20 1997





P/D



P/U



MICROFILMED
AUG 20 1997

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13469

Priority: August 5, 1993

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

2.3 AF

This is to certify, that THOMAS NEWMAN

PO BOX 511

HORSESHOE BEND ID 83629-0511 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 5, 1993; and has submitted Proof of Beneficial Use on August 15, 1995. An examination indicates that the works have a diversion capacity of 0.030 cfs of water from:

PAYETTE RIVER

tributary to SNAKE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	2.3 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 4(NENE), Sec. 34, Township 07N, Range 02E
BOISE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07N	02E	34	Lot 4(NENE)	0.5		0.5

Total number of acres irrigated: 0.5

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.

MICROFILMED

AUG 20 1997

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 65-13469

CONDITIONS OF APPROVAL AND REMARKS

6. This right when combined with all other rights shall provide no more than .02 cfs nor more than 2.3 afa for the land described above.
7. When water is not available to fill this right, the right holder shall cease diversion or shall rent water from the Payette River Rental Pool.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 14th day of AUGUST, 1997.


KARL J. DREHER, Director

MICROFILMED

AUG 20 1997

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT
NO. 65-13469 IN THE NAME
OF THOMAS NEWMAN

ORDER REMOVING
CONDITION OF APPROVAL

WHEREAS, on August 5, 1993, Thomas Newman applied to the Department of Water Resources (Department) for a permit to appropriate water from the Payette River for irrigation use; and,

WHEREAS, on October 12, 1993 the Department approved Permit No. 65-13469 with the following condition:

A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this right.


and,

WHEREAS, the watermaster of Water District No. 65 has informed the Department that a lockable device is not necessary for regulation of this water right from the Payette River; and,

WHEREAS, there appears to be reasonable cause to remove the condition,

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval requiring the installation of a lockable device for Permit No. 65-13469 is REMOVED. The Department retains jurisdiction to reinstate the condition in the future upon a finding of need by the Department.

Dated this 12th day of August, 1997.



L. GLEN SAXTON
Chief, Water Allocation Bureau

RECORDED

AUG 20 1997

RECEIVED

OCT 04 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-13469 Telephone No. 793-2697
2. Name(s) of Permit Holder(s): Thomas A Newman
3. Mailing Address: P.O. Box 511 HORSESHOE BEND, ID 83629
4. Source of Water: Payette River If GROUNDWATER (well), Date Drilled: mo. _____ / yr. _____
- a. Well Driller: _____ Drilling Permit Number: _____ - _____ - _____

- b. **OPTIONAL:**
Pump Horsepower: 1 Pressure (psi): 25 to 30 Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 4 trailers houses Stockwater (No. and type of stock): chickens & ducks & geese to water 2 horses

Irrigation (No. of acres): 2 1/2 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: _____ cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? what a measuring device is Yes ☐ or No ☒ I don't know
Has the measuring device been installed? Yes ☐ or No ☒ I don't understand what you mean by this question

Flow Measurement Port: Is a flow measurement port required? I don't know if a flow measurement port is required or not Yes ☐ or No ☐
Has the measurement port been installed? Yes ☐ or No ☐

8. Fee Enclosed: \$ 50.00 I have already sent it in (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Thomas Newman Telephone Number: 793-2697

Address: P.O. Box 511 Horseshoe Bend Idaho 83629

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Thomas A Newman Date: 9-28-95
(include your title, if on behalf of company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13469

Proposed Priority: August 5, 1993 **Maximum Diversion Rate:** 0.08 CFS

This is to certify, that **THOMAS NEWMAN**
PO BOX 511
HORSESHOE BEND ID 836290511
has applied for a permit to appropriate water from:

PAYETTE RIVER tributary of **SNAKE RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.08 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 4(NENE), Sec. 34, Township 07N, Range 02E
BOISE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07N	02E	34	Lot 4(NENE)	2.5		2.5

Total number of acres irrigated: 2.5

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **October 1, 1995**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Use of water under this right is subject to control by the watermaster of State Water District No. 65.
5. A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this right.
6. When water is not available to fill this right, the right holder shall cease diversion or shall rent water from the Payette River Rental Pool.
7. The issuance of this right in no way grants any right-of-way or easement across the land of another.
8. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

OCT 25 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13469

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

12th day of October, 1993.

R. Keith Higginson
for R. Keith Higginson, Director

OCT 25 1993

RECEIVED

AUG 06 1993

RECEIVED

AUG 05 1993

Department of Water Resources

Department of Water Resources
Western Regional Office

Ident. No. 65-13469

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: THOMAS NEWMAN 208-793-2697
Address: PO BOX 511
HORSESHOE BEND ID 836290511
2. Source: PAYETTE RIVER Trib. to: SNAKE RIVER
3. Location of Point of Diversion: Lot 4 (NENE) Sec. 34, Township 07N, Range 02E
BOISE County
4. Water will be used for the following purposes:
- | Purpose | From | To | CFS | (or) | AF |
|------------|-------|-------|-------|------|----|
| IRRIGATION | 03/15 | 11/15 | 0.080 | | |
5. Total quantity to be appropriated is:
0.080 CFS (and/or) AF
6. Proposed diverting works:
- Description of ditches, flumes, pumps, headgates, etc.
3/4 HP PUMP IN RIVER
 - Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - Proposed well diameter is inches; proposed depth of well is
feet.
 - Is groundwater with a temperature greater than 85F being sought? NO
 - If well is already drilled, when?
Drilling Firm
Well was drilled for
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 2 year(s).
8. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
07N	02E	34	Lot 4 (NENE) 2.5			2.5

Total number of acres irrigated: 2.5

RECEIVED

SEP 27 1993

Department of Water Resources

OCT 25 1993

9. a. Who owns the property at the point of diversion?
IDAHO DEPT OF LANDS
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.
WILL SEEK A RIGHT OF WAY EASEMENT WITH DEPT OF LANDS

10. Remarks:

11. Map of proposed point of diversion and place of use attached? ☒


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Thomas A Newman
Applicant

Received by C.3. Date 8/5/93 Time 4:30pm Preliminary check by SL
Fee \$ 30⁰⁰ Receipted by CA # C028299 Date 8-5-93
Publication prepared by AT Date 8-25-93 Published in Id World
Publication approved AT Date 9-21-93

Microfilm

OCT 25 1993



NENE
S34
T07N
R02E

NOTE

Assume from application
that pld on side channel
in NENE otherwise would
be in SENE.

-PL 8/20/93

MICROFILMED
OCT 25 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 14, 1997

THOMAS NEWMAN
PO BOX 511
HORSESHOE BEND ID 83629-0511

RE: WATER RIGHT NO. 65-13469

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. Also enclosed is an Order Removing Condition of Approval. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration within fourteen (14) days after issuance as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

AUG 20 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 12-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script, appearing to read "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

AUG 20 1987

CERTIFICATE OF MAILING

I hereby certify that on the 14th day of August, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 65-13469

**THOMAS NEWMAN
PO BOX 511
HORSESHOE BEND ID 836290511**


**Kari Lynn Townsend
Secretary**

REC'D

AUG 20 1997

WATER DISTRICT NO. 65

102 N. Main St.
Payette, Idaho 83661
Phone (208) 642-4465
Fax (208) 642-1042
E-mail wdist65@primenet.com

RECEIVED

AUG 07 1997

Department of Water Resources

August 5, 1997

Ms. Sharla Curtis
Water Resource Agent
Idaho Department of Water Resources
1301 N. Orchard
Boise, Idaho 83702

Re: Permit Number 65-13469

Dear Ms. Curtis:

Thank you for your letter of July 24, 1997, describing permit number 65-13469 and the lack of a lockable controlling device. We are currently not accounting for water diversions from the Payette River of less than .10 cubic feet per second within Water District No. 65. This permit is for a .08 cfs diversion rate. Even though every diversion should have a measurable, lockable controlling works, it is not always practical or cost effective due in part to the size of the diversion. At this time, I recommend that IDWR waive the requirement for a lockable measuring device on this diversion, stating that the watermaster of Water District No. 65 may require installation of a lockable measuring device on the diversion in the future if deemed necessary. The condition relating to the control of the diversion by the watermaster should remain as described. This would allow me to make a determination in the future if conditions change which require an accounting of this diversion from the river.

If you have any further questions or wish to discuss this recommendation with me, please don't hesitate to give me a call.

Sincerely,



Mark Limbaugh, Watermaster

RECEIVED

AUG 20 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 65-13469

DATE 7/21/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>No</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change/clarification of originally intended source? <u>—</u>
POINT OF DIV	<u>—</u>	<u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	<u>—</u>	<u>✓</u>	Amendment required <u>No</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate .08 cfs
 Fee limit .20 cfs \$50.00
 Measured — cfs
 Theoretical .03 cfs

Recommended Total Div Rate .02 cfs

ANNUAL VOLUME/
NATURE OF USES —

✓ Use

<u>Ins.</u>	Volume Calculation
<u>—</u>	<u>.5 X 4.5 =</u> af
<u>—</u>	<u>—</u> af
<u>—</u>	<u>—</u> af
<u>—</u>	<u>—</u> af
SUBTOTAL	<u>2.3</u> af

Flow rate .02 cfs X 246 days X 1.9835 = 9.7 af

Total volume recommended 2.3 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

W31 (.02, 2.3 af)

CONDITIONS 604 Watermaster Control WD# 65

~~602~~ GW Measurement/Measuring Device

R Overlap

— Use-specific conditions

Advancement of Priority Date Required — yes — no

SRBA Claim Filed NA
 Adjustment Memo date

1st Amend Letter NA
 2nd Amend Letter NA



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

July 24, 1997

Mark Limbaugh
102 N. Main
Payette, ID 83661

RE: Water Right 65-13469

Dear Mark,

We are in the process of reviewing permit number 65-13469 for licensing. Enclosed is a profile report describing this permit. During the field examination in April of 1996, our examiner found no measuring device installed. One of the conditions of the permit required that a lockable device shall be installed on the diverting works in a manner that would provide the watermaster suitable control of the diversion. Is a measuring device necessary for regulation of this right? If so, we will hold licensing this right until the condition is complied with and will retain the condition when the license is issued. If it is not necessary, we will simply remove the condition.

I appreciate your help in this matter. If you have any additional questions, please feel free to contact me at (208) 327-5452.

Sincerely;

Sharla Curtis
Water Resource Agent

SC:cb
Enclosure

MICROFILMED

AUG 20 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

APR 25 1997

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-13469

1. Owner: Tom Newman Phone No. 793-2697

Current Address: PO Box 511

2. Accompanied by: — EXAM DATE: 4/25/96

Address: — Phone No. —

Relationship to Permit Holder: —

3. Source: Payette R tributary to Snake R

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 65-01677, -10688, -10892, -11029, -11030, -13469
-11032, -12121, -10744, -11116, -12699A
2. Other water rights with the same point of diversion: 65-01677, -07040, -07505, -10892, -11029,
-11030, -11032, -12121, -11116, -12699A

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	4		No	No	34	7N	2E	Baine	USGS Quad

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
7N	2E	34	.5																.5

NOT FILMED

AUG 20 1997

INFORMED

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

D. FLOW MEASUREMENTS


*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Century	1	B718	Wagner	
Motor Make		Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

4

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Aerial Photo Attached (required for irrigation of 10+ acres)
☒ Photo of Diversion and System Attached

Scale 1 -



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate well size/ditch size/pipe I.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS

A 1 hp pump lifts water ~ 8' to the p/h via 2.5" intake pipe and portable 1" hose. The P/h consists of scrubbery and small patches of lawn area (less than 1/2 acre). City water is used for internal domestic use. No other water vts are used.

Have conditions of permit approval been met? ☐ yes

☒ no

lockable linear device
N/A for exam

MICROFILMED

AUG 20 1997

F. FLOW CALCULATIONS

Measured Method:

☒ Additional Computation Sheets Attached

Pumpback Theo

.03 cfs pumping capacity

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .5 \times 4.5 = 2.25$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03 \times 246 \times 1.9835 = 14.6$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{D.R.} =$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Irrigation</i>	<i>3/15</i>	<i>11/15</i>	<i>.03 cfs</i>	<i>2.3</i>
Totals:			<i>.03 cfs</i>	<i>2.3 afa</i>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name *Lon Conner* Date *2/27/97*

Reviewer _____ Date _____

SEAL

MICROFILMED

AUG 20 1997

Pumpback Computation Spreadsheet (DRT 1/24/1995)

Data Entered By: Lori Graves
02/27/1997
Project: Flow Computation for 65-13469
Tom Newman
Given: See Data Table

Compute head losses with the Williams and Hazen Formula:
$$f = 0.2083 \cdot (100 / \text{roughness})^{1.85} \cdot (\text{cfs} \cdot 448.8)^{1.852} / \text{ID}^4 \cdot 8.655 \cdot \text{Lengt}$$

To Find: Compute Rate of Flow for a Pumpback System

Data Table

Vertical Lift: 8.00 feet
Nozzle Pressure: 20.00 psi
Required Head: 54.20 feet
Pump Horsepower: 1.00 horsepower

Pipe Roughness: 150.00 Note: pvc = 150, smooth and straight pipe
aluminum - joint length 20' = 125, j
30' = 130, joint length 40' = 132, j
50' = 134, new riveted steel = 100
old riveted steel = 100, old cast ir
old pipes in poor condition = 60 to

Inside Diameter in Inches	Equivalent Length in Feet	Unit Head Loss	Total Friction Head Loss from Pipe Frict
0.75	300.00	147.63	
1.00	0.00	0.00	
1.00	0.00	0.00	


147.63


Initial Estimate of Rate of Flow: 0.030 CFS

Computation of Rate of Flow: 0.03 CFS

Solution is shown in the Computation of Rate of Flow.
Solution is obtained by entering an initial estimate of rate of flow,
and by changing this factor until it approximates as closely as possible
the Computation of Rate of Flow.

RECEIVED
AUG 20 1937





AUG 20 1957


March Hill

36
C. 250

1861

1861


1861



P/D



P/6



REC'D - 1000
AUG 20 1957

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 65-13469 Reviewed by [Signature] Date 10/25/95

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?

Dom. Irr

yes Address same as permit?

yes Proof timely received?

Correct Uses? no

If not, complete calculation below.

SOURCE OF WATER

☒ Surface water source

☐ Ground water source

☒ Drilling permit required?

☒ Copy in the file? Drilling Permit No. _____

☒ Amount paid for permit

Correct? _____

☒ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?

yes Required? - lockable

50.00 Amount Submitted

no Installed?

yes Correct?

1 Waiver requested?

PRIORITY CALCULATION

Date proof received

Date proof due

No. of days late

Priority Date

New Priority Date

_____	_____
_____	_____
_____	_____
_____	_____
_____	_____

DEFICIENCIES OR ACTION ITEMS

*advise of lockable device requirement
Proof acceptable*

DATA ENTRY

New Address _____

Proof Made 8/15/95



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 27, 1995

THOMAS NEWMAN
P O BOX 511
HORSESHOE BEND ID 83629-0511

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 65-13469

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that one of the conditions of your water right permit requires that the permit holder install and maintain a lockable controlling device (refer to condition # 5 of your permit.) This condition must be complied with before the license examination, or you can request in writing, a waiver of the condition.

If you have questions concerning the field examination, please feel free to contact the WESTERN Regional Office in Boise, at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED

NOV 14 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 20, 1995

Thomas Newman
P.O. Box 511
Horseshoe Bend, ID 83629

RE: Water Right Permit No. 65-13469

Dear Mr. Newman:

I am returning the Extension of Time Request which was received on August 15, 1995. An extension request should only be submitted to extend the date to file proof of beneficial use if you have not completed your proposed water right diversion. It appears that you have completed the diversion, therefore, proof of beneficial use should be submitted.

I have enclosed a Proof of Beneficial Use form and instructions for your convenience. Please fill out the proof form and return to this office within **thirty (30) days** of receipt of this letter. There is a \$50.00 license examination fee associated with the proof filing, however, since you submitted \$50.00 along with the extension request I will just apply it to the proof.

If you have any questions or if I can be of any assistance, please contact me directly at (208)327-7953.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

RECEIVED

NOV 14 1995

RECEIVED

STATE OF IDAHO
AUG 15 1995 DEPARTMENT OF WATER RESOURCES

Department of Water Resources

REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time under the provisions of Section 42-204, Idaho Code in which to complete development of a water right.

Permit No. 65-13469

Name(s) of Permit Holder: Thomas A Newman

Mailing Address: P.O. BOX 511 HORSESHOE BEND, ID 83629

Date Proof is Due: OCTOBER 1, 1995 Telephone No. 793-2697

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

I installed a new 220 volt one horse pump on the Payette River. The pump is mounted on a steel I beam that is eight feet from normal water level and is wired up to Idaho State Electrical code. The plumbing that was used is a one inch PVC water pipe . connected to a one inch galvanize steel pipe with sprinkler's attached . I had to get water to my pump due to the new Hydroelectric plant so I had to clean out the old river channel so I could get a new water supply to my pump.

Costing \$ 950⁰⁰

Permit holder(s) request an extension to NO extension 8-7-1995

FEE: \$50.00

(2980)

Thomas A Newman
(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be

NOV 14 1995

Signed this _____ day of _____, 19 _____

July 31, 1995

THOMAS NEWMAN
PO BOX 511
HORSESHOE BEND ID 836290511

PROOF DUE NOTICE

RE: PERMIT NO. 65-13469

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1995. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

NOV 14 1995





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 12, 1993

THOMAS NEWMAN
PO BOX 511
HORSESHOE BEND ID 836290511

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-13469

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a lockable device that will provide the watermaster control on your diversion.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', with a long horizontal line extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

UNRECORDED

OCT 25 1993

APPLICATION FOR PERMIT
STATE OFFICE REVIEW

Application #: _____ Date: _____ Reviewer: Cindy Zimmerman

AREA OF CONCERN? - No/Yes _____

SYSTEM COMPLETED:

No - 26A-~~P17~~

Complete in 1 year - P16

Yes

Proof not submitted - P16

Proof submitted - N/A

GROUNDWATER:

+ 0.2 cfs <flo-ch> - 01G-P03 (new), 01C-P03 (existing), NMR

- 0.2 cfs - NMR <flow chart>

Drilling Permit:

Included w/permit - P99 Permit No. _____

Existing well - N/A (if drilled before 7/1/87)

No WD permit? - 046-46A<Irr>-46B-P23 (if drilled after 7/1/87)

SURFACE WATER: not in WD - 01C-P03 (+.2 w/pump), NMR <flow chart>

LOCATION:

Water District - WD No. 65

Surface water - 005 or 005-01J-P08 (+.2, or -.2 no pump)
or 005-01H-~~P01~~ (-.2 w/pump); NMR

Groundwater - P05 (if well has not been drilled)

In stream channel - 030 (stream channel alteration)

Irrigation Dist. - 023

Canal Co. Areas - 023

Drainage Districts - 024

Flood Control Dist. - 063

Boise Front (63) - 058 (Groundwater temperature)

Swan Falls Flag - B <See condition code chart>

Trust - 051-052-053-P74 (Consumptive Uses)

Non Trust <1> - 048-049

RIVER BASINS (Surface): Water District Control Condition (005) &....

Boise (63) - 05A (req), 11E (non-domestic use), NA

Payette (65) - 064 (consump. use), 047-P04 (Payette Lake), NA

Snake (01, 02 & 03) - 11A-P04 (01), 061-P07 (02/03 No W.D.Cond.), NA

USE:

Fish Propagation - 010/06A/09E-P10 (WQ) & 07A-042-002-P06 (MD) (req)
044 (N 1000 Spr)

Irrigation - 803 (if GW use SW 1st) (+5A do POU comparison)

Power - 08A-17K-025-027 (req); 01F-P19; 09E-P10;
+25 cfs-P18; 17G (FERC) or 17M (FERC); 18B-P09

Mining - 06A/010/09E-P10 & 054 (req)

Storage (✓ 3 compo.) - 18A-for multi MD in WD, 18B-P09 (+10' high dam)

Domestic (surface) - 021 (Boise R ↑ L Peak), 27A (Payette R)

OWNERSHIP:

Non land owner - 004 (P/D or P/U)

PROTESTED:

Prehearing agreement - 020

OTHER CONDITIONS: - _____

REMARKS: - _____

BENEFICIAL USE DUE: - -1-199

COMMENTS: - to be done (2)

WR0749NP
No. P65-13469

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 10/05/93
PAGE: 1

```
=====
OWNER          PRIORITY    USE PERIOD    DIVERSION    DIVERSION
CODE          DATE        FROM TO      RATE        VOLUME
-----
C THOMAS NEWMAN      08/05/1993  IRRIGATION    03-15 11-15    0.08 CFS
  PO BOX 511
  HORSESHOE BEND ID 836290511
  (208) 793-2697
                                     TOTAL DIVERSION:    0.08 CFS
=====
```

Water Source: PAYETTE RIVER

Tributary to: SNAKE RIVER

Stage: PERMIT

Point(s) of Diversion: T07N R02E S34 Lot 04(NE NE)

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
07N	02E	34	:	04-02																:	2.5
																				TOTAL ACRES	2.5

Pou County: BOISE

Other Water Rights with Same Point(s) of Diversion and Source:
65-12699A 65-12699B 65-13469 L65-12699A

Other Water Rights Listing Overlapping Place(s) of use:
65-10744 65-12699A 65-12699B 65-13445 65-13469 L65-12699A P65-13445

Conditions of Approval:

- 26A - Project construction shall commence within one year from the
 - date of permit issuance and shall proceed diligently to
 - completion unless it can be shown to the satisfaction of the
 - Director of the Department of Water Resources that delays were
 - due to circumstances over which permit holder had no control.
- 005 - Use of water under this right is subject to control by the
 - watermaster of State Water District No. 65.
- 01H - A lockable device, subject to the approval of the Department,
 - shall be installed on the diverting works in a manner that will
 - provide the watermaster suitable control of the diversion prior
 - to diversion of water under this right.
- 064 - When water is not available to fill this right, the right holder
 - shall cease diversion or shall rent water from the Payette River
 - Rental Pool.
- 004 - The issuance of this right in no way grants any right-of-way
 - or easement across the land of another.
- 060 - The rate of diversion of water for irrigation under this right
 - and all other water rights on the same land shall not exceed
 - 0.03 cubic feet per second for each acre of land.

Dates:	App. Received:	08/05/1993	Priority Date:	08/05/1993
	Proof Due Date:	10/01/1995	Proof Made Date:	
	Exam Made Date:		Exam Sent to S.O.:	
	Licensed Date:			

WR0749NP
No. P65-13469

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 10/05/93
PAGE: 2

=====

Misc: Water District Number: 65 Field Exam Fee:

Comments: Date: 10/05/1993 User-ID: ZIMMERMA Subject: P/D OWNERHSIP
The point of diverison is owned by Idaho Dept of Lands. A letter
of right of way is on file.

Date: 10/05/1993 User-ID: ZIMMERMA Subject: DIVERSION DESCRIPTION
3/4 HP pump in river.

Audit: 10/05/93 ZIMMERMA

72 26 5.34

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: JK DATE: 8/20/93 APPLICATION: 65-13469

REQUIRED INFORMATION

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
Address:
Source: (See USGS Quad for names of water sources)
Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
County:
Quantity: (flow and/or volume) 2.5 acres, can treat as 3 acres & allow 0.09 cfs,
Period of use: 50 .08 cfs OK per Gov't. Lots:
Nature of proposed use: (Include description of use) standard procedure. Y P/D
Description of diverting works: Y P/U
Time required for beneficial use of water:
Place of use or acres irrigated:
Map:
Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
Fee:
Yes No* In form to receipt:

ADDITIONAL INFORMATION

YES	NO	
☒	☐	Overlapping place of use: (Describe source & relationship to present application on the back.)
☒	☐	Overlapping point of diversion:
☐	☐	Field check required: Field check by: _____
☐	☐	Field report attached:
☐	☐	Critical groundwater area:
☐	☐	Groundwater management area:
☐	☐	1992 moratorium
☐	☐	Copy to SCA staff (perennial stream, non-pump diversion):
☐	☐	Send dam safety information:
☐	☐	Send power requirement letter:
☐	☐	Send fish farm requirement letter:
☐	☐	Power residency affidavit:
☐	☐	Power efficiency form:
☐	☐	Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐	☐	Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☐	☐	<u>*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT</u>

DATE REQUESTED: _____
☒ Additional information on reverse side:

RECEIVED
SEP 27 1993

Department of Water Resources

PROCESSING

APPLICATION NO.

65-13469

YES NO

☒ ☐
☐ ☒
☒ ☐

In form for advertising:

Statewide advertising: (> 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☒ ☐
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☒ ☐
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # 65

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received. Final date for protest Sept 20, 1993

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, Dis

Measuring device required: (Lockable device)

Measuring port required:

Water delivered by water master? District # 65 (Payette R)

Special conditions of approval or cover letter:

26A (Allow 2 yrs), 05 (65, Payette R), 04, 01 D

See below for additional information

Recommended Date or Priority 7/5/1993

Recommended by: [Signature]

Date 9/22/93

STATE OFFICE REVIEW

See below for additional information. By Date

ADDITIONAL INFORMATION

Overlap

P/D 15 ground water rights in 65-12699, another Payette R. right.

P/n 12 ground water & 1 spring rights for other land 65-12699 for irrigation of other land.

APPLICATION FOR PERMIT FOR WATER RIGHT

NO. 65-13469

RECEIVED

SEP 01 1993

RECOMMENDATION OF WATERMASTER

Department of Water Resources
Western Regional Office

I, Allen Levine, watermaster of
Payette, of Water District No. 65, County of
Payette, State of Idaho, whose address is
102 N Main, Payette, Idaho 83661, have read
the attached copy of the application for permit for a water
right in the name of Thomas Neuman.

A. I hereby endorse the above numbered application
and recommend that the Director of the Department of Water
Resources approve the application subject to the following
conditions:

X

OR

B. I do not endorse approval of the above numbered
application for water right as requested for the following
reasons:

Dated at Payette, Idaho, this 31st day of
August, 1993

Allen Levine
(signature)

Please use reverse side if needed.

MICROFILMED

OCT 25 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

August 27, 1993

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

HELEN BIVINS
828 CENTRAL AVE
PAYETTE ID 83661


Re: Application for Permit No. 65-13469 in the Name of Thomas
Newman

Dear Watermaster:

Enclosed is an application(s) for a water right(s) within your
water district. Also enclosed is a form for your
recommendation concerning this application for permit.

Please review the application and return your recommendation
within two weeks. If you have questions or need information,
feel free to contact this office.

Sincerely,


DAVID R. TUTHILL, JR., P.E.
Manager, Western Regional Office

DRT:st

Enclosure: Copy of Application
Recommendation of Watermaster Form

MICROFILMED

OCT 25 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 27, 1993

IDAHO DEPARTMENT OF LANDS
BUREAU OF NAVIGABLE WATERS
STATEHOUSE MAIL
BOISE ID 83720

Re: Application for Permit No. 65-13469 in the Name of Thomas Newman

Dear Sir:

Enclosed is a copy(s) of the above-referenced application(s) for permit which may be of interest to your agency. Please review the application(s) and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application(s), your written protest must be received in this office by September 20, 1993.

If you have any questions regarding the applications, please contact this office.

Sincerely,

A handwritten signature in cursive script, reading 'David R. Tuthill, Jr.'.

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:st

Enclosure(s):

MICROFILMED

OCT 25 1993

65-13469

NEWMAN, THOMAS
PO BOX 511
HORSESHOE BEND, ID 836290511

Source: PAYETTE RIVER

Tributary: SNAKE RIVER

Diversion Pt: LOT 4 (NENE) Sec 34 T 07N R 02E in BOISE County.

Use: IRRIGATION (.080 CFS)

Total Diversion: (.080 CFS)

Date Filed: 8/ 5/1993

In: BOISE County
T07N R02E S34 Lot 4(NENE)

2.5 ACRES TOTAL

MICROFILMED

OCT 25 1993

STANLEY F. HAMILTON - DIRECTOR

September 1, 1993

GENE GIBSON
STREAM PROTECTION SPECIALIST
IDAHO DEPT OF WATER RESOURCES
2735 AIRPORT WAY
BOISE ID 83705-5082

RECEIVED
SEP 07 1993

Department of Water Resources
Western Regional Office

BOARD OF LAND
COMMISSIONERSCECIL D. ANDRUS
GovernorPETE T. CENARRUSA
Secretary of StateLARRY ECHOHAWK
Attorney GeneralJ.D. WILLIAMS
State AuditorJERRY L. EVANS
Sup't of Public
Instruction

Re: Thomas Newman
65-13469

Dear Gene:

Please include a term in your permit that says that it also constitutes a permit from the
Department of Lands.

Thank you.

Sincerely,



GWEN ROBBINS, Records Manager
for Bryce D. Taylor, Leasing Specialist
Range Management & Surface Leasing Bureau

BDT/gr

c: Don Stockton, Area Supervisor w/copy of app
file

MICROFILMED

OCT 25 1993

KEEP IDAHO GREEN
PREVENT WILDFIRE

EQUAL OPPORTUNITY EMPLOYER

The Idaho World

P O Box 99
Garden Valley, ID 83622
208 462-3487

State of Idaho >
>
County of Boise >

Wayne Hart, being duly sworn, deposes and says: that he is the manager and principal clerk of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and the State of Idaho; the said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for two (2) consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy eight weeks past previous to the first publication of this notice. Such notice was published with the issue beginning with Sept 1, 1993 and ending with the issue of Sept 8, 1993.

Wayne Hart

State of Idaho >
>
County of Ada >

On this 13th day of September in the year 1993, before me, a notary public, personally appeared WAYNE HART known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

[Signature]
Notary Public for Idaho

[Signature]

Residing at

My commission expires 9/10/96

RECEIVED
SEP 15 1993

Department of Water Resources
Western Regional Office

MICROFILMED
OCT 25 1993

NOTICE OF APPLICATIONS FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-13469 ✓

NEWMAN, THOMAS
PO BOX 511
HORSESHOE BEND, ID 836390511

Source: PAYETTE RIVER

Tributary: SNAKE RIVER

Diversion Pt: LOT 4 (NENE) Sec 34 T 07N R 02E in BOISE County.

Use: IRRIGATION (.080 CFS)
Total Diversion: (.080 CFS)

Date Filed: 8/5/1993

In: BOISE County
T07N R02E S34 Lot 4 (NENE)

2.5 ACRES TOTAL

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before SEPTEMBER 20, 1993.

R. KEITH HIGGINSON, Director

Published in The Idaho World September 1 and 8, 1993.
