


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



FEB 24 1994

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Clayton H. Lee
(Applicant)

RECEIVED

SEP 2 - 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

BENEFICIAL USE FIELD REPORT

Department of Water Resources

(CURRENT OWNERS LISTED AS STEVENS WARREN ASSOC? - no ASSIGNMENT IN FILE) 6

A. GENERAL INFORMATION


1. Owner: CLAYTON H. & BETTY G. LEE (Former owner: HAROLD STEVENS) Permit No. 65-12941 65-13456
 Current Address: 2453 West Mountain Road, Donnelly, ID 83615 Phone No. 325-8249
2. Accompanied by: CLAYTON LEE EXAM. DATE: 7/6/92
 Address: (same) Phone No. (same)
 Relationship to Permit Holder: Applicant
3. Source: Spring tributary to sinks

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE 65-12941 ☐ Copies Attached
2. Other water rights with same point of diversion: NONE 65-12941 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached see 65-12941 (required for all but single household domestic groundwater, and stockwater).

OCT 26 1994

Publisher's Affidavit of Publication

STATE OF IDAHO }
 }.ss
County of Valley }

I, Ramona A. George, being duly sworn and say, I am the receptionist of The Central Idaho Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the NOTICE OF APPLICATION FOR WATER RIGHTS, a copy of which is enclosed hereto and is a part hereof, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number there of during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began June 17, 1993 and ended June 24, 1993.

Ramona George
Subscribed and sworn before me this the 24th day of June, 1993.
STATE OF IDAHO

COUNTY OF VALLEY }

On this 24th day of June, in the year of 1993, before me, a Notary Public, personally appeared Ramona A. George, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Tom Grote
Tom Grote
Notary Public for Idaho
Residing at McCall, Idaho
Commission Expires: 1999

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho: ✓

65-13456 ✓

LEE, CLAYTON H

LEE, BETTY G
2453 WEST MOUNTAIN RD
DONNELLY, ID 83615

Source: SPRING
Tributary: SINKS
Diversion Pt: SENENW Sec 19 T 16N R 03E in VALLEY County.
Use: DOMESTIC (.020 CFS)
Total Diversion: (.020 CFS)
Date Filed: 6/2/1993
In: VALLEY County

T16N R03E S19 NWNE NENW

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before JULY 6, 1993.

R. KEITH HIGGINSON,
Director 2t6/24

RECEIVED

FEB 24 1994

RECEIVED
JUN 28 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13456

Priority: June 2, 1993

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.6 AF

This is to certify, that CLAYTON H LEE
BETTY G LEE

PO BOX 602

DONNELLY ID 83615

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 2, 1993; and has submitted Proof of Beneficial Use on May 6, 1994. An examination indicates that the works have a diversion capacity of .020 cfs of water from:

SPRING

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION:

SENENW , Sec. 19, Township 16N, Range 03E
VALLEY County

PLACE OF USE: DOMESTIC

TWN RGE SEC

16N 03E 19

NWNE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Right 65-12941 is also diverted through the point of diversion described above.
6. Domestic use is for 1 home.


0.7 2 6 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13456

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 4TH
day of OCTOBER, 1994.


Acting for R. Keith Higginson, Director

101-51384

STATE OF IDAHO

 Amt. of Fee \$ 50.00
 Date 5/6/94
 Receipt No. C030231
 Received by dw

 DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE **RECEIVED**
MAY 06 1994
 Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

 1. Permit No. 65-13456 Telephone No. (208) 325-8249

 2. Name(s) of Permit Holder(s): Clayton H &/or Betty G Lee

 3. Post Office Address: P.O. Box 602 Donnelly, ID 83615

 4. Source of Water: Spring

 a. If ground water, well driller's name: N/A Date drilled: _____

b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

 Domestic 1 (No. of households) Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

 6. Total rate and/or volume for which proof is submitted 0.02 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

 Measuring device: Required? Yes X No Installed? Yes X No

OR

 Flow Measurement Port: Required? Yes X No Installed? Yes X No

 8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

CLAYTON H. LEE

Name

(208) 325-8249

Telephone No.

P.O. Box 602 and 2453 W. MOUNTAIN RD., DONNELLY,
ID 83615

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

5-4-94
 Date

Clayton H. Lee
 Signature (and title if on behalf of a company or organization) **OCT 26 1994**

MET 11 1994

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13456

Proposed Priority: June 2, 1993

Maximum Diversion Rate:

0.02 CFS

This is to certify, that **CLAYTON H LEE**
BETTY G LEE
2453 WEST MOUNTAIN RD
DONNELLY ID 83615
has applied for a permit to appropriate water from:

SPRING

tributary of **SINKS**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

DOMESTIC	01/01 to 12/31	0.02 CFS
----------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION:

SENENW , Sec. 19, Township 16N, Range 03E
VALLEY County

PLACE OF USE: DOMESTIC

TWN RGE SEC

16N 03E 19

NWNE

NENW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 1994.
2. Subject to all prior water rights.
3. Place of use is located on or near the line between NWNE and NENW S19, T16N, R03E.
4. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

26th day of October, 1993.

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

FEB 24 1994

RECEIVED

AUG 31 1993

Ident. No. 65-13456

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: CLAYTON H LEE 208-325-8249
Address: 2453 WEST MOUNTAIN RD
DONNELLY ID 83615
AND/OR
Name: BETTY G LEE 208-325-8249
Address: 2453 WEST MOUNTAIN RD
DONNELLY ID 83615

2. Source: SPRING Trib. to: SINKS
3. Location of Point of Diversion: SENENW Sec. 19, Township 16N, Range 03E
VALLEY County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	01/01	12/31	0.020		

5. Total quantity to be appropriated is:
0.020 CFS (and/or) AF

6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc.
SPRINGBOX, STORAGE TANK AND PIPE.
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is inches; proposed depth of well is
feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 year(s).

8. Place of Use: DOMESTIC

TWN RGE SEC
16N 03E 19

NWNE

NENW

MICROFILMED

FEB 24 1994

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:
Domestic use is for 1 home.

11. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Applicant

Received by _____ Date _____ Time _____ Preliminary check by _____

Fee \$ _____ Receipted by _____ # _____ Date _____

Publication prepared by _____ Date _____ Published in _____

Publication approved _____ Date _____

REPROFILMED

24 1994

Comments: Date: 6/ 8/1993 User-ID: TAYLOR

Subject:
Domestic use.

Domestic use is for external use only for 1 home. Place of use
is on or near line between NWNW and NENW, S19, T16N, R03E.

RECEIVED

FEB 24

RECEIVED
JUN 2 1993

Department of Water Resources
Western Regional Office

RECEIVED

MAY 24 1993

Department of Water Resources

Ident. No. 65-13456

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Clayton H. &/or Betty G. Lee Phone 325-8249
Post office address 2453 West Mtn. Rd., Donnelly, ID 83615
2. Source of water supply Spring which is a tributary of Sink
3. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot —
Sec. 19 Township 16N Range 3E B.M. Valley County; additional
points of diversion if any: —

4. Water will be used for the following purposes:

Amount .02 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)

Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)

Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .02 and/or (b) —
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Springbox, storage tank,
pipe to cab. Existing system. Same diversion as right no.
65-12941.

b. Height of storage dam — feet; active reservoir capacity — acre-feet; total
reservoir capacity — acre-feet; period of year when water will be diverted to storage:
— to — inclusive.

c. Proposed well diameter is — inches; proposed depth of well is — feet.

d. Is ground water with a temperature of greater than 85°F being sought? —

e. If well is already drilled, when? —; Drilling firm —

Well was drilled for (well owner) —

7. Time required for the completion of the works and application of the water to be proposed beneficial use is
1 years (minimum 1 year).


RECEIVED

FEB 24 1994

\$30⁰⁰

101
 519 7 16 N 75 E
 FEB 24 1994

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile

FEB 24 1994

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Clayton H. Lee
(Applicant)

Received by QY Date 6-2-93 Time 10:40 AM Preliminary check by CSH
Fee \$ 30.00 Receipted by QY # W010333 Date 6-2-93
Publication prepared by ST Date 6-9-93 Published in Star News
Publication approved ST Date 8-23-93 6/16+23/93

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

RECORDED
FEB 24 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 5, 1994

CLAYTON H LEE
BETTY G LEE
PO BOX 602
DONNELLY ID 83615

RE: WATER RIGHT NO. 65-13456

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosure

RECEIVED

OCT 26 1994

LICENS. REVIEW CHECKLIST



PERMIT NO. 65-13456 DATE 9-9-94

NAME	Yes ☐	No ☒	Or Address Change?
PRIORITY DATE	☐	☒	Advance? ☐ Advanced to: ☐ Order to reinstate needed? ☐ Incorrect fee for rate recommended? <u>No</u>
SOURCE	☐	☒	Changes or just clarification of originally intended source? ☐ Notice of Intent to Void necessary? ☐
POINT OF DIV	☒	☒	Amendment needed? ☐ Overlaps? <u>65-12941</u>
PLACE OF USE	☒	☒	Amendment needed? ☐ <u>DELETE UENW 1/4 1/4</u> Overlaps? <u>65-12941</u>
DIV RATE	☐	☒	Permit/fee limits: <u>.02 CFS</u> Meas Q = <u>50pm</u> Theo Q = ☐ <u>or .01 CFS (because of drought)</u> Recommend: ☐ Combined rates exceed capacity <u>NO</u>
ANNUAL VOLUME	☐	☒	Season of use: ☐ Calculations: <u>External use only @ .6</u> Flow limit: ☐ cfs x ☐ x 1.9835 = ☐ Combined volumes exceed capacity/allowable <u>NO</u>
USES	☐	☒	Change in Nature of Use or additional uses? ☐ Amendment necessary? ☐
REMARKS	<u>6236</u>	☒	Multiple p/d(s) in 1/4 1/4? ☐ Other <u>65-12941</u>
CONDITIONS	☐	☒	Measuring/Locking Devices ☐ Watermaster control - District ☐ Irrigation Overlap ☐ Water Quality ☐ Other ☐ Heat/Cool/ Fish verified ☐

COMMENTS: _____

RECOMMENDED	CFS	VOL	SRBA Claim Filed	<u>NO</u>
<u>Domestic</u>	<u>.02</u>	<u>.6</u>	Adjustment Memo Needed	☐
_____	_____	_____	LICENSE	☒
_____	_____	_____	1ST AMENDMENT LETTER	☐
_____	_____	_____	FINAL AMENDMENT LETTER	☐

RECEIVED

SEP 2 - 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

BENEFICIAL USE FIELD REPORT

Department of Water Resources

(CURRENT OWNERS LISTED AS STEVENS WARREN ASSOC? - NO ASSIGNMENT IN FILE) 6

A. GENERAL INFORMATION


1. Owner: CLAYTON H. & BETTY G. LEE (Former owner) HAROLD STEVENS Permit No. 65-12941/65-13456
 Current Address: 2453 WEST MOUNTAIN ROAD, DONNELLY, ID 83615 Phone No. 325-8249
2. Accompanied by: CLAYTON LEE EXAM. DATE: 7/6/92
 Address: (same) Phone No. (same)
 Relationship to Permit Holder: Applicant
3. Source: Spring tributary to SINKS

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE 65-12941 ☐ Copies Attached
2. Other water rights with same point of diversion: NONE 65-12941 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

Scale: 1" = NTS

MIDWAY

OCT 26 1994

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
 Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
 place(s) of use (required).
☒ Photo of Diversion and System Attached — see 65-12941
 (required for all but single household domestic groundwater, and stockwater)

System Description (continued)

3. **Narrative: Description** (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Spring water is piped to an approximate 1000 gallon storage Tank. This tank is an old truck bed with a plywood top. Water is piped by gravity, dropping approximately 60' to a 'T' where two valves exist. One valve services Leo property, the other services Alcock property. Water is then pipe to home to (2) outdoor spigots. Water used for garden, lawn, and trees and shrubs. No domestic (inside) use due to poor quality of water. Hose tapped into overflow is also used to water garden, trees, shrubs, and lawn.

☐ See Remarks on page 4 for continuation

4.

N/A

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	NE	NW	19	16N	3E	Valley	AERIAL map

6. **Place(s) of Use:**

Indicate Method of Determination Same as P/D

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
16N	3E	19		D															

RECEIVED
OCT 26 1994

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

5 gallon bucket at back spigot

Flow = 5 gpm

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

5 gallon bucket

$\frac{5 \text{ gpm}}{248.8 \text{ s}} = 0.01 \text{ CFS}$

(Low due to drought conditions)
recommend flow of 0.02 cfs

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

N/A

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

: Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

$V_e = \text{Domestic (Outside)} = 0.6 \text{ AF}$

OCT 26 1994

H. REMARKS AND OVERLAP. REVIEW ANALYSIS

P/U on permit should read NWNE section 19, T.16N, R.3E..

Initially, water was to be used for domestic inside and outside but due to unhealthy water for consumptive use, water is used only for domestic (outside), and a well has since been drilled for domestic inside use. Due to change of use, and the measured flow of 0.01 cfs, recommend Licensing for 0.02 cfs instead of 0.04 cfs as requested on permit. Also, indicate domestic use is outside only.

see file 65-12941 for photo of P/U

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
DOMESTIC	1/1	12/31	0.02	0.6
Totals:			0.02	0.02

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Rick Collingwood


Signature

Rick Collingwood

Certification Date

Field Report Preparation Date

7/16/92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED
OCT 26 1994

MEMORANDUM

TO: PAM SKAGGS

FROM: STEVE LESTER *SL*

DATE: MAY 21, 1993

SUBJECT: FIELD EXAMINATION FOR 65-12941

Attached is the original exam that had been returned to the region for more work. I spoke with the examiner, Rick C., and the situation is clarified by his information. See his memo dated 5-20-93.

The P/U in the exam was for Mr. Lee's cabin but should have covered the Alcock (Stevens Warren Assoc.) cabin per revised assignment. Rick's memo has a photograph of the Alcock cabin where water is used for internal and external uses and thus fulfills the full volume of water allowed in the D/1 permit. The Lee cabin uses water for external purposes only but cannot be added to the permit.

The exam describes the Lee site. All of the information is the same for Alcock place except that internal and external uses occur. The permit should be licensed for .02 cfs and 1.2 afa for Stevens Warren Assoc. cabin (used by Alcock). According to WRQ1, WRQ4 (checked NENW & NWNE), AJQ1, and AJQ4 (again, both QQ), no water right or SRBA claim covers Mr. Lee's use. He needs to file a new application for permit. I prepared an application that S.O. can mail to him after Stevens Warren Assoc. license is prepared. Please have Mr. Lee return the application to me. (I did not mail application and letter of explanation to Mr. Lee due to possible questions that still may occur to you or other S.O. staff).

Rick told me that the cabins are close together and are on or near QQ line of NWNE & NENW (see topo). He said it was difficult to exactly specify one QQ over the other QQ. Without a subdivision plat and more detailed survey information, it appears that P/U for both cabins should show both QQ. In this case, an amendment for Alcock's site should not be required since additional QQ is a clarification instead of a change.

An additional field trip should not be necessary to resolve this matter or to eventually license a new right to be filed by Mr. Lee. Please let me know if any questions remain.

5-13456

RECEIVED
OCT 26 1994

May 20, 1993

CONVERSATION MEMORANDUM

NAME OF PARTY: Harold A. Steiner/Stevens Warren Associates

EMPLOYEE: Rick Collingwood, Water Rights Examiner, Western Region

Re: Water Right Clarification

In May of 1992, I sent a notice for a water right examination to Mr. Harold Steiner. The property is located near Donnelly and Cascade Reservoir. Mr. Steiner notified me that he sold the property to Mr. Clayton Lee. An Assignment of Permit was sent to Mr. Steiner to assign this water right to Mr. Lee. An appointment was made with Mr. Lee, and a water right field examination was conducted on July 6, 1992.

In reviewing the memorandum from Pam Skaggs, I noticed that Mr. Steiner had changed the Assignment of Permit from Mr. Lee to Stevens Warren Associates. This change was never brought to my attention, therefore the wrong parcel was examined. The system represented in the file is correct, except for the residence. A picture of the Alcock home next to Mr. Lee's is attached.

Mr. Alcock's water use is for domestic indoor and outdoor, while Mr. Lee's is domestic outdoor only. The flow measurement is the same for either parcel, so no new examination should be needed.

In order for Mr. Lee to protect his access to this spring, he may need to file for a new water right, since this particular water right is for only one home.

If you have any more questions regarding this matter, please give me a call.

Sincerely,



Rick Collingwood,
Water Rights Examiner, Western Region

OCT 26 1994

MEMORANDUM

RECEIVED
FEB 8 1993

Department of Water Resources
Western Regional Office

TO: STEVE LESTER/WESTERN REGION
FROM: PAM SKAGGS/S.O. *CS*
RE: RETURNED EXAM #65-12941
DATE: 5-FEB-1993

This is one of the exams that Jim talked to you about yesterday, that you requested be returned.

I reviewed and prepared the license according to the exam information. An amendment was required to the P/U and was sent to current owner, Stevens Warren Associates. Mr. Steven Alcock contacted me with questions regarding the amendment and exam.

Mr. Alcock had never been contacted by the examiner and wanted to know why. He said that he and the Lee's have been having problems sharing the water in the past and didn't appreciate Mr. Lee being contacted about his (Alcock) water right. After discussing the information on the exam, I am not sure if the examiner identified Mr. Alcock or Mr. Lee's home and portion of the system. If the examiner identified the wrong home, it's possible from the diagram and map that an amendment wouldn't be required.

Mr. Alcock states that the spring water is piped into his home and he has used it for internal domestic use. He has drilled a well, but uses the spring water when available and for back up in case of power failure. He doesn't agree with the license recommendation of external use only.

I was not able to confirm the home or lawn identified in the pictures with Mr. Alcock by phone. He was quite definite about the raspberry bushes belonging to the Lees. The field report states that the examiner was accompanied by Clayton Lee, applicant. He apparently wrote (copy attached) the original owner and requested an assignment. Both the letter and assignment were returned to the region office on 06-04-92, prior to the exam on 07-06-92.

I have contacted Mr. Alcock and explained that the exam has been returned to the region for clarification and that he would be contacted prior to final recommendations. His phone number is 325-8161.

OCT 26 1994

May 23, 1994

CLAYTON AND BETTY LEE
P O BOX 602
DONNELLY ID 83615

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 65-13456

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise, at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

MAILED
OCT 26 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 24, 1994

CLAYTON H LEE
BETTY G LEE
1268 ANTIGUA CIR
PLACENTIA CA 92670

RE: Permit No. 65-13456

Dear Mr. & Mrs. Lee:

I recently received your letter inquiring about submittal proof of beneficial use on the referenced permit.

This permit is for 0.02 cfs for domestic use from a spring. The application identifies that the domestic use is from an existing system for external use.

If your water delivery system does exist and is complete, please submit proof of beneficial use on the form provided prior to November 1, 1994 as indicated on your permit. The filing fee for the proof of beneficial use form is found on the back page of the instructions.

If you have any questions, please feel free to contact our offices or me directly at 327-7944.

Sincerely,

CINDY ZIMMERMAN
Water Resource Agent

Enclosures

c: PO Box 603, Donnelly ID 83615-0603.

Microfilm

FEB 24 1994

65-13456

- Spring

1268 ANTIGUA CIR.

PLACENTIA, CA 92670

NOV 6, 1993

DEPT. OF WATER RESOURCES

BOISE, ID.

RECEIVED

NOV 09 1993

Department of Water Resources

DEAR SIR:

I AM CONFUSED ~~NEED SOME HELP.~~

NEED SOME HELP.

FEB 24 1994

WE WILL BE AT THE ADDRESS

ABOVE FOR ABOUT 3 MOS. - SO

PLEASE WRITE TO ME HERE.

WE HAVE A CABIN AT

2453 W MOUNTAIN RD IN

ODDNECKY, ID 83615.

MAILING ADDRESS THERE IS

PO BOX 602.

I RECENTLY RECD. AN
ENVELOPE FROM YOU WITH

+ PAGES:

- ① A RECEIPT for \$30.00
- ② A PERMIT, NO. 65-13456
TO APPROPRIATE WATER.
- ③ INSTRUCTIONS for filing
PROOF OF BENEFICIAL USE.
- ④ A COVER LETTER, SIGNED
BY JIM JOHNSON, DATED
OCT 27, 1993.

NOW - HERE IS WHERE
YOU HAVE ME CONFUSED.

WE DO HAVE 1 OUTSIDE
FAUCET - THE WATER COMES
FROM A SPRING ABOVE US - AND
WE USE THIS ON ~~OUR GARDEN~~
OUR GARDEN.

24 1994
WE ALSO HAVE A WELL -
27* FEET DEEP - THAT WE
USE INSIDE OUR CABIN.

NOW - EXACTLY WHAT DO YOU
WANT ME TO DO?

DO YOU WANT ME TO
COMPLETE THE "PROOF OF
BENEFICIAL USE" form and
RETURN IT TO YOU?

DOES THIS ALL HAVE TO
DO WITH THE SPRING WATER
OR THE WELL??!!

IS THERE ANY ADDITIONAL
FEE REQUIRED?

PLEASE LET ME KNOW -
AND WRITE TO OUR CALIF.
ADDRESS.

THANKS VERY MUCH!

Chayton H. L.

FEB 24



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 27, 1993

CLAYTON H LEE
BETTY G LEE
2453 WEST MOUNTAIN RD
DONNELLY ID 83615

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-13456


Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Please be advised that there is insufficient natural flow available from the source identified on your permit to provide water throughout the entire season. You may want to arrange for a supplemental supply from a different source.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

MICROFILMED

FEB 24 1994

Publisher's Affidavit of Publication

STATE OF IDAHO

.SS

County of Valley

I, Ramona A. George, being duly sworn and say, I am the receptionist of The Central Idaho Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the NOTICE OF APPLICATION FOR WATER RIGHTS, a copy of which is enclosed hereto and is a part hereof, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began June 17, 1993 and ended June 24, 1993.

Ramona A. George
Subscribed and sworn before me this 24th day of June, 1993.
STATE OF IDAHO

COUNTY OF VALLEY }

On this 24th day of June, in the year of 1993, before me, a Notary Public, personally appeared Ramona A. George, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Tom Grote
Tom Grote
Notary Public for Idaho
Residing at McCall, Idaho
Commission Expires, 1998

RECEIVED
JUN 28 1993

FEB 24 1994

65-13456

LEE, CLAYTON H
LEE, BETTY G
2453 WEST MOUNTAIN RD
DONNELLY, ID 83615

Source: SPRING

Tributary: SINKS

Diversion Pt: SENENW Sec 19 T 16N R 03E in VALLEY County.

Use: DOMESTIC (.020 CFS)
Total Diversion: (.020 CFS)

Date Filed: 6/ 2/1993

In: VALLEY County
T16N R03E S19 NWNE NENW

RECORDED

FEB 24 1994