




Application for Permit
Cochrane
#65-13445

OCT 25 1993

4/29/93

Cochrane
#5-13445
Application for Permit.


RECORD OF SURVEY

A tract of land situate in a portion of the NE 1/4 of
Section 34, T.7N., R.2E., B.M., Boise County, Idaho.

[5278.68']
S.89°18'23"E. 5222.40'
1305.60'

27

34



OCT 25 1993
MICROFILMED

MICROFILMED

7N2E




When commenced When completed When changed in the
Surveyor's name

August 23rd 1870 August 24th 1870 October 31st 1870

September 30th October 30th November 30th December 31st

The above map of fractional
N²2 East of the Boise Meridian
conforms to the field notes of
C. C. C. which have been examined
by the General's Office
Boise City, Idaho Territory

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

N/A

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	1	5K138PN3011BT	WATERACE	
				R10L	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Pump curve

MICROFILMED

OCT 30 1997

PIPING

Plastic PVC pipe is shown in the illustrations, but galvanized steel pipe may be used if desired. All piping must be clean and free of all foreign matter to prevent clogging. **ALL JOINTS AND CONNECTIONS IN THE WELL ASSEMBLY MUST BE AIRTIGHT.** Even a pin-hole leak will prevent the proper operation of the pump (this is the most common problem). Use thread compound on all threaded joints unless specified otherwise.

SPECIFICATIONS

WIRE SELECTION GUIDE

FUSE AND CIRCUIT BREAKER SIZE GUIDE

HORSE POWER	STANDARD LINE PLUG FUSE*		LOW PEAK - CART. TYPE FUSETRON - CART. TYPE FUSTAT - PLUG TYPE*		CIRCUIT BREAKER	
	115V	230V	115V	230V	115V	230V
3/4	20	10	15	8	20	15
1	25	10	20	10	25	15
1-1/2	30	15	25	12	30	15
2	-	20	-	15	-	20
3	-	25	-	20	-	25


*For circuits not over 150 volts to ground.

PUMP MODEL	HORSE POWER	VOLTAGE	NAME PLATE AMPS	LOCKED ROTOR AMPS	MAX. WIRE LENGTH USING AWG SIZE			
					#14	#12	#10	#8
R7L	3/4	* 115	13.40	52.0	80	130	210	330
		230	6.70	26.0	330	520	840	710
R10L	1	* 115	15.80	68.0	60	110	170	280
		230	7.90	34.0	280	440	710	1100
R15L	1-1/2	* 115	20.20	96.0	40	80	130	220
		230	10.10	48.0	210	340	550	880
R20L	2	230	12.60	63.0	170	270	430	700
R30L	3	230	16.60	79.0	130	200	320	510


* Motors are pre-wired for 230 volts. May be converted to 115 volts per instructions printed on motor. This chart shows maximum distance in feet for given wire size per N.E.C. 310-13.

PUMP CAPACITIES

PUMP MODEL	HORSE POWER	DISCHARGE PRESSURE PSI	CAPACITY IN G.P.M. FOR DISCHARGE PRESSURE & TOTAL SUCTION LIFT INDICATED				MAXIMUM TOTAL SHUT OFF HD.		APPROX. WT. LBS.
			10 FT.	15 FT.	20 FT.	25 FT.	FEET	PSI	
R7L	3/4	20	40.75	38.17	36.17	33.25	105	45.5	58
		25	35.75	33.50	30.92	27.50			
		30	30.75	27.25	23.17	18.00			
		35	21.58	15.08	8.50				
		40	6.50						
R10L	1	20	51.25	48.92	46.42	39.25	108	47	61
		25	46.25	43.50	40.67	37.42			
		30	40.50	37.50	33.67	29.25			
		35	33.00	27.67	20.67	10.00			
		40	19.08	5.00					
R15L	1-1/2	20	71.67	69.42	63.42	50.25	111	48	68
		25	66.50	62.50	58.75	50.25			
		30	59.58	55.00	50.58	45.00			
		35	50.50	43.67	37.00	24.92			
		40	38.83	25.92					
R20L	2	20	78.92	76.67	70.50	55.50	116	50	74
		25	74.67	71.50	67.00	55.50			
		30	68.50	63.58	58.42	53.00			
		35	58.50	52.92	47.00	40.00			
		40	47.50	40.50	32.50				
R30L	3	25	93.00	91.00	82.00	64.00	121	52	87
		30	90.00	86.00	79.00	64.00			
		35	81.00	73.00	66.00	57.00			
		40	68.00	59.00	49.00	38.00			
		45	48.00	30.00					



OCT 30 1997



1861
The above has been
sent to the
General to the
General, which has been
forwarded to the
General.

Time of day	When commenced		When changed into the usual position of
	Hour	Min.	
1.3	7.6	6.6	August 23. 1877
2.5	2.9	2.6	August 24. 1877



P/D
1 HP PUMP

MICROFILMED

OCT 30 1997



P/h —
.5 ac

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13445

Priority: April 29, 1993

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

2.3 AF

This is to certify, that JAMES C COCHRANE
JOAN C COCHRANE

RT 1 BOX 14A

HORSESHOE BEND ID 83629

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 29, 1993; and has submitted Proof of Beneficial Use on September 15, 1995. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from:

PAYETTE RIVER

tributary to SNAKE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	2.3 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 4(SWNE), Sec. 34, Township 07N, Range 02E
BOISE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07N	02E	34	Lot 4(SWNE)	0.5		0.5

Total number of acres irrigated: 0.5

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
6. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.

10-10-1993
OCT 30 1997

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13445

CONDITIONS OF APPROVAL AND REMARKS

7. When water is not available to fill this right, the right holder shall cease diversion or shall rent water from the Payette River Rental Pool.
8. This right when combined with all other rights shall provide no more than .02 cfs nor more than 2.3 afa for the land described above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 15TH day of SEPTEMBER, 1997.


Acting for KARL J. DREHER, Director

001301087

RECEIVED

SEP 15 1995

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-13445 Telephone No. (208) 793-2408

2. Name(s) of Permit Holder(s): James C. Cochran & Joan C. Cochran

3. Mailing Address: Rt #1 Box 14A Horseshoe Bend Id. 83629

4. Source of Water: Payette River If GROUNDWATER (well), Date Drilled: mo. ___ / yr. ___

a. Well Driller: ___ Drilling Permit Number: ___ - ___ - ___

b. **OPTIONAL:**
Pump Horsepower: 1 Pressure (psi): 40 Dynamic pumping level (ft): ___

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): ___ Stockwater (No. and type of stock): ___

Irrigation (No. of acres): 2.5 Other: ___

6. Total rate of diversion and/or volume for which proof is submitted: .07 cfs OR ___ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes ___ or No X
Has the measuring device been installed? Yes ___ or No X

Flow Measurement Port: Is a flow measurement port required? Yes ___ or No X
Has the measurement port been installed? Yes ___ or No X

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: James C. Cochran Telephone Number: (208) 793-2408

Address: Rt #1 Box 14A Horseshoe Bend Id. 83629

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: James C. Cochran Date: 9-14-95
(include your title, if on behalf of company or organization)

NOV 14 1995

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13445

Proposed Priority: April 29, 1993

Maximum Diversion Rate:

0.07 CFS

This is to certify, that **JAMES C COCHRANE**

JOAN C COCHRANE

RT 1 BOX 14A

HORSESHOE BEND ID 83629

has applied for a permit to appropriate water from:

PAYETTE RIVER

tributary of **SNAKE RIVER**

and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

IRRIGATION

03/15 to 11/15

0.07 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 4(SENE), Sec. 34, Township 07N, Range 02E
BOISE County

PLACE OF USE: IRRIGATION

TWN RGE SEC

ACRES

ACRES

ACRES

TOTAL

07N 02E 34 Lot 4(NENE) 2.5

2.5

Total number of acres irrigated:

2.5

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **October 1, 1995**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Use of water under this right is subject to control by the watermaster of State Water District No. 65.
5. A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this right.
6. When water is not available to fill this right, the right holder shall cease diversion or shall rent water from the Payette River Rental Pool.
7. The right holder shall use the full allotment of his surface water right, to the extent it is available, in conjunction with groundwater diverted pursuant to this right.
8. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

MODIFIED

OCT 25 1993

State of Idaho
Department of Water Resources


Permit To Appropriate Water

NO. 65-13445

CONDITIONS/REMARKS:

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

18th day of October, 1993.



R. Keith Higginson, Director

for

RECEIVED
OCT 25 1993

RECEIVED
JUN 15 1993

Ident. No. 65-13445

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: JAMES C COCHRANE 208-793-2408
Address: RT#1 BOX 14A
HORSESHOE BEND ID 83629
OR
Name: JOAN C COCHRANE 208-793-2408
Address: RT#1 BOX 14A
HORSESHOE BEND ID 83629

2. Source: PAYETTE RIVER Trib. to: SNAKE RIVER
3. Location of Point of Diversion: LOT 4 (NENE) Sec. 34, Township 07N, Range 02E
BOISE County
(per map. D.E. Chang's 5/3/93 (g4))

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.075		

5. Total quantity to be appropriated is:
0.075 CFS (and/or) AF

6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc.
PUMP WITH SPRINKLER SYSTEM
b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
c. Proposed well diameter is inches; proposed depth of well is
feet.
d. Is groundwater with a temperature greater than 85F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 2 year(s).

8. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
07N	02E	34	LOT 4 (NENE) 2.5			2.5

Total number of acres irrigated: 2.5

RECEIVED
OCT 25 1993

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:

11. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James C Cochran & Joan C Cochran
Applicant

Received by JFW Date 4/29/93 Time 10:00 AM Preliminary check by CJH

Fee \$ 30.00 Receipted by JFW # W016188 Date 4/29/93

Publication prepared by st Date 5-13-93 Published in Id. World
5-19-93

Publication approved st Date 6-7-93

Irrigation is lawn area of Trailer Crt.
Domestic use for Trailer Crt. supplied by City of Horseshoe Bend.

601 25 1993




Application for Permit
Cochrane
65-13445

OCT 25 1993

4/29/93

OCT 25 1993



Microfilm



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

RECEIVED

OCT 11 2001

Department of Water Resources

September 27, 2001

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

JAMES C COCHRANE
JOAN C COCHRANE
115 RIVERSIDE DR
HORSESHOE BEND ID 83629

RE: Snake River Basin Adjudication (SRBA)
Water Rights #65-9015A and 65-13445

Dear Water Right Holders:

cc: W.A.

Record modified 10-11-01
js

Mail we sent you was returned to us by the Postal Service. The Postal Service advised us your address has changed to the above address. We have enclosed the returned mail.

Although we have reached you at the address above, we need your written confirmation this is your correct mailing address before we can change our records.

Please sign your name at the bottom of this letter and return it to this office. Make corrections to your name and address if necessary before returning this letter, list any other water rights you have, and return this letter by October 12, 2001. Thank you for your help.

If your mail delivery address changes in any form, please contact us in writing so we can update our records. Be sure to list your water right numbers.

If there has been a change in ownership of the property connected with the water rights referenced above, please call this office toll-free at 1/800-451-4129 to obtain a form to make this required change to the water right records.

Sincerely,

Sally Sherman
Sally Sherman
Technical Records Specialist
Adjudication Bureau

SS:region
Enclosure:
Returned Mail

#####

The address is correct as shown above or as otherwise changed.


Water Right Holder's Signature

James C. Cochrane

Telephone No.

793-2408 or 793-3128

ADDRESS SERVICE
REQUESTED




63-90158 NR
63-13445
63-13445

IDAHO DEPARTMENT OF WATER RESOURCES
1301 North Orchard St
PO Box 83720
Boise, ID 83720-0098
(208) 327-7900

RECEIVED

SEP 24 2001

Department of Water Resources



REASON CHECKED
Unclaimed _____ Refused _____
Attempted-Not known _____
Insufficient Address _____
No such street _____ number _____
No such office in state _____
Do not return in this envelope

FORWARDING ORDER HAS
EXPIRED. RETURN TO SENDER.
NEW ADDRESS FURNISHED BY THE
POSTAL SERVICE.

115 Riverside Dr
HSEB Id 83629



JAMES C COCHRANE
JAMES C COCHRANE
PO BOX 14A
HORSESHOE BEND ID 83629



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

September 16, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

JAMES C COCHRANE
JOAN C COCHRANE
RT 1 BOX 14A
HORSESHOE BEND ID 83629

RE: WATER RIGHT NO. 65-13445

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

SEP 17 1997
SEP 30 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 16th day of September, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 65-13445

JAMES C COCHRANE
JOAN C COCHRANE
RT 1 BOX 14A
HORSESHOE BEND ID 83629


Karl Lynn Townsend
Secretary

FILED

OCT 30 1997

MEMORANDUM

TO: File 65-13445

FROM: Sharla

DATE: September 5, 1997

RE: Recommendation Adjustment(s)

The final license recommendations for Permit No 65-13445 are based on the following:

H. RECOMMENDATIONS

Irrigation	3/15 - 11/15	0.02 cfs	2 3 afa
------------	--------------	----------	---------

The rate/acre for this right is 0.03 cfs due to being less than 5 acres. Since the place of use is only $\frac{1}{2}$ acre, $0.5 \text{ acres} \times 0.03 = 0.02 \text{ cfs}$

Examiner: Lori Graves
Exam Date: April 17, 1996

OCT 30 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 65-13445

DATE 9/3/97

REVIEWER: SHARLA

NAME Change OK

Address Change NO

SOURCE Change ✓

Is change clarification of originally intended source? NO

POINT OF DIV ✓

If not, prepare Notice of Intent to Void NO

PLACE OF USE ✓

Amendment required NO

Does map agree with written description? ✓ yes NO no

OVERLAPS

NO P/D

NO P/U

RATE OF DIV

Permitted Rate .07 cfs

Fee limit .20 cfs \$50⁰⁰

Measured NO cfs

Theoretical .04 cfs pump curve

Recommended Total Div Rate .02 cfs

ANNUAL VOLUME/ NATURE OF USES

Use	cfs	Volume Calc
<u>1</u>	<u>.02</u>	<u>.5 X 4.5 =</u> af
		af
		af
		af
SUBTOTAL	<u>.02</u>	<u>2.3</u> af

Flow rate .02 cfs X 246 days X 1.98 = 9.7 af

Total volume recommended 2.3 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

W31
W22

CONDITIONS

✓ Watermaster Control WD# 65
202 GW Measurement/Measuring Device

NO Overlap

NO Use-specific conditions

Advancement of Priority Date Required NO yes ✓ no

SRBA Claim Filed N/A
Adjustment Memo late

1st Amend Letter N/A
2nd Amend Letter N/A

Lot 4
identified on
app.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

APR 25 1997

Department of Water Resources

A. GENERAL INFORMATIONPermit No. 65-134451. Owner: James + Joan Cochran Phone No. 793-2408Current Address: Rt 1 Box 14A Horseshoe Bend 836292. Accompanied by: James EXAM DATE: 4/17/96Address: same

Phone No. _____

Relationship to Permit Holder: owner3. Source: Payette R tributary to Snake R**B. OVERLAP REVIEW** (Based on Gov 4)1. Other water rights with the same place of use: 65-10856, -10873, -10966, -11024, -10744, -12699A2. Other water rights with the same point of diversion: 65-10744, -10856, -10873, -10966, -11024, -11325
-11116, -12699A, -13469, -07635, -10886**C. DIVERSION AND DELIVERY SYSTEM**

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	4	NE	SW	NE	34	7N	2E	Boise	USGS Quad

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
7N	2E	34			.5														.5

MICROFILMED

OCT 30 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" =

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	1	5KLC38PN3011BT	WATERACE	
				1210L	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Pump curve

OCT 30 1937

E. NARRATIVE/REMARKS/COMMENTS

A 1 HP portable pump lifts Payette R. water ~10' to a buried sprinkler system used for irrigation of 1/2 ac. The system can operate at a pumping capacity of 19 GPM per attached pump curve. City water is used for internal domestic use for the applicants home and others. No other water vts are used

When comparing the Gov Lt Plat map to the Quad Map, The Payette R encompasses less area on the quad map. On the Gov Lt Plat map, the NESWNE area recommended is part of the river. Because of map discrepancies, Gov Lt 4 should be the legal description used for research and reference.

Have conditions of permit approval been met? ☒ yes ☐ no

NOT RECORDED

OCT 30 1997

F. FLOW CALCULATIONS

Measured Method:

Pump curve - 19 GPM = 1.04 cfs

(allow .03)

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .5 \times 4.5 = 2.25$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .02 \times 246 \times 1.9835 = 9.8$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 2.3$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Irrigation

From

3/15

Period of Use

To

11/15

Rate of Diversion

Q (cfs)

.03

Annual Volume

V (afs)

2.3

2. Recommended Amendments

☒ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Other

I. AUTHENTICATION

Field Examiner's Name

Don Gorman

Date

2/26/97

Reviewer

Date

SEAL

OCT 30 1997

MAR 25 1997

PIPING

Plastic PVC pipe is shown in the illustrations, but galvanized steel pipe may be used if desired. All piping must be clean and free of all foreign matter to prevent clogging. **ALL JOINTS AND CONNECTIONS IN THE WELL ASSEMBLY MUST BE AIRTIGHT.** Even a pin-hole leak will prevent the proper operation of the pump (this is the most common problem). Use thread compound on all threaded joints unless specified otherwise.

SPECIFICATIONS

WIRE SELECTION GUIDE

FUSE AND CIRCUIT BREAKER SIZE GUIDE

HORSE POWER	STANDARD LINE PLUG FUSE*		LOW PEAK - CART. TYPE FUSETRON - CART. TYPE FUSTAT - PLUG TYPE*		CIRCUIT BREAKER	
	115V	230V	115V	230V	115V	230V
3/4	20	10	15	8	20	15
1	25	10	20	10	25	15
1-1/2	30	15	25	12	30	15
2	-	20	-	15	-	20
3	-	25	-	20	-	25


*For circuits not over 150 volts to ground.

PUMP MODEL	HORSE POWER	VOLTAGE	NAME PLATE AMPS	LOCKED ROTOR AMPS	MAX. WIRE LENGTH USING AWG SIZE			
					#14	#12	#10	#8
R7L	3/4	* 115	13.40	52.0	80	130	210	330
		230	6.70	26.0	330	520	840	710
R10L	1	* 115	15.80	68.0	60	110	170	280
		230	7.90	34.0	280	440	710	1100
R15L	1-1/2	* 115	20.20	96.0	40	80	130	220
		230	10.10	48.0	210	340	550	880
R20L	2	230	12.60	63.0	170	270	430	700
R30L	3	230	16.60	79.0	130	200	320	510


* Motors are pre-wired for 230 volts. May be converted to 115 volts per instructions printed on motor. This chart shows maximum distance in feet for given wire size per N.E.C. 310-13.

PUMP CAPACITIES

PUMP MODEL	HORSE POWER	DISCHARGE PRESSURE PSI	CAPACITY IN G.P.M. FOR DISCHARGE PRESSURE & TOTAL SUCTION LIFT INDICATED				MAXIMUM TOTAL SHUT OFF HD.		APPROX. WT. LBS
			10 FT.	15 FT.	20 FT.	25 FT.	FEET	PSI	
R7L	3/4	20	40.75	38.17	36.17	33.25	105	45.5	58
		25	35.75	33.50	30.92	27.50			
		30	30.75	27.25	23.17	18.00			
		35	21.58	15.08	8.50				
		40	6.50						
R10L	1	20	51.25	48.92	46.42	39.25	108	47	61
		25	46.25	43.50	40.67	37.42			
		30	40.50	37.50	33.67	29.25			
		35	33.00	27.67	20.67	10.00			
		40	2.50	5.00					
R15L	1-1/2	20	71.67	69.42	63.42	50.25	111	48	68
		25	66.50	62.50	58.75	50.25			
		30	59.58	55.00	50.58	45.00			
		35	50.50	43.67	37.00	24.92			
		40	38.83	25.92					
R20L	2	20	78.92	76.67	70.50	55.50	116	50	74
		25	74.67	71.50	67.00	55.50			
		30	68.50	63.58	58.42	53.00			
		35	58.50	52.92	47.00	40.00			
		40	47.50	40.50	32.50				
R30L	3	25	93.00	91.00	82.00	64.00	121	52	87
		30	90.00	86.00	79.00	64.00			
		35	81.00	73.00	66.00	57.00			
		40	68.00	59.00	49.00	38.00			
		45	48.00	30.00					



OCT 30 1917



OCT 30 1997

the above has been
found to be the same
as the one in the first
column which has been
found to be the same as the one in the first
column.



P/D
1 HP pump

10- 7, 3, 9, 7



P/h —
5 ac

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 65-13443 Reviewed by [Signature] Date 9-25-95

GENERAL CONSIDERATIONS

yes Name same as permit?

yes Address same as permit?

yes Proof timely received?

If not, complete calculation below.

TYPES OF USE

agr.

Correct Uses? yes

SOURCE OF WATER

☒ Surface water source

☐ Ground water source

☐ Drilling permit required?

☐ Copy in the file? Drilling Permit No. _____

☐ Amount paid for permit _____ Correct?

☐ Well log in the file?

LICENSE EXAMINATION FEE

yes Required?

50.00 Amount Submitted

yes Correct?

MEASURING DEVICE

no Required?

☐ Installed?

☐ Waiver requested?

PRIORITY CALCULATION

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	_____
Priority Date	_____	_____
New Priority Date	_____	_____

DEFICIENCIES OR ACTION ITEMS

Nothing acceptable

DATA ENTRY

New Address [Signature] Proof Made 9-15-95

September 25, 1995

JAMES C COCHRANE
JOAN C COCHRANE
RT 1 BOX 14A
HORSESHOE BEND ID 83629

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13445

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

MICROFILMED

NOV 14 1995

July 31, 1995

JAMES C COCHRANE
JOAN C COCHRANE
RT 1 BOX 14A
HORSESHOE BEND ID 83629

PROOF DUE NOTICE

RE: PERMIT NO. 65-13445

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1995. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

RECEIVED
NOV 14 1995





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 19, 1993

JAMES C COCHRANE
JOAN C COCHRANE
RT 1 BOX 14A
HORSESHOE BEND ID 83629

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-13445

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a lockable device that will provide the watermaster control on your diversion.

Sincerely,

for JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

RECEIVED

OCT 25 1993

APPLICATION FOR PERMIT STATE OFFICE REVIEW

Application #: 65-13445 Date: 9/4/83 Reviewer: Cindy Zimmerman

AREA OF CONCERN? - No/Yes _____

SYSTEM COMPLETED:

No - 26A-P17

Complete in 1 year - P16

Yes

Proof not submitted - P16

Proof submitted - N/A

GROUNDWATER:

+ 0.2 cfs <flo-ch> - 01G-P03, 01C-P03 (existing), NMR

- 0.2 cfs - NMR <flow chart>

Drilling Permit:

Included w/permit - P99 Permit No. _____

Existing well - N/A (if drilled before 7/1/87)

No WD permit? - 046-46B-P23 (if drilled after 7/1/87)

SURFACE WATER: not in WD - 01C-P03 (+.2 w/pump), NMR <flow chart>

LOCATION:

Water District - WD No. 65

Surface water - 005 or 005-01J-P08(+.2) ✓
or 005-01H-P01(+.2 w/pump); NMR

Groundwater - P05 (if well has not been drilled)

Irrigation Dist. - 023

Canal Co. Areas - 023

Drainage Districts - 024

Flood Control Dist. - 063

Boise Front (63) - 058 (Groundwater temperature)

Swan Falls Flag - _____ (1, Blank or Other)

Trust - 051-052-053-P74 (Consumptive Uses)

Non Trust <1> - 048-049

RIVER BASINS (Surface): Water District Control Condition (005) &....

Boise (63) - 05A & 11E 064

Payette (65) - ~~047-P04, 048-P04 (except WD 65)~~

Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

USE:

Fish Propagation - 06A, 09E-P10 (WQ/Choose One) & 010
042 (req), 002-P06(MD), 07A(Special),
044(Policy 5G)

Power - 08A, 17K, 025, 027 (req); 01F-P19; 09E-P10;
+25 cfs-P18; 17G or 17M; 18B-P09

Mining - 06A, 010, or 09E-P10 & 054 (req)

Storage(✓ 3 comp.) - 18A-for multi MD in WD, 18B-P09 (+10' Size)

Rec/Wildlf/Aes - 027-if +½ A. pond (Non-Consumptive)

Domestic (surface restricted areas) - 021 - Boise River upstream from L Peak
27A - Payette River & main tributaries

OWNERSHIP:

Non land owner - 004

PROTESTED:

Hearing agreement - 020

REMARKS: _____

OTHER CONDITIONS: - 803

BENEFICIAL USE DUE: - 10 -1-1995

COMMENTS: - 0 Dis Acc

WR5809NP
No. P65-13445

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 10/13/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	JAMES C COCHRANE	04/29/1993	IRRIGATION	03-15 11-15	0.07 CFS	
C	JOAN C COCHRANE RT 1 BOX 14A HORSESHOE BEND ID 83629 (208) 793-2408					
TOTAL DIVERSION:					0.07 CFS	

Water Source: PAYETTE RIVER

Tributary to: SNAKE RIVER

Stage: PERMIT

Point(s) of Diversion: T07N R02E S34 Lot 04(SE NE)

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE								
T	R	S		NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM
---	---	---	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	---
07N	02E	34	:	04-02				:					:					:					:	2.5
TOTAL ACRES																							2.5	

Pou County: BOISE

Other Water Rights with Same Point(s) of Diversion and Source:
65-13445

Other Water Rights Listing Overlapping Place(s) of use:
65-10744 65-12699A 65-12699B 65-13445 65-13469 L65-12699A

Conditions of Approval:

- 26A - Project construction shall commence within one year from the
 - date of permit issuance and shall proceed diligently to
 - completion unless it can be shown to the satisfaction of the
 - Director of the Department of Water Resources that delays were
 - due to circumstances over which permit holder had no control.
- 005 - Use of water under this right is subject to control by the
 - watermaster of State Water District No. 65.
- 01H - A lockable device, subject to the approval of the Department,
 - shall be installed on the diverting works in a manner that will
 - provide the watermaster suitable control of the diversion prior
 - to diversion of water under this right.
- 064 - When water is not available to fill this right, the right holder
 - shall cease diversion or shall rent water from the Payette River
 - Rental Pool.
- 803 - The right holder shall use the full allotment of his surface
 - water right, to the extent it is available, in conjunction with
 - groundwater diverted pursuant to this right.
- 057 - The rate of diversion of water for irrigation under this right
 - and all other water rights on the same land shall not exceed
 - 0.03 cubic feet per second for each acre of land.

WR5809NP
No. P65-13445

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 10/13/93
PAGE: 2

=====

Dates:	App. Received: 04/29/1993	Priority Date: 04/29/1993
	Proof Due Date: 10/01/1995	Proof Made Date:
	Exam Made Date:	Exam Sent to S.O.:
	Licensed Date:	
Misc:	Water District Number: 65	Field Exam Fee:
Comments:	Date: 09/21/1993 User-ID: ZIMMERMA Subject: DIVERSION DESCRIPTION Pump with sprinkler system.	
Audit:	06/16/93 ZIMMERMA 09/21/93 ZIMMERMA 10/12/93 ZIMMERMA	

INITIAL REVIEW BY: CH DATE: 5/3/93 APPLICATION: 65-13445

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)

Address:

Source: (See USGS Quad for names of water sources)

Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)

County:

Quantity: (flow and/or volume)

Period of use:

Nature of proposed use: (Include description of use)

Description of diverting works:

Time required for beneficial use of water:

Place of use or acres irrigated:

Map:

Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)

Fee:

Yes No* In form to receipt:

Gov't. Lots:
✓ P/D
✓ P/U

YES	NO	
☒	☐	Overlapping place of use: (Describe source & relationship to present application on the back.)
☒	☐	Overlapping point of diversion:
☐	☐	Field check required: Field check by: _____
☐	☒	Field report attached:
☐	☒	Critical groundwater area:
☐	☒	Groundwater management area:
☐	☒	1992 moratorium
☐	☒	Copy to SCA staff (perennial stream, non-pump diversion):
☐	☒	Send dam safety information:
☐	☒	Send power requirement letter:
☐	☒	Send fish farm requirement letter:
☐	☒	Power residency affidavit:
☐	☒	Power efficiency form:
☐	☒	Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐	☒	Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☐	☒	*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED:

Additional information on reverse side:

RECEIVED
JUN 15 1993

Department of Water Resources

PROCESSING

APPLICATION NO. 65-13445

YES NO

☒ ☐
☐ ☒
☒ ☐

In form for advertising:

Statewide advertising: (> 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # _____

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☒
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☒ ☐

Publication dates and paper recorded on application:

Protests received. Final date for protest June 7, 1993

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, Deny

Measuring device required:

Measuring port required:

Water delivered by water master? District # _____

Special conditions of approval or cover letter: _____

26A (Allow 2 yrs)

See below for additional information

Recommended Date or Priority 4/29/93Recommended by: Den Date 6/10/93

STATE OFFICE REVIEW

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION

Most overlaps w/ G.W. Diversions.Overlap 65-12699 is Payette River diversion also in lot 4. Per permit file, Separate acres involved. See map, this file

The Idaho World

P O Box 220
Idaho City, ID 83631
208 392-4989

P O Box 99
Garden Valley, ID 83622
208 462-3487

State of Idaho >
>
County of Boise >

Wayne Hart, being duly sworn, deposes and says: that he is the manager and principal clerk of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and the State of Idaho; the said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for two (2) consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy eight weeks past previous to the first publication of this notice. Such notice was published with the issue beginning with May 19, 1993 and ending with the issue of May 26, 1993.

Wayne Hart

State of Idaho >
>
County of Ada >

On this 3rd day of June in the year 1993, before me, a notary public, personally appeared WAYNE HART known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Jan E Hart
Notary Public for Idaho

Boise ID

Residing at

My commission expires 9/10/96

RECEIVED

7 1993

MICROFILMED

OCT 25 1993

Department of Water Resources
Western Regional Office

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho

65-13445

COCHRANE, JAMES C
COCHRANE, JOAN C
RT 1 BOX 14A
HORSESHOE BEND, ID 83629

Source: PAYETTE RIVER Tributary: SNAKE RIVER

Diversion Pt: LOT 4 (SENE) Sec 34 T 07N R 02E in BOISE County.

Use: IRRIGATION (075 CFS)
Total Diversion: (.075 CFS)

Date Filed 4/29/1993

In: BOISE County
T07N R02E S34 Lot 4 (NENE)

2.5 ACRES TOTAL

65-13450

POST, JOHN
POST, KAREN
HC 76 BOX 1099
GARDEN VALLEY, ID 83622

Source: PAYETTE RIVER, MIDDLE FORK Tributary: PAYETTE RIVER

Diversion Pt. NENWNW Sec 21 T 09N R 04E in BOISE County

Use: DOMESTIC (040 CFS)
Total Diversion: (040 CFS)

Date Filed: 4/28/1993

In: BOISE County
T09N R04E S21 NWNW

NOTICE OF AMENDED APPLICATION FOR PERMIT

Notice is hereby given that application no. 65-12975 in the name of Shilo Ranch Homeowner's Association was filed on February 24, 1993, for the diversion of 0.20 cfs from Groundwater with a point of diversion within T09N R04E S04, SENE, Boise County, to be used for irrigation purposes

The permit holder now proposes to amend the permit by adding a second point of diversion within Lot 6 (NESE) T09N R04E S04, and by changing the place of use for 20 homes and 10 acres irrigation to include portions of Lot 5 (SWNE) Lot 5 (SENE), and Lot 6 (NESE), all in S04, T09N, R04E

Any protest against the approval of the proposed amendment must be filed with the Department of Water Resources, 2735 Airport Way, Boise, ID 83705 on or before June 7, 1993

R Keith Higginson, Director

Published in The Idaho World May 19 and 26, 1993.

OCT 25 1993

65-13445

COCHRANE, JAMES C
COCHRANE, JOAN C
RT 1 BOX 14A
HORSESHOE BEND, ID 83629

Source: PAYETTE RIVER

Tributary: SNAKE RIVER

Diversion Pt: LOT 4 (SENE) Sec 34 T 07N R 02E in BOISE County.

Use: IRRIGATION (.075 CFS)

Total Diversion: (.075 CFS)

Date Filed: 4/29/1993

In: BOISE County
T07N R02E S34 Lot 4 (NENE)

2.5 ACRES TOTAL

MICROFILMED

OCT 25 1993