




HOME

Spring

JUL 02 1993


27

4/E

65-13440

10N

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Meyers Predator II	Long life submersible	3/4	35F72-12		2"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

MICROFILMED

NOV 14 1995



PERMIT 65-13440 INIT S.H.
T. R. S. Q/Q
P/D 10N 4E 27 NENE
SCALE 7.5 USGS TOPO, V-11
PHOTO ID. _____



65-13440
4/27/95 S.H.

3' diameter
crushed
rock +
silica sand
where spring
ties in
under ground

45' of
6" PVC from crushed
rock + silica sand
(spring)

(2) 1500 gallon
~~store~~ holding tanks

12' of
6" PVC from holding
tank to pump house



well & tool
pressure tank

filter

Myers Predator II
long life submersible
3/4 HP pump

MIDDFILMED
NOV 14 1995

65-13440
4/27/95 S.H.



600'
2" polypropylene
from the
pump house
to the house



P/u:

Domestic
internal &
external
(25'x88' yard)
& small planter
areas for pear
trees

MICROFILMED
NOV 14 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13440

Priority: March 23, 1993

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that THOMAS PATRICK MC GRATH

2342 MIDDLE FORK RD

GARDEN VALLEY ID 83622

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 23, 1993; and has submitted Proof of Beneficial Use on April 20, 1994. An examination indicates that the works have a diversion capacity of 0.060 cfs of water from:

SPRING

tributary to PAYETTE RIVER, MIDDLE FORK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNENE , Sec. 27, Township 10N, Range 04E
BOISE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

10N 04E 27

NENE

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 27TH day of OCTOBER, 1993.

Acting for

KARL J. DREHER, Director

RECEIVED

APR 20 1994

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

RECEIVED

APR 22 1994

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

- 1 Permit No 65-13440 Telephone No 208-462-3723
- 2 Name(s) of Permit Holder(s): Thomas Patrick McGrath
- 3 Post Office Address: 2342 Middle Fork Rd., Garden Valley, ID 83622
- 4 Source of Water: Spring
- a If ground water, well driller's name: _____ Date drilled: _____
- b Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____
- 5 Extent of Use:
- Domestic 1 (No. of households) Irrigation _____ (No. of acres)
- Stockwater _____ (No. and type of stock) Other _____

6 Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR
Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

8 Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

9 Person to contact to accompany the Department representative during the field examination:

Thomas Patrick McGrath 208-462-3723
Name Telephone No.

2342 Middle Fork Rd., Garden Valley, ID 83622
Address

10 The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho

4-20-94
Date

Thomas Patrick McGrath
Signature (and title if on behalf of a company or organization)

MICHAEL MEN

JUL 01 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13440

Proposed Priority: March 23, 1993 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **THOMAS PATRICK MC GRATH**
2342 MIDDLE FORK RD
GARDEN VALLEY ID 83622

has applied for a permit to appropriate water from:

SPRING

tributary of **PAYETTE RIVER, MIDDLE FORK**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: NWNENE , Sec. 27, Township 10N, Range 04E
BOISE County

PLACE OF USE: DOMESTIC
TWN RGE SEC

10N 04E 27 NENE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1994.
2. Subject to all prior water rights.
3. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

17 day of June, 1993.

[Signature]
for R. Keith Higginson, Director

RECORDED

JUL 02 1993

RECEIVED
JUN 03 1993

Ident. No. 65-13440

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: THOMAS PATRICK MC GRATH 208-462-3723
Address: 2342 MIDDLE FORK RD
GARDEN VALLEY ID 83622
2. Source: SPRING Trib. to: PAYETTE RIVER, MIDDLE FORK
3. Location of Point of Diversion: NWNENE Sec. 27, Township 10N, Range 04E
BOISE County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	01/01	12/31	0.040		
5. Total quantity to be appropriated is:
0.040 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
SPRING, PIPELINE TO HOME.
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is inches; proposed depth of well is
feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO.
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 year(s).
8. Place of Use: DOMESTIC

TWN RGE SEC
10N 04E 27 NENE
9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

RECEIVED
JUL 02 1993

10. Remarks:

11. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Applicant

Received by KW Date 3/23/93 Time 10:00 Preliminary check by CJ4
Fee \$ 30.00 Receipted by KW # W016051 Date 3-23-93
Publication prepared by GG Date 3/31/93 Published in Idaho World
4/7 & 4/14/93
Publication approved AT Date 4-30-93

RECEIVED

JUL 02 1993

see attached comments -


Comments: Date: 3/23/1993 User-ID: WALKER

Subject:
APPLICATION

THIS APPLICATION IS FILED TO REPLACE CLAIM A65-08285 WHICH
APPLICANT STATED HAD NOT BEEN USED FOR APPROX. 25 YEARS. HE
OBTAINED A CHANGE IN OWNERSHIP OF THAT CLAIM AND WE WERE GOING TO
FILE A TRANSFER TO CHANGE THE PLACE OF USE WHEN IT CAME OUT THAT
THE SPRING HAD NOT BEEN USED AT THE ORIGINAL PLACE OF USE FOR
SOME TIME.

UNRECORDED

JUL 02 1993





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

February 24, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

TOM MCGRATH
576 MIDDLE FORK RD
GARDEN VALLEY ID 83622

**RE: LAPSED PERMIT NO. 65-13388 IN THE NAME OF THOMAS PATRICK
MCGRATH**

Dear Mr. McGrath:

Gary Spackman of the department's Western Regional office located by the airport has forwarded to me your letter and the proof of beneficial use for the above referenced permit. I am assuming that by the submittal of the proof, you are seeking late reinstatement of the lapsed permit.

Department files show that Permit No. 65-13388 was issued on August 27, 1992 authorizing the diversion of 0.10 cubic feet per second ("cfs") of water from Scriver Creek for stockwater and domestic use for 4 homes. The proof of beneficial use was due on September 2, 1996. On August 23, 1996, you met with Julie Yarbrough of this office and advised her that you did not intend to complete the requirements of the permit and had decided to let the permit lapse. Enclosed is a copy of Julie's memo.

Section 42-218a.2., Idaho Code, authorizes the department to reinstate a permit if the permit holder can show that water was diverted and beneficially used as authorized by the permit within the authorized development period, which in this case is between August 27, 1992 and September 2, 1996.

The proof which you filed shows the irrigation of 20 acres of land, which the permit did not authorize. Please explain this discrepancy.

As information for you, the department has issued a license for 65-13440 which you referred to in your letter. This license authorizes the diversion of 0.04 cfs from a spring for domestic water in one (1) home. This license was issued as a result of a field examination conducted by Sandy Hemenway on April 27, 1995.

The department will hold the proof for twenty-one (21) days to provide time for you to show that development of the permit has timely occurred. Based on the

information currently available in the water right file, the development would have had to occurred after August 23, 1996 when you met with Julie Yarbrough and before the proof due date on September 2, 1996. If you can not show that the development occurred within the authorized period, the department can not reinstate the permit. If the permit is not reinstated, but the development exists, you will need to file an application for permit with the department and start the water right development process over for this particular permit.

If you have questions, please feel free to contact the department.

Sincerely,

A handwritten signature in black ink, appearing to read "L. Glen Saxton". The signature is fluid and cursive, with the first name "L." being small and the last name "Saxton" being larger and more prominent.

L. GLEN SAXTON, Chief
Water Allocation Bureau

Encl: 1

c: Gary Spackman
Gene Gibson

MEMORANDUM

TO: File No. 65-13388
FROM: Julie Yarbrough
RE: Proof of B/U
DATE: August 26, 1996

On August 23, 1996, I spoke with the permit holder in my office concerning filing an extension of time for this permit. The permit holder informed me that he has no plans within the next five years to develop this permit but would eventually like to. The permit holder decided to let this permit lapse rather than file an extension request and plans to re-file in the future when he decides to develop.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 27, 1995

THOMAS PATRICK MC GRATH
2342 MIDDLE FORK RD
GARDEN VALLEY ID 83622

RE: WATER RIGHT NO. 65-13440

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

OCT 31 4 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

OCT 17 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-13440

1. Owner: Thomas Patrick McGrath Phone No. (208) 462-3723

Current Address: 2342 Middle Fork Rd Garden Valley, Id 83622

2. Accompanied by: Thomas Patrick McGrath EXAM DATE: 4/27/95

Address: 2342 Middle Fork Rd Garden Valley, Id 83622 Phone No. (208) 462-3723

Relationship to Permit Holder: self

3. Source: Spring tributary to Payette River, Middle Fork

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 65-13388, 65-03222, 65-03223, 65-08290, 65-12347

2. Other water rights with the same point of diversion: 65-08285

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	NE	NE	27	10N	4E	Bonne	USGS Topo. & exam

2. Place(s) of Use:

Indicate Method of Determination

USGS Topo. & exam

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
10N	4E	27	D/I																

MICROCHROM

NOV 14 1995

03/17/03

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

D. FLOW MEASUREMENTS

**Code to correspond with No. on map and aerial photo*

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Meyers Predator II	long life	3/4	35F7a-1a		2" ~~1~~
	Submersible				

4.


Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required)

Aerial Photo Attached

(required for irrigation of 10+ acres)

Photo of Diversion and System Attached

Scale 1 =



3. **Delivery System Diagram:** indicate all major components and distances between components. Indicate wet size/ditch size/pipe i.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS

- No physical measurement could be taken, since the system is a: spring ⁱⁿ rock + silicon sand, then has 45' of 6" PVC pipe going to (2) 1500 gallon interconnected holding tanks, 12.5' of 6" PVC pipe going to the pump house where there is a 3/4 HP Myers Predator II long life submersible pump that pumps the water 600' by way of 2" polypropylene pipe to the house for domestic use. External use for watering the yard is by means of hose bibs + variable sprinkler, sips + makes to water a 88' x 25' front yard + planter area with pear trees. (the system has a Mac Clean Chem-free filter)
- No govt. lots were found.
 - Overlap for P/D are the same, but comments on profile shows 3/23/93 application filed from A65-08285 for nonuse - no transfer for P/u filed since P/u had not been used @ original place of use for some time.
 - Overlaps for P/u were ~~different~~ and other sources + other uses.
 - no common name for the spring, but referred to as Spring Gulch.
 - Estimate of system capacity from pumpback computation spreadsheet used, since a true measure would be directly from the spring to the pump. This measurement is more a measurement from the storage tanks. Therefore I recommend the permit + maximum allowable amount for domestic D/I of .04 cfs + 1.2 Afa for internal/external.

Have conditions of permit approval been met? ☒ yes ☐ no

WIPDREIMEN

NOV 14 1995

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

Pumpback Computation Spreadsheet (see attachment) = ~~.06~~ cfs
 Allow D/I domestic .4 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{LR} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

Allow D/I domestic internal + external 1.2 Afa

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	.04	1.2
Totals:			.04	1.2

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name

Heavenway
Paul Heavenway Date 4/28/95

Reviewer _____

Date _____

SEAL

MICROFILMED

NOV 14 1995

Pumpback Computation Spreadsheet (DRT 1/24/1995)

Data Entered By: Sandy Hemenway
 04/28/95
 Project: Flow Computation for 65-13440
 Thomas Patrick McGrath
 Given: See Data Table

Compute head losses with the Williams and Hazen Formula:
 $f = 0.2083 * (100 / \text{roughness})^{1.85} * ((\text{cfs} * 448.8)^{1.852} / \text{ID}^{4.8655} * \text{Length} / 100)$

To Find: Compute Rate of Flow for a Pumpback System

Data Table

Vertical Lift: 10.00 feet *lift from spring/storage tanks to the pump*
 Pressure Req'd: 30.00 psi *20-40 psi domestic, 30 psi average*
 Required Head: 79.30 feet
 Pump Horsepower: 0.75 horsepower
 Pipe Roughness: 150.00 Note: pvc = 150, smooth and straight pipe = 140
 aluminum - joint length 20' = 125, joint length
 30' = 130, joint length 40' = 132, joint length
 50' = 134, new riveted steel = 100
 old riveted steel = 100, old cast iron = 95,
 old pipes in poor condition = 60 to 80

Inside Diameter in Inches	Equivalent Length in Feet	Unit Head Loss	Total Friction Head Loss from Pipe Friction
5.75	48.00	0.00	<i>length of pipe from spring to pump</i>
1.00	0.00	0.00	
1.00	0.00	0.00	
			0.00

Initial Estimate of Rate of Flow: 0.060 CFS


Computation of Rate of Flow: 0.06

APR 14 1995

65-13440

- ① Permit: Domestic 01/01-12/31 .04 cfs
 - ② B/u proof: \$ 50⁰⁰ pd 4/20/94 0 - 0.20 cfs
 - ③ max. allowable: domestic .04 cfs 1.2 Aft
internal/external
 - ④ Allow D/I .04 cfs 1.2 Aft (internal/external)
- Pumpback Computation Spreadsheet (see attachment) = .06 cfs

RECEIVED
NOV 14 1995



PERMIT 65-13440 INIT S.H.
T. R. S. Q/Q
P/D 10N 4E 27 NENE
SCALE 7.5 USGS TOP. V-11
PHOTO ID. _____

65-13440
4/27/95 S.H.

3' diameter
crushed
rock +
silica sand
where spring
ties in
under ground

45' of
6" PVC from crushed
rock + silica sand
(spring)

(2) 1500 gallon
~~size~~ holding tanks

12' of
6" PVC from holding
tank to pump house

well & tool
pressure tank


RECEIVED
APR 27 1995

Myers Predator II
long life submersible
3/4 HP pump

65-13440
4/27/95 S.H.



600'
2" polypropylene
from the
pump house
to the house



P/u:

Domestic

internal +
external

(25'x88' yard)
+ small planter
areas for pear
trees

MICHAEL BARN

NOV 14 1995

May 5, 1994

THOMAS PATRICK MC GRATH
2342 MIDDLE FORK RD
GARDEN VALLEY ID 83622

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13440

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED

JUL 01 1994

March 31, 1994

THOMAS PATRICK MC GRATH
2342 MIDDLE FORK RD
GARDEN VALLEY ID 83622

PROOF DUE NOTICE

RE: PERMIT NO. 65-13440

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1994.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MAILED

JUL 01 1994





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 17, 1993

THOMAS PATRICK MC GRATH
2342 MIDDLE FORK RD
GARDEN VALLEY ID 83622

PERMIT APPROVAL NOTICE


RE: PERMIT NO. 65-13440

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

UNRECORDED

JUL 02 1993

The Idaho World

P O Box 220
Idaho City, ID 83631
208 392-4989

P O Box 99
Garden Valley, ID 83622
208 462-3487

State of Idaho >
>
County of Boise >

RECEIVED

APR 29 1993

Department of Water Resources
Western Regional Office

Wayne Hart, being duly sworn, deposes and says: that he is the manager and principal clerk of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and the State of Idaho; the said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for two (2) consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy eight weeks past previous to the first publication of this notice. Such notice was published with the issue beginning with Apr 7, 1993 and ending with the issue of Apr 14, 1993.

Wayne Hart

State of Idaho >
>
County of Ada >

On this 27th day of April in the year 1993, before me, a notary public, personally appeared WAYNE HART known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Jan E Hart
Notary Public for Idaho

Boise ID
Residing at

My commission expires 9/10/96

FILED
JUL 02 1993

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho

65-13440

MC GRATH, THOMAS PATRICK
2342 MIDDLE FORK RD
GARDEN VALLEY, ID 83622

Source SPRING Tributary PAYETTE RIVER, MIDDLE FORK

Diversion Pt. NWNENE Sec 27 T 10N R 04E in BOISE County

Use DOMESTIC (040 CFS)
Total Diversion (040 CFS)

Date Filed 3/23/1993

In BOISE County
T10N R04E S27 NENE

65-13441

KLINGBACK, NANETTE
KLINGBACK, TODD EDMONDSON
ANDERSON CREEK RD
GARDEN VALLEY, ID 83622

Source SPRING Tributary ANDERSON CREEK

Diversion Pt NESENW Sec 24 T 09N R 04E in BOISE County.

Use STOCKWATER (010 CFS)
HEATING (020 CFS)
DOMESTIC (040 CFS)
Total Diversion (060 CFS)

Date Filed 3/12/1993

In BOISE County
T09N R04E S24 SENW

The permit will be subject to all prior water rights. Protests must be filed with the Director, Dep. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before April 26, 1993.

R. Keith Higginson, Director

Published in The Idaho World April 7 and 14, 1993.

RECEIVED

JUL 02 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

MARCH 31, 1993

The Idaho World
P.O. BOX 220
Idaho City, ID 83631

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before APRIL 26, 1993.

Yours truly,

GAIL GARRETT
Secretary

Encl.

RECEIVED

JUL 02 1993

65-13440

MC GRATH, THOMAS PATRICK
2342 MIDDLE FORK RD
GARDEN VALLEY, ID 83622

Source: SPRING

Tributary: PAYETTE RIVER, MIDDLE FORK

Diversion Pt: NWNENE Sec 27 T 10N R 04E in BOISE County.

Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 3/23/1993

In: BOISE County
T10N R04E S27 NENE

RECEIVED

JUL 02 1993