


65-13428



R 2 W

Bannister
Basin

STORAGE
TANK

EXISTING
PIPELINE

WELL

- - WATER TROUGH
- - PROPOSED PIPELINE
- - - - - EXISTING FENCE
- - - - - BLM

French Corner
Flume

Creek

Mile
19

BETTIS Pipe Line
308984

APR 28 1993

Affidavit of Publication

STATE OF IDAHO,
COUNTY OF PAYETTE

ss.

Application for Water Rights
TITLE OF PUBLICATION

SPONSOR OF PLAINTIFF

Dept. of Water Resources
PLAINTIFF OR LEGAL AGENT

I, Viola Olsen, being
duly sworn, deposes and says:

That she is the principal clerk of
THE INDEPENDENT-ENTERPRISE, a weekly newspaper published
at Payette, in the County of Payette and State of Idaho; that said
paper has been and is in general circulation in the county
aforesaid, and in the vicinity of Payette; that the advertisement,
a copy of which is attached hereto, was published in said
newspaper once a week for two consecutive weeks in
the regular and entire issue of said paper during the period and
time of publication, and was published in the newspaper proper
and not a supplement; that said paper has been established and
regularly published for more than seventy-eight consecutive
weeks prior to the date of first publication of said advertisement.

Such notice was published in the issue beginning with
Jan. 20, 1993, and ending with the issue
of Jan. 27, 1993.

STATE OF IDAHO
COUNTY OF

On this 28th day of Jan. in the year of 1993, before me,
a Notary Public, personally appeared Viola Olsen,
known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first duly
sworn, declared that the statements therein are true, and
acknowledged to me that he executed the same.

Marilyn J. Rhinehart
Notary Public for Idaho

Residing at Freeland

My commission expires: 12-1-98

STATEMENT

Independent-Enterprise

PAYETTE, IDAHO

Number of Lines 24

Number of Insertions two

24 Lines @ 90 . . . \$ 21.60

24 Lines @ 72 . . . \$ 17.28

TOTAL COST
WILL BE \$ 38.88

Copy of Notice (First Copy)

NOTICE OF APPLICATION FOR WATER RIGHTS

The Following application(s) have been filed to
appropriate the public waters of the State of Idaho:

65-13428 ✓st

US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706

Source: GROUNDWATER

Diversion Pt: NWNWSW Sec 34 T 09N R 02W in PAY-
ETTE County.

Use: STOCKWATER (.020 CFS)
WILDLIFE (.020 CFS)
Total Diversion: (.040 CFS)

Date Filed: 1/ 5/1993

In: PAYETTE County
T09N R02W S32 NWNE NENW

The permit(s) will be subject to all prior water
rights. Protests must be filed with the Director,
Dept. of Water Resources, Western Region, 2735
Airport Way, Boise, Idaho 83705 on or before Febru-
ary 8, 1993.

R. Keith Higginson, Director

No. 114

Jan. 20, 27

RECEIVED
JAN 29 1993


Department of Water Resources
Western Regional Office

MICROFILMED

APR 28 1993

Nº 114

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = 2000'

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

None taken - office exam

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Private Well found.	drilled prior to 1945.			No Well Driller's Report	


*Code to correspond with No. on map and aerial photo

D. **FLOW MEASUREMENTS** None taken - office exam.

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. **Measurements:** Private well supplies water for domestic use, which may also include stockwater under A65-03491; and the new BLM stockwater system on this permit.



(BLM)

(Private)



Private Storage Tank

Private Well P/O

Bannister Basin Allotment #312

Bannister Basin


Existing Private System

T9N
T8N
R2W

65-13428

Bett's Pipeline & Troughs
BLM Project #308984

FIGURE 36 – FRICTION LOSS CHARACTERISTICS OF WATER FLOW THROUGH PVC PIPE



HOW TO USE THIS GRAPH:

1. Select the desired pipe size (inside diameter).
2. Determine the amount of water to flow through the pipe.
3. Place a straight-edge on these two points.
4. The point at which the straight-edge intersects the head-loss line and the velocity line give these two values under the given conditions.
5. This graph should be used for approximate values only.

EXAMPLE:

- 1½" schedule A pipe (I.D. = 1.740") ①
40 gallon per minute service ②
1. Line up these points with a straight-edge ③
 2. Read 2.6 psi (or 6 ft.) from the head-loss line ④
 3. Read 5.38 ft. per second from the velocity line ⑤


THE VALUES ON THIS GRAPH ARE BASED ON THE WILLIAMS AND HAZEN FORMULA:
(EQUATION 83) $f = .2083 \left(\frac{100}{C} \right)^{1.85} \times \frac{Q^{1.85}}{d_i^{4.8655}}$

WHERE:

- f = friction head in feet of water per 100 feet of pipe
 d_i = inside diameter of pipe in inches
 Q = Flow in gallons per minute
 C = Constant for inside roughness of pipe (150 for PVC)

Fig. 36
65-13428

65-13428



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13428

Priority: January 5, 1993

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

1.3 AF

This is to certify, that US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE ID 83706

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated January 5, 1993; and
has submitted Proof of Beneficial Use on March 7, 1995. An examination indicates
that the works have a diversion capacity of 0.040 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	1.3 AF
WILDLIFE	01/01 to 12/31	0.02 CFS	1.3 AF
	Totals	0.02 CFS	1.3 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 34, Township 09N, Range 02W
PAYETTE County

PLACE OF USE: STOCKWATER

TWN RGE SEC

09N 02W 32

NWNE

NENW

PLACE OF USE:

WILDLIFE, same as STOCKWATER use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right, when considered with all other rights common to the same grazing allotment, shall be limited to the quantity of water beneficially used by the number of stock within the allotment.

OCT 30 1997

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13428

CONDITIONS OF APPROVAL AND REMARKS

6. The place of use is known as BLM Project No. 308984, Bettis Pipeline and Troughs.
7. Rights 65-03491 and 65-13428 when combined shall not exceed a total diversion rate of 0.04 cfs.
8. Right 65-03491 is also diverted through the point(s) of diversion described above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 15TH day of SEPTEMBER, 1997.


Acting for KARL J. DREHER, Director

007 3 0 1007

RECEIVED

RECEIVED

MAR 9 1995

MAR 07 1995

WATER RESOURCES
WESTERN REGION

Department of Water Resources
**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

g-D2

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-13428 Telephone No. 384-3352
2. Name(s) of Permit Holder(s): US Dept. of the Interior - Bureau of Land Management
Cascade Resource Area
3. Mailing Address: 3948 Development Ave., Boise ID 83705
4. Source of Water: Well on private land If **GROUNDWATER** (well), Date Drilled: mo. Existing well on private land / yr. Existing well on private land
a. Well Driller: Existing well on private land Drilling Permit Number: - - - - -
b. **OPTIONAL:**
Pump Horsepower: Pressure (psi): Dynamic pumping level (ft):
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): Stockwater (No. and type of stock): 100 cattle
Irrigation (No. of acres): Other:
6. Total rate of diversion and/or volume for which proof is submitted: 0.04 cfs OR acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes or No
Has the measuring device been installed? Yes or No

Flow Measurement Port: Is a flow measurement port required? Yes or No
Has the measurement port been installed? Yes or No

8. Fee Enclosed: \$ \$50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: John Fend or Jon Haupt Telephone Number: 384-3352
Address: 3948 Development Ave., Boise ID 83705
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: [Signature] Date: 3-7-95
(include your title, if on behalf of company or organization)

9 1995

RECEIVED

FEB 10 1994

Department of Water Resources

RECEIVED

FEB 08 1994

For Office Use Only

\$15 Fee Received by AS

Date 2-8-94
Receipt No. W017158

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WATER RESOURCES
WESTERN REGION

REQUEST FOR EXTENSION OF TIME

TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of water right under the provisions of Section 42-204, Idaho Code.

Permit No. 65-13428

Name(s) of Permit Holder: U.S. Dept of the Interior - Bureau of Land Management

Mailing Address: 3948 Development Ave, Boise Id. 83705

Date Proof is Due April 1, 1994 Telephone No. 384-3352

Describe what work has been completed toward the development of this water right:

(This must be filled out! If no work has been completed, show "none".)

Survey, design and clearances.

Costing \$

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Permit is held by the United States of America. Person
scheduled to do the work, has not been
available

Permit holder(s) request an extension to April 1, 19 95.

FEE: \$15.00

(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to April 1, 1995.

Signed this 22nd day February 19 94

J. Min Saptor
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13428

Proposed Priority: January 5, 1993

Maximum Diversion Rate:

0.04 CFS

This is to certify, that **US DEPT OF INTERIOR**
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE ID 83706

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	0.02 CFS
WILDLIFE	01/01 to 12/31	0.02 CFS
Totals		0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 34, Township 09N, Range 02W
PAYETTE County

PLACE OF USE: STOCKWATER
TWN RGE SEC

09N 02W 32 NWNE NENW


PLACE OF USE: WILDLIFE, same as STOCKWATER use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1994.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The issuance of this right in no way grants any right-of-way or easement across the land of another.
5. The place of use is known as BLM Project No. 308984, Bettis Pipeline and Troughs.
6. Stockwater use is for 100 range cattle.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

11 day of March, 1993


R. Keith Higginson, Director
for

APR 28 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

- 1 Name of applicant BUREAU OF LANDMANAGEMENT Phone 384-3300
Post office address 3948 DEVELOPMENT AVE BOISE, IDAHO 83702
GROUNDWATER
- 2 Source of water supply WELL ON PRIVATE LAND which is a tributary of DRY CREEK
- 3 Location of point of diversion is NW 1/4 1/4 of NW 1/4 of SW 1/4, Govt Lot _____
Sec. 34 Township 9 N Range 2W B.M. PAYETTE County; additional
points of diversion if any: T9N R2W SEC 32 NE NW 1/4 NW 1/4 & NW 1/4 NE 1/4
THESE ARE 2 WATER TROUGHS,
4. Water will be used for the following purposes:
- Amount 0.02 CFS for LIVESTOCK purposes from 1/01 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount 0.02 CFS for WILDLIFE purposes from 1/01 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- 5 Total quantity to be appropriated is (a) 0.04 CFS and/or (b) _____
cubic feet per second acre feet per annum
- 6 Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc WATER WILL BE
PUMPED FROM WELL ON PRIVATE LAND
AT DRY CREEK RANCH. TO TWO WATER TROUGHS ON BLM.
- b. Height of storage dam N/A feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage
_____ to _____ inclusive
- c Proposed well diameter is N/A inches, proposed depth of well is _____ feet
- d Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
ONE years (minimum 1 year).

APR 28 1993

8 Description of proposed uses (if irrigation only, go to item 9):

- a Hydropower, show total feet of head and proposed capacity in KW. _____
- b Stockwatering, list number and kind of livestock 50 TO 100 CATTLE
- c Municipal; show name of municipality. _____
- d Domestic; show number of households. _____
- e Other, describe fully _____

9 Description of place of use

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
9N	2W	32		S			S												

Total number of acres to be irrigated _____


10 Describe any other water rights used for the same purposes as described above. UNKNOWN

11. a. Who owns the property at the point of diversion? HARRY L. BETTIS
- b. Who owns the land to be irrigated or place of use? BUREAU OF LAND MANAGEMENT
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. * Cooperative agreement between BLM + Mr. Bettis
12. Remarks: Application is for B.L.M project # 308984 BETTIS PIPELINE & TRENCHES

* per John Ferrell 1/8/93

APR 28 1993

65-13428



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

2W

32

9N

MICHAEL MCGEE

Scale 2 inches equal 1 mile

APR 28 1993

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

JOHN FEND

[Signature]
(Applicant)
Area Manager - Cascade

Received by RW Date 1-5-93 Time 11:30 A Preliminary check by _____
Fee \$ 300 Received by RW # W015799 Date 1-5-93
Publication prepared by GG Date 12/30/92 Published in Independent Enterprise
1/7 & 1/14/93
Publication approved AT Date 2-12-93

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No _____, and said application is hereby _____.

1 Approval of said application is subject to the following limitations and conditions.

a SUBJECT TO ALL PRIOR WATER RIGHTS.

b Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 _____

c The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit

e Other:

APR 28 1993

Affidavit of Publication

STATE OF IDAHO,
COUNTY OF PAYETTE

ss.

Copy of Notice
(West Copy)

Application for Water Rights
TITLE OF PUBLICATION

SPONSOR OF PLAINTIFF

Dept. of Water Resources
PLAINTIFF OR LEGAL AGENT

I, Viola Olsen, being

duly sworn, deposes and says:

That she is the principal clerk of

THE INDEPENDENT-ENTERPRISE, a weekly newspaper published at Payette, in the County of Payette and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Payette; that the advertisement, a copy of which is attached hereto, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of said paper during the period and time of publication, and was published in the newspaper proper and not a supplement; that said paper has been established and regularly published for more than seventy-eight consecutive weeks prior to the date of first publication of said advertisement.

Such notice was published in the issue beginning with Jan. 20, 1993, and ending with the issue of Jan. 29, 1993.

STATE OF IDAHO
COUNTY OF

On this 28th day of Jan. in the year of 1993, before me, a Notary Public, personally appeared Viola Olsen known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Mauley J. Rhinehart
Notary Public for Idaho

Residing at Freeland

My commission expires: 12-1-98

STATEMENT

Independent-Enterprise
PAYETTE, IDAHO

Number of Lines 24

Number of Insertions two

24 Lines @ 90 ... 21.60

24 Lines @ 72 ... 17.28

TOTAL COST
WILL BE 38.88

RECEIVED
JAN 29 1993

Department of Water Resources
Minister's Regional Office

MICROFILMED

APR 28 1993

Nº 114

RECEIVED

MAR 10 1998

Department of Water Resources:

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

8/92
Duplicate -
Already licensed

A. GENERAL INFORMATION

Bureau of Permit No. 65-13428

Permit No. 65-13428
384-3000(SO)

1. Owner: U.S. Dept. of Interior, Land Management Phone No. (208) 384-3371

Current Address: Idaho State Office 3380 Americana Terrace Boise, ID. 83766

2. Accompanied by: Jon Haupt, Rangeland Mgmt. Sec. EXAM DATE: 12-5-96

Address: Boise Field Office 3948 Development Av.
Boise ID 83705 Phone No. (208) 384-3321

Relationship to Permit Holder: BLM Employee - Cascade Resource Area

3. Source: Groundwater tributary to

B. OVERLAP REVIEW

Same land, other source. Sec. 32

1. Other water rights with the same place of use: A65-20593, NWNE; A65-20591 NENW

2. Other water rights with the same point of diversion: A65-03491, Harry Bettis, Private
Well on private land is water source for this permit.

DIVERSION AND DELIVERY SYSTEM

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:


[illegible]

2. Place(s) of Use:

Indicate Method of Determination *Project Folder*

[illegible]

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.



Scale: 1" = 2000'
✓ Copy of USGS Quadrangle Attached (showing location) of point(s) of diversion and place(s) of use (required).
Aerial Photo Attached (required for irrigation of 10+ acres)
Photo of Diversion and System Attached
None taken - office exam

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Private Well	drilled prior to 1945.		No well Driller's Report		
Found.					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS None taken - office exam.

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Private well supplies water for domestic use, which may also include stockwater under A15-03491, and the new Blue Stockwater system on this permit.

E. NARRATIVE/REMARKS/COMMENTS

1. This permit is for BLM Project # 308984; Bettis Pipeline & Troughs (2). The water source is a private well in NWSW, Sec. 34, which supplies water through a pipeline to a private storage tank in the SENE, Sec. 33. The BLM pipeline is gravity operated ^{from the storage tank,} and supplies water to two stock troughs in Sec. 32. The pipe is 2" PVC and the system is about 7800' long. The troughs are in NWNE & NENE, Sec. 32.

2. The pipeline serves the Bennister Basin Allotment #312; 100 Range Cattle, April 1 to June 10 each year.

3. The private well is the same water source for A65-03491, Harry Bettis, 7-15-1945, 0.04 cfs Domestic. Jon Haurt, BLM, believes that ^{Bettis} also uses the well, his pipeline & storage tank, for stockwater in Sec. 34 & Sec. 33. Jon has not been to the site to confirm this.

4. The BLM and the private rancher (Harry Bettis) are presently in a dispute over use of the well water for the BLM pipeline. The rancher wants this permit in his name; and the BLM is planning to file a quick claim deed for water from the well. The BLM pipeline has been in use for 1 or 2 seasons. The rancher has indicated that he would not supply water for the BLM pipeline if this permit was not in his name. However, since the rancher has the grazing allotment where the water is used, he would probably continue to supply water for the BLM Project until an agreement could be reached.

Have conditions of permit approval been met? ☒ yes ☐ no

5. A copy of this report, map, & Fig. 36 has been placed in A65-03491 folder.

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: No Measurement; Theoretical Cal. based on Blm Project
 Gravity flow from Private Tank: Max flow based on 3900', 2" PVC file.
 Pipe from tank to junction of lateral for 1st trough. $H = 3900 - 3180 = 120'$
 Assume line pressure is at least 15 psi @ lateral junction for 1st trough.
 15 psi = min. pressure to operate float valve in troughs.
 Total Head Loss ($H_f + H_v$) = $120' - 35' (15 \text{ psi}) = 85'$. From PVC pipe

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

Tables Fig. 36, $Q = 41 \text{ GPM} = 0.09 \text{ cfs}$, max. Div. rate.
 (Based on 2", 160 psi PVC pipe, $H_{fv} = 2.18' / 100'$.)
 $V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = H_f = \text{Pipe friction loss; } H_v = \text{Misc. losses,}$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$
 $V = \text{Smaller of } V_{IR} \text{ and } V_{D.R.} =$

2. Volume Calculations for Other Uses:

Stockwater: 100 Range Cattle, April 1 to June 10, 71 Days

$$AFA = \frac{12 \text{ GPD}}{\text{Head}} \cdot \frac{100 \text{ Head}}{1} \cdot \frac{71 \text{ Days}}{\text{Ann.}} \cdot \frac{AF}{325,850 \text{ Gal.}} = 0.26 \text{ AFA}$$

Use 0.3 AFA

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Stockwater	01/01	12/31	0.02	0.30
Wildlife	01/01	12/31	0.02	
Totals:			0.04	0.30

2. Recommended Amendments


☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Jan Zernich Date 12-9-96

Reviewer _____ Date _____

SEAL



T9N
T8N
R2W

65-13428

Bettis Pipeline & Troughs
BLM Project #308984


65-13728

Fig. 36

FIGURE 37

Note

FIGURE 36 - FRICTION LOSS CHARACTERISTICS OF WATER FLOW THROUGH PVC PIPE



THE VALUES ON THIS GRAPH ARE BASED ON THE WILLIAMS AND HAZEN FORMULA:

$$(EQUATION 83) \quad f = .2083 \left(\frac{100}{C} \right)^{1.49} \times \frac{Q^{1.49}}{d_i^{4.93}}$$

WHERE:

- f = friction head in feet of water per 100 feet of pipe
- d_i = inside diameter of pipe in inches
- Q = Flow in gallons per minute
- C = Constant for inside roughness of pipe (150 for PVC)

HOW TO USE THIS GRAPH:

1. Select the desired pipe size (inside diameter).
2. Determine the amount of water to flow through the pipe.
3. Place a straight-edge on these two points.
4. The point at which the straight-edge intersects the head-loss line and the velocity line give these two values under the given conditions.
5. This graph should be used for approximate values only.

EXAMPLE:

1. 1/2" schedule A pipe (I.D. = 1.740")
2. 40 gallon per minute service
3. Line up these points with a straight-edge
4. Read 2.6 psi (or 6 ft.) from the head-loss line
5. Read 5.38 ft. per second from the velocity line



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

September 16, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE ID 83706

RE: WATER RIGHT NO. 65-13428

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

RECEIVED
OCT 30 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

OCT 30 1997

CERTIFICATE OF MAILING

I hereby certify that on the 16th day of **September, 1997**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 65-13428

US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE ID 83706



Kari Lynn Townsend
Secretary

RECEIVED

OCT 30 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 65-13428

DATE 9/3/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>No</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	<u>—</u>	<u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	<u>—</u>	<u>✓</u>	Amendment required <u>No</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>.04</u> cfs
Fee limit	<u>.20</u> cfs <u>\$5000</u>
Measured	<u>—</u> cfs
Theoretical	<u>—</u> cfs

Recommended Total Div Rate .02 cfs

**ANNUAL VOLUME/
NATURE OF USES**

<u>✓</u>	Use <u>Stock</u>	cfs <u>.02</u>	Volume Calc <u>1.3</u> af
	<u>Wild</u>	<u>.02</u>	<u>1.3</u> af
			af
			af
	SUBTOTAL	<u>.02</u>	<u>1.3</u> af

Flow rate .02 cfs X 365 days X 1.98 = 14.5 af

Total volume recommended 1.3 af
(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

W35 (65-03491), .04 cfs.
36 "

CONDITIONS

— Watermaster Control WD# —
— GW Measurement/Measuring Device
— Overlap
— Use-specific conditions R37

Advancement of Priority Date Required — yes — no

SRBA Claim Filed N/A
Adjustment Memo —

1st Amend Letter N/A
2nd Amend Letter N/A

FEB 04 1997

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 65-13428

1. Owner: US BLM Phone No. 384-3300

Current Address: 3380 Americana Terrace, Boise 83706

Contacts: John Haupt - BLM - 384-3371
2. Accompanied by: Harry Bettis - well owner EXAM DATE: 6/3/96

Address: Emmett Phone No. 365-2512

Relationship to Permit Holder: well owner

3. Source: Ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: 65-03491

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SW	34	9N	2W	Payette	USGS Quad


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
9N	2W	32		S			S												

OCT 30 1997

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.



Scale: 1" = _____
 Copy of USGS Quadrangle Attached Showing location(s) of _____
 point(s) of diversion and place(s) of use (required)
 Aerial Photo Attached of _____
 (required for irrigation of 10+ acres)
 Photo of Diversion and System Attached _____

4.

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		5	Indemnity		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

OCT 30 1997

MOOREHEAD

E. NARRATIVE/REMARKS/COMMENTS

A 6" well provides water to one home and 6 stock troughs via 5 HP pump, 3 HP booster pump, 5000 gal holding tank, and 2" PVC pipe. This permit covers BLM's portion of the system which consists of 2 of the 6 stock troughs located on BLM land. The other uses are located on the well owner's land and are covered by 65-03491.

According to the owner of the P/D, the well is 50 yrs old and the uses have to be times regulated due to limited flow. During the day, the ground water is used for the home. At night the ground water is pumped into a 5000 gal holding tank used to supply water to the stock troughs.

No other uses are used.

Have conditions of permit approval been met? ☒ yes ☐ no

WIC
OCT 30 1997

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

No well logs in T9N R2W
Theoretical not possible due to lack
of info

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{IR} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

100 wf $\times 0.0134 = 1.3$ afa

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Stockwater	1/1	12/31	0.02	1.3
Wildlife	1/1	12/31	0.02	1.3
Totals:			0.02	1.3

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ☒ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other

I. AUTHENTICATIONField Examiner's Name Lg Date 1/9/97


Reviewer _____ Date _____

SEAL

OCT 30 1997

OCT 30 1997

65-13428



R2W

Bannister
Basin

STORAGE
TANK

□ - WATER TROUGH
--- PROPOSED PIPELINE
--- EXISTING FENCE
--- BLM

T9N
R2W
no govt

BETTIS PIPE LINE
308984

OCT 30 1937

65-13428

ENVIRONMENTAL ASSESSMENT

E.A. NO. 93016
BETTIS PIPELINE 8984

*Completed as
proposed*

PROPOSED ACTION

PURPOSE AND NEED

To expand water availability in the Big Willow Allotment. This will improve livestock distribution and also supply a watering source for wildlife.

DESCRIPTION:

To extend an existing pipeline that is on private land across B.L.M. land for approximately one mile. The pipeline will be 2" ^{PVC} ~~PVC~~ pipe and include two water troughs.

The water source comes from a domestic well on private land belonging to the permittee.

Construction will be completed using a road grader and/or small trencher depending on topography.

The proposed pipeline will cross the north boundary fence of the Big Willow Allotment approximately 30' to 50' north of the fence. The B.L.M. land in section 32 is part of the Willow Creek/Crane Creek stock driveway. There will not be a water trough installed on the stock driveway.

The project will be constructed and funded entirely by the permittee.

CONFORMANCE STATEMENT

All environmental clearances will be required before construction of project begins.

This project conforms with the Cascade Resource Area R.M.P.

Alternatives

1. No Action
2. Haul Water

ENVIRONMENTAL IMPACTS

IMPACTS OF PROPOSED ACTION

Short-Term - Soil and vegetation disturbance will occur along the excavation site. Disturbed areas will be seeded with Siberian wheat grass or intermediate wheat grass. Existing vegetation consists of mostly annuals (cheat grass, medusa) and squirrel tail, the predominant perennial.

Long-term: The long-term impacts would only be around the two water troughs where trampling by livestock would occur. A possible seed source could occur if the seeded area is a success.

No significant impacts are anticipated from this construction project. No irreversible or irretrievable commitment of resources has been identified.

OCT 30 1984

65-13428

R *Plaster* Issue
 Date

12199
12198

10/11/94

[illegible]

014/7121-00-7762	997.60
014/TOTAL COST-03-8984	120.53

» *Harry Bellis*

Title

65-13428

Permit No. 65-13428 Reviewed by [Signature] Date 3-17-95

New Address ✓ Proof Made 3-7-95



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 17, 1995

US Dept. of Interior
Bureau of Land Management
3948 Development Ave.
Boise, ID 83705

PROOF ACKNOWLEDGEMENT LETTER

RE: Permit No. 65-13428

Dear Permit Holder:

The Department is in receipt of the proof of beneficial use and the \$50.00 license examination fee filed in connection with the above referenced permit.

The proof of beneficial use and your permit authorize the diversion rate of 0.04 cfs. If you use a groundwater source and divert 0.04 or less, you are exempt from the license exam fee. Therefore, you are entitled to a \$50.00 refund from the department. The refund process takes approximately seven (7) to ten (10) days and will arrive under separate cover.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have any questions concerning this matter, please feel free to contact me or the WESTERN Regional Office in Boise, at (208) 334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

C: IDWR - Region, Fiscal

RECEIVED
MAR 29 1995

January 31, 1995

US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE ID 83706

PROOF DUE NOTICE

RE: PERMIT NO. 65-13428

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1995.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

29 1995



February 23, 1994

U.S. Dept. of Interior
Bureau of Land Management
3948 Development Ave.
Boise, ID 83705

RE: Permit No. 65-13428

Dear Permit Holder:

Enclosed is a copy of your approved Request for Extension of Time submitted in connection with the above referenced permit. The time within which to submit proof of beneficial use is extended to April 1, 1995.

Please note that the department has granted this extension based upon governmental agency delay. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

c: IDWR-Regional Office

RECEIVED

APR 19 1994

ANALYSIS SHEET
FOR
EXTENSION OF TIME

Permit No. 65-13428 Reviewed by Jy Date 2-22-94

BASIC INFORMATION

2-8-94 Date stamp received
yes Extension received timely
yes Fee received and receipted
yes Name and signature same as permit
no Address Change

BASIS FOR EXTENSION REQUEST

_____ Has adequate work been completed to demonstrate due diligence?
_____ Has the permit been involved in litigation?
_____ Is supporting documentation needed to complete the file? _____ Requested? _____
X Is delay by a government agency?
_____ Is supporting documentation needed to complete the file? no Requested? no
_____ Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN

Recommend approval to April 1, 1995 for Gov. Delay

PRIORITY CALCULATION

Date extension received	_____	_____	_____
Proof due date	_____	_____	_____
Number of days late	_____	_____	_____
Priority date	_____	_____	_____
New Priority Date	_____	_____	_____

DATA ENTRY

New Address _____
Change Proof Due Date 4-1-95
Change Priority Date _____

January 31, 1994

US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE ID 83706

PROOF DUE NOTICE

RE: PERMIT NO. 65-13428

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1994.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

RECEIVED

APR 19 1994





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 15, 1993

US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE ID 83706

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-13428

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

BRENDA L. MILLER
Water Resource Agent

BLM:cz

Enclosures

RECEIVED

APR 28 1993

APPLICATION FOR PERMIT REVIEW

Application #: 65-13428 Date: 3-10-93 Reviewer: Brenda Chapman ^{BC}

SYSTEM COMPLETED:

No - 26A-P17
Complete in 1 year - P16
Yes
Proof not submitted - P16
Proof submitted - N/A

AREA OF CONCERN?

YES
SNAKE RIVER BASIN
Exempt uses.

GROUNDWATER:

GT. 0.2 cfs <flo-ch> - 01G-P03, 01C-P03 (existing well)
- No measurement required <flow chart>
LT. 0.2 cfs - No measurement required <flow chart>

Drilling Permit:

Approved w/permit - P99 Permit No. 046-46A-46B-P23 (after 7/1/87), N/A
Not included -

SURFACE WATER: not in w/d - 01C-P03 (=GT.2 w/pump), NMR <flow chart>

LOCATION:

Water Districts - WD No. 65
Surface water - R04, R04-01H-P01(LT.2 w/pump)
Groundwater ^{Eisling?} - R04-01J-P08(GT.2), NMR <flow chart>
Irrigation Districts - P05
Canal Co. Areas - 023
Drainage Districts - 023
Boise Front (63) - 024
Swan Falls Flag - 058 (Groundwater)
Trust - (1, Blank or Other)
Non Trust <1> - 051-052-053-P74 (Consumptive Uses)
048-049

RIVER BASINS:

(Surface Water) Water District Control Condition &....
Boise (63) - 05A & 11E
Payette (65) - 047-P04, 059-P71
Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

USE:

Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042(req.), 002-P06(MD), 07A(Spec.),
044(Policy 5G)
Power - Use Power Review
Mining - 06A, 010, or 09E-P10 & 054(req.)
Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)
Rec/Wildlf/Aes - 027(Non-Consumptive)
Domestic - 021 (Boise River - upstream from L Peak)
(restricted areas) 27A (Payette River & main tributaries)

OWNERSHIP:

Non land owner - 004

PROTESTED:

Agreement - 020

Beneficial Use Due Date - 04-01-1994

Other Conditions/Remarks: - PROJECT # 308984, BEITN
PIPELINE AND TROUGHS.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: lg DATE: 1/7/93 APPLICATION: 65-13428

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

Gov't. Lots:
☒ P/D
☒ P/U

ADDITIONAL INFORMATION

YES	NO	
☐	☒	Overlapping place of use: (Describe source & relationship to present application on the back.)
☒	☐	Overlapping point of diversion:
☐	☐	Field check required: Field check by: _____
☐	☒	Field report attached:
☐	☒	Critical groundwater area:
☐	☒	Groundwater management area:
☐	☒	1992 moratorium
☐	☒	Diversion within interim protected river area
☐	☒	Send dam safety information:
☐	☒	Send power requirement letter:
☐	☒	Send fish farm requirement letter:
☐	☒	Power residency affidavit:
☐	☒	Power efficiency form:
☐	☒	Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐	☒	Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☐	☒	* <u>REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT</u>

DATE REQUESTED: _____

Additional information on reverse side: _____

RECEIVED
FEB 22 1993

Department of Water Resources

PROCESSING

APPLICATION NO. 65-13428

YES NO

/ / In form for advertising:
/ / Statewide advertising:
/ / Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

/ / I.D. Health and Welfare
/ / I.D. Fish and Game
/ / I.D. Lands
/ / Adjudication Bureau

YES NO

/ / U.S. BLM
/ / U.S. Forest Svc.
/ / Water Dist. # _____
/ / Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

/ / Affidavit of publication received:
/ / Application published correctly: If not, record action taken.

/ / Publication dates and paper recorded on application:
/ / Protests received. Final date for protest February 8, 1993
/ / Protest dates, resolution of protest recorded on application:
/ / Recommendations attached: Approve, Dr
/ / Measuring device required:
/ / Measuring port required:
/ / Water delivered by water master? District # _____
/ / Special conditions of approval or cover letter: _____

/ / See below for additional information
Recommended Date or Priority 1/5/93
Recommended by: DM Date 2/18/93

STATE OFFICE REVIEW

/ / See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION

OVERLAP RD
65-03248

!p

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

JANUARY 13, 1993

Independent Enterprise
P.O. Box 520
Payette, ID 83661

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 8, 1993.

Yours truly,

GAIL GARRETT
Secretary

Encl.

RECEIVED

APR 28 1993

65-13428

US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706

Source: GROUNDWATER

Diversion Pt: NWNWSW Sec 34 T 09N R 02W in PAYETTE County.

Use: STOCKWATER (.020 CFS)
WILDLIFE (.020 CFS)
Total Diversion: (.040 CFS)

Date Filed: 1/ 5/1993

In: PAYETTE County
T09N R02W S32 NWNE NENW

APR 28 1993