


65-13385

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)

8 MAY 1992

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

NOV 09 1995



24 000
 1 000 2 000
 5000 6000 7000 8000 9000 10 000

VAL 40 FEET
 IN CASCADE RESERVOIR
 multiply by 3.2808

IDAHO
 QUADRANGLE LOCATION

Permit No. 65-13385
 P/D: T15N R3E S18 SESW
 ID: T-9 7.5 USGS Topo. S.H.
 Improved Road
 Unimproved Road
 Trail
 Interstate Route U.S. Route State Route

1	2	3	1 Cold Spring Summit 2 No. Business Mountain
---	---	---	---

65-13385
8/30/95 S.H.



P/D:

16" square X 2"
collection box
(overflow goes
out top of box
& down unnamed
stream)
2" PVC (310')
gravity flow
to faucet
(disconnected
& sealed off
at time of
exam when
not used -
winterized)



P/u:

Domestic D/I
faucet
for washing
& drinking
water only,
no external
use unless
needed for
fire protection

NOV 09 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13385

Priority: May 8, 1992

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.6 AF

This is to certify, that JAMES A KLAUS

HC 1 BOX 64

WHITE BIRD ID 83554

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 8, 1992; and has submitted Proof of Beneficial Use on July 18, 1995. An examination indicates that the works have a diversion capacity of 0.180 cfs of water from:

UNNAMED STREAM

tributary to DUCK CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 18, Township 15N, Range 03E
VALLEY County

PLACE OF USE: DOMESTIC

TWN RGE SEC

15N 03E 18

SESW

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Place of use located within Lot 5A-18, CR-5 Subdivision.
6. Domestic use is for 1 home.

NOV 09 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13385

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 4TH
day of NOVEMBER, 1975.


Acting for KARL J. DREHER Director

65-13385

RECEIVED

JUL 18 1995

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-13385 Telephone No. 208 839 2291
2. Name(s) of Permit Holder(s): JAMES A. & ELLA KLAUS
3. Mailing Address: HCI BOX 64 WHITE BIRD ID. 83554
4. Source of Water: UNNAMED CREEK If GROUNDWATER (well), Date Drilled: mo. / yr.
CROSSING LOT 18
CR 5 SUBDIVISION ON WEST MT. AT CASCADE, ID.
- a Well Driller: N/A Drilling Permit Number: N/A
- b **OPTIONAL:**
Pump Horsepower: N/A Pressure (psi): Dynamic pumping level (ft):

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): ONE Stockwater (No. and type of stock): NONE

Irrigation (No. of acres): Other:

6. Total rate of diversion and/or volume for which proof is submitted: 0.02 cfs OR acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is **not optional**. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes or No ✓

Has the measuring device been installed?

Yes or No ✓

Flow Measurement Port: Is a flow measurement port required?

Yes or No ✓

Has the measurement port been installed?

Yes or No ✓

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: JAMES A KLAUS Telephone Number: 208-839-2291

Address: HCI BOX 64 WHITE BIRD, ID. 83554

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder:

[Signature]
(include your title, if on behalf of company of organization)

Date: 7/18/95

AUG 09 1995

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13385

Proposed Priority: May 8, 1992 Maximum Diversion Rate: 0.02 CFS
This is to certify, that JAMES A KLAUS
HC 1 BOX 64
WHITE BIRD ID 83554
has applied for a permit to appropriate water from:

UNNAMED STREAM tributary of DUCK CREEK

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.02 CFS

LOCATION OF POINT(S) OF DIVERSION: SESW , Sec. 18, Township 15N, Range 03E
VALLEY County

PLACE OF USE: DOMESTIC
TWN RGE SEC

15N 03E 18 SESW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 1995.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The Director retains jurisdiction to limit diversion of water to in-house uses only.
5. Place of use located within Lot 5A-18, CR-5 Subdivision.
6. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

27th day of August, 1992

R. Keith Higginson
for R. Keith Higginson, Director

SEP 15 1992

RECEIVED

MAY 08 1992

MAY 13 1992

65-13385

Ident No

65-

Form 202
8/85
Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant JAMES A. KLAUS Phone 839-2291
Post office address HC 1 Box 64 White Bird, ID. 83554
2. Source of water supply UNNAMED STREAM which is a tributary of DUCK CREEK
3. Location of point of diversion is _____ 1/4 of SE 1/4 of SW 1/4, Govt Lot _____
Sec. 18 Township 15N Range 3E B M VALLEY County; additional
(per map)
points of diversion if any _____
4. Water will be used for the following purposes:
Amount 0.02 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.02 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works.
 - a. Description of ditches, flumes, pumps, headgates, etc. SCREENED PIPELINE, GRAVITY
FLOW TO HOUSE VALVE; APPROX 200 FT OF PIPELINE APPROX
2 in width
 - b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet, total
reservoir capacity _____ acre-feet, period of year when water will be diverted to storage:
_____ to _____ inclusive
 - c. Proposed well diameter is _____ inches, proposed depth of well is _____ feet
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year)

MICROFILMED

SEP 15 1992

8 Description of proposed uses (if irrigation only, go to item 9):

- a Hydropower, show total feet of head and proposed capacity in KW _____
- b. Stockwatering, list number and kind of livestock. _____
- c Municipal, show name of municipality. _____
- d Domestic; show number of households 1 _____
- e. Other, describe fully _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below See instructions for standard symbols

TWP	RANGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
15N	3E	18												D					

Total number of acres to be irrigated _____


10 Describe any other water rights used for the same purposes as described above _____

- 11 a. Who owns the property at the point of diversion? Applicant
- b Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: P/D & P/U w/in CR-5 SUBDivision, Lot 5A-18
Lot 5A-18

65-13385

13 Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth

[Signature]
(Applicant)

8 MAY 1992

Received by 4.M. T. Luke Date 5-12-92 Time 8:30 am Preliminary check by Cyt
Fee \$ 30.00 Receipted by [Signature] # 0024072 Date 5-8-92
Publication prepared by GG Date 5-27-92 Published in Advocate
Publication approved st Date 6-23-92
6/3 & 6/10/92

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

RECEIVED
SEP 15 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 6, 1995

JAMES A. KLAUS
HC 1 BOX 64
WHITE BIRD ID 83554

RE: WATER RIGHT NO. 65-13385

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

NOV 09 1995

NOV 09 1995

LICENSE REVIEW CHECKLIST

PERMIT NO. 65-13385 DATE 10-27-95



NAME Change OK ☒ Or Address Change? ☐

PRIORITY DATE Advance? ☒ Advanced to: Order to reinstate needed? ☐
Incorrect fee for rate recommended? ☐

SOURCE Changes or just clarification of originally intended source? ☒
Notice of Intent to Void necessary? ☐

POINT OF DIV Amendment needed? ☒
NA ☒ Overlaps? 65-07309 - DISALLOWED
65-13098 - application

PLACE OF USE Amendment needed? ☒
☒ Overlaps? ☐

DIV RATE Permit/fee limits: .02 CFS
Meas Q = Theo Q = Recommend: .02
Pipeflow Estimate = .18 CFS
Combined rates exceed capacity ☐

ANNUAL VOLUME Volume Limit: Season: 1-1 to 12-31
☒ Calculations: Internal domestic @ .6
Flow limit: cfs x x 1.9835 =
Combined volumes exceed capacity/allowable ☐

USES Change in Nature of Use or additional uses? ☐
Amendment necessary? ☐

ADDITIONAL INFO Supplemental Groundwater PPU Scenario
Irr/Dom Combination Shared G/W System

NEW REMARKS Multiple p/d(s) in 1/4 1/4? ☐
Other ☐


NEW CONDITIONS Watermaster control - District ☐
Measuring/Locking Devices ☐
Irrigation Overlap ☐
Other ☐
Water Quality Heat/Cool/Fish verified ☐

COMMENTS:

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	
<u>Domestic</u>	<u>.02</u>	<u>.6</u>	Adjustment Memo Needed	<u>NO</u>
<u> </u>	<u> </u>	<u> </u>	LICENSE	☒
<u> </u>	<u> </u>	<u> </u>	1ST AMEND LETTER	<u> </u>
<u> </u>	<u> </u>	<u> </u>	2ND AMEND LETTER	<u> </u>

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

N/A

Aerial Photo Attached (required for irrigation of 10+ acres)

☒

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

NOV 6 9 1985

E. NARRATIVE/REMARKS/COMMENTS

- No grit lots were found.
- Other water rights: 79-07094A, 79-07169
- No other water available.
- Overlaps for P/D are other sources.
- The system consists of a P/D at an unnamed stream w/ a 16" square x 2' collection box, 310' of 2" PVC buried only 1" from collection box to P/U which is a faucet (gravity flow). The USGS Topo. map shows a 67' elevation drop w/ 0.2 cfs calculated for a pipeflow computation, since the pipe was disconnected from the collection box & winterized to prevent freezing (temperatures have already been low in the evenings).
- Use is domestic D/I internal only, & if it were needed for fire protection.

Have conditions of permit approval been met? ☒ yes ☐ no

NOV 09 1995

F. FLOW CALCULATIONS☒ Additional Computation Sheets Attached

Measured Method.

Pipeflow Computation Spreadsheet (see attachment) = .2 cfs
Allow .02 cfs D/I internal use only

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

Allow .6 Afa D/I internal use only

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	.02	.6
Totals:			.02	.6

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ☒ None
___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATION

Field Examiner's Name Ernest Hemminger Date 9/15/95

Reviewer _____ Date _____

SEAL

NOV 09 1995

① Permit: Domestic 1/1 - 12/31 .05 cfs ⁶⁵⁻¹³³⁸⁵

② B/u fee: \$50.00 D/I 0 - 0.20 cfs

③ Max. Allowable:
.02 cfs internal only use D/I

④ Measurement:

Pipeflow Computation Spreadsheet (see attachment)
= .2 cfs
max. capacity

NOV 09 1994

Pipeflow Computation Spreadsheet (DRT 12/31/1992)

Data Entered By: Sandy Hemenway
09/15/95
Project: Flow Computation for Permit No. 65-13385
James A. Klause
Given: See Data Table

Compute head losses with the Williams and Hazen Formula:
 $f = 0.2083 * (100 / \text{roughness})^{1.85} * ((\text{cfs} * 448.8)^{1.852} / \text{ID}^4.8655 * \text{Length} / 100)$

To Find: Compute Rate of Flow



Data Table

Total Head: 67.00 feet (66.6 elevation drop from USGS Topo. map)
Pressure Req'd: 1.00 psi (estimating some pressure w/in a gravity flow system)
Available Head: 64.69 feet
Pipe Roughness: 150.00 Note: pvc = 150, smooth and straight pipe = 140
aluminum - joint length 20' = 125, joint length 30' = 130, joint length 40' = 132, joint length 50' = 134, new riveted steel = 100
old riveted steel = 100, old cast iron = 95, old pipes in poor condition = 60 to 80

Inside Diameter in Inches	Equivalent Length in Feet	Unit Head Loss	Total Head Loss from Pipe Friction
1.75	310.00	64.79	
13.50	0.00	0.00	
11.50	0.00	0.00	
9.50	0.00	0.00	64.79

Rate of Flow: 0.175 CFS = 0.2 cfs
max. capacity

NOV 06 1995



1/4" = 40 FEET
IN CASCADE RESERVOIR


map of 1:25000



QUADRANGLE LOCATION

1	2	3	1 Cold Spring Summit
			2 No. P. Spring, Adams Co.

Permit No. 65-13385
P/D: T15N R3E S18 SE3W
ID: T-9 7.5 USGS Topo. S.H.



Interstate Route U.S. Route State Route

65-13385
8/30/95 S.H.



P/D:

16" square X 2"
collection box
(overflow goes
out top of box
& down unnamed
stream)
2" PVC (310')
gravity flow
to faucet
(disconnected
& sealed off
at time of
exam when
not used -
winterized)



P/u:

Domestic D/I
faucet
for washing
& drinking
water only,
no external
use unless
needed for
fire protection

NOV 02 1995

August 1, 1995

JAMES A KLAUS
HC 1 BOX 64
WHITE BIRD ID 83554

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13385

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

AUG 09 1995

June 30, 1995

JAMES A KLAUS
HC 1 BOX 64
WHITE BIRD ID 83554

PROOF DUE NOTICE

RE: PERMIT NO. 65-13385

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1995. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

44 09325





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 9, 1993

James Klaus
HC 1 Box 64
White Bird, ID 83554

RE: Water Right No. 65-13385

Dear Mr. Klaus:

I am writing this letter in response to our telephone conversation today, as you requested.

The above referenced permit was issued in your name on August 27, 1992. Condition number three (3) of the permit states in part that "Project construction shall commence within one year from the date of the permit issuance...". You stated that you have begun construction and on July 24, 1993 had installed approximately 40 percent of the system.

The development period authorized by the permit ends September 1, 1995. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to that completion date. You will then be required to file either (1) a Proof of Beneficial Use form stating that the project has been completed or (2) file a Request for an Extension of Time in which to complete the project and then file the proof statement.

I will place a copy of this letter in the water right file for reference. If you have any other questions regarding this matter, please call me directly at 327-7943 and I will be happy to assist you.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Skaggs".

PAMELA SKAGGS
Water Resource Agent

RECEIVED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 1, 1992

JAMES A KLAUS
HC 1 BOX 64
WHITE BIRD ID 83554

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-13385

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Sincerely,

BRENDA L. MILLER
Water Resource Agent

BLM:cz

Enclosures

MICROFILMED

SEP 15 1992

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application has
been filed to appropriate the public
waters of the State of Idaho:

65-13385
KLAUS, JAMES A
HC 1 BOX 64
WHITE BIRD, ID 83554

Source: UNNAMED STREAM
Tributary: DUCK CREEK
Diversion Pt: SESW Sec 18 T
15N R 03E in VALLEY County.
Use: DOMESTIC (.020 CFS)
Total Diversion: (.020 CFS)
Date Filed: 5/8/1992
In: VALLEY County
T15N R03E S18 SESW

The permit will be subject to all
prior water rights. Protests must be
filled with the Director, Dept. of
Water Resources, Western Region,
2735 Airport Way, Boise, Idaho
83705 on or before JUNE 22, 1992.

R. KEITH HIGGINSON,
Director
Publish 6/3 & 6/10 - #175

JUN 22 1992
Department of Water Resources
Western Regional Office

Source: UNNAMED STREAM
Tributary: DUCK CREEK
Diversion Pt: SESW Sec 18 T
15N R 03E in VALLEY County.
Use: DOMESTIC (.020 CFS)
Total Diversion: (.020 CFS)
Date Filed: 5/8/1992
In: VALLEY County
T15N R03E S18 SESW

The permit will be subject to all
prior water rights. Protests must be
filled with the Director, Dept. of
Water Resources, Western Region,
2735 Airport Way, Boise, Idaho
83705 on or before JUNE 22, 1992.

R. KEITH HIGGINSON,
Director
Publish 6/3 & 6/10 - #175

NOTICE OF APPLICATION
FOR WATER RIGHT

The Following application has
been filed to appropriate the public
waters of the State of Idaho:

65-13385
KLAUS, JAMES A
HC 1 BOX 64
WHITE BIRD, ID 83554

Source: UNNAMED STREAM
Tributary: DUCK CREEK
Diversion Pt: SESW Sec 18 T
15N R 03E in VALLEY County.
Use: DOMESTIC (.020 CFS)
Total Diversion: (.020 CFS)
Date Filed: 5/8/1992
In: VALLEY County
T15N R03E S18 SESW

The permit will be subject to all
prior water rights. Protests must be
filled with the Director, Dept. of
Water Resources, Western Region,
2735 Airport Way, Boise, Idaho
83705 on or before JUNE 22, 1992.

R. KEITH HIGGINSON,
Director
Publish 6/3 & 6/10 - #175

Affidavit of Publication

STATE OF IDAHO
COUNTY OF VALLEY

I, Mike Stewart, being duly sworn deposes and says, I am the
Publisher of The Advocate, a weekly newspaper published at
Cascade, in Valley County, Idaho; and having a general circulation
therein and of legal status in said county.

The appl for water rights, a copy of
which is attached hereto; was published in said newspaper once
a week for 2 consecutive weeks in the regular and
entire issue of every number thereof during the period and time
of publication, and was published in the newspaper proper and
not in a supplement; and that publication of such notice began:

6-3, 1992,
and ended 6-10, 1992.

Mike Stewart

Michael Stewart

Signed this the 19th day of June, 1992

STATE OF IDAHO
COUNTY OF VALLEY

On this 19th day of June, 1992,

before me the undersigned Notary Public in and for said State, personally
appeared Mike Stewart known to me to be the person(s) whose name(s) are
subscribed to the within instrument and acknowledged to me that they
executed the same.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my
official seal the day and year in this certificate first above written.

Hinda S. Caden
Notary Public for Idaho
Residing at Cascade, Idaho

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

MAY 27, 1992

The Advocate
P.O. Box 1079
Cascade, ID 83611

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JUNE 22, 1992.

Yours truly,

GAIL GARRETT
Secretary

Encl.

RECEIVED
SEP 15 1992

65-13385

KLAUS, JAMES A
HC 1 BOX 64
WHITE BIRD, ID 83554

Source: UNNAMED STREAM

Tributary: DUCK CREEK

Diversion Pt: SESW Sec 18 T 15N R 03E in VALLEY County.

Use: DOMESTIC (.020 CFS)

Total Diversion: (.020 CFS)

Date Filed: 5/ 8/1992

In: VALLEY County
T15N R03E S18 SESW

RECEIVED
MAY 15 1992