


65-13375

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mary E. Amulson
(Applicant)

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application has
been filed to appropriate the public
waters of the State of Idaho:

65-13375
SAMUELSON, MARY
SAMUELSON, DONALD
78 SMITHS FERRY DR
HC71 BOX 21
CASCADE, ID 83611

Source: GROUNDWATER
Diversion Pt: NWSW Sec 11 T
11N R 03W in VALLEY County.
Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 3/30/1992

In: VALLEY County

T11N R03E S11 NWSW

The permit will be subject to all
prior water rights. Protests must be
filled with the Director, Dept. of
Water Resources, Western Region,
2735 Airport Way, Boise, Idaho
83705 on or before MAY 4, 1992.
R. KEITH HIGGINSON, Director
Publish 4/15, 4/22 - #154

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application has
been filed to appropriate the public
waters of the State of Idaho:

65-13375
SAMUELSON, MARY
SAMUELSON, DONALD
78 SMITHS FERRY DR
HC71 BOX 21
CASCADE, ID 83611

Source: GROUNDWATER
Diversion Pt: NWSW Sec 11 T
11N R 03W in VALLEY County.
Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 3/30/1992

In: VALLEY County

T11N R03E S11 NWSW

The permit will be subject to all
prior water rights. Protests must be
filled with the Director, Dept. of
Water Resources, Western Region,
2735 Airport Way, Boise, Idaho
83705 on or before MAY 4, 1992.
R. KEITH HIGGINSON, Director
Publish 4/15, 4/22 - #154

APR 21 1992

Department of Water Resources
Western Regional Office

Affidavit of Publication

STATE OF IDAHO
COUNTY OF VALLEY

I, Mike Stewart, being duly sworn deposes and says, I am the
Publisher of The Advocate, a weekly newspaper published at
Cascade, in Valley County, Idaho; and having a general circulation
therein and of legal status in said county.

The appl for water rights a copy of
which is attached hereto; was published in said newspaper once
a week for 2 consecutive weeks in the regular and
entire issue of every number thereof during the period and time
of publication, and was published in the newspaper proper and
not in a supplement; and that publication of such notice began:

4-15, 1992
and ended 4-22, 1992

Mike Stewart

Michael Stewart

Signed this the 27th day of April, 1992

STATE OF IDAHO
COUNTY OF VALLEY

On this 22nd day of April, 1992

before me the undersigned Notary Public in and for said State, personally
appeared Mike Stewart known to me to be the person(s) whose name(s) are
subscribed to the within instrument and acknowledged to me that they
executed the same.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my
official seal the day and year in this certificate first above written.

Prinda S. Caden

Notary Public for Idaho

Residing at Cascade, Idaho

26
April 5

RECEIVED

* Error - but
everything else
OK. BLM

RECORDED
JUL 30 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13375

Priority: March 30, 1992

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that MARY SAMUELSON
DONALD SAMUELSON

78 SMITHS FERRY DR

HC 71 BOX 21

CASCADE ID 83611

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 30, 1992; and has submitted Proof of Beneficial Use on June 14, 1993. An examination indicates that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 11, Township 11N, Range 03E
VALLEY County

PLACE OF USE: DOMESTIC

TWN RGE SEC

11N 03E 11 NWSW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Place of use located within Lot 68, Blk. 8, Smiths Ferry Subdivision No. 3.
6. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 30th day of MAY, 1994.

Acting for

R. Keith Higginson, Director

OFFICE USE ONLY
Amt of Fee \$ _____
Date _____
Receipt No _____
Receipt by _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

JUN 14 1993

PROOF OF BENEFICIAL USE Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-13375 Telephone No. 382-3231
2. Name(s) of Permit Holder(s): MARY E, Donald E. Samuelson
3. Mailing Address: 78 Smiths Ferry Drive Cascade, Id 83611
4. Source of Water: groundwater

If **GROUNDWATER**, Well Driller's Name: SOS. Well Drilling Date Drilled: 1988
Frank Skinner 65-88-2-0075-000

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Extent of Use (as authorized by the permit)

Domestic 1 (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 0.04 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes _____ No Installed? _____ Yes _____ No

OR

Flow Measurement Port Required? _____ Yes _____ No Installed? _____ Yes _____ No

8. Fee Enclosed \$ NA (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system

permit holder
Name _____ Telephone No. _____

Address _____

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho

June 14, 93 Mary E Samuelson
Date Signature (and title, if on behalf of a company or organization)

[Handwritten signature]

JUL 02 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13375

Proposed Priority: March 30, 1992 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **MARY SAMUELSON**
DONALD SAMUELSON
78 SMITHS FERRY DR
HC 71 BOX 21
CASCADE ID 83611

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: NWSW , Sec. 11, Township 11N, Range 03E
VALLEY County

PLACE OF USE: DOMESTIC
TWN RGE SEC

11N 03E 11 NWSW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 2, 1993.**
2. Subject to all prior water rights.
3. Place of use located within Lot 68, Block 8, Smiths Ferry Subdivision No. 3.
4. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

21st day of July, 1992

[Signature]
for R. Keith Higginson, Director

MICROFILMED

JUL 30 1992

RECEIVED
MAR 30 1992

MAR 10 1992

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident No 65-13375

Department of Water Resources

To appropriate the public waters of the State of Idaho

1 Name of applicant Donald &/or Mary Samuelson Phone 382-3231
Post office address 78 Smiths Ferry Dr., HC 71 Box 21, Cascade, ID 83611

2 Source of water supply Groundwater which is a tributary of —

3 Location of point of diversion is — NW per map 803-30-92
NE 1/4 of SW 1/4, Govt Lot —

Sec 11 Township 11 N Range 03 E B M Valley County; additional
points of diversion if any —

4 Water will be used for the following purposes

Amount .04 for Domestic purposes from 01-01 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)

Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)

Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)

5 Total quantity to be appropriated is (a) .04 and/or (b) —
cubic feet per second acre feet per annum

6 Proposed diverting works

a Description of ditches, flumes, pumps, headgates, etc Well, pump to house.

b Height of storage dam — feet, active reservoir capacity — acre-feet, total
reservoir capacity — acre-feet, period of year when water will be diverted to storage
— to — inclusive

c Existing well diameter is 6" inches, Existing depth of well is 185' feet
Proposed Proposed

d Is ground water with a temperature of greater than 90°F being sought? —

7 Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year)

MAR 30 1992

8 Description of proposed uses (if irrigation only, go to item 9)

- a Hydropower, show total feet of head and proposed capacity in KW _____
- b Stockwatering, list number and kind of livestock _____
- c Municipal, show name of municipality _____
- d Domestic, show number of households 1 Home, yard & trees
- e Other, describe fully _____

9 Description of place of use

- a If water is for irrigation, indicate acreage in each subdivision in the tabulation below
- b If water is used for other purposes, place a symbol of the use (example *D* for Domestic) in the corresponding place of use below See instructions for standard symbols

TWP	RANGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
11N	03E	11									<u>D</u>								—

Total number of acres to be irrigated _____

10 Describe any other water rights used for the same purposes as described above None

11 a Who owns the property at the point of diversion? Applicant

b Who owns the land to be irrigated or place of use? Applicant

c If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____


12 Remarks Drilling Permit # 65-88-2-75

P/W: 6833 Lot 68, Block 8, Smith's Ferry Subdivision #3.

JUL 30 1992

65-13375

13 Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth

Mary E. Jernulson
(Applicant)

Received by MM 03-31-92 8:01 AM Preliminary check by 6
Date 03-30-92 Time 11:05 AM
Fee \$ 30.00 Receipted by 08 # C023643 Date 03-30-92
Publication prepared by GG Date 4-8-92 Published in Advocate
4/15 & 4/22/92
Publication approved st Date 5-4-92

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____

1 Approval of said application is subject to the following limitations and conditions

a SUBJECT TO ALL PRIOR WATER RIGHTS

b Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 _____

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land

d The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit

e Other

MICROFILMED
JUL 30 1992

FOR WATER R 11

The Following application has been filed to appropriate the public waters of the State of Idaho:

65-13375
SAMUELSON, MARY
SAMUELSON, DONALD
78 SMITHS FERRY DR
HC71 BOX 21
CASCADE, ID 83611

Source: GROUNDWATER
Division Pt: NWSW Sec 11 T
11N R 03W in VALLEY County
Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 3/30/1992
In: VALLEY County

T11N R03E S11 NWSW
The permit will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before MAY 4, 1992.
R. KEITH HIGGINSON, Director
Publish 4/15, 4/22 - #154

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application has been filed to appropriate the public waters of the State of Idaho:

65-13375
SAMUELSON, MARY
SAMUELSON, DONALD
78 SMITHS FERRY DR
HC71 BOX 21
CASCADE, ID 83611

Source: GROUNDWATER
Division Pt: NWSW Sec 11 T
11N R 03W in VALLEY County.
Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 3/30/1992
In: VALLEY County

T11N R03E S11 NWSW
The permit will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before MAY 4, 1992.
R. KEITH HIGGINSON, Director
Publish 4/15, 4/22 - #154

APP 21

Department of Water Res.
Western Regional Office

Affidavit of Publication

STATE OF IDAHO
COUNTY OF VALLEY

I, Mike Stewart, being duly sworn deposes and says, I am the Publisher of The Advocate, a weekly newspaper published at Cascade, in Valley County, Idaho; and having a general circulation therein and of legal status in said county.

The _____, a copy of which is attached hereto, was published in said newspaper once a week for _____ consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began: _____, 19____, and ended _____, 19____.

Mike Stewart

Mike Stewart

Signed this the 22nd day of April, 1992

STATE OF IDAHO
COUNTY OF VALLEY

On this 22nd day of April, 1992
before me the undersigned Notary Public in and for said State, personally appeared Mike Stewart known to me to be the person(s) whose name(s) are subscribed to the within instrument and acknowledged to me that they executed the same.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal the day and year in this certificate first above written.

Wanda S. Caden
Notary Public for Idaho
Residing at Cascade, Idaho

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Samuelson (Donald)
Address Box 21 Smith's Ferry
Owner's Permit No. 65-88-8-75-000

7. WATER LEVEL

Static water level 22 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below _____

2. NATURE OF WORK W.R. 6573375

- ☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>3</u>	<u>112'</u>	<u>2 hrs.</u>

3. PROPOSED USE

- ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
7"	0	2	Top Soil		X
7"	2	15	Brown sandy clay		X
7"	15	48	gray decomposed granite		X
6"	48	80	gray hard granite		X
6"	80	160	broken granite	X	
6"	160	200	gray granite		X
6"	200	240	gray granite	X	
6"	240	245	Hard gray granite	X	

4. METHOD DRILLED

- ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>49</u> feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To

Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 48' Material used in seal: ☐ Cement grout

☐ Bentonite ☒ Puddling clay ☐ _____

Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

Weld _____

☐ Cemented between strata

Describe access port _____

OFFICE USE ONLY

W.R. _____
Page _____ Sec _____
JUL 2 1989

RECEIVED
JUL 2 1989

10. Work started 10/17/88 finished 10/19/88

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name Valley
Lot No. _____ Block No. _____
County Valley
NE 1/4 SW 1/4 Sec. 11 T. 11 N. R. 3 E. 10

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name S.C.S. Well Drilling Firm No. 212

Address 4145 N. Blackcat Date 10/19/88

Signed by (Firm Official) Kevin Skinner

and (Operator) Kevin Skinner



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 31, 1994

MARY SAMUELSON
DONALD SAMUELSON
78 SMITHS FERRY DR
HC 71 BOX 21
CASCADE ID 83611

RE: WATER RIGHT NO. 65-13375

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', with a horizontal line extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

A faint, dark, rectangular stamp or mark, possibly a date stamp, located in the bottom right corner of the page.

JUN 30 1994

Cindy Zimmerman

Permit #: 65-13375 Name: Samuelson Date: 5/20/94

	Yes	No	
NAME	☒	☐	Or Address Change?
SOURCE	☒	☐	Changes/Clarification source _____ Prelim. Order to Void - Source change.
P/D	☒	☐	Amendment Needed? _____ -P39, P38 Overlap(s) _____
P/U	☒	☐	Amendment Needed? _____ -P41, P38 Overlap(s) _____ *P/D & P/U Amend? P37, P38 (See list for feds.)
RATE	☒	☐	Measurement Done? _____
	☒	☐	Theoretical Only? <u>allow .04 cfs</u>
	☒	☐	Capacity <u>.04</u> Allowable Amount: <u>.04</u>
VOLUME	☒	☐	Season of Use: <u>1/1-12/31</u> Calculations: <u>dom: 1 x 1.2 = 1.2</u>
			Flow limit: _____ x _____ x 1.9835 = _____ Allowable volume <u>1.2</u> AF
USES	☒	☐	Change(s) in Nature of Use? _____ -P46 Amendment Needed? _____
REMARKS	☒	☐	Multiple p/d's in $\frac{1}{4}$? _____ Other <u>Dom/1</u>
CONDITIONS	☒	☐	Measuring/Locking Devices <u>R04</u> Watermaster Control/Water District _____ ☒ Irrigation Overlap ☒ Water Quality ☒ Other
PRIORITY	☒	☐	Correct fee submitted? Receipt No. <u>N/A</u> ☒ Order to Reinstate Needed? Done? ☒ Advance(d)? Advanced to: _____
App Rcd <u>3/30/92</u> Priority <u>3/30/92</u> Exam done <u>10/7/93</u>			

COMMENTS:

RECOMMENDED	CFS	DIV VOL	LICENSE: P49
<u>Dom/1</u>	<u>.04</u>	<u>1.2</u>	#1 AMEND LTR: P46 or P39/P41/P37 & P38
<u> </u>	<u> </u>	<u> </u>	
<u>TOTAL</u>	<u>.04</u>	<u>1.2</u>	#2 AMEND LTR: P42/P47

Water Right Number - 165-13375

Prefix Translation:

LICENSE

Old (D) Number -

+ - - - - Last Name - - - - + + - First Name - - + + - - - - - Address - - - - - +

*** C - CURRENT OWNER ***
SAMUELSON

MARY

1 - 78 SMITHS FERRY DR
2 - HC 71 BOX 21
3 -

State- ID Zip- 83611

City- CASCADE
Phone - 208-382-3231

SAMUELSON

DONALD

1 - 78 SMITHS FERRY DR
2 - HC 71 BOX 21
3 -

State- ID Zip- 83611

City- CASCADE
Phone - 208-382-3231

+ - - Priority Date - - + + - - - Region - - - + + - - - Stage - - - + + - - - Status - - - +
03/30/1992 14 WESTERN L - LICENSE

+ - - - - Source - - - - + + - - - - - Tributary - - - - - +
GROUNDWATER

Tw	Rng	Sec	Tract	Lot	RFlg	County	Point of Diversion	Diversion Name	Diversion Rate	Diversion No.
11N	03E	11	NW SW			(85) VALLEY				

Code	Description	Period From	Period To	Diversion Rate	Diversion Volume
43 - DOMESTIC		01/01	12/31	0.040	1.20

+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Div. Capacity - +
0.040 1.20 0.040

Tw	Rng	Sec	Tract	Lot	Acres	Code	Description	County
11N	03E	11	NW SW			43 DOMESTIC		(85) VALLEY

+ - - Diversion Means - WELL, PUMP AND PIPELINE

+ - - Non-Irrigation Use -

+ - - Other Rights for Same Use -

+ - - - - - Remarks - - - - - +
Place of use located within Lot 68, Blk. 8, Smiths Ferry
Subdivision No. 3.
Domestic use is for 1 home.

+ - - - - - Old Water Right Numbers - - - - - +
No Old Water Right Numbers found.

WR0743NP
(00-26)

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROOF READING REPORT

05/20/94 10:02:40
Page 2

Water right number - L65-13375

Prefix Translation: LICENSE

+ - - - - Conditions of Approval - - - - - +

No Conditions of Approval found.

+ - - - Decree Plaintiff - - - +

+ - - - Decree Defendant - - - +

+ - Decree Date - +
00/00/0000

+ - - - - Comments - - - - - +

No Comments Found

+ - - Audit Fields - 05/20/94 CZIMMERN

+ - - - - Water Rights Dates and Flags Area - - - - - +

Proof Due Date - 08/02/1993	Field Exam Made - 10/07/1993	Field Exam Fee - N
Approved/Denied - 07/21/1992	Protested Date - 00/00/0000	Swan Falls - B
Proof Made Date - 06/14/1993	Hearing Date - 00/00/0000	Temporary Right - P
Exam to S.O. Date - 03/28/1994	Verified Date - 00/00/0000	DLE/Carey Act -
Order Show Cause - 00/00/0000	Receipt Number -	Water District - 65
Licensed Date - 00/00/0000	Appl Received - 03/30/1992	Transfer/Amended -
Decree Date - 00/00/0000	Name Connector -	POU Ownership Flag - Y
Presumption Flag -		

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

APR 01 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-13375

1. Owner: Mary & Donald Samuelson Phone No. 382-3231

Current Address: 78 Smiths Ferry Dr. Cascade ID 83611

2. Accompanied by: Ø EXAM DATE: 10/7/93

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: > N/A 0/1 well

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	—		NW	SW	11	11N	3E	Valley	See narrative
									No gov't lots.

2. Place(s) of Use:

Indicate Method of Determination as above

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
11N	3E	11									Ø								

JUN 30 1994

E. NARRATIVE/REMARKS/COMMENTS

Confirmed that lease is on site per Assessor's
Office information.

P/L 1.68 BL 8 Smiths Ferry Subd. no. 3
also confirmed per Assessor's office.

Well 6" 245' } per well log
Drilling Permit 65-88-Z-75 }

SRBA claim N/A.

Have conditions of permit approval been met? ☒ yes ☐ no

JUN 30 1994

Let's begin

Date _____

Reviewer

Field Examiner's Name:

Date _____

1/5/94

_____	Change P.D. as reflected above	_____	Add P.D. as reflected above	_____	Change P.U. as reflected above	_____	Add P.U. as reflected above
_____	None	_____	Other	_____		_____	

Totals:

Beneficial Use

1. Recommended Amounts

H. RECOMMENDATIONS

1.2 g 0/1

2. Volume Calculations for Other Uses:

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V_{DR} = \text{Smaller of } V_{LR} \text{ and } V_{DR} =$$

1. Volume Calculations for Irrigation:

G. VOLUME CALCULATIONS

Alban, 20. 4/5

Measured Method:

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

June 18, 1993

MARY SAMUELSON
DONALD SAMUELSON
78 SMITHS FERRY DR
HC 71 BOX 21
CASCADE ID 83611

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13375

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

MISSOURI MED

JUL 02 1993

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Samuelson (Donald)</u> Address <u>Box 21 Smiths Ferry</u> Owner's Permit No. <u>65-88 2-15</u>	7. WATER LEVEL Static water level <u>23</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug Temperature _____ of Quality _____ Describe artesian or temperature zones below																																																										
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailor ☐ Air ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr> <td><u>3</u></td> <td><u>112</u></td> <td><u>2 hrs.</u></td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>3</u>	<u>112</u>	<u>2 hrs.</u>																																																				
Discharge G.P.M.	Pumping Level	Hours Pumped																																																									
<u>3</u>	<u>112</u>	<u>2 hrs.</u>																																																									
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td>4"</td> <td>0</td> <td>2</td> <td>Top Soil</td> <td></td> <td>X</td> </tr> <tr> <td>4"</td> <td>2</td> <td>15</td> <td>Brown sandy clay</td> <td></td> <td>X</td> </tr> <tr> <td>4"</td> <td>15</td> <td>45</td> <td>gray clay with green</td> <td></td> <td>X</td> </tr> <tr> <td>6"</td> <td>45</td> <td>85</td> <td>gray hard granite</td> <td></td> <td>X</td> </tr> <tr> <td>6"</td> <td>85</td> <td>160</td> <td>gray granite</td> <td></td> <td>X</td> </tr> <tr> <td>6"</td> <td>160</td> <td>220</td> <td>gray granite</td> <td></td> <td>X</td> </tr> <tr> <td>6"</td> <td>220</td> <td>240</td> <td>gray granite</td> <td></td> <td>X</td> </tr> <tr> <td>6"</td> <td>240</td> <td>245</td> <td>hard gray granite</td> <td></td> <td>X</td> </tr> </tbody> </table> <u>4 1/2" pvc liner from 22' to 245'</u>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	4"	0	2	Top Soil		X	4"	2	15	Brown sandy clay		X	4"	15	45	gray clay with green		X	6"	45	85	gray hard granite		X	6"	85	160	gray granite		X	6"	160	220	gray granite		X	6"	220	240	gray granite		X	6"	240	245	hard gray granite		X
Bore Diam.	Depth		Material	Water																																																							
	From	To		Yes	No																																																						
4"	0	2	Top Soil		X																																																						
4"	2	15	Brown sandy clay		X																																																						
4"	15	45	gray clay with green		X																																																						
6"	45	85	gray hard granite		X																																																						
6"	85	160	gray granite		X																																																						
6"	160	220	gray granite		X																																																						
6"	220	240	gray granite		X																																																						
6"	240	245	hard gray granite		X																																																						
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. Work started <u>10/17/88</u> Finished <u>10/19/88</u>																																																										
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>.257</u> inches</td> <td><u>6</u> inches</td> <td><u>1</u> foot</td> <td><u>49</u> feet</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>48'</u> Material used in seal: ☐ Cement grout ☐ Bentonite ☒ Fudding clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between struts Describe access port _____	Thickness	Diameter	From	To	<u>.257</u> inches	<u>6</u> inches	<u>1</u> foot	<u>49</u> feet													Number	From	To										11. DRILLERS CERTIFICATION DL I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>SCS Well Drilling</u> Firm No. <u>212</u> Address <u>1145 N. Highland</u> Date <u>10/19/88</u> Signed by (Firm Official) <u>[Signature]</u> and (Operator) <u>[Signature]</u>																										
Thickness	Diameter	From	To																																																								
<u>.257</u> inches	<u>6</u> inches	<u>1</u> foot	<u>49</u> feet																																																								
Number	From	To																																																									
6. LOCATION OF WELL Sketch map location <u>must</u> agree with written location. N <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:25%; text-align: center;">W</td> <td style="width:25%; text-align: center;">X</td> <td style="width:25%; text-align: center;">E</td> </tr> <tr> <td style="width:25%; text-align: center;">S</td> <td style="width:25%; text-align: center;">Valley</td> <td style="width:25%; text-align: center;">N</td> </tr> </table> County <u>Valley</u> Subdivision Name _____ Lot No. _____ Block No. _____ NE & SW & Sec. <u>11</u> T. <u>11</u> R. <u>11</u>	W	X	E	S	Valley	N	12. DEPARTMENT OF WATER RESOURCES RECEIVED JUL 2 1989 Department of Water Resources Western Regional Office																																																				
W	X	E																																																									
S	Valley	N																																																									

USE ADDITIONAL SHEETS IF NECESSARY & FORWARD THE WHITE COPY TO THE DEPARTMENT

JUL 02 1989

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

1. Applicant Donald Samuelson
2. Address Box 21
Smiths Ferry, ID 83668
() Well Owner () Well Operator (☒ Other, specify Driller)
3. Water right permit no. _____; Injection well permit no. _____
4. Proposed well location 1/4 NE 1/4 SW 1/4, or Gov't lot No. _____,
Sec. 11, Twp. 11 N., Rge. 3 E., County Valley,
Lot, block and subdivision Lot 68 Block 8 Smiths Ferry Sub #3
5. Proposed use of well: (Check all that apply)
(☒ Domestic) () Stockwater () Monitoring
() Irrigation () Industrial () Municipal
() Injection () Other, Specify _____
6. Well construction information:
(☒ New well) () Deepen () Replace
Proposed surface diameter 6" Proposed depth 155'
Anticipated bottom hole temperature:
(☒ 85°F or less (Cold water well))
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
7. Anticipated construction start date July 20, 1988
8. Well Driller (if known) SOS Well & Pump Co 212
Address 4145 N. Buckner
Date 6/10/88 Applicant's signature Frank Schmitt
Title well driller contractor

* After other pre-requisite approvals have been obtained.

JUL 02 1993

ACTION OF IDWR

() Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

Dated this 19 day of July, 1988.

Signed

Title

Received by CP Fee \$10.00 Date 7/7/88

Receipt No. 0001763 Construction start date

Construction start extension to 12/31/88

Extension approved by John E. Beal

RECORDED
JUL 02 1993

May 31, 1993

MARY SAMUELSON
DONALD SAMUELSON
78 SMITHS FERRY DR
HC 71 BOX 21
CASCADE ID 83611

PROOF DUE NOTICE

RE: PERMIT NO. 65-13375

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



RECORDED
JUL 02 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 22, 1992

MARY SAMUELSON
DONALD SAMUELSON
78 SMITHS FERRY DR
HC 71 BOX 21
CASCADE ID 83611

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-13375

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as far as possible from surface water channels and casing your well so that groundwater tributary to surface water flows are not diverted will reduce the potential for the watermaster to regulate your water use.

Sincerely,

BRENDA L. MILLER
Technical Records Specialist

BLM:cz

MICROFILMED

JUL 30 1992

STATE OF IDAH
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

APRIL 8, 1992

The Advocate
P.O. Box 1079
Cascade, ID 83611

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MAY 4, 1992.

Yours truly,

GAIL GARRETT
Secretary

Encl.

RECEIVED

JUL 30 1992

65-13375

SAMUELSON, MARY
SAMUELSON, DONALD
78 SMITHS FERRY DR
HC71 BOX 21
CASCADE, ID 83611

Source: GROUNDWATER

Diversion Pt: NWSW Sec 11 T 11N R 03W in VALLEY County.

Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 3/30/1992

In: VALLEY County
T11N R03E S11 NWSW

RECEIVED

JUL 30 1992