

65-13358

10N
4E


SW 1/4
Sec 13

(65-13359)
Pump


Cabin

Spring (65-13358)

MICROFILMED
JUN 12 1992



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
SPRING	—		—		

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: 5 GALLON BUCKET ; 23 SECONDS EXHIBIT 10 = .03 CFS



RECORDED
APR 25 1994



PERMIT 65-13359 INIT 24
T. R. S. Q/Q
P/D 10W 4E 13 NWSE 4W
SCALE _____
PHOTO ID. _____

APR 3 5 1995

LEWIS & CLARK





View of the 120 GALLON STORAGE TANK. WATER is collected in a buried wood box directly AT THE TOP OF PLOT 1 and a $\frac{1}{2}$ " line leads to the storage tank. From the tank a $\frac{1}{2}$ " line leads to the P/U using GRAVITY TO BUILD Pressure.

PHOTO ONE-

>



View of the P/U. water is GRAVITY FED TO A FEW SPROUTS. HOLES & RAINBIRDS TO IRRIGATE THE PROPERTY. & FOR USE IN THE DOMESTIC.

* NOTE: THIS SYSTEM IS A BACKUP TO IRRIGATION COVERED BY 65-13353.

At the extra it was ONLY USED FOR DOMESTIC

APR 25 1995

PHOTO TWO-

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13358

Priority: January 13, 1992 Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 1.2 AF

This is to certify, that STEVE O LOUGHLIN
LESLIE O LOUGHLIN

5679 GATE HOUSE
BOISE ID 83703

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 13, 1992; and has submitted Proof of Beneficial Use on May 28, 1993. An examination indicates that the works have a diversion capacity of 0.030 cfs of water from:

SPRING tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: NWSESW , Sec. 13, Township 10N, Range 04E
BOISE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

10N 04E 13 SESW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
6. Domestic use is for 1 home.

APR 25 1995


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13358

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 15TH
day of APRIL, 1995

Acting for


R. Keith Higginson, Director

APPROVED

State of Idaho
Department of Water Resources

RECEIVED

APR 10 1995

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-13358

Date of Priority: January 13, 1992 Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 1.2 AF

Comes now STEVE O LOUGHLIN
LESLIE O LOUGHLIN

5679 GATE HOUSE
BOISE ID 83703

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the
State of Idaho No. 65-13358, and requests that the permit be changed as follows:

Source: **SPRING** tributary to **SINKS**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	1.2 AF


LOCATION OF POINT(S) OF DIVERSION: NWSESW , Sec. 13, Township 10N, Range 04E
BOISE County

PLACE OF USE: DOMESTIC
TWN RGE SEC
10N 04E 13 SESW

APR 25 1995

Permit holder asserts that no one will be injured by such change and that such change
will be made at permit holder's own risk.

Signed at Boise, this 24 day of March, 1995.


(Signature)

State of Idaho
Department of Water Resources**APPLICATION FOR AMENDMENT**
(For Licensing Purposes)
WATER RIGHT NO. 65-13358**RECEIVED**
APR 10 1995
Department of Water Resources

FOR DEPARTMENT USE ONLYPreliminary check by _____ Fee = 50.00 Received by JW # C032450 Date 4-11-95**ACTION OF THE DEPARTMENT OF WATER RESOURCES**

I, R. Keith Higginson, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 65-13358 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
6. Domestic use is for 1 home.

Witness my hand this 15th day of April, 1995.

Acting for


R. Keith Higginson, Director

RECEIVED

MAY 28 1993

OFFICE USE ONLY
Amt of Fee \$ 50.00
Date 5-28-93
Receipt No. C027667
Receipt by CA

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-13358 Telephone No. 384-0609
2. Name(s) of Permit Holder(s): Leslie & Steve O'Loughlin
3. Mailing Address: 5679 Gate House Boise, ID 83703
4. Source of Water: Spring

If **GROUNDWATER**, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic 1 (No. of households) Stockwater _____ (No. and type of stock)
Irrigation _____ (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 0.02 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes _____ No Installed? _____ Yes _____ No

OR

Flow Measurement Port: Required? _____ Yes _____ No Installed? _____ Yes _____ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system

permit holder
Name Telephone No.

Address _____

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

5/23/93
Date

Leslie O'Loughlin
Signature (and title, if on behalf of a company or organization)

JUL 02 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13358

Proposed Priority: January 13, 1992 Maximum Diversion Rate: 0.02 CFS

This is to certify, that **LESLIE O LOUGHLIN**
STEVE O LOUGHLIN
5679 GATE HOUSE
BOISE ID 83703

has applied for a permit to appropriate water from:

SPRING tributary of **PAYETTE RIVER, MIDDLE FORK**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.02 CFS

LOCATION OF POINT(S) OF DIVERSION: NWSESW , Sec. 13, Township 10N, Range 04E
BOISE County

PLACE OF USE: DOMESTIC
TWN RGE SEC

10N 04E 13 NESW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1993.
2. Subject to all prior water rights.
3. Use of water under this right is subject to control by the watermaster of State Water District No. 65.
4. The issuance of this right in no way grants any right-of-way or easement across the land of another.
5. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

14th day of May, 1992

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

JUN 12 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: STEVE O'LOUGHLIN 208-384-0609
Address: 5679 GATE HOUSE
BOISE ID 83703

OR

Name: LESLIE O'LOUGHLIN 208-384-0609
Address: 5679 GATE HOUSE
BOISE ID 83703

2. Source: SPRING Trib. to: PAYETTE, M. FORK
3. Location of Point of Diversion: NWSESW Sec. 13, Township 10N, Range 04E
BOISE County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	01/01	12/31	0.020		

5. Total quantity to be appropriated is:
0.020 CFS (and/or) AF

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
SPRING BOX W/PIPELINE TO HOUSE
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is inches; proposed depth of well is
feet.
- Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:

~~DOMESTIC~~

JUN 12 1992

9. Place of Use: DOMESTIC

TWN RGE SEC
10N 04E 13 NE SW
~~SESW~~

10. Describe any other water rights used for the same purposes.
NONE

11. a. Who owns the property at the point of diversion?

J. REX O'LOUGHLIN

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.
ORAL AGREEMENT WITH MY FATHER AND STEPMOTHER.

12. Remarks: Domestic use is for 1 home.

13. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.


Applicant


Received by L. Werner Date 1-13-92 Time 1440 Preliminary check by lw

Fee \$ 30.00 Receipted by L. Werner # W14006 Date 1-13-92

Publication prepared by GG Date 29-92 Published in ID World

Publication approved st Date 3-13-92 2/5 & 2/12/92

RECORDED
JUN 12 1992





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 17, 1995

STEVE O LOUGHLIN
LESLIE O LOUGHLIN
5679 GATE HOUSE
BOISE ID 83703

RE: WATER RIGHT NO. 65-13358

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any questions regarding these documents, please contact me.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

APR 25 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 7, 1995

STEVE O LOUGHLIN
LESLIE O LOUGHLIN
5679 GATE HOUSE
BOISE ID 83703

RE: WATER RIGHT NO. 65-13358

Dear Water Right Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to correspond with the findings of the Department's field examiner.

As of this date, I have not received the amendment. If I do not receive it within fourteen (14) days, I will assume you no longer have any interest in the permit and cancellation proceedings will begin. Enclosed for your convenience is another amendment form in the event the first one was misplaced.

If you have any questions, please contact me. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

5:05



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 7, 1995

STEVE O LOUGHLIN
LESLIE O LOUGHLIN
5679 GATE HOUSE
BOISE ID 83703

RE: WATER RIGHT NO. 65-13358

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the place(s) of use description. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

LICENSE REVIEW CHECKLIST



PERMIT NO. 65-13359 DATE 1-27-95

NAME	Yes <u> </u> No <u>✓</u>	Or Address Change?
PRIORITY DATE	Yes <u> </u> No <u>✓</u>	Advance? <u> </u> Advanced to: <u> </u> Order to reinstate needed? <u> </u> Incorrect fee for rate recommended? <u>NO</u>
SOURCE	Yes <u> </u> No <u>✓</u>	Changes or just clarification of originally intended source? <u>SPRING NOW SINKS -</u> Notice of Intent to Void necessary? <u> </u>
POINT OF DIV	Yes <u> </u> No <u>✓</u>	Amendment needed? <u> </u> Overlaps? <u>Different source (same 444) & use</u>
PLACE OF USE	Yes <u>✓</u> No <u> </u>	Amendment needed? <u>Change to SESW of SEC 13</u> Overlaps? <u>Different use (65-13359) & source</u>
DIV RATE	Yes <u> </u> No <u>✓</u>	Permit/fee limits: <u>.02 CFS</u> Meas Q = <u>.03</u> Theo Q = <u> </u> Recommend: <u>.02</u> <u>5 GAL bucket</u> <u>Internal domestic @ .02 (IRR covered)</u> <u>Combined rates exceed capacity</u>
ANNUAL VOLUME	Yes <u> </u> No <u>✓</u>	Volume Limit: <u> </u> Season: <u> </u> Calculations: <u>Internal domestic volume @ .6</u> Flow limit: <u> </u> cfs x <u> </u> x 1.9835 = <u> </u> Combined volumes exceed capacity/allowable <u> </u>
USES	Yes <u> </u> No <u>✓</u>	Change in Nature of Use or additional uses? <u> </u> Amendment necessary? <u> </u>
REMARKS	Yes <u> </u> No <u>✓</u>	Multiple p/d(s) in 1/4 1/4? <u> </u> Other <u> </u>
CONDITIONS	Yes <u> </u> No <u>✓</u>	Measuring/Locking Devices <u> </u> Watermaster control - District <u>65</u> Irrigation Overlap <u> </u> Water Quality <u> </u> Other <u> </u> Heat/Cool/ Fish verified <u> </u>
COMMENTS:	<u>Allow 1.2 volume. Is a back-up for 65-13359.</u> <u>Amend plu</u>	

But is a back-up so allow external volume.

NOT APPLICABLE (R04) FOR SINKS

RECOMMENDED	CFS	VOL	SRBA Claim Filed	Adjustment Memo Needed	
<u>Domestic</u>	<u>.02</u>	<u>1.2</u>	<u>NO</u>	<u>NO</u>	<u>YES</u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>

LICENSE
1ST AMENDMENT LETTER P41+P33+S65
FINAL AMENDMENT LETTER P47 ✓

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 20 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-13358

1. Owner: Leslie AND Steve O Loughlin Phone No. 384-0609

Current Address: 5679 GATE HOUSE POSE ID 83703

2. Accompanied by: Steve O Loughlin EXAM DATE: 7-7-94

Address: SAME Phone No. SAME

Relationship to Permit Holder: SAME

3. Source: spring tributary to -NA-

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 65-12634 65-13357 * see notes

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	SE	SW	13	10N	4E	POSE	QUADS - FIELD EXAM

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
10N	4E	13												D					D

APR 25 1995

E. NARRATIVE/REMARKS/COMMENTS

THIS SYSTEM USES A SPRING FOR DOMESTIC PURPOSES. THE SPRING IS BORED: COLLECTED BY A BARRICED 4' 3/8" WOODEN BOX AND FILTERED BY GRAVEL. FROM THIS BOX THE WATER IS GRAVITY FED TO A 120 GALLON STORAGE TANK. FROM THE STORAGE TANK, A 1/2" LINE FEEDS THE WATER TO THE HOME: BUILDING PRESSURE AS IT FREELY FLOWS DOWN HILL. THE SYSTEM CAN ALSO BE USED ON THE LAWN IF A VALVE IS TURNED.

* WR # 65-12634 IS THE NEIGHBORS. WR AND IS USED ON OTHER P/U'S AND HAS A DIFFERENT P/D. WR # 65-13359 IS THE CURRENT WR# BUT IS FROM A DIFFERENT SOURCE AND IS USED FOR OTHER USES.

Have conditions of permit approval been met? ☒ yes ☐ no

APR 25 1995

F. FLOW CALCULATIONS

Measured Method:

5 gallon BUCKET = 23 seconds

Additional Computation Sheets Attached

Exhibit #9

= .03 cfs

SYSTEM CAPACITY

NEED: (Permit) .02 cfs

Allow: as within system parameters

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ -NA-

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

1 Domestic w/NO LAWN .6 afa

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
DOMESTIC	1-1	12-31	.02 cfs	.6 afa
Totals:			.02 cfs	.6 afa

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Dave Gray Date 7-26-94

Reviewer _____ Date _____

SEAL

APR 25 1995

MEMORANDUM

TO: File 65-13358 / Steve O. Loughlin
FROM: Brenda Chapman
DATE: February 7, 1995
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for the above referenced water right are based on the information below:


I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use	Rate of Div	Annual Vol
Domestic	1-01 to 12-31	.02	1.2

The volume has been increased to include irrigation because this system is used as a backup for the irrigation use on 65-13359 (different source).


APR 25 1995



5661 5 28 14



Dennis
Labrum





View of the 120 GALLON STORAGE
TANK. Water is collected in a
barrel wood box directly at the
top of Pier 1 and a $\frac{1}{2}$ " line
leads to the storage tank. From
the tank a $\frac{1}{2}$ " line leads to
the P.M. using GRAVITY TO BUILD
Pressure.

PHOTO ONE-



View of the P.M.
water is GRAVITY FED
TO A FIVE GPM
HOLE & PUMPED TO
STORAGE THE DISTANCE
FOR USE IN THE
DOMESTIC -

* NOTE: THIS SYSTEM IS
A BACKUP TO THE MAIN
LINED BY 105-10354.
At the time of the
only used for domestic.

PHOTO TWO-

June 3, 1993

LESLIE O'LOUGHLIN
STEVE O'LOUGHLIN
5679 GATE HOUSE
BOISE ID 83703

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13358

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

JUL 02 1993

March 31, 1993

LESLIE O'LOUGHLIN
STEVE O'LOUGHLIN
5679 GATE HOUSE
BOISE ID 83703

PROOF DUE NOTICE

RE: PERMIT NO. 65-13358

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

RECEIVED
JUL 02 1993





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 20, 1992

LESLIE O LOUGHLIN
STEVE O LOUGHLIN
5679 GATE HOUSE
BOISE ID 83703

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-13358

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

BRENDA L. MILLER
Technical Records Specialist

BLM:cz

Enclosures

MICROFILMED

JUN 12 1992

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

JANUARY 29, 1992

The Idaho World
P.O. BOX 220
Idaho City, ID 83631

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 24, 1992.

Yours truly,

GAIL GARRETT
Secretary

Encl.

MICROFILMED

JUN 1 2 1992


The Idaho World

P O Box 220
Idaho City, ID 83631
208 392-4989

P O Box 99
Garden Valley, ID 83622
208 462-3487


State of Idaho >
>
County of Boise >

Wayne Hart, being duly sworn, deposes and says: that he is the manager and principal clerk of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and the State of Idaho; the said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for Two (2) consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy eight weeks past previous to the first publication of this notice. Such notice was published with the issue beginning with Feb 5, 1992 and ending with the issue of Feb 12, 1992.



State of Idaho >
>
County of Ada >

On this 2nd day of March in the year 1992, before me, a notary public, personally appeared WAYNE HART known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.


Notary Public for Idaho

Boise ID
Residing at

My commission expires 9/10/96

JUN 12 1992

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-13358

O LOUGHLIN, STEVE
O LOUGHLIN, LESLIE
5679 GATE HOUSE
BOISE, ID 83703

Source: SPRING

Tributary: PAYETTE RIVER, MIDDLE FORK

Diversion Pt: NWSESW Sec 13 T 10N R 04E in BOISE County

Use: DOMESTIC (.020 CFS)
Total Diversion: (.020 CFS)

Date Filed: 1/13/1992

In: BOISE County
T10N R04E S13

NESW

65-13359

O LOUGHLIN, STEVE
O LOUGHLIN, LESLIE
5679 GATE HOUSE
BOISE, ID 83703

Source: PAYETTE RIVER, MIDDLE FORK

Tributary: PAYETTE RIVER

Diversion Pt: SWNESW Sec 13 T 10N R 04E in BOISE County.

Use: IRRIGATION (.030 CFS)
FIRE PROTECTION (.030 CFS)
Total Diversion: (.030 CFS)

Date Filed: 1/13/1992

In: BOISE County
T10N R04E S13

NESW

1.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before FEBRUARY 24, 1992.

R KEITH HIGGINSON, Director

Published in The Idaho World February 5 and 12, 1992.

65-13358

O LOUGHLIN, STEVE
O LOUGHLIN, LESLIE
5679 GATE HOUSE
BOISE, ID 83703

Source: SPRING

Tributary: PAYETTE RIVER, MIDDLE FORK

Diversion Pt: NWSESW Sec 13 T 10N R 04E in BOISE County.

Use: DOMESTIC (.020 CFS)
Total Diversion: (.020 CFS)

Date Filed: 1/13/1992

In: BOISE County
T10N R04E S13 NESW

JUN 1 2 1992