





MICROFILMED

NOV 20 1991

14N 3E sec 01



Meidinger Lot 32

named
Spring reception
O well (domestic)
approximate course
of spring

PINE LAKES RANCH

Valley County


BY WESTERN DAAGCO

P.O. BOX 737 BOISE, IDAHO 83701

MICROFILMED

NOV 20 1991

E
N
W
S



Cocora Lake

STEM DESCRIPTION
ATTACHMENT TO FIELD EXAM FORM

JAN 18 1994

GRADE RES

W

ONE HUNDRED

N

OSPREY PNT

WELL


E

PMP

S

PUECO BOT

RECEIVED
JAN 18 1994



65-7524

65-2946

65-7312

Pln.
pk. →

PERMIT 65-13836 INIT DT
T. R. S. Q/Q
P/D 14m 3e 1 nwsu
SCALE _____
PHOTO ID. _____

JAN 18 1994



View of the Meidinger domestic. View is looking south. Some external use is visible on the south (other) side of the house.

PHOTO ONE-



View of the well. It is located on the northeast side of the property. There are two spigots outside for external use. The owner uses rainbirds & hoses. Lines also go inside to the pressure-tank system.

PHOTO TWO-

MISSOURI
JAN 18 1994

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13336

Priority: July 24, 1991

Maximum Diversion Rate:

0.01 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that JIM MEIDINGER
MOLLY MEIDINGER

2826 HILLWAY DR
BOISE ID 83702

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 24, 1991; and has submitted Proof of Beneficial Use on November 27, 1991. An examination indicates that the works have a diversion capacity of .010 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.01 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 1, Township 14N, Range 03E
VALLEY County

PLACE OF USE: DOMESTIC

TWN RGE SEC

14N 03E 1 NWSW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Place of use is located within Lot 32, Pine Lakes Ranch.
6. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 29TH day of DECEMBER, 1993.

RECEIVED

Acting for

R. Keith Higginson Director

JAN 18 1994

RECEIVED

NOV 27 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

For Office Use Only

Amt. of Fee \$ _____

Date _____

Receipt No. _____

Received by _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1 Permit No. 65-13336 Telephone No. (208) 343-8477

2 Name(s) of Permit Holder(s): Jim & Molly Meidinger

3 Post Office Address 2826 Hillway Dr. Boise Id 83702

4 Source of Water: Ground water

a If ground water, well driller's name: Robert Gestrich Jones Well Drilling Date drilled: 7-13-79

b Pump horsepower: 3/4 Pressure (psi) 50 Dynamic pumping level (ft.): 240

5 Extent of Use:

Domestic 1 (No. of households) Irrigation NA (No. of acres)

Stockwater NA (No. and type of stock) Other _____

6 Total rate and/or volume for which proof is submitted 2 1/4 G.P.M. cfs _____ acre/feet

7 Refer to the approval conditions on your permit and respond accordingly:

Measuring device Required? Yes X No Installed? Yes No

OR
Flow Measurement Port Required? Yes X No Installed? Yes No

8 Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

9 Person to contact to accompany the Department representative during the field examination:

Molly Meidinger 208-343-8477
Name Telephone No

2826 Hillway Dr. Boise Id 83702
Address

10 The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho

11/22/91
Date

Jim Meidinger
Signature (and title if on behalf of a company or organization)

RECEIVED
DEC 27 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13336

Proposed Priority: July 24, 1991 Maximum Diversion Rate: 0.01 CFS

This is to certify, that JIM MEIDINGER
MOLLY MEIDINGER
2826 HILLWAY DR
BOISE ID 83702

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

DOMESTIC	01/01 to 12/31	0.01 CFS
----------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: NWSW Sec. 1, Township 14N, Range 03E
VALLEY County

PLACE OF USE: DOMESTIC
TWN RGE SEC


14N 03E 1 NWSW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 1992.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Place of use is located within Lot 32, Pine Lakes Ranch.
5. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

21st day of October, 1991.

for 
R. Keith Higginson, Director

RECORDED

NOV 20 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Jim & Molly Meidinger Phone 208-343-8477

Post office address 2826 Hillway Dr., Boise, Id 83702

2. Source of water supply ground water which is a tributary of N/A

3. Location of point of diversion is NW SE 1/4 of SE SW 1/4 of _____ 1/4, Govt. Lot _____

* Sec. 21 Township 14 N Range 3 E B.M. Valley County; additional points of diversion if any: Lot 32 Pine Lake Ranch, Cascade, Id

4. Water will be used for the following purposes:

* Amount 3 gallons per minute for Domestic well purposes from January 1 to December 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 3 gallons per minute and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc well already completed

b. Height of storage dam N/A feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.

c. Proposed well diameter is 6 inches + 4 inches inches; proposed depth of well is 265 feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is well is completed years (minimum 1 year).

* confirmed P/D + P/U with County Assessor + Subdivision map. LW 7/29/91

3 GRM = .00669 = .01 cfs

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower, show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. 1 household
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
* 14N	3E	2									D							D	

Total number of acres to be irrigated _____


10. Describe any other water rights used for the same purposes as described above. none

- Who owns the property at the point of diversion? Jim & Molly Meidinger
- Who owns the land to be irrigated or place of use? Jim & Molly Meidinger
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. N/A


12 Remarks: _____



NOV 20 1991



NOV-20-1969



Meidinger Lot 32


N
+
S
NOV 20 1891
W

RECORDED

PINE LAKES RANCH

Valley County

By WESTERN DAAGCO
P.O. BOX 737 BOISE, IDAHO 83701




natural
*Spring description

○ well (domestic)

approximate course
of spring

Cascade Lake

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



MICROFILMED

NOV 20 1991

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

7/23/91 (Applicant) Jim Medezir

Received by st Date 7-24-91 Time 10:00 A. Preliminary check by lw
Fee \$ 30⁰⁰ Receipted by JCN # W013517 Date 7-24-91
Publication prepared by GG Date 7-31-91 Published in Advocate
8/7 & 8/14/91
Publication approved st Date 9-12-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED

NOV 20 1991

**NOTICE OF APPLICATION FOR
WATER RIGHT**

The Following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

65-13334

LAMBERT, CHARLES E.

LAMBERT, SHERYL L.

P.O. BOX 16

CASCADE, ID 83611

Source: UNNAMED SPRING

Tributary: ROUND VALLEY CREEK

Diversion Pt: NESWNW Sec 30 T 12N

R 04E

Use: IRRIGATION (.100 CFS)

DOMESTIC (.020 CFS)

FIRE PROTECTION (.100 CFS)

Total Diversion: (.220 CFS)

Date Filed: 7/11/1991

In T12N R04E S30 SENW

5.0 ACRES TOTAL

65-13336

MEIDINGER, JIM

MEIDINGER, MOLLY

2826 HILLWAY DR.

BOISE, ID 83702

Source: GROUNDWATER

Diversion Pt: NWSW Sec 1 T 14N R

03E

Use: DOMESTIC (.010 CFS)

Total Diversion (.010 CFS)

Date Filed: 7/24/1991

In T14N R03E S01 NWSW

The permit(s) will be subject to all prior
water rights. Protests must be filed with
the Director, Dept. of Water Resources,
Western Region, 2735 Airport Way,
Boise, Idaho 83705 on or before August
26, 1991.

R. Keith Higginson, Director

Publish 8/7, 8/14/1991

NOV 20 1991

**NOTICE OF APPLICATION FOR
WATER RIGHT**

The Following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

65-13334

LAMBERT, CHARLES E.

LAMBERT, SHERYL L.

P.O. BOX 16

CASCADE, ID 83611

Source: UNNAMED SPRING

Tributary: ROUND VALLEY CREEK

Diversion Pt: NESWNW Sec 30 T 12N

R 04E

Use: IRRIGATION (.100 CFS)

DOMESTIC (.020 CFS)

FIRE PROTECTION (.100 CFS)

Total Diversion: (.220 CFS)

Date Filed: 7/11/1991

In: T12N R04E S30 SENW

5.0 ACRES TOTAL

65-13336

MEIDINGER, JIM

MEIDINGER, MOLLY

2826 HILLWAY DR.

BOISE, ID 83702

Source: GROUNDWATER

Diversion Pt: NWSW Sec 1 T 14N R

03E

Use: DOMESTIC (.010 CFS)

Total Diversion (.010 CFS)

Date Filed: 7/24/1991

In: T14N R03E S01 NWSW

The permit(s) will be subject to all prior
water rights. Protests must be filed with
the Director, Dept. of Water Resources,
Western Region, 2735 Airport Way,
Boise, Idaho 83705 on or before August
26, 1991.

R. Keith Higginson, Director

Publish 8/7, 8/14/1991

RECEIVED

SEP 11 1991

Department of Water Resources

Western Regional Office

Affidavit of Publication

STATE OF IDAHO

COUNTY OF VALLEY

I, Mike Stewart, being duly sworn deposes and says, I am the
Publisher of The Advocate, a weekly newspaper published at
Cascade, in Valley County, Idaho; and having a general circulation
therein and of legal status in said county.

The ~~notice of application~~ ^{notice} a copy of
which is attached hereto, was published in said newspaper once
a week for 2 consecutive weeks in the regular and
entire issue of every number thereof during the period and time
of publication, and was published in the newspaper proper and
not in a supplement; and that publication of such notice began:

8/7, 1991,
and ended 8/14, 1991.

Mike Stewart

Michael Stewart

Signed this the 29th day of Aug, 1991

STATE OF IDAHO

COUNTY OF VALLEY

On this 29th day of Aug, 1991

before me the undersigned Notary Public in and for said State, personally
appeared Mike Stewart known to me to be the person(s) whose name(s) are
subscribed to the within instrument and acknowledged to me that they
executed the same.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my
official seal the day and year in this certificate first above written.

Virgil Hinchey

Notary Public for Idaho

Residing in Cascade, Idaho



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 30, 1993

JIM MEIDINGER
MOLLY MEIDINGER
2826 HILLWAY DR
BOISE ID 83702

RE: WATER RIGHT NO. 65-13336

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over the typed name.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

JAN 18 1994

LICENSE REVIEW CHECKLIST

Permit # 65-13336 Date 12/23/93 Cindy Zimmerman

NAME	Yes	No	
	___	☒	Or Address Change?
PRIORITY DATE	___	☒	Advance? _____ Advanced to: _____
<u>7/24/91</u>	___	___	Order to Reinstate Needed?
	___	___	Incorrect Fee for rate recommended?
SOURCE	___	☒	Changes? _____ Clarification of Originally
<u>GW</u>	___	___	Intended source _____
	___	___	Notice of Intent to Void - Source change.
P/D	___	☒	Amendment Needed? _____
<u>NWSW</u>	___	___	Overlap(s) _____
<u>31 T14W R3E</u>	___	___	
P/U	___	☒	Amendment Needed? _____
"	___	___	Overlap(s) _____
TOTAL CFS	___	☒	Measurement Done? _____
<u>.01</u>	___	___	
	___	___	System Capacity <u>.01</u>
	___	___	Allowable Amount: <u>.01</u>
TOTAL VOLUME	___	___	Season of Use: <u>1/1 - 12/31</u>
<u>1.2</u>	___	☒	Calculations: _____
	___	___	
	___	___	Flow limit: _____ x _____ x 1.9835 = _____
USES	___	☒	Change(s) in Nature of Use? _____
<u>Dom/1</u>	___	___	Amendment Needed? _____
REMARKS	___	☒	Multiple P/Ds in 1/4 1/4? _____
	___	___	Special Overlap _____
	☒	___	Other <u>Dom/1</u>
CONDITIONS	___	☒	Measure/Lock Devices <u>11/27/91</u> Proof Rc'd
	___	☒	W/Master Control <u>65</u> Water Dist
	___	☒	Irrigation Overlap <u>7/24/91</u> App Rec'd
	___	☒	Water Quality <u>8/5/93</u> Exam Made

COMMENTS: _____

RECOMMENDED CFS DIV VOL

Dom/1 .01 1.2

LICENSE ☒
1ST AMEND LETTER _____
2ND AMEND LETTER _____

WR5809NP
No. L65-13336

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 12/27/93
PAGE: 4

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	JIM MEIDINGER	07/24/1991	DOMESTIC	01-01 12-31	0.01 CFS	1.2 AFA
C	MOLLY MEIDINGER					
	2826 HILLWAY DR					
	BOISE ID 83702			TOTAL DIVERSION:	0.01 CFS	1.2 AFA
	(208) 343-8477					

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.01 CFS

Point(s) of Diversion: T14N R03E S01

NWSW

VALLEY County

Place of use Legal Description for: DOMESTIC

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:
14N	03E	1	:																	:
			:																	:

Pou County: VALLEY

Remarks: Place of use is located within Lot 32, Pine Lakes Ranch.
Domestic use is for 1 home.

Dates: App. Received: 07/24/1991 Priority Date: 07/24/1991
Proof Due Date: 10/01/1992 Proof Made Date: 11/27/1991
Exam Made Date: 08/05/1993 Exam Sent to S.O.: 11/18/1993
Licensed Date:

Misc: Water District Number: 65 Field Exam Fee: N (Not Required)

Audit: 12/23/93 ZIMMERMA 12/23/93 ZIMMERMA

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

DEC 03 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-13336

1. Owner: Jim & Mary McIndinier Phone No. 383-2626

Current Address: 2826 Hillman Dr Boise, Idaho 83727

2. Accompanied by: NO ONE EXAM DATE: 8-05-93

Address: NA Phone No. NA

Relationship to Permit Holder: NA

3. Source: GROUNDWATER tributary to NA

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 115-13045 ; Different source - USE

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SW	1	14N	3E	VALEY	Quads - Field Exam

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
14N	3E	1										D							D

MISSOURI
JAN 18 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

Scale: 1" = _____

_____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required)

_____ Aerial Photo Attached (required for irrigation of 10+ acres)

_____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
SUBMERSIBLE	NA	3/4	NA	—	—

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Theoretical = 3/4 HP, 265' dynamic, 50 psi

E. NARRATIVE/REMARKS/COMMENTS

THIS SYSTEM USES A $\frac{3}{4}$ HP motor down in a 6" casing
to supply water to 1 domestic. The well is 265'
has a static water level of 53'. The well,
however, pump is @ 265'. The water is
pumped into the main pressure tank & has
outside spigots. The pressure in system is
around 50 psi.

Have conditions of permit approval been met? ☒ yes ☐ no

APPROVED
JAN 18 1994

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

Theoretical
$$\frac{3/4 \times 8.8 \times .70}{265 + (1.3 \times 50)} = \frac{4.62}{380} = .01 \text{ cfs}$$
 Always A minimum

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ NA

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

Domestic/laundry = 1.2 AFA

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Domestic</u>	<u>1-1</u>	<u>12-31</u>	<u>.01 cfs</u>	<u>1.2 AFA</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>.01 cfs</u>	<u>1.2 AFA</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


I. AUTHENTICATION


Field Examiner's Name Dave [Signature] Date 8-06-93

Reviewer _____ Date _____

SEAL

SYSTEM DESCRIPTION
ATTACHMENT TO FIELD EXAM FORM





65-7524

65-7246

65-7312

PERMIT 65-13836 INIT DT
T. R. S. Q/Q
P/D 14m 30 1 NWSN
SCALE _____
PHOTO ID. _____

Jemima R.
Reservoir

Creek

Crown Point

Fork

West

JAN 18 1994

turn

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: 65-1336

2. OWNER: Jim & Jan Mally Medinger Phone: 383-2626
Address: 2826 Hillway Dr. Boise ID 83702

3. WELL LOCATION: Twp 14n, Rge. 3e., Sec. 1, NW 1/4 SW 1/4
County VALE (Provide sketch map and photo on reverse.)

4. DRILLER: Jones Well Drilling Lic. No. NA
When Drilled? _____

5. WELL CONSTRUCTION:

Casing Diameter 6" inches Water tight cap? ☒ Yes ☐ No Access Port: ☐ Yes ☒ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 265 ft. Method Drilled Rotary
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving Good
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:

Depth to Static Water 53 ft. Water Temperature NA °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) Good

7. WELL USE:

☒ Domestic ☐ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

JAN 18 1994

8. **POSSIBLE CONTAMINATION SOURCES:**

Is there evidence of Chemigation? ☐ Yes ☐ No


If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. **REMARKS:**


Signature of Dept. Representative & Title

8-05-93
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

MICROFILMED

JAN 18 1994



View of the Medinger
domestic View is looking south
Some external use is visible
on the south (other) side of
the house.

PHOTO ONE-



View of the well It is located on the
northeast side of the property there are
two spigots outside for external use. The
owner uses rainbirds. Hoses lines also go
inside to the pressure tank system.

PHOTO TWO-

10. 8 1994

December 5, 1991

JIM MEIDINGER
MOLLY MEIDINGER
2826 HILLWAY DR
BOISE ID 83702

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13336

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

DEC 27 1991

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 22, 1991

JIM MEIDINGER
MOLLY MEIDINGER
2826 HILLWAY DR
BOISE ID 83702

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-13336

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:blm

Enclosures

NOV 20 1991

APPLICATION FOR PERMIT REVIEW

Application #: 65-13336

Reviewer:

Pam Skaggs

Date: 10/11/91

Existing:

- No - 26A-P17
- Complete in 1 year - P16

Yes

- ✓Proof not submitted - P16
- Proof submitted - N/A

Groundwater:

- ✓GT. 0.2 cfs - 01G-P03, 01C-P03(existing well)
- ✓LT. 0.2 cfs - N/A

Drilling Permit:

- ✓Approved w/permit - P99
- ✓Not included - 046-P23(All GW, even existing wells)

Location:

- ✓Water Districts - WD No. 65
- Surface water - 005, 005-01H-P01(LT.2 w/pump)
- 005-01J-P08(GT.2)

Groundwater *Exists*

Irrigation Districts - 023

Canal Co. Areas - 023

Drainage Districts - 024

Boise Front (63) - 058 (Groundwater)

✓Swan Falls Flag - (1, Blank or Other)

Trust - 051-052-053-P74(Consumptive Uses)

Non Trust - 048-049

River Basins:

(Surface Water) Water District Control Condition &....

Boise (63) - 05A & 11E

Payette (65) - 047-P04, 059-P71

Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:

Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042(req.), 002-P06(MD), 07A(Spec.),
044(Policy 5G)

Power - Use Power Review

Mining - 06A or 010, 09E-P10 & 054(req.)

Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)

Rec. & Aesthetic - 027(Non-Consumptive)

Domestic - 021(restricted areas)

Ownership:

Non land owner - 004

Protested:

Agreement - 020

✓Beneficial Use Due Date: - 10/01/1992

Other Conditions Recommended

NOV 20 1991

65-13336

MEIDINGER, JIM
MEIDINGER, MOLLY
2826 HILLWAY DR.
BOISE, ID 83702

Source: GROUNDWATER

Diversion Pt: NWSW Sec 1 T 14N R 03E

Use: DOMESTIC (.010 CFS)
Total Diversion: (.010 CFS)

Date Filed: 7/24/ 1991

In: T14N R03E S01 NWSW

RECORDED

NOV 20 1991