


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

J. E. (Lynn) Clark
(Applicant)

RECEIVED
SEP 04 1991

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
submersible	—	1 1/2	—	—	—

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: THEORETICAL : SPRINKLER HEAD ; 8 5/32" HEADS @ 35 psi
= 4.31 (Exhibit 9) x 8' = 34.48 gal/min / 448.8 = .08 CFS system cap.

MAR 29 1995

Plu
↓ P/d

PERMIT 65-13327 INIT dy
T. R. S. Q/Q
P/D 18N 3E 21 NENE
SCALE -
PHOTO ID. -

65-13327



VIEW OF WELL. LOCATED
IN THE NE SECTION OF THE
PROPERTY.

PHOTO ONE-

>



From the East
OF PROPERTY
Looking West

PHOTO TWO-

MAR 29 1995



View from the
NORTH TO THE SOUTH

PHOTO THREE-



View from the NW
CORNER OF THE
PROPERTY LOOKING SOUTH

PHOTO FOUR-

MAR 29 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13327

Priority: June 18, 1991

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

3.0 AF

This is to certify, that INGRID E CLARK

PO BOX 756

MC CALL ID 83638

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 18, 1991; and has submitted Proof of Beneficial Use on September 13, 1991. An examination indicates that the works have a diversion capacity of 0.080 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.03 CFS	3.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 21, Township 18N, Range 03E
VALLEY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
18N	03E	21	NENE	1		1


Total number of acres irrigated: 1

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 9th
day of MARCH, 1995.

Acting for


R. Keith Higginson, Director

MAR 9 1995

RECEIVED
SEP 13 1991

STATE OF IDAHO

For Office Use Only
Amt. of Fee \$ 50.00
Date 9-16-91
Receipt No CO21762
Received by Jy

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

- 1 Permit No C5-13327 Telephone No 634-5434
- 2 Name(s) of Permit Holder(s): Ingrid E Clark
- 3 Post Office Address: Box 756 McCall, ID 83638
- 4 Source of Water: ground
- a If ground water, well driller's name: Bob Gestrin Date drilled: 8/3/91
- b Pump horsepower: 1 1/2 Pressure (psi): 30-50 Dynamic pumping level (ft): 13
- 5 Extent of Use.

Domestic _____ (No. of households)

Irrigation 2 (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

6 Total rate and/or volume for which proof is submitted .06 cfs _____ acre/feet

7 Refer to the approval conditions on your permit and respond accordingly.

Measuring device: Required? Yes ☒ No Yes ☒ Installed? Yes ☒ No Yes ☒

OR
Flow Measurement Port. Required? Yes ☒ No Yes ☒ Installed? Yes ☒ No Yes ☒

8 Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

9 Person to contact to accompany the Department representative during the field examination:

Lyn Clark
Name

634-5434
Telephone No

Box 756 McCall, ID 83638
Address

10 The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date

Sept. 6, 1991

J. E. Lyn Clark
Signature (and title if on behalf of a company)

NOV 20 1991
(signature)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13327

Proposed Priority: June 18, 1991 Maximum Diversion Rate: 0.06 CFS
This is to certify, that INGRID E. CLARK

P.O. BOX 756
MC CALL, ID 83638

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/15 to 10/15	0.06 CFS

LOCATION OF POINT(S) OF DIVERSION: NENE Sec. 21, Township 18N, Range 03E
VALLEY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
18N	03E	21	NENE	2		2

Total number of acres irrigated: 2


CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 1992.
2. Subject to all prior water rights.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

27th day of August, 1991.

for


R. Keith Higginson, Director

SEP 04 1991

SEP 04 1991

RECEIVED

Form 202
6/85

JUN 18 1991

STATE OF IDAHO

Ident No 65-13327

Department of Water Resources
Western Regional Office

DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Ingrid E. (Lyn) Clark Phone 208-634-5434

Post office address Box 756 McCall, ID 83638

2. Source of water supply ground water which is a tributary of N/A

3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot —

Sec. 21 Township 18 N Range 3 E B.M. Valley County, additional
points of diversion if any: —

4. Water will be used for the following purposes:

Amount .06 for irrigation purposes from April 15 to Oct. 15 (both dates inclusive)
(cfs or acre-feet per annum) May 1 to Oct 31

Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)

Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)

Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .06 and/or (b) —
cubic feet per second acre feet per annum

6. Proposed diverting works

a. Description of ditches, flumes, pumps, headgates, etc —

b. Height of storage dam — feet, active reservoir capacity — acre-feet; total
reservoir capacity — acre-feet; period of year when water will be diverted to storage.
— to — inclusive

c. Proposed well diameter is 6 inches; proposed depth of well is 100 ± feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
one years (minimum 1 year).

SEP 04 1991

No Refund
Needed $\rightarrow$ * Applicant's map allows location of pld to nearest 200' only.
Rate of flow reduced to maximum allowable for # of acres.
Season per allowable limits within ZONE standards. FL 6/21/91

8 Description of proposed uses (if irrigation only, go to item 9):

- a Hydropower, show total feet of head and proposed capacity in KW _____
- b Stockwatering, list number and kind of livestock _____
- c Municipal, show name of municipality. _____
- d Domestic, show number of households. _____
- e Other, describe fully _____

9. Description of place of use.

- a If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b If water is used for other purposes, place a symbol of the use (example. D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
18N	3E	21	2																2

Total number of acres to be irrigated 2


10 Describe any other water rights used for the same purposes as described above domestic; ID # 65-08412; stockwater; ID # 65-08825

11. a. Who owns the property at the point of diversion? applicant
- b. Who owns the land to be irrigated or place of use? applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

12 Remarks: well driller - Bob Gestra #408 Permit # 65-91-W-073

APR 04 1991

13. Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

L. E. (Lynn) Clark
(Applicant)

RECEIVED
SEP 04 1991

Received by SL Date 6/18/91 Time 10:15 AM Preliminary check by SR
Fee \$ 30⁰⁰ Receipted by SL # 4003407 Date 6-18-91
Publication prepared by GG Date 6-26-91 Published in Star News
Publication approved st Date 7-23-91 7/3 & 7/10/91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____

1 Approval of said application is subject to the following limitations and conditions

a SUBJECT TO ALL PRIOR WATER RIGHTS.

b Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other

RECEIVED
SEP 04 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 14, 1995

INGRID E. CLARK
P.O. BOX 756
MC CALL ID 83638

RE: WATER RIGHT NO. 65-13327

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

MAR 20 1995

LICENSE REVIEW CHECKLIST



PERMIT NO. 65-13327 DATE 3/7/95

NAME	Change ☐ OK ☒	Or Address Change? _____
PRIORITY DATE	☐ ☒	Advance? _____ Advanced to: _____ Order to reinstate needed? _____ Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☐ ☒	Changes or just clarification of originally intended source? _____ Notice of Intent to Void necessary? _____
POINT OF DIV	☐ ☒	Amendment needed? _____ Overlaps? _____
PLACE OF USE	☐ ☒	Amendment needed? _____ Overlaps? <u>DOMESTIC + STOCK RIGHTS ONLY</u>
DIV RATE	☒	Permit/fee limits: <u>.06 CFS</u> SPRINKLER Meas Q = <u>.08</u> Theo Q = <u>.06</u> Recommend: <u>.03</u> <u>1 acre x .03 = .03</u> Combined rates exceed capacity _____
ANNUAL VOLUME	☒	Volume Limit: _____ Season: <u>8/3.0 (4-15 to 10-15)</u> Calculations: <u>1 acre @ 3 AFA</u> Flow limit: _____ cfs x _____ x 1.9835 = _____ Combined volumes exceed capacity/allowable _____
USES	☐ ☒	Change in Nature of Use or additional uses? _____ Amendment necessary? _____
REMARKS	☐ ☒	Multiple p/d(s) in ¼ ¼? _____ Other _____
CONDITIONS	☐ ☒	Watermaster control - District _____ ☒ Measuring/Locking Devices <u>R49</u> ☐ Irrigation Overlap ☒ Other _____ ☒ Water Quality _____ Heat/Cool/Fish verified _____

COMMENTS: Reduce to one acre - the domestic right (65-08412) covers .5 acre.

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	<u>NO</u>
<u>Irrigation</u>	<u>.03</u>	<u>3.0</u>	Adjustment Memo Needed	<u>YES</u>
_____	_____	_____	LICENSE	<u>✓</u>
_____	_____	_____	AMENDMENT LETTER	_____
_____	_____	_____	SECOND AMENDMENT LETTER	_____



MEMORANDUM

TO: File 65-13327 / Ingrid E. Clark
FROM: Brenda Chapman
DATE: March 7, 1995
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for the above referenced water right are based on the information below:

F. FLOW CALCULATIONS

The permit was originally for 2 acres and .06 cfs. The pumping capacity of the well can support that rate per acre; therefore, the 1 acre will be recommended at .03 cfs.

G. VOLUME CALCULATIONS

Volume recommendation changed to 3.0 afa per acre to coincide with the current standard for that location.

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	4-15 to 10-15	.03	3.0

See items F & G.

1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 20 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-13327

1. Owner: INGRID E. CLARK Phone No. 634-5434

Current Address: P.O. Box 756

2. Accompanied by: INGRID E. CLARK EXAM DATE: 6-23-94

Address: SAME Phone No. SAME

Relationship to Permit Holder: SAME

3 Source: GROUNDWATER tributary to -NA-

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 65-08412, 65-08825, 65-09867 * SEE REMARKS
2. Other water rights with the same point of diversion: 65-08412, 65-08825, 65-09867

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NE	21	18N	03E	Valley	Guards - Census Ident.

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
18N	03E	21	1.0																1.0

9/1995

[illegible]

*SEE REMARKS

ACREAGE = 1.6 ACRES
- 2200 SF PATH
- 2000 LUGS - 5 SHEED
1275 BARN
1.6 ACRES = 1.5 ACRES = 1.0 ACRE
- 5 COVERED (65-064-17)

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
<i>Submersible</i>	—	1½	—	—	

1.

Measurement Equipment	Type	Make	Model No	Serial No.	Size	Calib. Date

2. Measurements: THEORETICAL: SPRINKLER HEAD; 8 ³/₃₂" HEADS @ 35 psi
= 4.31 (Exhibit 9) x 8 = 34.48 gal/min / 448.8 = .08 cfs system cap.

29 1995

E. NARRATIVE/REMARKS/COMMENTS

THIS SYSTEM USES A $1\frac{1}{2}$ " IP TO PUSH WATER UP THROUGH A 6" CASING. THE WELL IS 85' DEEP (FROM APPL.) AND HAS A STATIC WATER LEVEL OF 48'. THE DYNAMIC IS AT 85', INDICATING THAT THE WELL DRAWS DRY. THE SYSTEM CAN RUN 6-8 RAINBIRDS OFF THE 4 VALVE SYSTEM. UNDERGROUND LINES CONNECT THE VALVES.

* ALL OTHER WRS ARE FROM A DIFF SOURCE. HOWEVER, ONE OF THE 3 WELLS ON THE PROPERTY IS FOR DOMESTIC AND COVERS .5 ACRE FOR IRRIGATION. (65-08412) THEREFORE, .5 ACRE OF IRRIGABLE LANDS, SHALL BE FULLY COVERED. ALLOW 1.0 ACRE OF IRRIGATION FROM THIS PERMIT. THE THIRD WELL IS USED FOR STOCKWATER PURPOSES ONLY. (65-08875)

Have conditions of permit approval been met? ☒ yes ☐ no

MAY 29 1995

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

Sprinkler Head; 8 5/32 HEADS @ 35psi = Exhibit 9
 $8 \times 4.31 = 34.48 \text{ gal/min}$ 1. 448.8 = .08 cfs system capacity

THEORETICAL - $\frac{8.8 \times 1.5 \times .70}{(2.31 \times 35) + 85} = \frac{9.24}{165.9} = .06 \text{ cfs}$

NEED: 1.0 ACRE X .02 ^{consumptive use} _{REGU.} = .02 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.0 \times 2 = 2.0 \text{ AFA}$
 $V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .06 \times 184 \times 1.9835 = 21.9$
 $V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 2.0 \text{ AFA}$

2. Volume Calculations for Other Uses:

NA -

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/15	10/15	.02 cfs	2.0 AFA
Totals:			.02 cfs	2.0 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name

Dave Gray

Date

10-27-94

Reviewer

Date

SEAL

10-29-1995

Plu
↓ pld

PERMIT 65-13327 INIT WJ
T. R. S. Q/Q
P/D 18N 3E 21 NENE
SCALE -
PHOTO ID. -

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 65-91-W-073 OTHER APPLICABLE NO: 65-13327

2. OWNER: Imelio E. Clark Phone: 634-5434
Address: Box 756

3. WELL LOCATION: Twp 18N, Rge. 3E, Sec. NE, NE 1/4 1/4
County VALE (Provide sketch map and photo on reverse.)

4. DRILLER: GESTIN Lic. No. _____
When Drilled? 8-3-91

5. WELL CONSTRUCTION:

Casing Diameter 6" inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 84 ft. Method Drilled Rotary - Air
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☒ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving Good
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:

Depth to Static Water 48 ft. Water Temperature 47 °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

MAY 29 1995

8. **POSSIBLE CONTAMINATION SOURCES:**

Is there evidence of Chemigation? ☐ Yes ☒ No


If yes, is there a check-valve present? ☐ Yes ☒ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. **REMARKS:** _____


Signature of Dept. Representative & Title

6-24-94
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:


MAR 29 1995



VIEW OF WELL. LOCATED
IN THE NE SECTION OF THE
PROPERTY.

PHOTO ONE-

>



FROM THE EAST
OF PROPERTY
LOOKING WEST

PHOTO TWO-



View from the
NORTH TO THE SOUTH

PHOTO THREE-



View from the NW
CORNER OF THE
PROPERTY LOOKING SOUTH

PHOTO FOUR-

November 15, 1991

INGRID E. CLARK
P.O. BOX 756
MC CALL ID 83638

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13327

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Nina Shields
Secretary/Records Manager

c: IDWR - Region

RECEIVED

NOV 20 1991

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name INGRID E. (LYN) CLARK
Address Box 756 MECCALL, Id.
Drilling Permit No. 65-91-W-073
Water Right Permit No. 65-13327

2. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

- ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

- ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>.250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>86</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☒ Yes ☐ NoHow perforated? ☐ Factory ☐ Knife ☒ Torch ☐ GunSize of perforation 1/8 inches by 4 inches

Number	From	To
<u>60</u> perforations	<u>81</u> feet	<u>85</u> feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 18 Material used in seal: ☐ Cement grout☒ Bentonite☐ Puddling clay☐ _____Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☒ Overbore to seal depthMethod of joining casing ☐ Threaded ☒ Welded ☐ Solvent
Weld☐ Cemented between strataDescribe access port SANITARY Well Seal

7. WATER LEVEL

Static water level 48 feet below land surface.Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ PlugTemperature 47 OF Quality good

Describe artesian or temperature zones below

8. WELL TEST DATA

☐ Pump ☐ Bailor ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>60</u>	<u>85</u>	<u>1</u>
_____	_____	_____
_____	_____	_____

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
9	0	2	TOP SOIL		X
9	2	4	BROWN CLAY		X
9	4	7	BROWN CLAY + BOULDERS		X
9	7	18	CEMENTED SAND, GRAVEL + BOULDERS		X
6	18	20	CEMENTED SAND, GRAVEL + BOULDERS		X
6	20	26	FINE BROWN SAND w/CLAY STREAKS		X
6	26	38	SAND, GRAVEL + BOULDERS		X
6	38	45	SAND, GRAVEL + BOULDERS w/CLAY mixed		X
6	45	87	SAND, GRAVEL + BOULDERS	X	

RECEIVED
SEP 09 1991


Department of Water Resources

RECEIVED
SEP 9 1991Department of Water Resources
Western Regional Office

10.

Work started 8-2-91 finished 8-3-91

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name _____

Lot No. _____ Block No. _____

County VALLEYNE 1/4 NE 1/4 Sec 21, T. 18, S. 3, R. 3, W. 1

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name GESTIN Well Drilling Firm No. 408Address Hc 38 Box 10 Donnelly, Id. Date 8-3-91Signed by (Firm Official) Robert L. Gestin

and

(Operator) Robert L. Gestin

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) Ingrid E (Lyn) Clark

2. Mailing Address Box 756

City & State McCall, ID Zip Code 83638 Telephone 208-634-5434

☒ Well Owner ☐ Well Operator ☐ Other, specify _____

3. Proposed well location NE 1/4 NE 1/4, or Gov't Lot No. —

Sec. 21, Twp. 18 N, Rge. 3 E, County Valley

Street Address of Well Site 441 Krahn Lane

Lot, block and subdivision —

4. Proposed use of well:

- ☐ Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

☒ Non-Domestic: Any beneficial use not included within the definition of domestic.

☐ Injection

☐ Monitoring - A well bore schematic and map is required for each well.

No. of proposed wells: _____

☒ Other Irrigation of 2 acres
(Describe)

5. Well construction information:

A. ☒ New well ☐ Deepen ☐ Enlarge ☐ Replace - See Condition 9

B. Proposed Surface Diameter 6" Proposed Maximum Depth 100 ft ±

C. Anticipated bottom hole temperature.

- ☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212° or more (Geothermal well)

6. Construction Start Date July, 1991

Anticipated Well Driller Bob Gestrin #408 148

NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature I.E. Lyn Clark Date June 17, 1991

Title owner

(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is

Approved

Date

7-23-91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum distance of 50 feet and 100 feet respectively from a septic tank.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
- ☒ 7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Signature of Authorized Department Representative

Title

Robert B. Whitney Sr. Agent For Regional Mgr.

Receipt No. 0013408

Received by JAN

Fee \$200.00

Date 6-18-91

SEP 04 1991

EXTENSION OF DRILLING PERMIT

Extension approved by

Approval Date

This extension is good for 60 days beyond the above extension approval date.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 29, 1991

INGRID E. CLARK
P.O. BOX 756
MC CALL ID 83638

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-13327

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:blm

Enclosures

SEP 04 1991

Publisher's Affidavit of Publication

STATE OF IDAHO }
 }.SS

County of Valley }

I, Bobette S. Steffler, being duly sworn and say, I am the receptionist of The Central Idaho Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the NOTICE OF APPLICATION FOR WATER RIGHT-INGRID CLARK, a copy of which is enclosed hereto and is a part hereof, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began July 4, 1991 and ended July 11, 1991.

[Signature]
Subscribed and sworn before me this the 17th day of July, 1991.

STATE OF IDAHO

COUNTY OF VALLEY }

On this 17th day of July, in the year of 1991, before me, a Notary Public, personally appeared Bobette S. Steffler, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

[Signature]

Tom Grote
Notary Public for Idaho
Residing at McCall, Idaho
Commission Expires: 1993

RECEIVED
JUL 23 1991

Department of Water Resources
Western Regional Office

RECEIVED
JUL 23 1991

Department of Water Resources

NOTICE OF APPLICATION FOR WATER RIGHTS INGRID E. CLARK

The Following application (s) have been filed to appropriate the public waters of the State of Idaho:

65-13327

CLARK, INGRID E. (LYN), P.O.
BOX 756, McCALL, ID 83638.

Source: GROUNDWATER

DIVERSION Pt: NENE Sec 21 T 18N
R 03E

Use: IRRIGATION (.060 CFS)

Total Diversion: (.060 CFS)

Date Filed: 6/18/1991

In: T18N R03E S21 NENE, 2.0 ACRES

TOTAL

The permit (s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before JULY 22, 1991.

R. KEITH HIGGINSON, Director
2/7/11

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

JUNE 26, 1991

The Star News
P.O. Box 985
McCall, ID 83638

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 22, 1991.

Yours truly,

GAIL GARRETT
Secretary

Encl.

SEP 04 1991

CLARK, INGRID E. (LYN)
P.O. BOX 756
MC CALL, ID 83638

Source: GROUNDWATER

Diversion Pt: NENE Sec 21 T 18N R 03E

```

Use: IRRIGATION          ( .060 CFS)
      Total Diversion: ( .060 CFS)

```

Date Filed: 6/18/ 1991

In: T18N R03E S21 NENE

2.0 ACRES TOTAL

22 34 1591