


7N 3W

Water trib. to
Puyette River
via Farmers
coop canal?
SL 1/24/91




The diagram is drawn on a grid of 10x10 squares. A rectangle is defined by solid lines, with a dashed line inside it. The rectangle has a width of 4 units and a height of 3 units. The labels and dimensions are as follows:

- Top-left corner: T 7N R 3W
- Top-right corner: 30
- Bottom-left corner: 30
- Bottom-right corner: 30
- Inside the rectangle, near the bottom-left corner: HH 30
- Inside the rectangle, near the bottom-right corner: HH 30
- Inside the rectangle, near the top-right corner: HH 30
- Inside the rectangle, near the bottom-right corner: HH 30

(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

Attached Showing location(s) of (s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

50 HP or 10 HP?
Theoretical
uses 10.



Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
GE	50	5K215JN19A	CORNHILL	6"
GE	20	39K6128062	SUPER E	6"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: THEORETICAL & SPRINKLER HEAD.

INFO: (3 1/4 mile lines) 3 x 33 HEADS 5/32" 70 psi


JAN 31 1998


DEC 15 2004

RECEIVED

PERMIT 65-13302 INIT OH
T. R. S. Q/Q
P/D 7N 3W 30 NWSE
SCALE -
PHOTO ID. -

RECORDED
JAN 31 1996





T7N R4W Sections 30, 31
 Walt Little Ranches
 New Plymouth Rd 82655
 R3W not 4

JAN 31 1996



VIEW OF Pld. WATER
IS PUMPED FROM POND
INTO THE SYSTEM WITH
THE USE OF TWO PUMPS.

PHOTO ONE-



VIEW OF ONE OF THE
TWO WASTE WATER INLETS.

PHOTO TWO-

RECEIVED
JAN 31 1996



VIEW TO THE WEST FROM
THE P/d. THE WATER IS
PUMPED INTO 1 OF THE
2 MAINLINES.

PHOTO THREE-

>



VIEW TO THE
WEST. NOTE
THE HAND LINE,
A BEGINNING OF
ONE OF THE
THREE $\frac{1}{4}$ mile
LINES.

PHOTO FOUR-

JAN 31 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13302

Priority: January 18, 1991 Maximum Diversion Rate: 1.00 CFS
Maximum Diversion Volume: 430.7 AF

This is to certify, that W ROBERT LITTLE
EVELYN LITTLE

6420 LITTLE LN

NEW PLYMOUTH ID 83655

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated January 18, 1991; and
has submitted Proof of Beneficial Use on February 8, 1993. An examination indicates
that the works have a diversion capacity of 1.350 cfs of water from:

WASTE WATER

tributary to PAYETTE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.00 CFS	430.7 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSE , Sec. 30, Township 07N, Range 03W
PAYETTE County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07N 03W 30	NESW 25.9	SESW 16.2	NWSE 32.7	95.7
	SWSE 20.9			

Total number of acres irrigated: 95.7

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
6. A measuring device of a type approved by this Department shall be maintained as a part of the diverting works.

JAN 31 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13302

CONDITIONS OF APPROVAL AND REMARKS

7. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.
8. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 25TH day of JANUARY, 1976.


Acting for KARL J. DREHER, Director

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-13302

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = 50.00 Received by JW # CO34634 Date 1-23-96

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 65-13302 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
6. A measuring device of a type approved by this Department shall be maintained as a part of the diverting works.
7. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.
8. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

Witness my hand this 25TH day of JANUARY, 1996.


Acting for KARL J. DREHER, Director

RECEIVED

FEB 22 1993

Department of Water Resources

OFFICE USE ONLY

Amt of Fee \$ 100.00
Date 2-7-93
Receipt No. CC 26711
Receipt by [Signature]

FEB 8 1993

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-13302 Telephone No. 278-5504; 278-5495
2. Name(s) of Permit Holder(s): Evelyn J. Little, W. Robert Little (Walt Little Ranches)
3. Mailing Address: 6420 Little Lane - New Plymouth, ID 83655
4. Source of Water Catching our run-off before it leaves our property; Also, dumping water directly from Black Canyon ditch into our pond to use to sprinkle ground that was previously irrigated.

If GROUNDWATER, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: 15 and/or 20 Pressure (psi): 60 Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 50 (No. of acres) Other _____6. Total rate and/or volume for which proof is submitted 1 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device. Required? 1 Yes _____ No _____ Installed? _____ Yes _____ No _____

OR

Flow Measurement Port. Required? _____ Yes _____ No _____ Installed? _____ Yes _____ No _____

8. Fee Enclosed: \$ 100.00 (See License Fee Schedule on back of Instruction Sheet)

CHK #15719

9. Person to contact to accompany the Department representative during field examination of the water system.

Name Robert Little Telephone No. 278-5495Address 6405 Little Lane, New Plymouth, ID 83655

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

2/04/93
DateW. Robert Little (General Partner)
Signature (and title, if on behalf of a company or organization) of Walt Little Ranches. APR 28 1993

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13302

Proposed Priority: January 18, 1991 Maximum Diversion Rate: 1.00 CFS

This is to certify, that **W. ROBERT LITTLE**

EVELYN LITTLE

6405 LITTLE LN.

NEW PLYMOUTH, ID 83655

has applied for a permit to appropriate water from:

WASTE WATER

tributary of **PAYETTE RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	1.00 CFS
------------	----------------	----------

<u>LOCATION OF POINT(S) OF DIVERSION:</u>	NWSE Sec. 30, Township 07N, Range 03W PAYETTE County
---	--

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07N	03W	30	NESW 30	NESE 30	NWSE 40	100

Total number of acres irrigated: 100

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **April 1, 1993**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Use of water under this permit is subject to control by the watermaster of State Water District No. 65.
5. A measuring device and lockable controlling works of a type acceptable to the Department shall be permanently installed and maintained as part of the diverting works prior to diversion of water under this permit.
6. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

MAILED

APR 15 1991

State of Idaho
Department of Water Resources

PAGE 2

Permit To Appropriate Water

NO. 65-13302

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

2nd day of April, 1991.

for J. Glen Saxton
R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

- 1 Name of applicant Robert & Evelyn Little Phone 278-5495
Post office address 6405 Little Ln., New Plymouth, ID 83655
2. Source of water supply Waste Water which is a tributary of Payette River
3. Location of point of diversion is _____ 1/4 of NW 1/4 of SE 1/4, Govt Lot _____
Sec 30 Township 7N Range 3W B M Payette County; additional
points of diversion if any _____
4. Water will be used for the following purposes.
Amount 1.0 for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- 5 Total quantity to be appropriated is (a) 1.0 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc Existing pump, pipeline,
sprinklers
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet, total
reservoir capacity _____ acre-feet, period of year when water will be diverted to storage:
_____ to _____ inclusive
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
- d. Is ground water with a temperature of greater than 90°F being sought? _____
- 7 Time required for the completion of the works and application of the water to proposed beneficial use is
2 years (minimum 1 year).

APR 15 1991

8 Description of proposed uses (if irrigation only, go to item 9):

- Hydropower, show total feet of head and proposed capacity in KW. _____
- Stockwatering, list number and kind of livestock. _____
- Municipal; show name of municipality _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use.

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below
- If water is used for other purposes, place a symbol of the use (example *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.


TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
7N	3W	30									30				30	40			100

Total number of acres to be irrigated 100


- Describe any other water rights used for the same purposes as described above. Black Canyon I.D. water
- Who owns the property at the point of diversion? Applicant
 - Who owns the land to be irrigated or place of use? Applicant
 - If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

12. Remarks: Water drains from applicant's and district lands into pond created by Farmers Coop Canal. Applicant will make diversion of water flowing into pond. Sprinkler lines are moved within 100 acres.

Water trib. to
Payette River
via Farmers
corp canal?
gr 1/24/41



13 Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

W. Robert S. Hille
(Applicant)

Received by Ys. Date 11/22/91 Time 1:35 pm Preliminary check by GH
Fee \$ 45- Receipted by DL # CD19453 Date 1/18/91
Publication prepared by GG Date 1-30-91 Published in Independent Enterprise
Publication approved AT Date 3-7-91
2/7 & 2/14/91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No _____, and said application is hereby _____

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

January 25, 1996

W ROBERT LITTLE
EVELYN LITTLE
6420 LITTLE LN
NEW PLYMOUTH ID 83655

RE: WATER RIGHT NO. 65-13302

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any questions regarding these documents, please contact me.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

JAN 31 1996

RECEIVED
JAN 23 1996

Department of Water Resources

WALT LITTLE RANCHES
6420 Little Lane
New Plymouth, Idaho 83655
January 22, 1996

Shelley W. Keen
Water Rights Supervisor
Water Allocation Bureau
1301 N. Orchard St.
Boise, ID 83706

Dear Ms. Keen,

My son, Robert Little, talked to you on the telephone this morning and advised you that we are a partnership (Evelyn J. Little 75% and W. Robert Little 25%) doing business as WALT LITTLE RANCHES. You advised him that the water rights went with the land and the name didn't matter. However, as a business we use the address, 6420 Little Lane, New Plymouth, Idaho 83655, as our mailing address. Would you please send the mail to this address.

Thank you.

Enclosed is our check in the amount of \$50.00 for the filing fee along with the signed Application for Amendment, WATER RIGHT NO. 65-13302.

Sincerely,

Evelyn J. Little

Evelyn J. Little

Enc.

65-13302



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

January 22, 1996

ROBERT LITTLE
6405 LITTLE LN
NEW PLYMOUTH ID 83655

RE: Permit 65-13302

Dear Mr. Little:

As we discussed this morning, I have enclosed an assignment of permit form for you. Please note that there is a \$25.00 filing fee for an assignment of permit.

I have also enclosed an application for permit form for you. As you mentioned, the diversion capacity of your system appears to exceed the diversion rate that can be covered under right 65-13302. Please return the completed application with the appropriate fee to our Western Region office.

Also, please remember that an amendment of permit 65-13302 must be completed before a license can be issued with the place of use as you actually developed it. If you agree with the information presented on the amendment form I sent you last week, you may complete it and return it to me with the assignment form. Please remember the \$50.00 filing fee associated with the amendment.

If you have any questions, please contact me at 208-327-7946 in Boise.

Sincerely,

Shelley Walter Keen
Water Rights Supervisor

SWK
Enclosures



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

January 18, 1996

W ROBERT LITTLE
EVELYN LITTLE
6405 LITTLE LN
NEW PLYMOUTH ID 83655

RE: WATER RIGHT NO. 65-13302

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the place(s) of use description. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

LICENSE REVIEW CHECKLIST



PERMIT NO. 65-13302 DATE 1-12-94

NAME Change OK ☒ Or Address Change? ☐

PRIORITY DATE Advance? ☒ Advanced to: Order to reinstate needed? Incorrect fee for rate recommended? No

SOURCE Changes or just clarification of originally intended source? Notice of Intent to Void necessary?

POINT OF DIV Amendment needed? Overlaps?

PLACE OF USE Amendment needed? Add SESW and SWSE 1/4 1/4's Overlaps?

DIV RATE Permit/fee limits: 1 CFS
SPRINKLER Meas Q = 1.35 Theo Q = Recommend: 1.0
99 x 6.10 gpm = 603.9 gpm 5/32 head @ 70 PSI ACCORDING TO EXHIBIT 4 W BU
OR 1.35 CFS Guelbbook produces 6.10 gpm NOT 6.61
Combined rates exceed capacity

ANNUAL VOLUME Volume Limit: Season: D/4.5 (3-15 to 11-15)
Calculations: 95.7 acres x 4.5 = 430.7
Flow limit: cfs x x 1.9835 =
Combined volumes exceed capacity/allowable

USES Change in Nature of Use or additional uses? Amendment necessary?

ADDITIONAL INFO Supplemental Groundwater PPU Scenario
Irr/Dom Combination Shared G/W System

NEW REMARKS Multiple p/d(s) in 1/4 1/4? Other

NEW CONDITIONS R04 Watermaster control - District 65
R01 + R02 Measuring/Locking Devices
R32 Irrigation Overlap
Other
Water Quality Heat/Cool/Fish verified

COMMENTS: 7/10/94 P/U

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	NO
<u>Irrigation</u>	<u>1.0</u>	<u>430.7</u>	<u>Adjustment Memo Needed</u>	<u>YES</u>
			<u>LICENSE</u>	
			<u>1ST AMEND LETTER</u>	<u>P41 + P38</u>
			<u>2ND AMEND LETTER</u>	<u>P42</u>

RECEIVED
DEC 12 1994
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 15-13302

1. Owner: W. ROBERT LITTLE & EVELYN LITTLE

Phone No. **278-5504**

Current Address: 6405 Little Ln. New Plymouth ID 83655

2. Accompanied by: W. ROBERT LITTLE

EXAM DATE: 6-31-94

Address: SAME

Phone No. *SAME*

Relationship to Permit Holder: SAME

3. Source. WASTE WATER

tributary to Payette River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: *NONE*

2. Other water rights with the same point of diversion: *NONE*

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:


[illegible]

2. Place(s) of Use:

Indicate Method of Determination

[illegible]

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

ached Showing location(s) of (s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

50 HP or 10 HP?

Theoretical uses 10.



Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
GE	50	5K215JN19A	CORNEIL	6"
GE	20	39K6128062	SUPER E	6"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: THEORETICAL & SPRINKLER HEAD.

INFO; (3 1/4 mile lines) 3 x 33 HEADS 5/32" 70 psi

0117938

SEC 30

E. NARRATIVE/REMARKS/COMMENTS

THIS SYSTEM HAS 2 PUMPS. IT PUMPS FROM A WASTE WATER POND TO HAND LINES. THE OWNER HAS ATTACHED 2 MOTORS IN A CONNECTED SYSTEM. THE 10 HP & THE 20 HP RUN SIMULTANEOUSLY. THERE ARE TWO MAIN LINES THAT PUMP WATER TO THE VARIOUS P/U'S. THE PUMPS DRAW THE WATER FROM A 5' LIFT TO THE SYSTEM. THE PRESSURE WAS MEASURED FROM A GAUGE AT THE SPRINKLER HEAD TO BE 70 PSI. THE OWNER RUNS 3 1/4 MILE LINES THAT HAVE 33 5/32" HEADS. THIS SYSTEM CATCHES HIS OWN WASTE WATER FROM BLACK CANYON IRR DIST. THE MAIN LINES ARE 4" AS WELL AS THE UNDERGROUND LINE THAT CONNECTS THE TWO.

* THEORETICAL DATA IS INACCURATE BECAUSE OF SYSTEM DESIGN. ALL FLOW DATA SHOULD BE ADDRESSED TOWARD THE PRIMARY MEASUREMENT TAKEN FROM THE SPRINKLER HEAD AT THE TIME OF THE EXAMINATION.

* P/U CHANGES SHOULD BE MADE. ALLEGE IN NESE 1/4 1/4 OF SEC. 30 WAS INCORRECTLY INCORPORATED. ALLEGE IN SWSE 1/4 1/4 AND SESW 1/4 1/4 OF SEC 30 SHOULD BE ADDED TO THE P/U.

Have conditions of permit approval been met? ☒ yes ☐ no

JAN 21 1986

F. FLOW CALCULATIONS

Measured Method:

____ Additional Comp

4.5 AF,
this area
↓

THEORETICALS; 20 HP - $\frac{20 \times 8.8 \times 70}{(2.3 \times 70) + 5' \text{ HPT}} = \frac{123.2}{6.61} = 18.6 \text{ CFS}$

10 HP - $\frac{10 \times 8.8 \times 70}{(2.3 \times 70) + 5' \text{ HPT}} = \frac{61.6}{6.61} = 9.3 \text{ CFS}$

SPRINKLER HEAD

3 1/4 MILE LINES (33 HEADS EACH)

@ 70 PSI 5/32" HEADS

(EXHIBIT 9)

$99 \times 6.61 \text{ gpm} / 448.8 = 1.5 \text{ CFS system capacity}$

NEED: $95.7 \times 0.02 = 1.91 \text{ CFS}$

PERMIT: $1.00 \text{ CFS (WITHIN SYSTEM CAPACITY)}$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 95.7 \times 3.5 = 335 \text{ AFA}$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.0 \text{ CFS} \times 246 \times 1.9835 = 488 \text{ AFA}$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 335 \text{ AFA}$

2. Volume Calculations for Other Uses:

-NA-

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3/15	11/15	1.0 CFS	335 AFA
Totals:			1.0 CFS	335 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name

Dave Gray

Date

7-11-94

Reviewer

Date

SEAL

* See adjustment memo. RC

JAN 31 1995

MEMORANDUM

TO: File 65-13302 / W. Robert Little
FROM: Brenda Chapman
DATE: January 12, 1996
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for Right 65-13302 are based on the information below:

F. FLOW CALCULATIONS

The recommended system capacity has been reduced. According to Exhibit 9 in the Field Examiner's Handbook, the sprinklers this system uses at 70 psi produces 6.10 gpm.

$$99 \text{ sprinklers} \times 6.10 \text{ gpm} = 603.9 \text{ gpm} / 1.35 \text{ cfs}$$


H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	3-15 to 11-15	1.0	430.7

The volume has been changed to the current recommended estimate of the consumptive irrigation requirement for crops in that area. [4.5 afa per acre]

PERMIT 65-13902 INIT 04
 T. R. S. Q/Q
 P/D 7N 3W 30 NWSE
 SCALE ---
 PHOTO ID. ---



2 pumps


5K215JN19A GE Pump Cornell Mon

10HP → 33 HEADS / 5/32 @

20HP

↓

39K6128062. Super F



VIEW OF PH. WATER
IS PUMPED FROM POND
INTO THE SYSTEM WITH
THE USE OF TWO PUMPS.

PHOTO ONE-



VIEW OF ONE OF THE
TWO WASTE WATER INLETS


PHOTO TWO-



VIEW TO THE WEST FROM
THE PIER. THE WATER IS
PUMPED INTO 1 OF THE
7 LINES

PHOTO THREE-

>



VIEW TO THE
WEST. NOTE
THE HAND LINE,
A BEGINNING OF
ONE OF THE
THREE 1/4 mile
LINES.

PHOTO FOUR-

February 26, 1993

W. ROBERT LITTLE
EVELYN LITTLE
6405 LITTLE LN.
NEW PLYMOUTH ID 83655

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13302

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a measuring device to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the measuring device must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

APR 28 1993

WALTER E. LITTLE RANCHES
6420 LITTLE LANE
NEW PLYMOUTH, ID 83655
February 19, 1993

RECEIVED

FEB 22 1993

Dep. Dir. of Water Res.

Karen L. Gustafson
Secretary/Records Manager
State of Idaho
Department of Water Resources
1301 North Orchard
Boise, ID 83720-9000

RE: Permit No. 65-13302

Dear Karen:

In response to our conversation this morning, I am sending the Proof of Beneficial Use application only. Thank you for clearing up some questions I had pertaining to this.

Here is a brief history on the use of the waste water on the Walt Little ranch:

1960: Walter E. Little first caught the waste water, and used a tractor with a PTO pump to sprinkle land that had been previously irrigated.

1977: The PTO pump was eliminated when we installed an electric pump. The system was portable enough to use on any field that we were behind on irrigating.

The system remained portable until the Spring of 1991. It has been redone, so that the base is permanent. After additional work, we will be able to sprinkle only a specific 50 acre piece that previously was flood irrigated and sprinkled. This ground is part of our Black Canyon allotment of 322 acres.

We catch the waste water and dump some of the Black Canyon water to operate the pumps. The use of this water has not changed over the last 33 years.

RECORDED

APR 28 1993

When we updated the other water permits that are used by Walter E. Little Ranches, Don Staff suggested that we file a permit on this waste water for our protection.

We are aware that state law says that any individual has the right to use the water until it leaves his property.

I look forward to continue working with the State of Idaho Water Resource Board on this matter.

Sincerely,

Rob Little

Rob Little
General Partner

RECEIVED

8 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 10, 1993

W Robert and Evelyn J Little
6405 Little Lane
New Plymouth, ID 83655

Re: Permit No. 65-13302

Dear Permit Holder:

Returned are the Proof of Beneficial Use and Request for Extension of Time submitted in connection with the above referenced permit. Unfortunately, the Department cannot accept BOTH forms at the same time.

You can only submit one of the forms using the following criteria. If you are beneficially using the water, you should submit the proof of beneficial use form and fee. If you are not beneficially using the water and need more time to complete the project, you should submit the request for extension of time and applicable fee.

However, you indicate that you hope to have the project complete by May 1, 1993. Therefore, I would suggest that you file the proof of beneficial use at this time. The Department will most likely not conduct the field examination this year, but more likely will complete the examination in the spring or summer of 1994. Therefore, your project will be completed before the field examination is done.

You have also asked for a variance on your lockable measuring device. Since your permit falls within the boundaries of State Water District No. 65, your permit is subject to control of the watermaster of that district. In order to allow the watermaster control of the diverting works, a lockable measuring device must be installed prior to the field examination. Therefore, the Department is denying your request for a variance on this condition.

APR 28 1993

APR 28 1993

In order to be in compliance with all of the required dates, please return either the extension request or proof of beneficial use on or before April 1, 1993. You will need to decide which form you think is the appropriate form to file. I will then refund the other filing fee accordingly.

In the mean time, if you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,



Karen L. Gustafson
Secretary/Records Manager

Enclosures

APR 1 1993

APR 1 1993

WALT LITTLE RANCHES
6420 LITTLE LANE
NEW PLYMOUTH, ID 83655
February 4, 1993

RECEIVED

FEB 8 1993

Department of Water Resources

Karen L. Gustafson
Secretary/Records Manager
State of Idaho
Department of Water Resources
1301 North Orchard Street
Boise, ID 83720-9000

Dear Karen:

Enclosed are the completed Proof of Beneficial Use and the Request for Extension of Time concerning Permit No. 65-13302. You will also find a check for the \$100 License fee, and \$15 for the Time Extension fee.

After talking to Don Staff about this permit, he suggested that we ask for a variance on the measuring device; specifically, a lockable type.

This is strictly a Sprinkler system. When the pumps are installed this Spring, we are going to put a 1 1/2" hole in the proper place so that the water can be measured.

The system has been used for many, many years. Originally, we used a PTO pump off a tractor. Now it has been upgraded so that we can use 2 electric pumps. We are catching our waste water. We also dump some of the allocated irrigation water so we can sprinkle the ground that was previously irrigated.

The Request of Extension of Time is being filed, because I do not think that we can have the new pump installed by April 1.

We are applying for the Water Right so there will never be any question about our using water to which we're entitled.

Sincerely,

Rob Little
Rob Little,

General Partner

3 enc

APR 28 1993

January 31, 1993

W. ROBERT LITTLE
EVELYN LITTLE
6405 LITTLE LN.
NEW PLYMOUTH ID 83655

PROOF DUE NOTICE

RE: PERMIT NO. 65-13302

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



APR 28 1993

MEMORANDUM

To: File 65-13302
From: L. Glen Saxton *LS*
RE: RESPONSE TO DEPT JUNE 8, 1992 SHUT OFF LETTER
Date: June 10, 1992

Rob Little (phone 278-5495) called today in response to the department's June 8, 1992 shut off letter and advised that the permit essentially is for the reuse of water provided by Black Canyon Irrigation District water upon the same land the "live" water provided by Black Canyon is provided upon. He stated the filing was made only to make a record of the use.

While the water is still under the control of Mr. Little, it is not appropriate for this user to terminate the use of this wastewater to supply prior water rights.

APR 28 1993

June 8, 1992

W. ROBERT LITTLE
EVELYN LITTLE
6405 LITTLE LN.
NEW PLYMOUTH ID 83655

RE: Water Right No. 65-13302

Dear Water Right Holder(s):

On May 19, 1992, the department sent you a letter advising that you might be required to temporarily cease diverting water from the Snake River or its tributaries if the established minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second measured near Weiser is not satisfied or likely will not be satisfied.

The flow of the Snake River at Weiser is now less than 4,750 cfs. You are, therefore, directed to immediately cease diverting water under the above referenced water right and to not resume use until authorized by the department.

Past flow records show that the duration of seasonal low flow periods typically last several days to a week. Since your use of water is extremely important to you and since mail notification includes a delay associated with mail delivery time, feel free to call the toll-free telephone number 1-800-451-4129 to determine when you are again authorized to divert and use water under your water right. Please use this phone number only in connection with resumption of use.

You need to be aware that Section 42-351, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

APR 28 1993

June 12, 1992

W. ROBERT LITTLE
EVELYN LITTLE
6405 LITTLE LN.
NEW PLYMOUTH ID 83655

RE: Water Right No. 65-13302

Dear Water Right Holder(s):

On June 8, 1992, the department sent you a letter which directed you to immediately cease diverting water under the above referenced water right, since the minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second (cfs) measured near Weiser was not being satisfied.

The flow of the Snake River at Weiser is now above 4,750 cfs. You are, therefore, authorized to again divert water under your water right. If the minimum stream flow is not met later this year, however, the department will again notify you to temporarily cease diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

APR 28 1993

May 19, 1992

W. ROBERT LITTLE
EVELYN LITTLE
6405 LITTLE LN.
NEW PLYMOUTH ID 83655

RE: Water Right No. 65-13302

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement

RECEIVED
MAY 28 1992

APR 28 1993

purposes. This type of coordination could minimize the impact on existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

APR 28 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 8, 1991

W. ROBERT LITTLE
EVELYN LITTLE
6405 LITTLE LN.
NEW PLYMOUTH, ID 83655

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-13302

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device and lockable controlling works that will enable the watermaster to control the rate of diversion.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

APR 15 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

February 5, 1991

R. KEITH HIGGINSON

DIRECTOR

Farmers Cooperative Ditch Co.
Rural Route 9
Caldwell, ID 83605

Re: Application for Application No. 65-13302 in the Name of Robert &/or
Evelyn Little

Dear Sir:

Enclosed is a copy(s) of the above-referenced application(s) for permit which is within your district. Please review the application(s) and submit any comments you may have.

This office normally completes the processing of an application within a six week period and is required to take final action shortly thereafter, however, if you desire to file a formal protest against the approval of this application(s), your written protest must be received in this office by February 25, 1991.

If you have any questions regarding the application, please contact this office.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:st

Enclosure(s):

RECEIVED

APR 15 1991

Affidavit of Publication

STATE OF IDAHO,
COUNTY OF PAYETTE

SS.

Copy of Notice
(First Copy)

Appl. for Water Right
TITLE OF PUBLICATION

SPONSOR OF PLAINTIFF

Dept. of Water Resources
PLAINTIFF OR LEGAL AGENT

I, Dorothy Mason, being

duly sworn, deposes and says:

That he is the principal clerk of

THE INDEPENDENT-ENTERPRISE, a weekly newspaper published at Payette, in the County of Payette and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Payette; that the advertisement, a copy of which is attached hereto, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of said paper during the period and time of publication, and was published in the newspaper proper and not a supplement; that said paper has been established and regularly published for more than seventy-eight consecutive weeks prior to the date of first publication of said advertisement.

Such notice was published in the issue beginning with Feb. 6, 19 91, and ending with the issue of Feb. 13, 19 91.

STATE OF IDAHO
COUNTY OF

On this 14th day of Feb., in the year of 1991, before me, a Notary Public, personally appeared Dorothy Mason known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Mary J. Rhinehart
Notary Public for Idaho

Residing at Fruitland

My commission expires 11-28-92

NOTICE OF APPLICATION FOR WATER RIGHT
The following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-13302

LITTLE, W. ROBERT
LITTLE, EVELYN
6405 LITTLE LN.
NEW PLYMOUTH, ID 83655
Source: WASTE WATER
Tributary: PAYETTE RIVER
Diversion Pt: NWSE Sec. 30 T 07N R 03W
Use: IRRIGATION (1.000 CFS)
Total Diversion: (1.000 CFS)

Date Filed: 1/18/1991
In: T07N R03W S30 NESW NESE NWSE
100.0 ACRES TOTAL
65-13303

GISSEL, JAMES ELDRÖ
GISSEL, MELYNDA A.
P.O. BOX 523
FRUITLAND, ID 83619
Source: GROUNDWATER
Diversion Pt: NENESE Sec 25 T 09N R 03W
Use: IRRIGATION (1.000 CFS)
Total Diversion: (1.000 CFS)
Date Filed: 1/22/1991
In: T09N R03W S25 NESE NWSE SWSE SESE
50.0 ACRES TOTAL
65-13304

CITY OF FRUITLAND
P.O. BOX 324
FRUITLAND, ID 83619
Source: PAYETTE RIVER
Tributary: SNAKE RIVER
Diversion Pt: LOT 9 (SESW) Sec 10 T 08N R 05W
Use: MUNICIPAL (7.000 CFS)
Total Diversion: (7.000 CFS)
Date Filed: 1/17/1991
Place of Use within city limits of Fruitland.
The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before FEBRUARY 25, 1991.

R. KEITH HIGGINSON, Director

No. 349

Feb. 6, 13

STATEMENT

Independent-Enterprise

PAYETTE, IDAHO

Number of Lines 44

Number of Insertions Two

44 Lines @ 90 ... \$34.60

44 Lines @ 72 ... \$31.68

TOTAL COST
WILL BE \$71.28

Nº 349

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

JANUARY 30, 1991

Independent Enterprise
P.O. Box 520
Payette, ID 83661

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 25, 1991.

Yours truly,

GAIL GARRETT
Secretary

Encl.

APR 15 1991

Tributary: PAYETTE RIVER

```
Use: IRRIGATION          ( 1.000 CFS)
      Total Diversion: ( 1.000 CFS)
```

In: T07N R03W S30 NESW NESE NWSE

April 15