




13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

DEC 18 1990
MICROFILMED

RGE. 1W

23

TWP. 10N

See attached topo
8/26/90

MICROFILMED
DEC 18 1990

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Michael Lee
(Applicant)
Cascade Area Manager

RECEIVED
DEC 20 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Bureau of Land Management Permit No. 65-13257
Current Address: 3948 Development Ave. Boise, Idaho 83705 Phone No. 384-3354
2. Accompanied by: Ed Sheen EXAM. DATE: 6-3-91
Address: same Phone No. 384-3354
Relationship to Permit Holder: Range Con.
3. Source: Unnamed Stream tributary to Big Willow Creek

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = that to scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

MICROFILMED
MAY 21 1992

PERMIT 65-13257 INIT MS
T. R. S. Q/Q
P/D 10N 1W 23 23 NE SE
SCALE _____
PHOTO ID. _____

P/D + P/Y



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13257

Priority: June 22, 1990

Maximum Diversion Rate: 0.09 CFS
Maximum Diversion Volume: 10.4 AF

This is to certify, that US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE ID 83706

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated June 22, 1990; and
has submitted Proof of Beneficial Use on January 17, 1991. An examination indicates
that the works have a diversion capacity of .090 cfs of water from:

UNNAMED STREAM tributary to BIG WILLOW CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	05/01 to 09/30	0.09 CFS	2.4 AF
STOCKWATER STORAGE	01/01 to 12/31		8.0 AF
WILDLIFE	01/01 to 12/31	0.09 CFS	2.4 AF
WILDLIFE STORAGE	01/01 to 12/31		8.0 AF
	Totals	0.09 CFS	10.4 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 23, Township 10N, Range 01W
WASHINGTON County

PLACE OF USE: STOCKWATER
TWN RGE SEC

10N 01W 23 NESE

PLACE OF USE: WILDLIFE, same as STOCKWATER use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.

MICROFILMED

MAY 21 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13257

CONDITIONS/REMARKS:

4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
6. This right, when considered with all other rights common to the same grazing allotment, shall be limited to the quantity of water beneficially used by the number of stock within the allotment.
7. The storage of water is contingent upon continued certification by the Department of Water Resources under the dam safety provisions of the Idaho Code, authorizing storage.
8. Stockwater use is for 400 range cattle.
9. Place of use is also known as Hunter Reservoir #8566.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 21st day of April, 1992.

Acting for  R. Keith Higginson, Director

MAY 21 1992

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13257

Proposed Priority: June 22, 1990 Maximum Diversion Rate: 0.09 CFS

This is to certify, that U.S. DEPT. OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706

has applied for a permit to appropriate water from:

UNNAMED STREAM tributary of BIG WILLOW CREEK

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.09 CFS	
STOCKWATER STORAGE	01/01 to 12/31		8.0 AF
WILDLIFE	01/01 to 12/31	0.09 CFS	
WILDLIFE STORAGE	01/01 to 12/31		8.0 AF
	Totals	0.09 CFS	

LOCATION OF POINT(S) OF DIVERSION: SWNESE Sec. 23, Township 10N, Range 01W
WASHINGTON County

PLACE OF USE: STOCKWATER

TWN RGE SEC

10N 01W 23 NESE

PLACE OF USE: STOCKWATER STORAGE, same as STOCKWATER use

PLACE OF USE: WILDLIFE, same as STOCKWATER use

PLACE OF USE: WILDLIFE STORAGE, same as STOCKWATER use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 1991.
2. Subject to all prior water rights.
3. Use of water under this permit is subject to control by the watermaster of State Water District No. 65.
4. The storage of water under this permit is contingent upon the certification of the dam and authorization of storage per the dam safety provisions of the Idaho Code.
5. Stockwater use is for 200-400 cattle.

MICROFILMED

DEC 18 1990


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13257

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

6th day of December, 1990.

for 
R. Keith Higginson, Director

MICROFILMED

DEC 1 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

- 1 Name of applicant BUREAU OF LAND MANAGEMENT Phone 334-9200
Post office address 3948 DEVELOPMENT AVE. BOISE, IDAHO 83705
- 2 Source of water supply UNNAMED ~~damaged~~ stream which is a tributary of BIG WILLOW CREEK
- 3 Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 23 Township 10N Range 1W B.M. WASHINGTON County; additional
points of diversion if any _____

4. Water will be used for the following purposes:

- Stock water storage* → Amount 8.0 for STOCKWATER purposes from 1/1 to 12/31 (both dates inclusive)
~~(acre-feet per annum)~~ STOCKWATER
- Wildlife storage* → Amount 8.0 for WILDLIFE purposes from 1/1 to 12/31 (both dates inclusive)
~~(acre-feet per annum)~~ WILDLIFE
- Amount 0.09 for STOCKWATER purposes from 1/1 to 12/31 (both dates inclusive)
~~(cfs or acre-feet per annum)~~
- Amount 0.09 for WILDLIFE purposes from 1/1 to 12/31 (both dates inclusive)
~~(cfs or acre-feet per annum)~~
5. Total quantity to be appropriated is (a) 0.09 cubic feet per second and/or (b) 8.0 acre feet per annum

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc EARTH FILL DAM TO RETAIN
SNOWMELT RUN OFF, ON-STREAM STORAGE. *

- b Height of storage dam 18 feet, active reservoir capacity 8.0 acre-feet; total
reservoir capacity 8.0 acre-feet; period of year when water will be diverted to storage.
1/1 to 12/31 inclusive.

- c. Proposed well diameter is _____ inches, proposed depth of well is _____ feet,

- d Is ground water with a temperature of greater than 90°F being sought? _____

- 7 Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year)

* Uses described as stock storage & wildlife storage but water from storage will be diverted from storage. Maximum cfs for 400 hz includes up to 400 cfs. Confirmed app into per telecon with Ed Green, BLM. 82 5/26/92

MICROFILMED

DEC 18 1990

8 Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower, show total feet of head and proposed capacity in KW. NA
- b. Stockwatering, list number and kind of livestock 200 - 400 CATTLE
- c. Municipal, show name of municipality NA
- d. Domestic, show number of households NA
- e. Other, describe fully. LIVESTOCK AND WILDLIFE - UNKNOWN NUMBERS OF MULE DEER & ELK.

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example. D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
10N	1W	23													S				
															W				

Total number of acres to be irrigated _____

10 Describe any other water rights used for the same purposes as described above _____

11. a. Who owns the property at the point of diversion? U.S. GOVERNMENT


b. Who owns the land to be irrigated or place of use? U.S. GOVERNMENT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12 Remarks. HUNTER RESERVOIR PROJECT # B566

RECEIVED
FEB 14 1966

66-141






13. Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number.

Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth


(Applicant)
Chesapeake Area Manager

Received by GP Date 6-22-90 Time 10:14 Preliminary check by SL
Fee \$ 30⁰⁰ Receipted by st # 4012489 Date 6-22-90
Publication prepared by GG Date 6-27-90 Published in Weiser Signal
Publication approved st Date 8-6-90 ^{7/5 & 7/12/90}

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1 Approval of said application is subject to the following limitations and conditions

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land

d The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit

e Other:

MICROFILMED

DEC 18 1990

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Washington } ss.

Sarah Boles

....., being duly sworn,
deposes and says:

That he is the clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with

July 5, 1990, and ending

with the issue of July 12, 1990

Sarah Boles

Fees, \$ 55.22

No. 73 NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate
the public waters of the State of Idaho:

65-13257 ✓ *st*

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706

Source: UNNAMED STREAM
Tributary: BIG WALLOW CREEK
Diversion Pt: SWNESE Sec 23 T 10N R 01W
Use: STOCKWATER (.090 CFS)

*Not final - should
be with flow*

WILDLIFE (.090 CFS)
STOCKWATER STORAGE (8.00 AF)
WILDLIFE STORAGE (8.00 AF)

Total Diversion: (.090 CFS) (8.00 AF)
Date Filed: 6/22/1990

In: T10N R01W S23 NESE

The permit(s) will be subject to all prior water rights. Protests
must be filed with the Director, Dept. of Water Resources,
Western Region, 2735 Airport Way, Boise, Idaho 83705 on or
before JULY 23, 1990.

R. KEITH HIGGINSON, Director
Published 7/5/1990 & 7/12/1990

38-2S

MICROFILMED

DEC 18 1990

RECEIVED

AUG 02 1990

Department of Water Resources
Western Regional Office

Subscribed and sworn to before me this 12

day of July, 1990

[Signature]
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-1, 1993

US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE ID 83706

Dear Water Right Holder(s):

Sincerely,

SC:clh

Enclosure

MAY 21 1932

April 3, 1992

US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE ID 83706

RE: WATER RIGHT NO. 65-13257

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:clh

Enclosure

MAY 21 1992

LICENSE REVIEW CHECKLIST

Date 03-27-92

Permit # 65-13257

28

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☒	☐	Disagree with Actual Measurement?
	☐	☒	Disagree with Theoretical? <u>400X.00022=.09</u>
	☐	☒	Limited by Capacity? <u>.09 cfs</u>
TOTAL VOLUME			Rate/ac <u> </u> AFA Irr. Season <u> </u>
			<u> </u> Standard Irr. Season
			<u> </u> Season Recommended
	☒	☐	Disagree with Examiner's Calculations?
		☒	Limited by Flow? <u>400 x 12 gpd x 162 days ÷ 325,850 = 2.4 AFA 8.0 AFA Storage</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D	☐	☒	Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
P/U	☐	☒	Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
USES	☒	☐	Changes required to be compatible with Maps, Data Entry Standards, etc?
	☐	☒	<u>Change Stockwater Season per FE (Reduction)</u>
	☐	☒	Change(s) in Nature of Use?
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☒	☐	Non-Irrigation Uses <u>Stock/400 Cattle</u>
	☐	☒	Special Overlap Condition
	☒	☐	Other <u>P/U</u>
CONDITIONS	☐	☒	Measuring Device
	<u>R04</u>	☐	W/Master Control
	<u>R37</u>	☐	Overlap
	☐	☒	Water Quality
	<u>R40</u>	☐	<u>Dam Safety</u>
COMMENTS/MEMOS NEEDED:			<u>Dam Safety Review - 18' Dam</u>
License <u> </u> 10-Day ☒			15-Day <u> </u> Special Correspondence <u> </u>

[Signature]

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 03/30/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	US DEPT OF INTERIOR BUREAU OF LAND MANAGEMENT IDAHO STATE OFFICE 3380 AMERICANA TERRACE BOISE ID 83706 (208) 334-9200	06/22/1990	STOCKWATER STOCKWATER STORAGE WILDLIFE WILDLIFE STORAGE	05-01 09-30 01-01 12-31 01-01 12-31 01-01 12-31	0.09 CFS 0.09 CFS 0.09 CFS	2.4 AFA 8.0 AFA 2.4 AFA 8.0 AFA
TOTAL DIVERSION:					0.09 CFS	10.4 AFA

Water Source: UNNAMED STREAM

Tributary to: BIG WILLOW CREEK

Stage: LICENSE

Point(s) of Diversion Capacity: 0.09 CFS

Point(s) of Diversion: T10N R01W S23 NE SE

Place of use Legal Description for: STOCKWATER

NE				NW				SW				SE											
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:
			:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:
10N	01W	23	:					:					:					:	S				:

Place of use location for WILDLIFE is the same location as described for: STOCKWATER

Pou County: WASHINGTON

Conditions of Approval:

- R04 - Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
- R37 - This right, when considered with all other rights common to the same grazing allotment, shall be limited to the quantity of water beneficially used by the number of stock within the allotment.
- R40 - The storage of water is contingent upon continued certification by the Department of Water Resources under the dam safety provisions of the Idaho Code, authorizing storage.

Remarks: Stockwater use is for 400 range cattle.
Place of use is also known as Hunter Reservoir #8566.

Dates: App. Received: 06/22/1990 Priority Date: 06/22/1990
Proof Due Date: 11/01/1991 Proof Made Date: 01/17/1991
Exam Made Date: 06/03/1991 Exam Sent to S.O.: 12/17/1991
Licensed Date:

Misc: Water District Number: 65 Field Exam Fee: N (Not Required)

Audit: 03/30/92 SKAGGS

MEMORANDUM

TO: FILE #65-13257

FROM: PAM SKAGGS *CS*

RE: DAM SAFETY REVIEW

DATE: 30-MAR-1992

=====

I routed this file to Dam Safety for review due to permit condition 18B and the field examiner's description of an 18' earth fill dam. Mike Stubblefield returned the file commenting that an Application to Construct a Small Dam has been filed, but no action has been taken by the Department. No further recommendations were made.

MAY 21 1992

RECEIVED
DEC 20 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION


1. Owner Bureau of Land Management Permit No. 65-13257
Current Address: 3948 Development Ave. Boise, Idaho 83705 Phone No. 384-3354
2. Accompanied by: Ed. [unclear] EXAM. DATE: 6-3-91
Address: same Phone No. 384-3354
Relationship to Permit Holder: Range Con
3. Source Unnamed Stream tributary to Big Willow Creek

B. OVERLAP REVIEW

1. Other water rights with same place of use None ☐ Copies Attached
2. Other water rights with same point of diversion None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = that to scale

RECEIVED
MAY 21 1992

2. ☒ Copy of U S G S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required) ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Consists of an earth fill dam approx. 18' maximum height that collects runoff water from an unnamed stream. The actual dimensions of the reservoir are unknown but BLM engineering plans estimate 8.0 AF. Stock and wildlife water directly from the reservoir. The system is known as Hunter Reservoir Project # 8586

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
<i>NA</i>					

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		<i>SW</i>	<i>NE</i>	<i>SE</i>	<i>23</i>	<i>10N</i>	<i>1W</i>	<i>Washington</i>	<i>U.S.G.S. Quad map</i>

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
<i>10N</i>	<i>1W</i>	<i>23</i>													<i>S</i>				
															<i>W</i>				

MAY 21 1997

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

None

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method

2. Alternate Method for Checking Purposes:

$$400 \text{ hd} \times 12 \text{ gpd} \div 120 \text{ min} = 40 \text{ gpm} \div 448.8 = .09$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1), Dynamic pumping level. _____ ft (2)

Total Head: (1) + (2) = _____ (3) , Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

$$400 \text{ hd} \times 12 \text{ gpd} \times 153 = 734,400 \div 325,850 = 2.3 \text{ cfs}$$

RECEIVED

MAY 21 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

No overlaps

BLM indicates a maximum of 400 head of stock use water from the pond in addition to wildlife. The stock season is 5-1 to 9-30 annually.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Storage for Stockwater</i>	<i>1-1</i>	<i>12-31</i>		<i>8.0 afa</i>
<i>~~Stockwater from Storage~~ MTS</i>	<i>5-1</i>	<i>9-30</i>	<i>.09 cfs</i>	<i>2.3 afa</i>
<i>Storage for Wildlife</i>	<i>1-1</i>	<i>12-31</i>		<i>8.0 afa</i>
<i>~~Wildlife from Storage~~ MTS</i>	<i>5-1</i>	<i>9-30</i>	<i>.09 cfs</i>	<i>5.4 afa</i>
Totals:			<i>.09 cfs</i>	<i>8.0 afa</i>

2. Recommended Amendments

- ☐ Change P D as reflected above
 ☐ Add P D as reflected above
 ☒ None
- ☐ Change P.U as reflected above
 ☐ Add P U as reflected above

J. AUTHENTICATION

Field Examiner's Name

Melvin T. Schulte


Signature

Melvin T. Schulte

Certification Date


Field Report Preparation Date

6-12-91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

PERMIT 65-13357 INIT
T. R. S. 010
P/D 10N 1W 23 20 NE SE
SCALE
PHOTO ID. _____



February 26, 1991

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13257

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED
FILMED

MAR 20 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 65-13257

Date 2-20-91

GENERAL CONSIDERATIONS

✓ Name same as permit?
OK Address same as permit? If no, prepare data entry form.
✓ Proof timely received? If no, complete priority
advancement below.

SOURCE OF WATER

✓ Surface water source
✓ Ground water source
NA Drill permit req'd?
✓ Copy in file? Drill permit no. _____
✓ Well log in file?
✓ Amt paid for drilling permit? _____ Correct?

LICENSE EXAMINATION FEE

NO Required?
-0- Amount submitted?
✓ Correct amount?

MEASURING DEVICE

NO Measuring device or access port required?
✓ Installed?
✓ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

PRIORITY CALCULATION

Date proof received

Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

<u>NA</u>	_____
<u> </u>	- _____
<u> </u>	= _____
<u> </u>	+ _____
<u> </u>	= _____

JB

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-13257 Telephone No. 384-3304
2. Name(s) of Permit Holder(s): BUREAU OF LAND MANAGEMENT
3. Post Office Address: 3948 DEVELOPMENT AVE BOISE, IDAHO 83705
4. Source of Water: TRIBUTARY OF BIG WILLOW CR.
- a. If ground water, well driller's name: _____ Date drilled: _____
- b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____
5. Extent of Use:
- | | |
|--|---------------------------------|
| Domestic _____ (No. of households) | Irrigation _____ (No. of acres) |
| Stockwater <u>200-400</u> (No. and type of stock)
<u>CATTLE</u> | Other <u>WILDLIFE</u> |

6. Total rate and/or volume for which proof is submitted .09 cfs 8.0 acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes LNo Installed? Yes LNo

OR

Flow Measurement Port: Required? Yes LNo Installed? Yes LNo

8. Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

RICHARD H. GIER AREA MANAGER 384-3350
Name Telephone No.

3948 DEVELOPMENT AVE BOISE, IDAHO 83705
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho

MAR 20 1991

Date

1/2/91

Signature (and title if on behalf of a company or organization)

Richard H. Gier Area Manager



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

December 7, 1990

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-13257

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Please be advised that there is insufficient natural flow available from the source identified on your permit to provide water throughout the entire season. You may want to arrange for a supplemental supply from a different source.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

MICROFILMED

DEC 18 1990

APPLICATION FOR PERMIT REVIEW

APPLICATION NO. 65-13257

Date: October 24, 1990Reviewer: Jim Johnson

GARY SPACKMAN

Existing:

No - 26A-P17
 Complete in 1 year - P16

Yes

Proof not submitted - P16
 Proof submitted - N/A

Groundwater:

GT. 0.7 cfs - 01G-P03, 01C-P03(existing well)
 LT. 0.7 cfs - N/A

Drilling Permit:

Approved w/permit - P99
 Not included - 046-P23

Location:

Water Districts - WD No. 65 (Do not enter district no.)
 surface water - 005-P01, 005-01H-P01, 005-01J-P08, P04, 005
 groundwater - ~~005~~-P05, 005-01H-P01(lock device)

Irrigation Districts - 023
 Canal Co. Areas - 023
 Drainage Districts - 024
 Boise Front (63) - 58 (Groundwater)
 Trust (see list) - (051, 052, 053)-P74
 Non Trust (see list) - 048, 049

River Basins:

Boise (63) SW - 11D-P72
 Payette (~~65~~) - ~~047, 059-P71~~ → Just 059
 Surface - 005,
 Snake (01) - 11A, 061-P22

Use:

Fish Propagation - (P06) 002, 06A, 007, 09E-P10, 010, 042, 044
 Power - (less than 25cfs P18), 01F-P19, 008, 08A, 09E-P10, 017K, 017G, 017M, 025
 Mining - 06A, 006, 09E-P10, 010, 54
 Storage - 18A-P09, 18B-P09
 Domestic - (restricted areas) 021

Ownership:

Non land owner - 004

Protested:

Agreement - 020

Minimum Stream Flow:

Overlapping uses - 029-P20

Beneficial Use Due Date:

- November 1, 1991

Swan Falls Flag:

-

Other Conditions - 18B (Dam Safety Provisions)

RECEIVED

MAR 20 1991

I'VE INFORMED JOHN WESTRA TO LOOK INTO THIS. WATER RIGHT CONDITIONS SHOULD INCLUDE DAM SAFETY REQUIREMENT.

MWS

9/26/90

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: FL DATE: 6/26/90 APPLICATION: 65-13257

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume) Gov't. Lots:
☒ Period of use: N P/D
☒ Nature of proposed use: (Include description of use) N P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES	NO	
☒	☒	Overlapping place of use: (Describe source & relationship to present application on the back.)
☒	☒	Overlapping point of diversion:
☒	☒	Field check required: Field check by: _____
☒	☒	Field report attached:
☒	☒	Critical groundwater area:
☒	☒	Groundwater management area:
☒	☒	Diversion within interim protected river area
☒	☒	Send dam safety information: <u>COPY TO JOHN W 6/26/90</u> ✓
☒	☒	Send power requirement letter:
☒	☒	Send fish farm requirement letter:
☒	☒	Power residency affidavit:
☒	☒	Power efficiency form:
☒	☒	Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☒	☒	Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☒	☒	*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT
☒	☒	DATE REQUESTED: _____
☒	☒	Additional information on reverse side:

SEP 05 1990
Department of Water Resources

PROCESSING

APPLICATION NO. 65-13257

YES NO

☒ ☒
☒ ☒
☒ ☒

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☒
☒ ☒

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☒
☒ ☒

Publication dates and paper recorded on application:

Protests received. Final date for protest July 23, 1990

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, DNR

Measuring device required:

Measuring port required:

Water delivered by water master? District # 65

Special conditions of approval or cover letter:

See below for additional information

Recommended Date or Priority 6/22/1990

Recommended by: DNR

Date 8/30/90

STATE OFFICE REVIEW

P16 05(65)

See below for additional information. By

Date

ADDITIONAL INFORMATION

400 lb stock, allow .09 cfs

.09 cfs x 1.9835 yields .18 A.F. / 24 hr

8.0 A.F. pond requires storage.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

JUNE 27, 1990

The Weiser Signal
P.O. Box 709
Weiser, ID 83672

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 23, 1990.

Yours truly,

GAIL GARRETT
Secretary

Encl.

MICROFILMED

DEC 18 1990

65-13257

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706

Source: UNNAMED STREAM

Tributary: BIG WILLOW CREEK

Diversion Pt: SWNESE Sec 23 T 10N R 01W

Use: STOCKWATER	(.090 CFS)	
WILDLIFE	(.090 CFS)	
STOCKWATER STORAGE		(8.00 AF)
WILDLIFE STORAGE		(8.00 AF)
Total Diversion:	(.090 CFS)	(8.00 AF)

Date Filed: 6/22/ 1990

In: T10N R01W S23 NESE

MICROFILMED

DEC 18 1990