




T 8N, R 5W, Sec. 9, SESE

P1D
P1D

SESE

MICROFILMED

JUL 31 1990

A hand-drawn map of a property, likely a farm or ranch, plotted on a grid. The map is oriented with North (N) at the top, West (W) on the left, and East (E) on the right. The property is bounded by a dashed line with dimensions: 185' on the west side, 207' on the east side, 198' on the north side, and 198' on the south side. The map is divided into several sections by solid lines. The top-left section is labeled 'PASTURE'. Below it is a 'SHED' measuring 30' by 75'. To the left of the shed is a 'GARDEN' measuring 45' by 75'. To the right of the shed is a 'STOCK TANK' measuring 40' by 35'. Below the stock tank is a 'Horse' area. To the right of the horse area is a 'LAWN' measuring 40' by 10'. To the right of the lawn is a 'GRABER' measuring 40' by 10'. A curved line labeled '50'' is drawn below the lawn. The top-right section is labeled 'PASTURE' and contains several dots labeled 'Risks'. The bottom-right section is labeled 'PASTURE' and contains several dots labeled 'Risks' and 'HANDLES'. The bottom-left section is labeled 'PASTURE' and contains several dots labeled 'Risks'. The map is drawn on a grid with dashed lines.

Scale: $T^\circ =$

N/A Aerial Photo Attached
(required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
<i>SUBMERSIBLE</i>	<i>?</i>	<i>?</i>	<i>-</i>	<i>-</i>	<i>-</i>


*Code to correspond with No. on map and aerial photo

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: THEORETICAL (UNAVAILABLE) - SPRINKLER HEAD.

MAR 29 1995





VIEW OF WELL. LOCATED
IN THE PASTURE, LOCATED
ON THE EAST SIDE OF
THE PROPERTY.

PHOTO ONE-



VIEW TO THE NW
OF THE PROPERTY : THE
DOMESTIC .

PHOTO TWO-

MAR 29 1995



View to the
NE. PASTURE IS
IRRIGATED BY HAND
LINES.

PHOTO THREE-

>

PHOTO FOUR-

REPRODUCED
MAR 29 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13236

Priority: April 10, 1990

Maximum Diversion Rate:

0.05 CFS

This is to certify, that EVALINE J INOUE

10475 SCOTCH PINES RD

PAYETTE ID 83661

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 10, 1990; and has submitted Proof of Beneficial Use on November 21, 1991. An examination indicates that the works have a diversion capacity of 0.070 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
-----------------------	----------------------	--------------------------	----------------------

IRRIGATION

03/15 to 11/15

0.05 CFS

LOCATION OF POINT(S) OF DIVERSION:

SESE, Sec. 9, Township 08N, Range 05W
PAYETTE County

PLACE OF USE: IRRIGATION

TWN RGE SEC

ACRES

ACRES

ACRES

TOTAL

08N 05W 9

SESE 1.7

1.7

Total number of acres irrigated:


1.7

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The right holder shall use the full allotment of appurtenant surface water rights, to the extent they are available, in conjunction with groundwater diverted pursuant to this right.
5. This right to divert groundwater shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use without the approval of the Department.
6. This right when combined with all other rights shall provide no more than .03 cfs per acre nor exceed a combined annual diversion volume of 7.7 af for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 3RD
day of MARCH, 1995.

Acting for


R. Keith Higginson, Director

FILED 1995

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 65-13236)
IN THE NAME OF EVALINE J. INOUE) ORDER OF
REINSTATEMENT)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before August 1, 1991; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on November 21, 1991;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 65-13236 be REINSTATED with no advance in priority.

Dated this 25th day of November, 1991.


L. GLEN SAXTON
Chief, Water Allocation Bureau

RECEIVED

DEC 27 1991

RECEIVED

NOV 21 1991

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

- ① Permit No. A-65-00446 65-13236 Telephone No. 442-9295
- ② Name(s) of Permit Holder(s): Evaline Inouye
- ③ Post Office Address: 8492 Wachoe Rd Payette Id 83661
- ④ Source of Water: ground water
- a. If ground water, well driller's name: Hallaway Date drilled: Before 1976
- b. Pump horsepower: Under Pressure (psi): Under Dynamic pumping level (ft): Under
- ⑤ Extent of Use:
- Domestic 1 (No. of households) Irrigation 2.3 (No. of acres)
- Stockwater 4 horses (No. and type of stock) Other _____

⑥ Total rate and/or volume for which proof is submitted .06 cfs per permit acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes X No Installed? Yes No

OR

Flow Measurement Port: Required? Yes X No Installed? Yes No

X Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

⑧ Person to contact to accompany the Department representative during the field examination: 642-3211 (work)
208-6429295 (home)
Name Evaline Inouye Telephone No 8492 Wachoe Rd Payette Id 83661
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

X 11-18-91
Date

X Evaline Inouye
Signature (and title if on behalf of a company or organization)

DEC 27 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13236

Proposed Priority: April 10, 1990 Maximum Diversion Rate: 0.06 CFS
This is to certify, that **EVALINE J. INOUYE**

10475 SCOTCH PINES RD.
PAYETTE, ID 83661

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	0.06 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: SESE Sec. 9, Township 08N, Range 05W
PAYETTE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
08N	05W	9	SESE	2		2


Total number of acres irrigated: 2

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 1, 1991**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.


This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

27th day of July, 1990.

for 
R. Keith Higginson, Director

MICROFILMED

JUL 31 1990



Ident. No. 65-13236

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

- 1 Name of applicant Evaline J. Inouye Phone 642-2059
Post office address 10475 Scotch Pines Rd, Payette 83661
- 2 Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of SE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec 9 Township 8N Range 5W B.M. Payette County; additional
points of diversion if any. _____
4. Water will be used for the following purposes:
Amount 0.06 for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.06 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a Description of ditches, flumes, pumps, headgates, etc. well and pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive
c. Proposed well diameter is 6" inches, proposed depth of well is 100' feet.
d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year)

RECEIVED

JUL 31 1990

8 Description of proposed uses (if irrigation only, go to item 9)

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering, list number and kind of livestock. _____
- Municipal, show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully _____

9. Description of place of use

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below See instructions for standard symbols

TWP	RANGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
8N	5W	9																2	2

Total number of acres to be irrigated 2

10. Describe any other water rights used for the same purposes as described above. Farmers Co-op


- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? Applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

12 Remarks _____

MICROFILMED

JUL 31 1990

13. Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as hereinafter set forth

Eveline J. Dineen
(Applicant)

Received by L. Werner Date 4-10-90 Time 1400 Preliminary check by RW
Fee \$ 30- Receipted by L. Werner # MG538 Date 4-10-90
Publication prepared by GG Date 5-30-90 Published in Independent Enterprise
6/7 & 6/14/90
Publication approved st Date 7-2-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a SUBJECT TO ALL PRIOR WATER RIGHTS.

b Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 _____

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land

d The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit

e Other

MICROFILMED

JUL 31 1990



T 8N, R 5W, Sec. 9, SESE

MALHEUR
1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 6, 1995

EVALINE J INOUE
10475 SCOTCH PINES RD
PAYETTE ID 83661

RE: WATER RIGHT NO. 65-13236

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads 'Shelley W. Keen'.

Shelley W. Keen
Water Rights Supervisor


SK:rl

Enclosure

MAR 11 1995

MAR 29 1995

LICENSE REVIEW CHECKLIST



PERMIT NO. 05-13236 DATE 2/23/95

NAME	Change ☒ OK ☒	Or Address Change? <u>CHECK</u>	
PRIORITY DATE	☒	Advance? <u>NO</u> Advanced to: _____	
		Order to reinstate needed? <u>DONE</u>	
		Incorrect fee for rate recommended? <u>NO</u>	
SOURCE	☒	Changes or just clarification of originally intended source? _____	
		Notice of Intent to Void necessary? _____	
POINT OF DIV	☒	Amendment needed? _____	
		Overlaps? _____	
PLACE OF USE	☒	Amendment needed? _____	
		Overlaps? _____	
DIV RATE	☒	Permit/fee limits: <u>.06 CFS</u>	
	<u>Sprinkler</u>	Meas Q = <u>.07</u> Theo Q = <u>.</u> Recommend: <u>.05 CFS</u>	
		<u>1.7 X .03 = .05 CFS</u>	
		Combined rates exceed capacity _____	
ANNUAL VOLUME	☒	Volume Limit: _____ Season: <u>D/4.5 (3-15 to 11-15)</u>	
		Calculations: <u>1.7 X 4.5 = 7.7 GF</u>	
		Flow limit: _____ cfs x _____ x 1.9835 = _____	
		Combined volumes exceed capacity/allowable _____	
USES	☒	Change in Nature of Use or additional uses? _____	
		Amendment necessary? _____	
REMARKS	☒	Multiple p/d(s) in ¼ ¼? _____	
	☒	Other <u>WB3, WB8, WB7 (FARMERS CO-OP SHARES)</u>	
		<u>(EDIT/03)</u>	
CONDITIONS	☒	Watermaster control - District _____	
	☒	Measuring/Locking Devices _____	
	☒	Irrigation Overlap _____	
	☒	Other _____	
	☒	Water Quality _____ Heat/Cool/Fish verified _____	
COMMENTS:	_____		

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	<u>NO</u>
<u>Irrigation</u>	<u>.05</u>	<u>7.7</u>	Adjustment Memo Needed	<u>YES</u>
_____	_____	_____	LICENSE	☒
_____	_____	_____	AMENDMENT LETTER	_____
_____	_____	_____	SECOND AMENDMENT LETTER	_____



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 17 1995

A. GENERAL INFORMATION

Department of Water Resources
Permit No. 65-13236

1. Owner: EVALINE INOUE Phone No. 642-9295

Current Address: 10475 SCOTEN PINES RD., PAYETTE ID. 83661

2. Accompanied by: NA EXAM DATE: 6-21-94

Address: NA Phone No. NA

Relationship to Permit Holder: NA

3. Source: GROUND WATER tributary to NA

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 65-00066

2. Other water rights with the same point of diversion: 65-04416, 65-04418, 65-04496

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SE	9	8N	5W	PAYETTE	QUADS.

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
8N	5W	9																1.7	1.7

MAR 29 1995

A hand-drawn site plan on grid paper, oriented with North (N) at the top. The plan depicts a rectangular property with overall dimensions of 185' (width) and 207' (length). The plan is divided into several sections:

- Top Section:** Labeled "PASTURE" and "STOCK TANK". The "STOCK TANK" contains a "POINT" (20') and a "HOLE" (35'). A "RIDGE" is indicated by a series of dots.
- Left Section:** Contains a "SHED" (20' x 75') and a "GRANARY" (45' x 75').
- Bottom Section:** Features a semi-circular structure with a 50' diameter and a "HOLE" (20').
- Right Section:** Labeled "PASTURE (HANDCAGES)" and "X VEN".

The plan is marked with "N.", "S.", "E.", and "W." at the corners. Dimensions are provided for various sections and features.

Scale: $T =$

NA Aerial Photo Attached
(required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
<u>SUBMERSIBLE</u>	?	?	-	-	-

**Code to correspond with No. on map and aerial photo*

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: THEORETICAL (UNAVAILABLE) - SPRINKLER HEAD

MAR 29 1995

E. NARRATIVE/REMARKS/COMMENTS

THIS SYSTEM USES A 6" WELL TO IRRIGATE 1.7 ACRES. THE WELL IS ESTIMATED TO BE 100' DEEP BY THE OWNER, BUT THE DYNAMIC LEVEL, STATIC WATER LEVEL AND THE HP OF THE MOTOR ARE UNKNOWN. STATIC WATER LEVELS FROM WELL LOGS IN THE SAME 1/4 1/4 ARE @ 10'. THE SYSTEM USES SPOOTS & RISERS TO IRRIGATE THE PROPERTY. HAND LINES & NOSES ARE USED. THE SYSTEM RUNS 8 HEADS FROM A RISER AT ONE TIME AT @ 45 PSI. THE HEADS ARE A 9/16".

* OVERLAPS ARE NEIGHBORS IN SAME 1/4 1/4.

Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED
MAR 29 1995

Additional Computation Sheets Attached

measured Method:

SPRINKLER HEAD = 8 HEADS AT 45psi = 8 x 3.99 $\frac{\text{gal}}{\text{min}}$ (Exhibit 9) = 148.8 = .07 cfs system capacity

$Allow = .03 cfs \times 1.7 = 0.051 cfs$ Allow
 $Permit = .06 cfs$
 $(.03 \times 2 acres)$

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.7 \times 3.5 = 6 \text{ AFA}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .65 \text{ cfs} \times 246 \times 1.9835 = 24 \text{ AFA}$$

$V = \text{Smaller of } V_{L.R.} \text{ and } V_{D.R.} = 10.45 \text{ A}$

2. Volume Calculations for Other Uses:

NA.

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION _____	<u>3/15</u>	<u>11/15</u>	<u>.05 cfs</u>	<u>6 AFA</u>

Totals:			<u>.05 cfs</u>	<u>6 AFA</u>

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above X None
 ___ Change P.U. as reflected above ___ Add P.U. as reflected above Other

I. AUTHENTICATION

Field Examiner's Name

Date _____

Reviewer

Date

SEAL

* See attached adjustment explanation memo. ~~B~~

MAR 29 1995

MEMORANDUM

TO: File 65-13236 / Evaline Inouye
FROM: Brenda Chapman
DATE: February 24, 1995
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for the above referenced water right are based on the information below:

G. VOLUME CALCULATIONS

Volume recommendation changed to 4.5 afa per acre to coincide with the current standard for that location.

The volume recommendation is addressed in the remarks based on current supplemental groundwater processing procedures.


H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	3-15 to 11-15	.05	Not listed

See item G.

RECEIVED
MAR 5 9 1995



IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: 65-132310

2. OWNER: EVALINE J. INOUYE Phone: 642-9295
Address: 10475 Scotch Pines Rd

3. WELL LOCATION: Twp 8N, Rge. 5W, Sec. 9, SE 1/4 SE 1/4
County _____ (Provide sketch map and photo on reverse.)

4. DRILLER: Holloway Lic. No. _____
When Drilled? Before 1976

5. WELL CONSTRUCTION:
Casing Diameter 6" inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing _____ ft. Method Drilled _____
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☒ No Pressure Gauge: ☐ Yes ☐ No
Condition of Piping and Valving _____
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:
Depth to Static Water 10' ^{well log} ft. Water Temperature _____ °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:
☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

APR 29 1995

8. **POSSIBLE CONTAMINATION SOURCES:**

Is there evidence of Chemigation? ☐ Yes ☒ No


If yes, is there a check-valve present? ☐ Yes ☒ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. **REMARKS:** Well is in fine shape.


Signature of Dept. Representative & Title

6/21/94
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

RECEIVED
MAR 29 1995



VIEW OF WELL. LOCATED
IN THE PASTURE, LOCATED
ON THE EAST SIDE OF
THE PROPERTY.

PHOTO ONE-



VIEW TO THE NW
OF THE PROPERTY : THE
DOMESTIC.

PHOTO TWO-

MAR 29 1961



VIEW TO THE
NE. PASTURE IS
IRRIGATED BY HAND
LINES.

PHOTO THREE-

>

PHOTO FOUR-

20 1335

December 5, 1991

EVALINE J. INOUE
10475 SCOTCH PINES RD.
PAYETTE ID 83661

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13236

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a measuring device to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the measuring device must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

DEC 27 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 65-13236

Date 7-11-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☒ Ground water source
NA Drill permit req'd?
Before 1976 Copy in file? Drill permit no. _____
1 Amt paid for drilling permit? _____ Correct?
☒ Well log in file?

LICENSE EXAMINATION FEE

- ☒ Required?
15.00 Amount submitted? Received 7/2/91
NO Correct amount?

MEASURING DEVICE

- NO Measuring device or access port required?
☐ Installed?
☐ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Pent \$15.00 - needs additional 35.00 received 9/30/91
needs signature + well data - info
Adjudication claim has been filed for the
domestic & stock water use

PRIORITY CALCULATION

Date proof received

Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

be in state with no advance -
lots of correspondence between permit holder

VIDWR

12/6/91 KRG

Idaho Department Of Water Resources
Detail Receipt Summary Screen

Date: 11/22/91
Time: 13 37:49

Rec/No - W013726 AR/No -
From: - INOUE, EVALINE

Receipt Type - CK Doc/No - 933
Remarks -

MOST CURRENT RECEIPT

Receipt Date: 09/30/1991

Type Of Payment	Program	Acct	Class	Fee
PROOF OF BENEFICIAL USE	520122	1238	6490	35.00

Total Due - 35.00

WR/No	WR Fee	WR/No	WR Fee	WR/No	WR Fee
-------	--------	-------	--------	-------	--------

(ENTER=CONTINUE)

(GOLD7=SELECTION SCREEN)

(GOLD8=CANCEL)

DEC 27 1991

Idaho Department Of Water Resources
Detail Receipt Summary Screen

Date: 11/22/91
Time: 13 37:40

Rec/No - C021048 AR/No -
From: - INOUE, EVALINE

Receipt Type - CK Doc/No - 888
Remarks -

MOST CURRENT RECEIPT

Receipt Date: 07/02/1991

Type Of Payment
BENEFICIAL USE

Program	Acct	Class	Fee
510122	1238	6490	15.00

Total Due - 15.00

WR/No
6513236

WR Fee

WR/No

WR Fee

WR/No

WR Fee

(ENTER=CONTINUE)

(GOLD7=SELECTION SCREEN)

(GOLD8=CANCEL)

DEC 27 1991

Idaho Department Of Water Resources
Detail Receipt Summary Screen

Date: 11/22/91
Time: 13:37:31

Rec/No - M006538 AR/No -
From: - INOUYE, EVALINE

Receipt Type - CK Doc/No - 696
Remarks -

MOST CURRENT RECEIPT

Receipt Date: 04/10/1990

Type Of Payment	Program	Acct	Class	Fee
APPLICATION FOR PERMIT	610199	1238	6390	30.00

Total Due - 30.00

WR/No	WR Fee	WR/No	WR Fee	WR/No	WR Fee
-------	--------	-------	--------	-------	--------

(ENTER=CONTINUE)

(GOLD7=SELECTION SCREEN)

(GOLD8=CANCEL)

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A65-04416

Date Received:

Receipt No: _____

Received By: _____

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: FIRST NATIONAL BANK OF OREGON

Address: P. O. BOX 70

ONTARIO, OR

97914

2. Date of Priority: JUN 30, 1955

3. Source: GROUNDWATER

Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
08N	05W	9	SE	SE			PAYETTE

5. Description of diverting works:

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
DOMESTIC	01/01	12/31	0.040		1.20

7. Total Quantity Appropriated is:
0.040 C.F.S. (and/or)

1.20 A.F.A.

8. Total consumptive use is

Acre Feet Per Annum.

9. Non-irrigation uses:

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
08N	05W	9	SE	SE		DOMEST	

11. Place of use in counties: PAYETTE

12. Do you own the property listed above as place of use? YES

A65-04416

Page

1

MAILED 10/90

DEC 27 1991

3. Other Water Rights Used:

14. Remarks:

BLOCK 39, POINT LOOKOUT.

15. Basis of Claim: DECREED

Case Number:

Court :

Decree date: 1/21/1986

STATE OF IDAHO

Decree Plaintiff

vs

A & C CORP., ET AL.

Decree Defendant

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): _____ Date: _____

_____ Date: _____

State of Idaho)
County of _____) SS.

Subscribed and sworn (or affirmed) before me this _____ day

of _____ 19 _____

Notary Public

Seal

Residing at _____

My Commission Expires _____

DEC 27 1991


INTER-DEPARTMENT MEMO

TO: FileSUBJECT: Proof DueFROM: KarenDATE: 11/13/91

Spoke to Mrs. Tronze again - She still cannot locate any of the proofs that have been sent -
mailed another today - She will call when she receives it so I can help her complete it
Explained that fee had been paid

RECEIVED

DEC 27 1991

☐ For your information☐ Response required
signature

November 4, 1991

EVALINE J. INOUE
10475 SCOTCH PINES RD.
PAYETTE ID 83661

LAPSE NOTICE

RE: PERMIT NO. 65-13236

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated August 31, 1991. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:rf

Enclosures

RECORDED

DEC 27 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

RECEIVED

SEP 30 1991

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 24, 1991

Department of Water Resources
Western Regional Office

EVALINE J INOUE
10475 SCOTCH PINES RD
PAYETTE ID 83661

Dear Ms. Inouye:

RE: Permit No. 65-13236

On July 2, 1991, the Department received the proof of beneficial use form along with the \$15 filing fee. On July 25, 1991, the department returned the proof form for more information -- the rate of diversion and an additional fee, if needed.

On July 30, 1991, you wrote a note stating that the well produces 125 gallons per minute. Based on this information, you should return the proof form indicate the rate of diversion as either 0.04 (18 gpm) for which no additional fee is required or 0.06 cfs (27 gpm) for which an additional \$35 fee is required.

Also return the form with a signature.

The alternative is not to file the proof form. The department will then lapse the permit and there will no longer be a record of the filing. The permit will lapse and be of no force or effect.

If you still have questions, please contact this office. I will hold this permit for 15 days for a response.

Sincerely,

RECEIVED

DEC 27 1991

RITA T. FLECK
Secretary/Records Manager

Enclosure

*Thanks You - I have moved back to 8492 Wacker
and can't find the form - would you please
send another*

New proof form sent 10-4-91

September 24, 1991

EVALINE J INOUE
10475 SCOTCH PINES RD
PAYETTE ID 83661

Dear Ms. Inouye:

RE: Permit No. 65-13236

On July 2, 1991, the Department received the proof of beneficial use form along with the \$15 filing fee. On July 25, 1991, the department returned the proof form for more information -- the rate of diversion and an additional fee, if needed.

On July 30, 1991, you wrote a note stating that the well produces 125 gallons per minute. Based on this information, you should return the proof form indicate the rate of diversion as either 0.04 (18 gpm) for which no additional fee is required or 0.06 cfs (27 gpm) for which an additional \$35 fee is required.

Also return the form with a signature.

The alternative is not to file the proof form. The department will then lapse the permit and there will no longer be a record of the filing. The permit will lapse and be of no force or effect.

If you still have questions, please contact this office. I will hold this permit for 15 days for a response.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

RECORDED
DEC 27 1991

August 27, 1991

EVALINE J INOUE
10475 SCOTCH PINES RD
PAYETTE ID 83661

RE: Permit No. 65-13236

Dear Ms. Inouye:

Returned is the proof of beneficial use submitted to this office on July 30, 1991. The form indicates the water is being used for two acres of irrigation, however, you have not indicated the total diversion rate.

The permit indicates a diversion rate of .06 for the two acres. When the total maximum rate of diversion is greater than 0.04 cfs, a license examination fee is required to be submitted with the proof. A license examination fee based on a rate of flow of 0.06 cfs is \$50.00. Note the enclosed instruction sheet/fee schedule.

You submitted \$15.00 with your proof of beneficial use form. To be licensed for the rate of 0.06 cfs, please submit the additional \$35.00 as soon as possible since an acceptable proof was due August 1, 1991. If you wish to be licensed for 0.04 cfs, we will refund the \$15.00.

Another matter of concern is that the proof must be signed.

If you have any questions, please feel free to call this office.

Sincerely,

Nina Shields
Clerical Assistant

Enclosures

DEC 27 1991

July 25, 1991

EVALINE J INOUE
10475 SCOTCH PINES RD
PAYETTE ID 83661

Dear Ms. Inouye:

Re: Permit No. 65-13236

Returned is the proof of beneficial use form submitted to this office on July 2, 1991. There are several items which need addressed before the proof is acceptable.

Under item 6, a rate of diversion is required. This amount should be what the pump produces, however, if not known, then I recommend the rate for which the permit was issued--0.06 cfs.

For a diversion rate greater than 0.04 cfs, there is a license exam fee of \$50. Based on the rate of diversion under item 6, either no fee is required or an additional \$35 is needed. (I will refund the \$15 if no fee is required).

Please complete the area regarding a contact person at the time the department conducts the field exam. Also, the form needs to be dated and signed and returned by August 1 to keep the permit in good standing.

If you have any questions, please contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

NOT REFILED
DEC 27 1991

Department of Water Resources

This is all the information
I have on the well -

225' - 6 inch casing
125 gal minute -

Halloway Drilling Co
Ingers aparts - the
Gentlemen died - The
well was drilled be-
fore 1976

DEC 27 1991
(when I
purchased the property) -
I don't know where
to find out any more -
Craige Jones

138703

May 31, 1991

EVALINE J. INOUE
10475 SCOTCH PINES RD.
PAYETTE, ID 83661

PROOF DUE NOTICE

RE: PERMIT NO. 65-13236

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

DEC 27 1991

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
July 27, 1990

EVALINE J. INOUE
10475 SCOTCH PINES RD.
PAYETTE, ID 83661

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P65-13236

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Instructions for Proof of Beneficial Use".

MICROFILMED

JUL 31 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUL 31 1990

Affidavit of Publication

NOTICE OF APPLICATION FOR WATER RIGHT

STATE OF IDAHO

COUNTY OF PA

Notice

Dept. of

duly sworn, dep

That *he* is t

THE INDEPENDI

at Payette, in th

paper has bee

aforsaid, and i

a copy of whic

newspaper once

the regular and

time of publicat

and not a suppl

regularly publ

weeks prior to t

Such notice

of *John*

STATE OF IDAHO

COUNTY OF

On this *14th*

a Notary Public

known or ide

subscribed to

sworn, declar

acknowledged

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11320

DURRETT, DOUGLAS, P.

P.O. BOX 21415

EUGENE, OR 97402

Source: GROUNDWATER

Diversion Pt: SWNENW Sec 16 T 06N R 05W

NWSENW Sec 16 T 06N R 05W

Use: IRRIGATION (720 CFS)

STOCKWATER (040 CFS)

DOMESTIC (040 CFS)

Total Diversion: (800 CFS)

Date Filed: 5/4/1990

In: T06N R05W S16 NWNE NENW SENW

35.8 ACRES TOTAL

63-11328

FEARLESS FARRIS SERVICE STATIONS INC.

P.O. BOX 7627

BOISE, ID 83707

Source: GROUNDWATER

Diversion Pt: SWSWSE Sec 11 T 06N R 04W

Use: COMMERCIAL (200 CFS)

DOMESTIC (060 CFS)

Total Diversion: (200 CFS)

Date Filed: 4/11/1990

In: T06N R04W S11 SWSE

63-11329

FEARLESS FARRIS SERVICE STATIONS INC.

P.O. BOX 7627

BOISE, ID 83707

Source: GROUNDWATER

Diversion Pt: SWSWSE Sec 11 T 06N R 04W

Use: COMMERCIAL (200 CFS)

DOMESTIC (060 CFS)

Total Diversion: (200 CFS)

Date Filed: 4/11/1990

In: T06N R04W S11 SWSE

63-11327

WILSON, DON E.

WILSON, VIRGINIA

3815 HWY. 30 W.

NEW PLYMOUTH, ID 83655

Source: GROUNDWATER

Diversion Pt: NWSE Sec 5 T 07N R 04W

Use: IRRIGATION (200 CFS)

STOCKWATER (020 CFS)

DOMESTIC (040 CFS)

Total Diversion: (200 CFS)

Date Filed: 4/11/1990

In: T07N R04W S05 NWSE

10.0 ACRES TOTAL

65-13234

VALLEY FAMILY HEALTH CARE INC.

1441 N.E. 10TH AVE.

PAYETTE, ID 83661

Source: GROUNDWATER

Diversion Pt: NESESW Sec 3 T 08N R 05W

Use: IRRIGATION (060 CFS)

DOMESTIC (040 CFS)

Total Diversion: (060 CFS)

Date Filed: 4/13/1990

In: T08N R05W S03 SESE

3.0 ACRES TOTAL

65-13235

UEHLIN, DALLAS W.

1875 CREST RD.

CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: SESE Sec 19 T 06N R 04W

Use: IRRIGATION (040 CFS)

DOMESTIC (040 CFS)

Total Diversion: (040 CFS)

Date Filed: 4/13/1990

In: T08N R05W S03 SESE

3.0 ACRES TOTAL

Total Diversion: (040 CFS)

Date Filed: 4/11/1990

In: T06N R03W S19 SENE

2.0 ACRES TOTAL

65-13236

INOUE, EVALINE J.

10475 SCOTCH PINES RD.

PAYETTE, ID 83661

Source: GROUNDWATER

Diversion Pt: SESE Sec 9 T 08N R 05W

Use: IRRIGATION (060 CFS)

Total Diversion: (060 CFS)

Date Filed: 4/10/1990

In: T08N R05W S09 SESE

2.0 ACRES TOTAL

65-13237

KETZ, VERNON E.

KETZ, PEARL J.

820 8TH AVE. N.

PAYETTE, ID 83661

Source: GROUNDWATER

Diversion Pt: SWSWSW Sec 35 T 09N R 05W

Use: IRRIGATION (060 CFS)

Total Diversion: (060 CFS)

Date Filed: 3/29/1990

In: T09N R05W S35 SWSW

2.0 ACRES TOTAL

65-13239

MAHAN, LLOYD

MAHAN, MABLE

980 DEWITT AVE.

PAYETTE, ID 83661

Source: GROUNDWATER

Diversion Pt: SENWSW Sec 3 T 08N R 05W

Use: IRRIGATION (060 CFS)

STOCKWATER (020 CFS)

DOMESTIC (040 CFS)

Total Diversion: (120 CFS)

Date Filed: 4/12/1990

In: T08N R05W S03 NWSW

3.0 ACRES TOTAL

65-13240

METTLER, CHRIS

METTLER, PENNY

5221 BLAINE RD.

NEW PLYMOUTH, ID 83655

Source: GROUNDWATER

Diversion Pt: SWNW Sec 14 T 07N R 04W

Use: STOCKWATER (260 CFS)

Total Diversion: (260 CFS)

Date Filed: 4/18/1990

In: T07N R04W S14 SWNW

3.5 ACRES TOTAL

65-13241

EBY, ALBERT

EBY, CLARA M.

241 N. IOWA

PAYETTE, ID 83661

Source: GROUNDWATER

Diversion Pt: NWSWNW Sec 35 T 09N R 05W

Use: IRRIGATION (100 CFS)

Total Diversion: (100 CFS)

Date Filed: 5/2/1990

In: T09N R05W S35 SWNW

3.5 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before JUNE 25, 1990.

R. KEITH HIGGINSON, Director

No. 102

June 6, 13

MICROFILMED

JUN 21 1990

65-13235

JUN 23 1990

Department of Water Resources
Western Regional Office

Number

Number

146

146

TOTAL

WILL

65-13236

INOUE, EVALINE J.
10475 SCOTCH PINES RD.
PAYETTE, ID 83661

Source: GROUNDWATER

Diversion Pt: SESE Sec 9 T 08N R 05W

Use: IRRIGATION (.060 CFS)
Total Diversion: (.060 CFS)

Date Filed: 4/10/ 1990

In: T08N R05W S09 SESE

2.0 ACRES TOTAL

MICROFILMED

JUL 31 1990