

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Wisner, Chester & Edith Permit No. 05-13232
 Current Address: 5825 Akron Road, New Plymouth, Id. 83655 Phone No. 278-5366
 2. Accompanied by: Chester Wisner EXAM. DATE: 6-20-91
 Address: same Phone No. same
 Relationship to Permit Holder: owner
 3. Source: groundwater tributary to none

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
 2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____


2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
 Showing location(s) of point(s) of diversion and place(s) of use (required). (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
 (required for all but single household domestic groundwater, and stockwater).

MICROFILMED
SEP 15 1992

PERMIT 05-13232 INIT
T. R. S. 0/0
P/D 7th 4th & SE 8th
SCALE
PHOTO ID. 14



P/D
P/U



SEP 15 1992

65-13232



#1
View of
wellhouse



#2
View looking
inside
wellhouse

SEP 15 1992

65-13232



#3

Place of use -
one home
and lawn
adjacent to
home



#4

lawn and
garden area
south of home.

MICROFILMED
SEP 15 1992

GARAGE		FOUND- TION	FLOOR	ROOF	EXTERIOR WALL COVERING	MISC.	DIMEN- SIONS	AREA	RATE	BASE COST	REMARKS
CLASS <u>3</u>											
1 ATT 2 DET 3 BSMT											
1 UNFINISHED											
2 MIN. FINISH											
3 FINISHED											
YEAR BUILT											
ATTIC STORAGE ☒ X \$ \$ Lcm NO. DOOR OPENERS \$ \$ QUALITY FACTOR L.C.M. REPLACEMENT COST - NEW MARKET ADJ. % COMPLETE MARKET VALUE											

GARAGE TOTAL

\$4318 75 95 \$2069 50 \$1535

CARPORT		FOUND- TION	FLOOR	ROOF	MISC.	DIMEN- SIONS	AREA	RATE	BASE COST	REMARKS
CLASS <u>3</u>										
1 BUILT INTO UNFINISHED										
2 FLAT ROOF										
3 HIP/GABLE ROOF										
YEAR BUILT										
EXTERIOR WALL: ☐ Curtain ☐ Screen ☒ X \$ \$ STORAGE ROOM L.F. \$ \$ STORAGE CABINET L.F. \$ \$ QUALITY FACTOR L.C.M. REPLACEMENT COST - NEW MARKET ADJ. % COMPLETE MARKET VALUE										

CARPORT TOTAL

\$ \$ \$ \$ \$

OTHER IMPROVEMENTS

USE CODE/DESCRIPTION	FOUND- TION	FLOOR	ROOF	WALLS	MISC.	DIMENSIONS	AREA	RATE	BASE COST	QUALITY FACTOR	REPLACEMENT COST - NEW	L.C.M.	MARKET ADJ.	MARKET VALUE
1 GARDEN SHED	WD	DIRT	SHED	ENAMEL		4x5	20	10.75					75	85
2 2.4 LOFT BARN	CONC	WD	CAB	WD	14'1"	26x30	780	9.43					35	
3 2.4 MACH SHED	WD	WD	SHED	WD	2'1"	10x16	160	3.45					15	
4 2.4 MPS	WD	WD	CAB	WD	2'1"	6x6	36	7.50					40	
5 LIGHT CLAM 70	POST	DIRT	SHED			8x12	96	2.20	211		211		15	32
6 BOOTH SORFED	CONC	CONC				8x28	224	1.50	336		336	65	75	164



MICROFILMED

JUL 26 1990

OTHER IMPROVEMENTS TOTAL

2,834

90 513


WISNER, CHESTER F. EDITH E
5825 AKRON RD
NEW PLYMOUTH, ID. 83655-9719

Legal Description MANASEWU Lexu
W 137' 06 W 309' 06 E 334'
Sec 8-7-4

Property Address 5825 AKRON RD. 9.03 AC


Inspected By J.L. Date 6-15-89
Computed By JS Date 6-16-89
Certified Appraiser _____ Date _____
Assessor _____ Date _____
Reinspection _____ Date _____

IDAHO RESIDENTIAL PROPERTY RECORD		Sheet No. _____	
MISCELLANEOUS DATA		VALUES SUMMARY	
Class <u>3</u>		YEAR <u>Cat 31</u>	YEAR <u>Cat 32</u>
Use Code _____		Residence \$ <u>16,723</u>	\$ _____
Market Grade _____		Garage \$ <u>1,535</u>	\$ _____
Shape Code <u>B</u>		Carport \$ _____	\$ _____
Year Built _____		Other Improve. \$ <u>75</u>	\$ <u>2,759</u>
Year Remodeled _____		Total Improve. \$ <u>18,333</u>	\$ <u>2,759</u>
Effective Age _____		Land \$ _____	\$ _____
Zoning Code _____		MARKET VALUE \$ _____	\$ _____
Date Occupied _____		PURCHASE INFORMATION	
Prebuilt ☒	YES NO	Price _____	Date _____
Building Permit ☒	☒ ☒	Price _____	Date _____
Interior Inspect. ☒	☒ ☒	Asking _____	Date _____
Under Construct. ☒	☒ ☒	Rent _____	Per _____ Date _____
Photo No. <u>P19 #20</u>			



LAND INFORMATION														
01 NEIGHBORHOOD		02 OFF-SITE IMPROVEMENTS		03 TOPOGRAPHY		04 WATER FRONT PROPERTY		05 ON-SITE UTILITIES						
01 Urban	5 Zoned _____	Street: _____	04 Asphalt/Concrete	01 Low	01 Lake	6 Beach	01 Electricity	05 Public Water						
02 Suburban	06 Stable	01 None	05 Gravel/Dirt	02 Level	02 River/Creek	None P F A G E	02 Gas	06 Private Well						
03 Rural	07 Improving	02 Public Access	06 Sidewalks	03 Moderate Slope	03 Accretion	7 Grade:	03 Underground Elect/Telephone	07 Public Sewer						
04 Recreational	08 Declining	03 Private Access	07 Curb/Gutters	04 Steep Slope	04 Bluff Land	P F A G E	04 Cable TV	08 Septic System						
90				90	05 Flood Plain	90	90							
06 SUBJECT DIMENSIONS			07 SITE INFORMATION			08 REMARKS								
Eff. Frontage _____ Depth _____			1 Location F A G			764-1 764-1								
Other _____			2 Amenities F A G											
			3 Landscaping F A G											
			4 Detriments Few Many None											
09 COMPOSITE ADJUSTMENT						10 SITE ADJUSTMENTS								
CAT	LOC	CLASS	TYPE	UNIT	QTY	COST	BASE VALUE	01 Location	10 Access	20 View	30 Topography	40 Width	TOTAL FACTOR	EXT. VALUE
								50 Depth	60 Plottage	70 Beach	80 Corner	90		
APPRaiser: _____							APPRaisal DATE: _____							
												LAND VALUE \$ _____		

SECTION 8 T 7 N, R 4 W, B. M.



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13232

Priority: March 1, 1990

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 1.2 AF

This is to certify, that EDITH WISNER
CHESTER WISNER

5825 AKRON RD
NEW PLYMOUTH ID 83655

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 2, 1990; and has submitted Proof of Beneficial Use on August 20, 1990. An examination indicates that the works have a diversion capacity of .050 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 8, Township 07N, Range 04W
PAYETTE County

PLACE OF USE: DOMESTIC
TWN RGE SEC

07N 04W 8 SENE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 27th day of AUGUST, 1992.

Acting for R. Keith Higginson, Director

MICROFILMED

SEP 15 1992

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13232

Proposed Priority: March 1, 1990 Maximum Diversion Rate: 0.07 CFS
This is to certify, that **CHESTER WISNER**

EDITH WISNER
5825 AKRON RD.
NEW PLYMOUTH, ID 83655

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.03 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.07 CFS

LOCATION OF POINT(S) OF DIVERSION: SENW Sec. 8, Township 07N, Range 04W
PAYETTE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07N	04W	8	SENW	1		1
Total number of acres irrigated:						1

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
5. Domestic use is for one home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

23 day of July, 1990

MICROFILMED
JUL 20 1990

R. Keith Higginson
for R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Chester Winner & Edith Winner Phone 208 278 5366
Post office address Box 5825 Akron Rd New Plymouth Id 83653
2. Source of water supply groundwater which is a tributary of _____
3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of _____ Govt. Lot _____
Sec. 8 Township 7 N Range 4 W B.M. Payette County; additional
points of diversion if any: _____
4. Water will be used for the following purposes.
Amount .04 for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .03 for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .07 cubic feet per second and/or (b) none N/A acre feet per annum
6. Proposed diverting works.
a. Description of ditches, flumes, pumps, headgates, etc. water well 3/4 hp pump, pipe faucets hose (basic system)
b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive
c. Proposed well diameter is 6 inches; proposed depth of well is 65' feet.
d. Is ground water with a temperature of greater than 90°F being sought? no
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 yr. years (minimum 1 year).

JUL 26 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- a Hydropower; show total feet of head and proposed capacity in KW. _____
- b Stockwatering, list number and kind of livestock. _____
- c Municipal; show name of municipality. _____
- d Domestic; show number of households 1 laundry
- e Other, describe fully. _____

9. Description of place of use

- a If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
7N	4W	8							D										1 <u>1</u>
									family										
									1										1

Total number of acres to be irrigated 1 ac

10. Describe any other water rights used for the same purposes as described above. none

11. a. Who owns the property at the point of diversion? Chester & Edith Wisner
- b. Who owns the land to be irrigated or place of use? same
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

12. Remarks. _____


MICROFILMED

JUL 26 1969

Acce See

COURT HOUSE
DOCUMENTS FOR COPY OF
PLATT MAP

13. Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Chester F. Wisner ^{date} FEB 27-1990
(Applicant)
X Edith B. Wisner " "

Received by 1/s Date 3/1/90 Time 1:35 PM Preliminary check by RW
Fee \$ 30.00 Receipted by JH # W0010339 Date 3-2-90
Publication prepared by GG Date 5-9-90 Published in Independent Enterprise
5/17 & 5/24/90
Publication approved JT Date 6-20-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No _____, and said application is hereby _____

1. Approval of said application is subject to the following limitations and conditions

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other

RECEIVED
JUL 20 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:
63-11282

TMCO, INC.
P.O. BOX R
NAMPA, IDAHO 83651
Source: GROUNDWATER
Diversions Pt: LOT 2 (SENE) Sec 1 T 06N R 05W
NENSW Sec 1 T 06N R 05W
SWSNE Sec 2 T 06N R 05W
Use: IRRIGATION (15.000 CFS)
Total Diversion: (15.000 CFS)
Date Filed: 4/16/1990
In: T06N R05W S01 Lot 1 (NENE) Lot 2 (NWNE)
SWNE Lot 3 (NENW); Lot 4 (NWNW) NESE NWSE
SESE; S02 SENE SWNW NESW NWSW; SWSW
SESW NESE SESE; T07N R05W S36 SWSW SESW
SWSE SESE.
51.0 ACRES TOTAL

63-11310

GRILLO, RICHARD
GRILLO, MARILYN
P.O. BOX 842
PARMA, ID 83660
Source: GROUNDWATER
Diversions Pt: SWNW Sec 36 T 07N R 05W
Use: IRRIGATION (160 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (200 CFS)
Date Filed: 4/27/1990
In: T07N R05W S36 SWNW SENW
8.0 ACRES TOTAL

65-13207

PAYETTE COUNTY HISTORICAL SOCIETY
C/O MARY PEDERSON
725 N. 7TH ST.
PAYETTE, ID 83661
Source: GROUNDWATER
Diversions Pt: NENE Sec 33 T 09N R 05W
Use: IRRIGATION (.020 CFS)
Total Diversion: (.020 CFS)
Date Filed: 4/9/1990
In: T09N R05W S33 NESE
0.5 ACRES TOTAL

65-13208

NEWMAN, DONALD G.
NEWMAN, GERALDINE L.
953 6TH AVE. S.
PAYETTE, ID 83661
Source: GROUNDWATER
Diversions Pt: LOT 4 (NESE) Sec 8 T 08N R 05W
Use: IRRIGATION (.480 CFS)
Total Diversion: (.480 CFS)
Date Filed: 4/9/1990

In: T08N R05W S08 Lot 4 (NESE)
S09 NWSW
24.0 ACRES TOTAL

65-13215

REMINGTON, KEITH M.
REMINGTON, NYLA M.
P.O. BOX 424
FRUITLAND, ID 83619
Source: PAYETTE RIVER
Tributary: SNAKE RIVER
Diversions Pt: LOT 3 (SESW) Sec 10 T 08N R 05W
Use: IRRIGATION (.020 CFS)
Total Diversion: (.020 CFS)
Date Filed: 4/11/1990
In: T08N R05W S10 Lot 3 (SESW)
0.5 ACRES TOTAL

65-13214

CITY OF PAYETTE
700 CENTER AVE.
PAYETTE, ID 83661
Source: GROUNDWATER
Diversions Pt: SESW Sec 23 T 09N R 05W
Use: IRRIGATION (1.000 CFS)
COMMERCIAL (1.000 CFS)
Total Diversion: (2.000 CFS)
Date Filed: 4/5/1990
In: T09N R05W S23 SESW; S26 NWNE SWNE NENW
NWNW; SENW
150.0 ACRES TOTAL

65-13216

REMINGTON, KEITH M.
REMINGTON, NYLA M.
P.O. BOX 424
FRUITLAND, ID 83619
Source: GROUNDWATER
Diversions Pt: LOT 3 (SESW) Sec 10 T 08N R 05W
Use: COMMERCIAL (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 4/11/1990
In: T08N R05W S10 Lot 3 (SESW)

65-13218

MC CALLUM, ANGELA L.
MC CALLUM, FLOYD S.
10734 N. RIVER
PAYETTE, ID 83661
Source: GROUNDWATER
Diversions Pt: LOT 3 (NESW) Sec 22 T 09N R 05W
Use: IRRIGATION (.150 CFS)
Total Diversion: (.150 CFS)
Date Filed: 4/11/1990
In: T09N R05W S22 Lot 3 (NESW)
5.0 ACRES TOTAL

65-13219

MC CALLUM, FLOYD S.

MC CALLUM, ANGELA L.
10734 N. RIVER
PAYETTE, ID 83661
Source: SPRINGS Tributary: SNAKE RIVER
Diversions Pt: LOT 3 (NENSW) Sec 22 T 09N R 05W
Use: STOCKWATER (.020 CFS)
STOCKWATER STORAGE (8.30 AF)
STOCKWATER FROM STORAGE (8.30 AF)
Total Diversion: (.020 CFS), (8.30 AF)
Date Filed: 4/11/1990
In: T09N R05W S22 Lot 3 (NESW)

65-13221

FAIRCHILD, VIRGIL
880 N. 11TH AVE.
PAYETTE, ID 83661
Source: UNNAMED DRAIN
Tributary: SNAKE RIVER
Diversions Pt: NESW Sec 32 T 09N R 05W
Use: IRRIGATION (.300 CFS)
Total Diversion: (.300 CFS)
Date Filed: 4/12/1990
In: T09N R05W S32 SWSE SESE
15.0 ACRES TOTAL

65-13222

FAIRCHILD, ROGER
FAIRCHILD, MARY J.
P.O. BOX 990
FRUITLAND, ID 83619
Source: GROUNDWATER
Diversions Pt: NESWNW Sec 23 T 08N R 05W
Use: IRRIGATION (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 4/13/1990
In: T08N R05W S23 SWNW
2.0 ACRES TOTAL

65-13225

HEAD, JIM
HEAD, MARGARET
3573 HWY. 52
PAYETTE, IDAHO 83661
Source: WASTE WATER
Tributary: PAYETTE RIVER
Diversions Pt: SWNW Sec 17 T 08N R 04W
Use: IRRIGATION (.120 CFS)
Total Diversion: (.120 CFS)
Date Filed: 4/24/1990
In: T08N R04W S17 SWNW
6.0 ACRES TOTAL

65-13226

DORSING, DOUGLAS S.
716 S. 1ST ST.
FRUITLAND, ID 83619
Source: PAYETTE RIVER
Tributary: SNAKE RIVER
Diversions Pt: LOT 1 (SENE) Sec 15 T 08N R 05W

Use: IRRIGATION (.240 CFS)
Total Diversion: (.240 CFS)
Date Filed: 4/17/1990
In: T08N R05W S15 Lot 2 (SWNE) Lot 1 (SENE)
12.0 ACRES TOTAL

65-13228

GIFFIN, EDSEL
938 N. 6TH ST.
PAYETTE, ID 83661
Source: GROUNDWATER
Diversions Pt: SESE Sec 28 T 09N R 05W
Use: IRRIGATION (.040 CFS)
STOCKWATER (.020 CFS)
Total Diversion: (.040 CFS)
Date Filed: 4/13/1990
In: T09N R05W S28 SESE
2.0 ACRES TOTAL

65-13229

MIKESELL, QUENTIN L.
MIKESELL, SHARON
4385 SAND HOLLOW RD.
NEW PLYMOUTH, ID 83655
Source: GROUNDWATER
Diversions Pt: NWSNE Sec 26 T 07N R 04W
Use: IRRIGATION (.060 CFS)
STOCKWATER (.200 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.300 CFS)
Date Filed: 4/9/1990
In: T07N R04W S26 SENE
3.0 ACRES TOTAL

65-13232

WISNER, CHESTER
WISNER, EDITH
5825 AKRON RD.
NEW PLYMOUTH, ID 83655
Source: GROUNDWATER
Diversions Pt: SENW Sec 8 T 07N R 04W
Use: IRRIGATION (.030 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.070 CFS)
Date Filed: 3/2/1990
In: T07N R04W S08 SENW
1.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before JUNE 4, 1990.

R. KEITH HIGGINSON, Director
May 16, 23

Independent-Enterprise

August 31, 1992

EDITH WISNER
CHESTER WISNER
5825 AKRON RD
NEW PLYMOUTH ID 83655

RE: WATER RIGHT NO. 65-13232

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
SEP 15 1992

August 4, 1992

EDITH WISNER
CHESTER WISNER
5825 AKRON RD
NEW PLYMOUTH ID 83655

RE: WATER RIGHT NO. 65-13232

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED
SEP 15 1992

LICENSE REVIEW CHECKLIST

Permit # 65-13232

Date 7-30-92
28

	<u>Yes</u>	<u>No</u>	
NAME	<u> </u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance? <u> </u>
	<u> </u>	<u>✓</u>	Memo to Advance
	<u> </u>	<u>✓</u>	Order to Reinstate Needed?
TOTAL CFS	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u>NA</u>	<u> </u>	Disagree with Actual Measurement?
	<u> </u>	<u>✓</u>	<u>.04 cfs (DOM)</u>
	<u> </u>	<u>✓</u>	Disagree with Theoretical? <u> </u>
	<u> </u>	<u>✓</u>	Limited by Capacity? <u>.05 cfs</u>
TOTAL VOLUME			Rate/ac <u> </u> AFA Irr. Season <u> </u>
			<u> </u> Standard Irr. Season
			<u> </u> Season Recommended
	<u> </u>	<u>✓</u>	Disagree with Examiner's Calculations?
	<u> </u>	<u>✓</u>	<u>1.2 a/c (DOM)</u>
	<u> </u>	<u>✓</u>	Limited by Flow? <u> </u>
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	<u> </u>	<u>✓</u>	<u>Intended</u> source <u> </u>
	<u> </u>	<u>✓</u>	Notice of Intent to Void.
P/D	<u> </u>	<u>✓</u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U	<u> </u>	<u>✓</u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use? <u>Drop IRR</u>
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u>✓</u>	<u> </u>	Non-Irr. Uses <u>DOM / Home</u>
	<u> </u>	<u>✓</u>	Special Overlap Condition <u> </u>
	<u> </u>	<u>✓</u>	Other <u> </u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device
	<u> </u>	<u>✓</u>	W/Master Control
	<u> </u>	<u>✓</u>	Overlap
	<u> </u>	<u>✓</u>	Water Quality
	<u> </u>	<u>✓</u>	DATES/MISC
	<u> </u>	<u>✓</u>	Water Dist.
	<u> </u>	<u>✓</u>	App Rec'd
	<u> </u>	<u>✓</u>	Exam Made

COMMENTS/MEMOS NEEDED: Reduced Acres, rate, uses

License 10-Day ✓ 15-Day Special Correspondence

WR0749NP
No. L65-13232

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 07/30/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	EDITH WISNER	03/01/1990	DOMESTIC	01-01 12-31	0.04 CFS	1.2 AFA
C	CHESTER WISNER					
	5825 AKRON RD					
	NEW PLYMOUTH ID 83655					
	(208) 278-5366					
				TOTAL DIVERSION:	0.04 CFS	1.2 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.05 CFS

Point(s) of Diversion: T07N R04W S08 SE NW

Place of use Legal Description for: DOMESTIC

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:
07N	04W	8	:																	:
			:																	:

Pou County: PAYETTE

Other Water Rights Listing Overlapping Place(s) of use:
65-00066 65-13232

Remarks: Domestic use is for 1 home.

Dates:	App. Received:	03/02/1990	Priority Date:	03/01/1990
	Proof Due Date:	08/01/1991	Proof Made Date:	08/20/1990
	Exam Made Date:	06/20/1991	Exam Sent to S.O.:	03/13/1992
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 07/30/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- File ☒ Copies of any Amendments/Orders with Conditions of Approval
- ☒ Well Inspection Form (If Needed)
- ☐ Aerial Photo Required? ☐ yes ☒ no If yes: ☐ copy attached
- ☒ SRBA Attachment A Submitted to Adjudication Section
- SRBA Claim Check Received yes (initial & date)
- ☐ N/A ☐ Applicable, See Attachment A
- ☒ Copy of U.S.G.S. Quad
- File ☒ Check for Government Lots. If so, make a copy of government plat
- ☒ Check of P/D index 6-12-91 MTS (initial & date)
- Overlap ☒ yes ☐ no If yes: ☐ copy of exam(s) attached?
- Type of Overlap? ☐ Add acres or uses to existing system
- ☐ Increase rate of flow or volume
- ☒ Other: Other rights same DQ
- ☒ Check of P/U index 6-12-91 MTS (initial & date)
- Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?
- Type of Overlap? ☐ Increase rate of flow or volume
- ☐ Add P/D's
- ☐ Increase number of acres within tracts
- ☒ Other: Other Rights same DQ
- ☒ Scheduling Letter Sent? 6-10-91 MTS (initial & date)
- ☒ Appointment Made and Telephone Conversation Memo Attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully Completed and Signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☐ Copy of SRBA Claim Verification Sheet / ☐ Original Returned to Adjudication Section

C. Review and Processing:

- Exam Completed 7-8-91 Melvin J. Schultz (signature of examiner & date)
- Exam Reviewed by Senior Water Resource Agent 2/27/92 (initial & date)
- Exam Reviewed by Manager of Regional Office 3/3/92 (initial & date)
- Exam Sent to State Office st 3-13-92 (initial & date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Werner, Chester & Edith Permit No. 05-13232
Current Address: 5825 Akron Road, New Plymouth, Id. 83655 Phone No. 278-5366
2. Accompanied by: Chester Werner EXAM DATE: 6-20-91
Address: same Phone No. same
Relationship to Permit Holder: owner
3. Source: groundwater tributary to none

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
☐ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

MICROFILMED
SEP 15 1992

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc)

Consists of a well with a 6" casing and a $\frac{3}{4}$ Hp pump and 1 $\frac{1}{4}$ " discharge pipe to a small pressure tank located in a small pump house. From the tank a 1" buried pipe delivers water to one domestic use with less than 2 acre of lawn and garden.

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	<i>Sears</i>	$\frac{3}{4}$	<i>7G86</i>	<i>Sears</i>	<i>1 $\frac{1}{2}$" Unknown</i>

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	$\frac{1}{4}$	$\frac{1}{4}$	$\frac{1}{4}$	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
				<i>SE</i>	<i>NW 8</i>	<i>7N</i>	<i>4W</i>	<i>Payette</i>	<i>Ortho photo quad map</i>

6. Place(s) of Use:

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
<i>7N</i>	<i>4W</i>	<i>8</i>								<i>D</i>									

Do not use this space

SEP 15 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

None

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$\frac{.75 \times 8.8 \times .7}{20 + (2.3 \times 35)} = .05 \text{ cfs.}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

int/ext dom use 1.2 afa

MICROFILMED
SEP 15 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Other rights in same Q6 don't affect this permit
65-06479 under the name of same owner is for a parcel
of domestic property located in front of the parcel for
65-13232.

Recommend irrigation component be disallowed
because total of irrigation is less than $\frac{1}{2}$ acre.

Rate based on theoretical of .05 cfs being sufficient

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1-1	12-31	.04 cfs	1.2 afa
Totals:			.04 cfs	1.2 afa

2. Recommended Amendments


- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name Melvin T. Schulte
Signature Melvin T. Schulte
Certification Date 2/27/92
Field Report Preparation Date 7-8-91



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

SEP 15 1992

PERMIT 05-13232 INIT
T. R. S. Q/Q
P/D 7N 4W 8 SEW
SCALE
PHOTO ID. 1/4

New Plymouth

P/D
P/U

6

22

SEP 15 1992

Guich

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 65-13232

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 7N, Rge 4W, Sec. 8, SE 1/4 MM 1/4 or Lot _____.

2. Owner: Wynne, Chester
Address New Plymouth, City Id., St _____

3. Casing $\geq$ 12 inches above ground: Yes ☒ No _____

4. Access Port: Yes _____ No ☒ Static Water Level: 6' - from log
* Pressure Gauge: Yes ☒ No _____ Casing Diameter: 6"
Flowing: Yes _____ No ☒ Temperature: _____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No _____

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: * located behind Tank and not visible from outside pump house.

MICROFILMED
SEP 15 1992

05-13232




#1
View of
wellhouse



#2
View looking
inside
wellhouse

SEP 15 1992

65-13232



#3

Place of use -
one home
and lawn
adjacent to
home



#4

Lawn and
garden area
south of home.

MISSOURI
SEP 15 1992

January 3, 1991

CHESTER WISNER
EDITH WISNER
5825 AKRON RD.
NEW PLYMOUTH, ID 83655

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13232

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JAN 29 1991

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	- <u> </u>
No. of days late		= <u> </u>
Priority date	<u> </u>	+ <u> </u>
NEW PRIORITY DATE		= <u> </u>

RECEIVED

STATE OF IDAHO

AUG 20 1990

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

For Office Use Only
Amt of Fee \$ 50.00
Date 8/20/90
Receipt No C018079
Received by gs

RECEIVED
NOV 6 1990

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 65-13232 Telephone No. 208-278-5366

Name(s) of Permit Holder(s): Chester F. and Edith Wisner

Post Office Address: 5825 AKRON ROAD, New PLYMOUTH IDAHO 83655

Source of Water: GROUND WATER

If ground water, well driller's name: JOHNNY L. GOFF Date drilled: 7-14-86 = START
7-15-86 = FINISH

Extent of Use:

Domestic ONE (No. of households)

Irrigation _____ (No. of acres)

Stockwater _____ (No and type of stock)

Other _____

Total rate and/or volume for which proof is submitted .08 cfs Less 1 acre/feet

Show date water was first diverted and beneficially used under this permit. ABOUT June 1987

One of the following may be a condition of approval of your permit: 3/4 hp Basic SYSTEM.

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes No

Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Chester F. Wisner 208-278-5366
Name (OWNER) Telephone No.

5825 AKRON ROAD New PLYMOUTH IDAHO 83655
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho

FILED

NOV 5th 90 Chester F. Wisner Edith B. Wisner
Date Signature (and title if on behalf of a company or organization)

JAN 29 1991

November 1, 1990

Chester F. and Edith Wisner
5825 Akron Road
New Plymouth, ID 83655

Dear Mr. and Mrs. Wisner:

Re: Permit No. 65-13232

Returned is the proof of beneficial use form submitted to this office on August 20, 1990.

Please sign and return the form within 30 days.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

JAN 29 1991

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
July 23, 1990

CHESTER WISNER
EDITH WISNER
5825 AKRON RD.
NEW PLYMOUTH, ID 83655

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P65-13232

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

JUL 26 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUL 2 1990

3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: RW DATE: 5-8-90 APPLICATION: 65-13232

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume) Gov't. Lots: N P/D
- ☒ Period of use: N P/U
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map:
- ☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
- ☒ Fee:
- ☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

- YES NO less than 5 ac
- ☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
- ☒ Overlapping point of diversion:
- ☒ Field check required: Field check by: _____
- ☒ Field report attached:
- ☒ Critical groundwater area:
- ☒ Groundwater management area:
- ☒ Send dam safety information:
- ☒ Send power requirement letter:
- ☒ Send fish farm requirement letter:
- ☒ Power residency affidavit:
- ☒ Power efficiency form:
- ☒ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
- ☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
- *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side: _____

RECEIVED
JUL 02 1990

Department of Water Resources

PROCESSING

YES NO

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

U.S. BLM

U.S. Forest Svc.

Water Dist. $\frac{11}{16}$

Other

FINAL REGIONAL PROCESSING REVIEW

~~YES~~ NO

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received. Final date for protest

Protest dates, resolution of protest recorded on application:

Recommendations attached: *APPROV. DMS*

Measuring device required:

Measuring port required:

Water delivered by water master? District #

Special conditions of approval or cover letter:

See below for additional information

Recommended Date or Priority

Recommended by:

Date _____

STATE OFFICE REVIEW

See below for additional information. By

Date _____

ADDITIONAL INFORMATION

DALLAS DRILLING

AND PUMP CO. INC.

2468

505 SOUTH 18TH STREET
PAYETTE, IDAHO 83661

PHONE 208-642-3788
OR 642-2939

New Well = 65' Deep

Name

Chester Wisner

Address

New Plymouth

DEPT.	CHECK	CASH	CHARGE
<u>Job</u>			

Date

7-15 19 86

QUAN.	DESCRIPTION	PRICE	AMOUNT
50'	casing	6.00	300.00
1	drive shoe	39.00	39.00
1	wire line	35.00	35.00
8'	pipe	2.00	16.00
300	lb. bentonite	.08	24.00
			<u>370.00</u>
60'	drilling	9.00	540.00
5'	drilling	9.00	45.00
	<u>89.00 discount</u>		
	<u>PD. r. 8/11</u>		
	<u>878.50</u>		
		TAX	<u>18.50</u>
		TOTAL	<u>928.50</u>

CUSTOMER SIGNATURE

CUSTOMER AGREES TO PAY ALL ATTORNEY'S FEES
AND OTHER COSTS INCURRED BY COLLECTIONS.

INTEREST AT THE RATE OF 1% PER MONTH (ANNUAL PERCENTAGE RATE OF 12%) WILL BE CHARGED ON ALL ACCOUNTS NOT PAID WITHIN 5 DAYS OF BILLING DATE. MINIMUM SERVICE CHARGE OF 50¢ ON BALANCES UNDER \$50.00.

STRANGE PRINTING SERVICE
PRINCETON, IDAHO

CHESTER F. WISNER **

EDITH E. WISNER

ROUTE 1 BOX 1165 278-5366

NEW PLYMOUTH, ID 83655

2615

92-9/1241

PAY TO THE
ORDER OF

DALLAS DRILLING

Nine hundred Twenty Eight and 50/100

\$ 928.50

DOLLARS



First
Interstate
Bank

First Interstate Bank
of Idaho, N.A.
New Plymouth Office
PO Box 37
New Plymouth, Idaho 83655

FOR

Well Drilling

Chester F. Wisner

JUL 26 1986


⑆ 124 100093 ⑆ 05068754 ⑆

2615

⑆ 0000092850 ⑆

MICROFILMED

GARAGE TOTAL

CARPORT TOTALOTHER IMPROVEMENTS TOTAL

JUL 26 1996

OTHER IMPROVEMENTS TOTAL **2,834**

513

WISNER, CHESTER F. EDITH E
5825 AKRON RD
NEW PLYMOUTH, ID. 83655-9719

Legal Description

102 N 25 E, NW 1/4 Sec 2
10 13' 76 W 309' 06 E 334'
Sec 2-7-4

Property Address

5825 AKRON RD. 9.03 AC

Inspected By

Computed By

Certified Appraiser

Assessor

Reinspection

Date

Date

Date

Date

Date

Prebuilt

Building Permit

Interior Inspect

Under Construct

Photo No

YES	NO
☒	☒
☒	☒
☒	☒
☒	☒

IDAHO RESIDENTIAL PROPERTY RECORD

Sheet No.

MISCELLANEOUS DATA

Class 3
Use Code _____
Market Grade _____
Shape Code B
Year Built _____
Year Remodeled _____
Effective Age _____
Zoning Code _____
Date Occupied _____

VALUES SUMMARY

	YEAR	YEAR
	<u>2031</u>	<u>2032</u>
Residence	\$ <u>16,223</u>	\$ _____
Garage	\$ <u>1535</u>	\$ _____
Carport	\$ _____	\$ _____
Other Improve	\$ <u>75</u>	\$ <u>2759</u>
Total Improve	\$ <u>18333</u>	\$ <u>2759</u>
Land	\$ _____	\$ _____
MARKET VALUE	\$ _____	\$ _____

PURCHASE INFORMATION

Price	_____	Date	_____
Price	_____	Date	_____
Asking	_____	Date	_____
Rent	_____	Per	_____
Rent	_____	Date	_____

LAND INFORMATION

01 NEIGHBORHOOD		02 OFF-SITE IMPROVEMENTS		03 TOPOGRAPHY		04 WATER FRONT PROPERTY		05 ON-SITE UTILITIES						
01 Urban	5 Zoned	Street	04 Asphalt/Concrete	01 Low	01 Lake	8 Beach	☒ Electricity	05 Public Water						
02 Suburban	6 Stable	01 None	5 Gravel/Dirt	02 Level	02 River/Creek	None P F A G E	02 Gas	6 Private Well						
03 Rural	07 Improving	02 Public Access	06 Sidewalks	3 Moderate Slope	03 Accretion	7 Grade	03 Underground Elect/Telephone	07 Public Sewer						
04 Recreational	08 Declining	03 Private Access	07 Curb/Gutters	04 Steep Slope	04 Bluff Land	P F A G E	04 Cable TV	☒ Septic System						
90	80	90	90	90	05 Flood Plain	90	90	90						
06 SUBJECT DIMENSIONS		07 SITE INFORMATION		08 REMARKS										
Eff Frontage _____ Depth _____		1 Location F A G		UNRECORDED 77 764-1										
Other _____		2 Amenities F A G												
		3 Landscaping F A G												
		4 Detriments Few Many None												
09 COMPOSITE ADJUSTMENT		10 SITE ADJUSTMENTS												
CAT	LOC	CLASS	TYPE	UNIT	QTY	COST	BASE VALUE	01 Location	10 Access	20 View	30 Topography	40 Width	TOTAL FACTOR	EXT VALUE
								50 Depth	60 Plottage	70 Beach	80 Corner	90		
APPRaiser _____ APPRAISAL DATE _____							LAND VALUE \$ _____							

1989 TAXES PAID NOV 20 1989

PAYETTE COUNTY, IDAHO 1989
REAL PROPERTY TAX

26,746 25 513 513
AFTER HOME EXEMPTION
20,329
PROP. LOC: 5825 AKRON RD
N1/2N1/2SE NW LESS N
137' OF W 309' OF E 334'
SEC 8-7-4

COUNTY .C05684 113.39
RCDENT DISTRICT.C00129 2.69
RECREATION DIST.000370 7.71
SCHOOL #372 .C07536 156.97
PARKVIEW CEMETE.C00281 5.25
HWY DIST. # 1 .C01236 25.74
FIRE-NEW PLYMCU.C00373 7.77
N
SUBTOTAL .C156C9 325.12
EXEMPTION CD 1 160.00-
PAYETTE # 3 CD 7 19.62

WISNER, CHESTER F & EDITH E
5825 AKRON RD
NEW PLYMOUTH, ID. 83655-9719

DELINQUENT CERT

TOTAL TAXES

CIRCUIT BREAKERS

TOTAL ACRES: 3.35 YOUR CANCELLED CHECK IS YOUR RECEIPT
FULL LEVY SHEET IS AVAILABLE AT THE TREASURER'S OFFICE

FOR PROPER CREDIT THIS STUB MUST BE RETURNED WITH YOUR PAYMENT

FOR PROPER CREDIT THIS STUB MUST BE RETURNED WITH YOUR PAYMENT

WISNER, CHESTER F & EDITH E 513

WISNER, CHESTER F & EDITH E 513

PD BY: 1989

PD BY: 1989

7	9.81	25	162.56	92.37*
		1	80.00-	

7	9.81	25	162.56	184.74*
		1	80.00-	

PERSONAL CHECKS SUBJECT TO BANK CLEARANCE
DATE MAY BE AVAILABLE TO

BETTY ADLER TAX COLLECTOR
1130 3RD AV N
PAYETTE, ID 83661

PAID BY: 1989
NOV 20 1989
PAYETTE COUNTY, IDAHO
160.00-
184.74*

FULL

JUNE 20, 1990

DECEMBER 20, 1989

PAID BY: CHECK () CASH ()

PAID BY: CHECK (✓) CASH (✓) 184.74

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name CHESTER WISNER
RT.1 BOX 1165
Address NEW PLYMOUTH, IDAHO 83665
Owner's Permit No. _____

2. NATURE OF WORK

☐ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>2.50</u> inches	<u>6</u> inches +	<u>1</u> feet	<u>49</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☒ Yes ☐ No

How perforated? ☒ Factory ☐ Knife ☐ Torch
Size of perforation 1/8 inches by 3 inches

Number	From	To
200 perforations	38	46
perforations		
perforations		

Well screen installed? ☐ Yes ☒ No

Manufacturer's name

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal depth 18 Material used in seal: ☐ Cement grout
☒ Bentonite ☐ Puddling clay ☐

Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth


Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld

☐ Cemented between strata

Describe access port

B. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name

Lot No. _____ Block No. _____

County Waukegan
SE 1/4 1/4 Sec. 8 T. 7 N. S. R. 4 E. W.

7. WATER LEVEL

Static water level 6 feet below land surface.
Flowing? ☒ Yes ☐ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 56 °F. Quality good
Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailer ☒ Air ☐ Other

Discharge G.P.M.	Pumping Level	Hours Pumped
70	65	2½

9. LITHOLOGIC LOG

[illegible]

19.

Work started **7/14/86** finished **7/15/86**

DRILLERS CERTIFICATION

1. I certify that all minimum well construction standards were complied with at the time the rig was removed.

90
Firm Name DALLAS DRILLING & PUMP CO., INC. Firm No.

Firm Name 505 So. 18th St. Firm No. 2

Address PAYETTE, IDAHO 83661 Date 1-25

Signed by (Firm Official) JOHNNY L. GORE 8/2

and Joe Rash
(Operator)

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

MICROFILMED
JUL 26 1990

JUL 26 1990

505 (NW 1/4) Tax 3 less Tax 10 & less Tax 11 (w/450 of S 210)
(John H. + Walter J. + Lawrence S. + Granger + Margaret Longstroth 2/3)
(Phyllis A. Fisher + Lorraine A. Clements + Vera T. Longstroth) + Ralph E. + Beulah Colburn 1/3
(A.W.B. + LeRoy + Beverly H. Ray + Wilda Brock
Industries, Inc. + K. Atwood)

505A NW 1/4 SE 1/4
Raymond K.
Shirley D. Taylor and

505-1 Tax 10 (w/450 of S 210 of Tax 3)
(Paul T. Jones III + Hunter R. + Greg W. +
+ Amyb. Jones + Wilda J. Brock) Marilyn Jo Willison

505-2 Tax 11
Hunter Ray
+ Wilda J. Brock

MICROFILMED

JUL 26 1990

506 S 1/2 SENE (Tax 4)
(Laurence + Ed + Michael + Doris + Clarence H. +
Jessie F. Madsen) (Laurie F. Roske + Wanda Z. Wilmot)

506-1 Tax 4
(Michael D. + Clarence H. +
Laurie F. + Wanda Z. Wilmot)

509-1 Tax 7
(K.W. + Martha + Jerry + Laurence) August 7. + John T. +
Rose (Lee Platz) Bolick (Betty Schoenborn) Donita Cook

510 NENE E of drain ditch
Ruby E. (Dillon) Lewis Arthur 3/4 my 1/4 (4 Colleen M) Haines
Crowther + Dillon +

511 NENW
(Walter F. W. + Fred) 1/3 W. Joe + Rose Ellen + Freda +
+ Elsie Schmid Ilo E. Schmid Van Rietman Arthur W. Lee

512 E 1/2 SWNW N of Ditch W 1/2 SWNW + NW NW
(Walter E. + William Soc
+ Genevieve Schmid) + Ilo E. Schmid

513 NW 1/2 SENE less N 137' of W 309' of E 334'
Chester F. +
Edith E. Wisner

513-1 N 137' of W 309' of E 334' SENEW
Larrie M.
Clark

65-13232

WISNER, CHESTER
WISNER, EDITH
5825 AKRON RD.
NEW PLYMOUTH, ID 83655

Source: GROUNDWATER

Diversion Pt: SENW Sec 8 T 07N R 04W

Use: IRRIGATION (.030 CFS)
 DOMESTIC (.040 CFS)
 Total Diversion: (.070 CFS)

Date Filed: 3/ 2/ 1990

In: T07N R04W S08 SENW

1.0 ACRES TOTAL

MicroFILMED

JUL 26 1990