

Dec 28 770 R50


NC

1843C

RECEIVED

JUL 26 1990

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	FRANKLIN ELEC.	1.5	UNLEGIBLE	MONARCH	1 1/2

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: THEORETICAL: 1 1/2 HP 85' (EST.)

RECORDED

MAR 29 1995



P/W
P/d
↓

T. R. S. Q/Q
P/D 9N 5W 28 S45E
SCALE _____
PHOTO ID. _____

MAR 29 1995



PHOTO ONE-

>



PHOTO TWO..

MAR 29 1995



PHOTO THREE-

>

PHOTO FOUR-

MAR 29 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13228

Priority: April 13, 1990

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

6.0 AF

This is to certify, that EDSSEL GRIFFIN

938 N 6TH ST

PAYETTE ID 83661

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 13, 1990; and has submitted Proof of Beneficial Use on June 7, 1991. An examination indicates that the works have a diversion capacity of 0.090 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	5.9 AF
STOCKWATER	01/01 to 12/31	0.01 CFS	0.1 AF
	Totals	0.04 CFS	6.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SESE , Sec. 28, Township 09N, Range 05W
PAYETTE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09N	05W	28	SESE	1.3		1.3

Total number of acres irrigated: 1.3

PLACE OF USE:

STOCKWATER, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. Stockwater use is for 2 horses.

MAP 8-0-1991


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13228

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 23rd
day of FEBRUARY, 1995.

Acting for


R. Keith Higginson, Director

65-20150

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

- 1 Permit No. 65-13228 Telephone No. 642-3290
- 2 Name(s) of Permit Holder(s): Edsel Griffin
- 3 Post Office Address: #938 North 6th Street, Payette, Id 83661
- 4 Source of Water: GROUND WATER
- a If ground water, well driller's name: FRANK SHEPHERD Date drilled: April 1988
- b Pump horsepower: 1.5 H.P. Pressure (psi): _____ Dynamic pumping level (ft.): _____
- 5 Extent of Use:

Domestic _____ (No. of households)

Irrigation 2.0 (No. of acres)

Stockwater L (No. and type of stock)

Other _____

6 Total rate and/or volume for which proof is submitted .04 cfs _____ acre/feet

7 Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes X No Installed? Yes Yes No

OR

Flow Measurement Port: Required? Yes X No Installed? Yes Yes No

8 Fee Enclosed: \$ -0- (See License Examination Fee Schedule)

9 Person to contact to accompany the Department representative during the field examination:

Edsel Griffin

642-3290

Name

Telephone No.

#938 North 6th Street, Payette, Idaho 83661

Address

10 The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho

RECORDED

6-5-91
Date

Edsel H. Griffin DEC 27 1991
Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13228

Proposed Priority: April 13, 1990 Maximum Diversion Rate: 0.04 CFS
This is to certify, that **EDSEL GIFFIN**

938 N. 6TH ST.
PAYETTE, ID 83661

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.04 CFS
STOCKWATER	01/01 to 12/31	0.02 CFS
	Totals	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: SESE Sec. 28, Township 09N, Range 05W
PAYETTE County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09N 05W 28	SESE 2			2
	Total number of acres irrigated:			2

PLACE OF USE: STOCKWATER, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 1, 1991**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
5. Stockwater use is for 2 horses.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

23 day of July, 1990.

MICROFILMED

JUL 26 1990

for R. Keith Higginson, Director

RECEIVED
APR 13 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident No. 65-13228

To appropriate the public waters of the State of Idaho
Department of Water Resources

1. Name of applicant Edsel Giffin Phone 642-3290
Post office address 938 N. 6th St. Payette, ID 83661
- * 2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of SE 1/4 of SE 1/4, Govt. Lot _____
Sec 28 Township 9N Range 5W B.M. Payette County, additional
points of diversion if any. _____
4. Water will be used for the following purposes.
Amount 0.04 for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for Stockwater purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- 5 Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Well and pump
Existing well drilled in 1985
 - b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet, total
reservoir capacity _____ acre-feet, period of year when water will be diverted to storage
_____ to _____ inclusive
 - c Proposed well diameter is 8 inches; proposed depth of well is 165 feet.
 - d Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

* TAKEN from G.A. 4-27-9088

MICROFILMED

MAY 16 1990

8 Description of proposed uses (if irrigation only, go to item 9)

- a Hydropower, show total feet of head and proposed capacity in KW _____
- b. Stockwatering; list number and kind of livestock 2 Horses
- c. Municipal; show name of municipality _____
- d Domestic, show number of households. _____
- e. Other, describe fully _____

9 Description of place of use

- a If water is for irrigation, indicate acreage in each subdivision in the tabulation below
- b If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.


TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
9N	5W	28																2	2
																		5	

Total number of acres to be irrigated _____

10 Describe any other water rights used for the same purposes as described above. None

- 11 a Who owns the property at the point of diversion? Applicant
- b Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

12 Remarks _____



JUL 16 1970

Dec 28 770 RSU

JUL 26 1990

MICROFILMED
JUL 26 1990

JUL 26 1990

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth

Edsel H. Griffin
(Applicant)

Received by Ms. C. Wong Date 4/16/90 Time 10:30 am Preliminary check by [Signature]
Fee \$ 30⁰⁰ Received by C. Wong # C016271 Date 4/13/90
Publication prepared by GG Date 5-9-90 Published in Independent Enterprise
Publication approved st Date 6-20-90
5/17 & 5/24/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1 Approval of said application is subject to the following limitations and conditions:

a SUBJECT TO ALL PRIOR WATER RIGHTS.

b Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 _____.

c The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 24, 1995

EDSEL GRIFFIN
938 N 6TH ST
PAYETTE ID 83661

RE: WATER RIGHT NO. 65-13228

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

MAR 29 1995

LICENSE REVIEW CHECKLIST



PERMIT NO. 165-13228 DATE 2-14-95

NAME	Yes <u> </u> No <u>✓</u>	Or Address Change? <u> </u>
PRIORITY DATE	<u> </u> <u>✓</u>	Advance? <u> </u> Advanced to: <u> </u> Order to reinstate needed? <u> </u> Incorrect fee for rate recommended? <u> </u>
SOURCE	<u> </u> <u>✓</u>	Changes or just clarification of originally intended source? <u> </u> Notice of Intent to Void necessary? <u> </u>
POINT OF DIV	<u> </u> <u>✓</u> <u> </u> <u>✓</u>	Amendment needed? <u> </u> Overlaps? <u> </u>
PLACE OF USE	<u> </u> <u>✓</u> <u> </u> <u>✓</u>	Amendment needed? <u> </u> Overlaps? <u> </u>
DIV RATE	<u>✓</u> <u> </u>	Permit/fee limits: <u>.04 cfs</u> Meas Q = <u> </u> Theo Q = <u>.09</u> Recommend: <u>.04</u> <u>1.5 HP X 8.8 X .7</u> } = <u>.09 cfs</u> <u>1.3 X .02 = .03</u> <u>20' + (2.31 X 35)</u> } <u>2 HORSES = .01</u> Combined rates exceed capacity <u> </u>
ANNUAL VOLUME	<u>✓</u> <u> </u>	Volume Limit: <u> </u> Season: <u>D/4.5 (3-15 to 11-15)</u> Calculations: <u>1.3 X 4.5 = 5.9 af</u> <u>2 HORSES = .1 af</u> Flow limit: <u> </u> cfs x <u> </u> x 1.9835 = <u> </u> Combined volumes exceed capacity/allowable <u> </u>
USES	<u> </u> <u>✓</u>	Change in Nature of Use or additional uses? <u> </u> Amendment necessary? <u> </u>
REMARKS	<u> </u> <u>✓</u> <u> </u> <u>✓</u>	Multiple p/d(s) in 1/4 1/4? <u> </u> Other <u> </u>
CONDITIONS	<u> </u> <u>✓</u> <u>R32</u> <u>✓</u> <u> </u> <u>✓</u> <u> </u> <u>✓</u>	Measuring/Locking Devices <u> </u> Watermaster control - District <u> </u> Irrigation Overlap <u> </u> Water Quality <u> </u> Other <u> </u> Heat/Cool/ Fish verified <u> </u>

COMMENTS: Mrs. Griffin said (per telephone conversation 2-14-95)
that their shares were given back 3 years ago. No reason
given. REDUCE ACRES TO 1.3 acre.

RECOMMENDED	CFS	VOL	SRBA Claim Filed	<u>NO</u>
<u>Irrigation</u>	<u>.03</u>	<u>5.9</u>	Adjustment Memo Needed	<u>YES</u>
<u>Stockwater</u>	<u>.01</u>	<u>.1</u>		
<u> </u>	<u> </u>	<u> </u>	LICENSE	<u>✓</u>
<u> </u>	<u> </u>	<u> </u>	1ST AMENDMENT LETTER	<u> </u>
<u>Total</u>	<u>.04</u>	<u>6.0</u>	FINAL AMENDMENT LETTER	<u> </u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 17 1995

Department of Water Resources

A. GENERAL INFORMATIONPermit No. 65-132281. Owner: Edsel Griffin Phone No. 642-3790Current Address: 938 N 6th ST. PAYETTE IDAHO 836612. Accompanied by: Edsel Griffin EXAM DATE: 6-21-94Address: SAME Phone No. SAMERelationship to Permit Holder: SAME3. Source: GROUNDWATER tributary to -NA-**B. OVERLAP REVIEW**1. Other water rights with the same place of use: 65-00165x 65-114132. Other water rights with the same point of diversion: 65-00065 + 33 OTHERS *SEE REMARKS**C. DIVERSION AND DELIVERY SYSTEM****1. Point(s) of Diversion:**

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SE	28	9N	5W	PAYETTE	QUADS - OWNERS ID

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
9N	5W	28																	

MAR 29 1995

* See attached memo. BC

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" =

✓ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

NA Aerial Photo Attached (required for irrigation of 10+ acres)

✓ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	FRANKLIN ELEC.	1.5	UNLEGIBLE	MONARCH	1 1/2

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: THEORETICAL: 1 1/2 HP 85' (EST.)

MAR 29 1995

E. NARRATIVE/REMARKS/COMMENTS

THIS SYSTEM USES A $1\frac{1}{2}$ HP TO DRAW WATER FROM A 165' 8" WELL. WELL LOGS WERE UNAVAILABLE BUT LOGS IN THE SAME $\frac{1}{4}$ '/4 INDICATE A STATIC OF 10'. THEREFORE, FOR THEORETICAL PURPOSES A DYNAMIC OF 85' WILL BE USED.

THE OWNER HAS 2 ACRES OF PROPERTY THAT SHE IRRIGATES. SHE USES HAND LINES IN THE EAST PASTURE AND HOSES TO RAINBIRDS IN THE FRONT LAWN. THE SYSTEM RUNS AT 35 PSI. STOCK TANKS ARE FILLED BY HAND FROM THE SPIGOT/HOSE SYSTEM. THERE ARE 2 HORSES ON THE PROPERTY.

* OVERLAPS ARE SIMPLY NEIGHBORS IN SAME $\frac{1}{4}$ '/4. THERE ARE NOT ANY P/U OR P/D OVERLAPS ON THE ECKEL PROPERTY. SEE ^{WR} PROFILE REMARKS FOR WATER RIGHT #'S IN THE SAME $\frac{1}{4}$ '/4.

Have conditions of permit approval been met? ☒ yes ☐ no

MAR 29 1995

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

THEORETICAL; 1 1/2 HP
35 psi
85' dyn (est)

$$\frac{1\frac{1}{2} \times 8.8 \times .70}{(2.3 \times 35) + 85} = \frac{13.9}{165.5} = .08 \text{ cfs system capacity}$$

$$\text{NEED IRRIGATION} = 2 \times .02 = .04 \text{ cfs Stock; 2 horses}$$

allow min of .02 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2 \times 4.5 = 9 \text{ AFA}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .04 \times 246 \times 1.9835 = 20 \text{ AFA}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 9 \text{ AFA}$$

2. Volume Calculations for Other Uses:

(Ex. 15A)

$$\text{Stockwater} = 2 \text{ HORSES} \times 62 \text{ gal/day} \times 365 \text{ y, } 43650 \text{ gal/y}$$

= .2 AFA

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (ata)
	From	To		
IRRIGATION	3-15	11-15	.04 cfs	9 AFA
STOCKWATER	1-1	12-31	.02 cfs	.2 AFA
Totals:			.04 cfs	9.2 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name

Date 7/17/94

Reviewer

Date

SEAL

* See attached memo for adjustments explanation. DC

MAR 29 1995

MEMORANDUM

TO: File 65-13228 / Edsel Griffin
FROM: Brenda Chapman
DATE: February 14, 1995
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for the above referenced water right are based on the information below:

C. SYSTEM DESCRIPTION

Place of Use: The exam map confirms the place of use is located within the SESE $\frac{1}{4}$ of Section 28, which coincides with the permit.

F. FLOW CALCULATIONS

The theoretical calculation has been adjusted based on the a pumping level of 20' (according to the well log the well depth is only 65').

According to the dimensions of the property given in the exam, no more than 1.3 acres are irrigated; therefore, the recommended irrigation rate has been reduced.

According the current standards chart, the rate for 2 horses is .01 cfs.

G. VOLUME CALCULATIONS

The volume recommendations have been reduced based on 1.3 acres and the chart recommendation for 2 horses.


H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	3-15 to 11-15	.03	5.9
Stockwater	1-01 to 12-31	.01	1

See items F & G.

MAR 29 1995



ALHEUR CO
AYETTE CO

WASHOE
DITCH

PIPE LINE

Gulch

Race Track

BM PERMIT
T. R. S. Q/Q
P/D 9N 5W 28 S 5E
SCALE
PHOTO ID.

Washoe

Washoe Cem

PAYETTE
(BM 2150)

Payette
Heights

BM 2196

BM 2143

BM 2147

BM 2146

BM 2151

BM 2155

BM 2159

BM 2163

BM 2167

BM 2171

BM 2175

BM 2179

BM 2183

BM 2187

BM 2191

BM 2195

BM 2199

BM 2203

BM 2207

BM 2211

BM 2215

BM 2219

BM 2223

BM 2227

BM 2231

BM 2235

BM 2239

BM 2243

BM 2247

BM 2251

BM 2255

BM 2259

BM 2263

BM 2267

BM 2271

BM 2275

BM 2279

BM 2283

BM 2287

BM 2291

BM 2295

BM 2299

BM 2303

BM 2307

BM 2311

BM 2315

BM 2319

BM 2323

BM 2327

BM 2331

BM 2335

BM 2339

BM 2343

BM 2347

BM 2351

BM 2355

BM 2359

BM 2363

BM 2367

BM 2371

BM 2375

BM 2379

BM 2383

BM 2387

BM 2391

BM 2395

BM 2399

BM 2403

BM 2407

BM 2411

BM 2415

BM 2419

BM 2423

BM 2427

BM 2431

BM 2435

BM 2439

BM 2443

BM 2447

BM 2451

BM 2455

BM 2459

BM 2463

BM 2467

BM 2471

BM 2475

BM 2479

BM 2483

BM 2487

BM 2491

BM 2495

BM 2499

BM 2503

BM 2507

BM 2511

BM 2515

BM 2519

BM 2523

BM 2527

BM 2531

BM 2535

BM 2539

BM 2543

BM 2547

BM 2551

BM 2555

BM 2559

BM 2563

BM 2567

BM 2571

BM 2575

BM 2579

BM 2583

BM 2587

BM 2591

BM 2595

BM 2599

BM 2603

BM 2607

BM 2611

BM 2615

BM 2619

BM 2623

BM 2627

BM 2631

BM 2635

BM 2639

BM 2643

BM 2647

BM 2651

BM 2655

BM 2659

BM 2663

BM 2667

BM 2671

BM 2675

BM 2679

BM 2683

BM 2687

BM 2691

BM 2695

BM 2699

BM 2703

BM 2707

BM 2711

BM 2715

BM 2719

BM 2723

BM 2727

BM 2731

BM 2735

BM 2739

BM 2743

BM 2747

BM 2751

BM 2755

BM 2759

BM 2763

BM 2767

BM 2771

BM 2775

BM 2779

BM 2783

BM 2787

BM 2791

BM 2795

BM 2799

BM 2803

BM 2807

BM 2811

BM 2815

BM 2819

BM 2823

BM 2827

BM 2831

BM 2835

BM 2839

BM 2843

BM 2847

BM 2851

BM 2855

BM 2859

BM 2863

BM 2867

BM 2871

BM 2875

BM 2879

BM 2883

BM 2887

BM 2891

BM 2895

BM 2899

BM 2903

BM 2907

BM 2911

BM 2915

BM 2919

BM 2923

BM 2927

BM 2931

BM 2935

BM 2939

BM 2943

BM 2947

BM 2951

BM 2955

BM 2959

BM 2963

BM 2967

BM 2971

BM 2975

BM 2979

BM 2983

BM 2987

BM 2991

BM 2995

BM 2999

BM 3003

BM 3007

BM 3011

BM 3015

BM 3019

BM 3023

BM 3027

BM 3031

BM 3035

BM 3039

BM 3043

BM 3047

BM 3051

BM 3055

BM 3059

BM 3063

BM 3067

BM 3071

BM 3075

BM 3079

BM 3083

BM 3087

BM 3091

BM 3095

BM 3099

BM 3103

BM 3107

BM 3111

BM 3115

BM 3119

BM 3123

BM 3127

BM 3131

BM 3135

BM 3139

BM 3143

BM 3147

BM 3151

BM 3155

BM 3159

BM 3163

BM 3167

BM 3171

BM 3175

BM 3179

BM 3183

BM 3187

BM 3191

BM 3195

BM 3199

BM 3203

BM 3207

BM 3211

BM 3215

BM 3219

BM 3223

BM 3227

BM 3231

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: 65-13220

2. OWNER: Edsel Carlin Phone: 642-3290
Address: 838 N. 6th St. Payette Id 83661

3. WELL LOCATION: Twp 9N, Rge. 5W, Sec. 20, SE 1/4 SE 1/4
County Payette (Provide sketch map and photo on reverse.)

4. DRILLER: Shelley Lic. No. _____
When Drilled? Apr. 88

5. WELL CONSTRUCTION:
Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☐ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing _____ ft. Method Drilled _____
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving Good
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious constuction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:
Depth to Static Water 10' ft. WELL 1095 IN SAME 1/4 1/4 Water Temperature _____ °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:
☐ Domestic ☒ Irrigation ☒ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

APR 29 1995



PHOTO ONE-

>



PHOTO TWO-

10/22/99



PHOTO THREE-

>

PHOTO FOUR-

MAR 28 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 1, 1992

Edsel Griffin
938 North 6th Street
Payette, ID 83661

Re: Permit No. 65-13228

Dear Mr. Griffin:

Thank you for your prompt response to my letter requesting a drilling permit and fee. The department has received both.

Since your proof of beneficial use has already been acknowledged, we will proceed with the licensing process of your permit. Our regional office has been notified that you are ready for a field examination.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

C: IDWR - Regional Office

RECEIVED
MAR 29 1992

MAR 29 1992

RECEIVED

MAY 08 1992

Drilling Permit No.
Water Right Permit
Injection Permit No.

65-92-W-087

65-13228

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR DRILLING PERMIT

MAY 12 1992

Department of Water Resources
Water Resources Office1. Applicant (please print) Edsel Griffin2. Mailing Address 938 North 6th StreetCity & State Payette, ID Zip Code 83661 Telephone (208)-642-3290☒ Well Owner () Well Operator () Other, specify _____3. Proposed well location SE 1/4 SE 1/4, or Gov't Lot No. _____Sec. 28, Twp. 09N, Rge. 05W, County Payette

Street Address of Well Site _____

Lot, block and subdivision _____

4. Proposed use of well:

- () Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

- ☒ Non-Domestic: Any beneficial use not included within the definition of domestic.

- () Injection

- () Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

- () Other _____
(Describe)

5. Well construction information:

- A. ☒ New well () Deepen () Enlarge () Replace - See Condition 9

B. Proposed Surface Diameter 6" Proposed Maximum Depth 65'

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

MAR 29 1995

6. Construction Start Date June - 1988Anticipated Well Driller Frank Shelley - 326

NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Edsel H. Griffin Date May 5 - 92Title Owner

(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES


This Permit is **APPROVED** Date 5-12-92

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum distance of 50 feet and 100 feet respectively from a septic tank.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:



DAVID R. TUTHILL JR.

Signature of Authorized Department Representative

**MANAGER
WESTERN REGIONAL OFFICE**

Title

Receipt No. C024073 Received by [Signature] Fee 200.00 Date 5-11-92

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date. **MAY 29 1995**



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 28, 1992

Edsel Griffin
938 North 6th Street
Payette, ID 83661

Re: Permit No. 65-13228

Dear Mr. Griffin:

As you know, there was some controversy concerning a drilling permit and well log associated with the above referenced permit. Since my last correspondence with you on November 12, 1991 and subsequent telephone conversation with Mr. Gene Gray on November 20, 1991, we have finally been able to obtain a well log from Mr. Frank Shelley, your driller. I have enclosed a copy for your convenience.

However, the question of the drilling permit still remains. Idaho Code, §42-235 states in part:

Prior to constructing or drilling any well, an owner shall obtain a permit from the director of the department of water resources . . .

While we understand, that most water right holders are not familiar with the law, it is clearly stated as condition #3 of your water right permit that you, as the water right holder, must comply with the drilling permit requirements. I have also enclosed a copy of your permit for your convenience. All drillers are required to obtain a copy of the permit prior to construction of the well. Unfortunately, your driller violated that rule. Mr. Shelley was subsequently reprimanded and financially penalized for not obtaining that copy from you. Had he informed you of the need for the drilling permit, you could have obtained one prior to the construction of the well.

In any case, before the Department can conduct a field examination and continue with the subsequent licensing of your water right, you must comply with Idaho Code, §42-235 and apply for a drilling permit. I have completed and enclosed an application for drilling permit for your convenience. You need only sign, date and return to me with a \$200 application fee.

MAY 9 1992

Once you have returned the form and \$200 fee, I will notify my regional office that you have complied with all of the conditions of your permit so that we can continue with the licensing process.

Mr. Edsel, I would like to apologize for the inconvenience that has been caused by your driller not informing you of this requirement. I hope that I have clearly explained the law and subsequent position of the Department in reference to your drilling permit.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,


Karen L. Gustafson
Secretary/Records Manager

Enclosures

CC: Rob Whitney, Western Regional Office
CC: Gene Gray, Water Resource Board Member

MAR 29 1995

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

December 5, 1991

EDSEL GRIFFIN
938 N. 6TH ST.
PAYETTE ID 83661

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13228

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECORDED

DEC 27 1991

INTER-DEPARTMENT MEMO

TO: FileFROM: KarenSUBJECT: Drill Log & PermitDATE: 11/25/91

Re Mark - he will attempt to acquire a well log from Frank Shelley (duller) Re new in house decision - if older than 1 year we will not attempt to get a drill permit or require holder to apply for one -

MICROFILMED

DEC 27 1991

☐ For your information☐ Response requiredLog
signature

INTER-DEPARTMENT MEMO

TO: FileSUBJECT: well log
drill permitFROM: KaresDATE: 11/20/91

Call from Gene Gray (Board member) - Griffin's contacted driller - could not repeat what he said - They did not apply for permit - did not know they had to - driller did not submit log. Told Mr. Gray I would see what I could do

MICROFILMED

DEC 27 1991

() For your information

() Response required

KLG
signature



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 12, 1991

Edsel Griffin
938 North 6th Street
Payette, ID 83661

Re: Permit No. 65-13228

Dear Permit Holder:

In the department's review of the proof of beneficial use submitted in connection with the above referenced permit, the department was not able to locate a drilling permit which should have been applied for before construction of your well began. We have also been unable to locate a well log which should have been submitted by your well driller 30 days after completion of the construction of your well.

If you have a drilling permit or a copy of the well log, please provide this office with a copy of each. If you do not have a copy of the well log, please contact your driller and ask that he submit a copy. In your return letter, please be sure to show the above referenced permit number on any documents. Also, please address any correspondence directly to me. Your response, with both forms attached, should be received within 20 days of the date of this mailing.

This information is needed before the department can proceed further with the examination of your system and the eventual issuance of a license of water right.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,
Karen L. Gustafson
Karen L. Gustafson
Secretary/Records Manager

RECEIVED

DEC 27 1991

INTER-DEPARTMENT MEMO

TO: File 65-13228SUBJECT: Name ChangeFROM: CiteDATE: 6-5-91

Pursuant to Gene Bray (board member)
the permit holder's name is Trippin.
The name has been changed in the
data base

MICROFILMED

DEC 27 1991

☐ For your information☐ Response required_____
signature

138697
May 31, 1991

EDSEL GIFFIN
938 N. 6TH ST.
PAYETTE, ID 83661

PROOF DUE NOTICE

RE: PERMIT NO. 65-13228

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

DEC 27 1991

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

- - - - -

Statehouse
Boise, Idaho 83720
(208) 327-7900
July 23, 1990

EDSEL GIFFIN
938 N. 6TH ST.
PAYETTE, ID 83661

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P65-13228

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

RECEIVED

JUL 26 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECORDED

JUL 26 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:
63-11282

TMCO, INC.
P.O. BOX R
NAMPA, IDAHO 83651
Source: GROUNDWATER
Diversión Pt: LOT 2 (SEWNW) Sec 1 T 06N R 05W
NENWSW Sec 1 T 06N R 05W
SWSENE Sec 2 T 06N R 05W
Use: IRRIGATION (15.000 CFS)
Total Diversión: (15.000 CFS)
Date Filed: 4/16/1990
In: T06N R05W S01 Lot 1 (NENE) Lot 2 (NWNW)
SWNE Lot 3 (NENW); Lot 4 (NWNW) NESE NWSE
SESE; S02 SENE SWNW NESW NWSW; SWSW
SESW NESE SESE; T07N R05W S36 SWSW SESW
SWSE SESE.
51.0 ACRES TOTAL

63-11310
GRILLO, RICHARD
GRILLO, MARILYN
P.O. BOX 842
PARMA, ID 83660
Source: GROUNDWATER
Diversión Pt: SWNW Sec 36 T 07N R 05W
Use: IRRIGATION (.160 CFS)
DOMESTIC (.040 CFS)
Total Diversión: (.200 CFS)
Date Filed: 4/27/1990
In: T07N R05W S36 SWNW SENW
8.0 ACRES TOTAL

65-13207
PAYETTE COUNTY HISTORICAL SOCIETY
C/O MARY PEDERSON
725 N. 7TH ST.
PAYETTE, ID 83661
Source: GROUNDWATER
Diversión Pt: NENESE Sec 33 T 09N R 05W
Use: IRRIGATION (.020 CFS)
Total Diversión: (.020 CFS)
Date Filed: 4/9/1990
In: T09N R05W S33 NESE
0.5 ACRES TOTAL

65-13208
NEWMAN, DONALD G.
NEWMAN, GERALDINE L.
953 6TH AVE. S.
PAYETTE, ID 83661
Source: GROUNDWATER
Diversión Pt: LOT 4 (NESE) Sec 8 T 08N R 05W
Use: IRRIGATION (.480 CFS)
Total Diversión: (.480 CFS)
Date Filed: 4/9/1990

In: T08N R05W S08 Lot 4 (NESE)
S09 NWSW
24.0 ACRES TOTAL

65-13215
REMINGTON, KEITH M.
REMINGTON, NYLA M.
P.O. BOX 424
FRUITLAND, ID 83619
Source: PAYETTE RIVER
Tributary: SNAKE RIVER
Diversión Pt: LOT 3 (SESW) Sec 10 T 08N R 05W
Use: IRRIGATION (.020 CFS)
Total Diversión: (.020 CFS)
Date Filed: 4/11/1990
In: T08N R05W S10 Lot 3 (SESW)
0.5 ACRES TOTAL

65-13214
CITY OF PAYETTE
700 CENTER AVE.
PAYETTE, ID 83661
Source: GROUNDWATER
Diversión Pt: SESW Sec 23 T 09N R 05W
Use: IRRIGATION (1.000 CFS)
COMMERCIAL (1.000 CFS)
Total Diversión: (2.000 CFS)
Date Filed: 4/5/1990
In: T09N R05W S23 SESW; S26 NWNE SWNE NENW
NWNW; SENW
150.0 ACRES TOTAL

65-13216
REMINGTON, KEITH M.
REMINGTON, NYLA M.
P.O. BOX 424
FRUITLAND, ID 83619
Source: GROUNDWATER
Diversión Pt: LOT 3 (SESW) Sec 10 T 08N R 05W
Use: COMMERCIAL (.040 CFS)
Total Diversión: (.040 CFS)
Date Filed: 4/11/1990
In: T08N R05W S10 Lot 3 (SESW)

65-13218
MC CALLUM, ANGELA L.
MC CALLUM, FLOYD S.
10734 N. RIVER
PAYETTE, ID 83661
Source: GROUNDWATER
Diversión Pt: LOT 3 (NESW) Sec 22 T 09N R 05W
Use: IRRIGATION (.150 CFS)
Total Diversión: (.150 CFS)
Date Filed: 4/11/1990
In: T09N R05W S22 Lot 3 (NESW)
5.0 ACRES TOTAL

65-13219
MC CALLUM, FLOYD S.

MC CALLUM, ANGELA L.
10734 N. RIVER
PAYETTE, ID 83661
Source: SPRINGS Tributary: SNAKE RIVER
Diversión Pt: LOT 3 (NENESW) Sec 22 T 09N R 05W
Use: STOCKWATER (.020 CFS)
STOCKWATER STORAGE (8.30 AF)
STOCKWATER FROM STORAGE (8.30 AF)
Total Diversión: (.020 CFS), (8.30 AF)
Date Filed: 4/11/1990
In: T09N R05W S22 Lot 3 (NESW)

65-13221
FAIRCHILD, VIRGIL
880 N. 11TH AVE.
PAYETTE, ID 83661
Source: UNNAMED DRAIN
Tributary: SNAKE RIVER
Diversión Pt: NESWSE Sec 32 T 09N R 05W
Use: IRRIGATION (.300 CFS)
Total Diversión: (.300 CFS)
Date Filed: 4/12/1990
In: T09N R05W S32 SWSE SESE
15.0 ACRES TOTAL

65-13222
FAIRCHILD, ROGER
FAIRCHILD, MARY J.
P.O. BOX 990
FRUITLAND, ID 83619
Source: GROUNDWATER
Diversión Pt: NESWNW Sec 23 T 08N R 05W
Use: IRRIGATION (.040 CFS)
Total Diversión: (.040 CFS)
Date Filed: 4/13/1990
In: T08N R05W S23 SWNW
2.0 ACRES TOTAL

65-13225
HEAD, JIM
HEAD, MARGARET
3573 HWY. 52
PAYETTE, IDAHO 83661
Source: WASTE WATER
Tributary: PAYETTE RIVER
Diversión Pt: SWNW Sec 17 T 08N R 04W
Use: IRRIGATION (.120 CFS)
Total Diversión: (.120 CFS)
Date Filed: 4/24/1990
In: T08N R04W S17 SWNW
6.0 ACRES TOTAL

65-13226
DORSING, DOUGLAS S.
716 S. 1ST ST.
FRUITLAND, ID 83619
Source: PAYETTE RIVER
Tributary: SNAKE RIVER
Diversión Pt: LOT 1 (SENE) Sec 15 T 08N R 05W

Use: IRRIGATION (.240 CFS)
Total Diversión: (.240 CFS)
Date Filed: 4/17/1990
In: T08N R05W S15 Lot 2 (SWNE) Lot 1 (SENE)
12.0 ACRES TOTAL

65-13228
GIFFIN, EDSSEL
938 N. 6TH ST.
PAYETTE, ID 83661
Source: GROUNDWATER
Diversión Pt: SESE Sec 28 T 09N R 05W
Use: IRRIGATION (.040 CFS)
STOCKWATER (.020 CFS)
Total Diversión: (.040 CFS)
Date Filed: 4/13/1990
In: T09N R05W S28 SESE
2.0 ACRES TOTAL

65-13229
MIKESELL, QUENTIN L.
MIKESELL, SHARON
4385 SAND HOLLOW RD.
NEW PLYMOUTH, ID 83655
Source: GROUNDWATER
Diversión Pt: NWSENE Sec 26 T 07N R 04W
Use: IRRIGATION (.060 CFS)
STOCKWATER (.200 CFS)
DOMESTIC (.040 CFS)
Total Diversión: (.300 CFS)
Date Filed: 4/9/1990
In: T07N R04W S26 SENE
3.0 ACRES TOTAL

65-13232
WISNER, CHESTER
WISNER, EDITH
5825 AKRON RD.
NEW PLYMOUTH, ID 83655
Source: GROUNDWATER
Diversión Pt: SENW Sec 8 T 07N R 04W
Use: IRRIGATION (.030 CFS)
DOMESTIC (.040 CFS)
Total Diversión: (.070 CFS)
Date Filed: 3/2/1990
In: T07N R04W S08 SENW
1.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before JUNE 4, 1990.

R. KEITH HIGGINSON, Director
No. 88 May 16, 23

Independent-Enterprise

65-13228

GIFFIN, EDSEL
938 N. 6TH ST.
PAYETTE, ID 83661

Source: GROUNDWATER

Diversion Pt: SESE Sec 28 T 09N R 05W

Use: IRRIGATION (.040 CFS)
STOCKWATER (.020 CFS)
Total Diversion: (.040 CFS)

Date Filed: 4/13/ 1990

In: T09N R05W S28 SESE

2.0 ACRES TOTAL

MICROFILMED

JUL 26 1990