


65-13215


T8N

RSW S.10

MICROFILMED

JUL





STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 8 1993

Department of Water Resources

A. GENERAL INFORMATION


1. ✓ Owner: Keith M. + Myla M. Remington Permit No. 65-13215
Current Address: P.O. Box 424, Fruitland, ID 83609 Phone No. 452-3710
2. Accompanied by: Keith Remington EXAM. DATE: 7/7/92
Address: (Same) Phone No. (Same)
Relationship to Permit Holder: Applicant
3. ✓ Source: Payette River tributary to Snake River

B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-13216, 65-3782 ☒ Copies Attached
2. Other water rights with same point of diversion: 65-13216, 65-3782 ☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

MICROFILMED
APR 28 1993



Washoe

34
Welch Island

PAYETTE CO.
MALHEUR CO.

A/O 4
p/u

PERMIT 65-13215 INIT RC
T. R. S. Q/Q
P/D 8N 5W 1D SESW (Lot 3)
SCALE _____
PHOTO ID. V-53 Payette

Ingard River

8-1993






PHOTO ONE-

View northeast of pressure tank in foreground, and pump on dock. Orange ball off end of dock is marker for location of end of hose and filter.

>



RECEIVED
APR 28 1993

PHOTO TWO-

Point of diversion showing 2" rubber hose in river, pump and filter system on dock.



PHOTO THREE-

View southwest toward mobile home park.
Pressure tank on top of bank and $1\frac{1}{2}$ " PVC
for sprinkler irrigation running left and right.

>



PHOTO FOUR-

Supply, black PVC, and sprinkler, white PVC,
at Pressure Tank.

APR 28 1993



PHOTO FIVE-

View southeast of Landscaped bank and north end of mobile home park.

>



APR 28 1993

PHOTO SIX-

View northwest of Landscaped bank and sprinkler irrigation line. Sprinkler line goes underground near the beginning of the shadow.



SEVEN
PHOTO ONE-

ELbow and Valve of sprinkler Line, and point where Line goes underground.

>



APR 28 1993
EIGHT
PHOTO TWO-

View southeast of landscaped bank and sprinkler line on both sides of bank.



PHOTO THREE-

View from end of landscaped bank looking northwest. The 1 1/2" sprinkler lines are shown in foreground.

>



PHOTO FOUR-

Southeast end of mobile home park.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13215

Priority: April 11, 1990

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

2.3 AF

This is to certify, that KEITH M REMINGTON
NYLA M REMINGTON

PO BOX 424

FRUITLAND ID 83609

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 11, 1990; and has submitted Proof of Beneficial Use on June 6, 1991. An examination indicates that the works have a diversion capacity of .020 cfs of water from:

PAYETTE RIVER

tributary to SNAKE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	2.3 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 3(SESW), Sec. 10, Township 08N, Range 05W
PAYETTE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
08N	05W	10	Lot 3(SESW)	0.5		0.5

Total number of acres irrigated:

0.5

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The Director retains jurisdiction of this right to require purchase or lease of storage water to compensate for diversion of the streamflow authorized by this right.

APPROVED

APR 28 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13215

CONDITIONS/REMARKS:

6. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
7. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.
8. This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 9th day of April, 1993.


R. Keith Higginson, Director

APR 28 1993

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13215

Proposed Priority: April 11, 1990 Maximum Diversion Rate: 0.02 CFS

This is to certify, that **KEITH M. REMINGTON**
NYLA M. REMINGTON
P.O. BOX 424
FRUITLAND, ID 83609

has applied for a permit to appropriate water from:

PAYETTE RIVER

tributary of **SNAKE RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.02 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 3(SESW), Sec. 10, Township 08N, Range 05W
PAYETTE County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
08N 05W 10 LOT 3(SESW)	0.5			0.5

Total number of acres irrigated: 0.5

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 1, 1991**.
2. Subject to all prior water rights.
3. Use of water under this permit is subject to control by the watermaster of State Water District No. 65.
4. The Director retains jurisdiction of this permit to require purchase or lease of storage water to compensate for diversion of the streamflow authorized by this right.
5. A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this permit.
6. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.04 cubic feet per second for each acre of land.

MICROFILMED

JUL 27 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13215

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

23rd day of July, 1990.

J. Glen Saxton
for R. Keith Higginson, Director

MICROFILMED

JUL 22 1990

RECEIVED
APR 11 1990
Department of Water Resources

Ident. No. 65-13215

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: KEITH M. REMINGTON 208-452-3710
Address: P.O. BOX 424
FRUITLAND, ID 83609
OR
Name: NYLA M. REMINGTON 208-452-3710
Address: P.O. BOX 424
FRUITLAND, ID 83609

2. Source: PAYETTE RIVER Trib. to: SNAKE RIVER

3. Location of Point of Diversion: LOT ³ (SESW), Sec. 10, Township 08N, Range 05W
PAYETTE County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.020		

5. Total quantity appropriated is:
0.020 CFS (and/or) AF

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
PUMP IN RIVER, SPRINKLER SYSTEM AND HOSES
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is inches; proposed depth of well is
feet.
- Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:
IRRIGATION, SYSTEM EXISTS

9. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
08N	05W	10, LOT ³ (SESW)	0.5			0.5
Total number of acres irrigated:						0.5

* DATABASE UPDATE PER USES gov't. LOT 3, 4/26/90 SL

and orthophoto.

10. Describe any other water rights used for the same purposes.
NONE

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? [✓]

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

Nyla Christensen
Applicant

Received by MS. Rch Date 4/12/90 Time 1:37pm Preliminary check by FL

Fee \$ 30.00 Receipted by Rch # m006561 Date 04/11/90

Publication prepared by GG Date 5-9-90 Published in Independent Enterprise
5/17 & 5/24/90

Publication approved st Date 6-20-90

NOTIFIED

JUL 26 1990

65-13215


T8N

R5W S.10



MAY 1965

JUL



NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho: 63-11282

TMCO, INC.
P.O. BOX R
NAMPA, IDAHO 83651
Source: GROUNDWATER
Diversión Pt: LOT 2(SENWNE) Sec 1 T 06N R 05W
NENWSW Sec 1 T 06N R 05W
SWSENE Sec 2 T 06N R 05W
Use: IRRIGATION (15.000 CFS)
Total Diversion: (15.000 CFS)
Date Filed: 4/16/1990
In: T06N R05W S01 Lot 1 (NENE) Lot 2 (NWNE)
SWNE Lot 3 (NENW); Lot 4 (NWNW) NESE NWSE
SESE; S02 SENE SWNW NESW NWSW; SWSW
SESW NESE SESE; T07N R05W S36 SWSW SESW
SWSE SESE.
751.0 ACRES TOTAL

63-11310
GRILLO, RICHARD
GRILLO, MARILYN
P.O. BOX 842
PARMA, ID 83660
Source: GROUNDWATER
Diversión Pt: SWNW Sec 36 T 07N R 05W
Use: IRRIGATION (.160 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.200 CFS)
Date Filed: 4/27/1990
In: T07N R05W S36 SWNW SENW
8.0 ACRES TOTAL

65-13207
PAYETTE COUNTY HISTORICAL SOCIETY
C/O MARY PEDERSON
725 N. 7TH ST.
PAYETTE, ID 83661
Source: GROUNDWATER
Diversión Pt: NENESE Sec 33 T 09N R 05W
Use: IRRIGATION (.020 CFS)
Total Diversion: (.020 CFS)
Date Filed: 4/9/1990
In: T09N R05W S33 NESE
0.5 ACRES TOTAL

65-13208
NEWMAN, DONALD G.
NEWMAN, GERALDINE L.
953 6TH AVE. S.
PAYETTE, ID 83661
Source: GROUNDWATER
Diversión Pt: LOT 4 (NESE) Sec 8 T 08N R 05W
Use: IRRIGATION (.480 CFS)
Total Diversion: (.480 CFS)
Date Filed: 4/9/1990

In: T08N R05W S08 Lot 4 (NESE)
S09 NWSW
24.0 ACRES TOTAL
65-13215
REMINGTON, KEITH M.
REMINGTON, NYLA M.
P.O. BOX 424
FRUITLAND, ID 83619
Source: PAYETTE RIVER
Tributary: SNAKE RIVER
Diversión Pt: LOT 3 (SESW) Sec 10 T 08N R 05W
Use: IRRIGATION (.020 CFS)
Total Diversion: (.020 CFS)
Date Filed: 4/11/1990
In: T08N R05W S10 Lot 3 (SESW)
0.5 ACRES TOTAL

65-13214
CITY OF PAYETTE
700 CENTER AVE.
PAYETTE, ID 83661
Source: GROUNDWATER
Diversión Pt: SESW Sec 23 T 09N R 05W
Use: IRRIGATION (1.000 CFS)
COMMERCIAL (1.000 CFS)
Total Diversion: (2.000 CFS)
Date Filed: 4/5/1990
In: T09N R05W S23 SESW; S26NWNE SWNE NENW
NWNW; SENW
150.0 ACRES TOTAL

65-13216
REMINGTON, KEITH M.
REMINGTON, NYLA M.
P.O. BOX 424
FRUITLAND, ID 83619
Source: GROUNDWATER
Diversión Pt: LOT 3 (SESW) Sec 10 T 08N R 05W
Use: COMMERCIAL (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 4/11/1990
In: T08N R05W S10 Lot 3 (SESW)

65-13218
MC CALLUM, ANGELA L.
MC CALLUM, FLOYD S.
10734 N. RIVER
PAYETTE, ID 83661
Source: GROUNDWATER
Diversión Pt: LOT 3 (NESW) Sec 22 T 09N R 05W
Use: IRRIGATION (.150 CFS)
Total Diversion: (.150 CFS)
Date Filed: 4/11/1990
In: T09N R05W S22 Lot 3 (NESW)
5.0 ACRES TOTAL

65-13219
MC CALLUM, FLOYD S.

MC CALLUM, ANGELA L.
10734 N. RIVER
PAYETTE, ID 83661
Source: SPRINGS Tributary: SNAKE RIVER
Diversión Pt: LOT 3 (NENESW) Sec 22 T 09N R 05W
Use: STOCKWATER (.020 CFS)
STOCKWATER STORAGE (8.30 AF)
STOCKWATER FROM STORAGE (8.30 AF)
Total Diversion: (.020 CFS), (8.30 AF)
Date Filed: 4/11/1990
In: T09N R05W S22 Lot 3 (NESW)

65-13221
FAIRCHILD, VIRGIL
880 N. 11TH AVE.
PAYETTE, ID 83661
Source: UNNAMED DRAIN
Tributary: SNAKE RIVER
Diversión Pt: NESWSE Sec 32 T 09N R 05W
Use: IRRIGATION (.300 CFS)
Total Diversion: (.300 CFS)
Date Filed: 4/12/1990
In: T09N R05W S32 SWSE SESE
15.0 ACRES TOTAL

65-13222
FAIRCHILD, ROGER
FAIRCHILD, MARY J.
P.O. BOX 990
FRUITLAND, ID 83619
Source: GROUNDWATER
Diversión Pt: NESWNW Sec 23 T 08N R 05W
Use: IRRIGATION (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 4/13/1990
In: T08N R05W S23 SWNW
2.0 ACRES TOTAL

65-13225
HEAD, JIM
HEAD, MARGARET
3573 HWY. 52
PAYETTE, IDAHO 83661
Source: WASTE WATER
Tributary: PAYETTE RIVER
Diversión Pt: SWNW Sec 17 T 08N R 04W
Use: IRRIGATION (.120 CFS)
Total Diversion: (.120 CFS)
Date Filed: 4/24/1990
In: T08N R04W S17 SWNW
6.0 ACRES TOTAL

65-13226
DORSING, DOUGLAS S.
716 S. 1ST ST.
FRUITLAND, ID 83619
Source: PAYETTE RIVER
Tributary: SNAKE RIVER
Diversión Pt: LOT 1 (SENE) Sec 15 T 08N R 05W

Use: IRRIGATION (.240 CFS)
Total Diversion (.240 CFS)
Date Filed: 4/17/1990
In: T08N R05W S15 Lot 2 (SWNE) Lot 1 (SENE)
12.0 ACRES TOTAL

65-13228
GIFFIN, EDELS
938 N. 6TH ST.
PAYETTE, ID 83661
Source: GROUNDWATER
Diversión Pt: SESE Sec 28 T 09N R 05W
Use: IRRIGATION (.040 CFS)
STOCKWATER (.020 CFS)
Total Diversion: (.040 CFS)
Date Filed: 4/13/1990
In: T09N R05W S28 SESE
2.0 ACRES TOTAL

65-13229
MIKESELL, QUENTIN
MIKESELL, SHARON
4385 SAND HOLLOW RD.
NEW PLYMOUTH, ID 83655
Source: GROUNDWATER
Diversión Pt: NWSENE Sec 26 T 07N R 04W
Use: IRRIGATION (.060 CFS)
STOCKWATER (.200 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.300 CFS)
Date Filed: 4/9/1990
In: T07N R04W S26 SENE
3.0 ACRES TOTAL

65-13232
WISNER, CHESTER
WISNER, EDITH
5825 AKRON RD.
NEW PLYMOUTH, ID 83655
Source: GROUNDWATER
Diversión Pt: SENW Sec 8 T 07N R 04W
Use: IRRIGATION (.030 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.070 CFS)
Date Filed: 3/2/1990
In: T07N R04W S08 SENW
1.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before JUNE 4, 1990.

R. KEITH HIGGINSON, Director
No. 88 May 16, 23

Independent-Enterprise



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 12, 1993

KEITH M REMINGTON
NYLA M REMINGTON
PO BOX 424
FRUITLAND ID 83609

RE: WATER RIGHT NO. 65-13215

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
APR 28 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 8 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Keith M. & Nyla M. Remington Permit No. 65-13215
Current Address: P.O. Box 424, Fruitland, ID 83609 Phone No. 452-3710
2. Accompanied by: Keith Remington EXAM. DATE: 7/7/92
Address: (Same) Phone No. (Same)
Relationship to Permit Holder: Applicant
3. Source: Payette River tributary to Snake River

B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-13216, 65-3782 ☒ Copies Attached
2. Other water rights with same point of diversion: 65-13216, 65-3782 ☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more.)

RECEIVED
APR 28 1993

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Water is pumped from Payette River through a 2" Rubber Hose, approximately 10' in length, by a Baldor 3 h.p. pump on dock. Water then is piped through 30' of 1½" PVC to pressure tank approximately 10' above pump on river bank. Water is then dispersed through 1½" PVC to various sprinkler lines throughout mobile home park.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	BALDOR	3	F 689	BALDOR	1½"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	3	SE	SE	SW	10	8N	5W	Payette	Aerial Map

6. Place(s) of Use:

Indicate Method of Determination Same as P/D

Twp.	Rge.	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
8N	5W	10												16.3 6.8 .5					0.8.5
																			.5

Do not use this space

APR 28 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

5 gallon bucket

5 gallon / 45 sec = 6.7 gpm

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: 5 gallon bucket

$$\frac{6.7 \text{ gpm}}{448.8 \text{ gpm}} = \frac{0.02 \text{ CFS (IRR)}}{\text{Capacity}}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: $\frac{40}{25}$ psi x 2.31 = $\frac{92.4}{57.8}$ ft (1); Dynamic pumping level: $\frac{15' 8"}{10}$ ft (2)

Total Head: (1) + (2) = $\frac{67.8}{108.4}$ (3) $Q = \frac{(8.8)(3)(.7)}{108.4} = \frac{0.36 \text{ cfs}}{0.217 \text{ cfs}}$; Flow rate: $\frac{0.20}{0.30}$ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

(246 irr days)

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{(0.5)}{(0.8)} (4.5) = 3.6 \text{ AFA } 2.3 \text{ ata}$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.02)(246)(1.9835) = 9.8 \text{ AFA}$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 3.6 \text{ AFA } 2.3 \text{ ata (IRR)}$

2. Volume Calculations for Other Uses:

MICROFILMED

APR 28 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

OVERLAP- P/O + P/U - Same area but different ^{P/O's} ~~use~~ + uses.
Photo Map + Diagram show P/U in Lot 9 (SESW), but all legals identify Lot 3 (SESW). Assume legals
Permit indicates 0.5 acres to be irrigated, when ~~actually~~ ^{correct}.
There is approximately 0.8 acres. Permit and License should
be changed to 0.8 acre of irrigation.

Theoretical calculation gives a flow of 0.2 ~~0.3~~ CFS. Permit
requests only 0.02 CFS, therefore recommend Licensing
for 0.02 CFS as requested on permit.

Remarks-

Conditions - B04/05, B27, B02

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	0.02	2.33.6
Totals:			0.02	2.33.6

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

- ☒ None ✓
☐ Other

J. AUTHENTICATION

Field Examiner's Name

Rick Collingwood

Signature


Rick Collingwood

028 03-10-93

Certification Date

Field Report Preparation Date


7/22/92




K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

APR 28 1993

APR 28 1993



PERMIT 65-13215 INIT RC
T. R. S. Q/Q
P/D RN 5W 1D SESW (Lot 3)
SCALE
PHOTO ID. V-53 Payette






PHOTO ONE-

View northeast of pressure tank in foreground, and pump on dock. Orange ball off end of dock is marker for location of end of hose and filter.

>




PHOTO TWO-

Point of diversion showing 2" rubber hose in river, pump and filter system on dock.

APR 28 1993




PHOTO THREE-

View southwest toward mobile home park.
pressure tank on top of bank and $1\frac{1}{2}$ " PVC
for sprinkler irrigation running left and right.

>



PHOTO FOUR-

Supply, black PVC, and sprinkler, white PVC,
at pressure tank.

APR 28 1993



PHOTO FIVE-

View southeast of Landscaped bank and north end of mobile home park.



APR 28 1993

PHOTO SIX-

View northwest of landscaped bank and sprinkler irrigation line. Sprinkler line goes underground near the beginning of the shadow.



SEVEN
PHOTO ONE-

ELbow and valve of sprinkler line, and point where line goes underground.

>



AFR 28 1993 EIGHT
PHOTO TWO-

View southeast of landscaped bank and sprinkler line on both sides of bank.



PHOTO THREE-

View from end of landscaped bank looking northwest. The 1½" sprinkler lines are shown in foreground.

>



APR 28 1993

PHOTO FOUR-

Southeast end of mobile home park.

May 19, 1992

KEITH M. REMINGTON
NYLA M. REMINGTON
P.O. BOX 424
FRUITLAND ID 83609

RE: Water Right No. 65-13215

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement

purposes. This type of coordination could minimize the impact on existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

APR 28 1993

June 12, 1991

KEITH M. REMINGTON
NYLA M. REMINGTON
P.O. BOX 424
FRUITLAND, ID 83609

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13215

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a lockable device to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the lockable device must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

INDEXED

JUL 15 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 65-13215

Date 6-12-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☒ Surface water source
☐ Ground water source
☒ NA Drill permit req'd?
☐ Copy in file? Drill permit no. _____
☐ Amt paid for drilling permit? _____ Correct?
☐ Well log in file?

LICENSE EXAMINATION FEE

- ☒ NO Required?
☐ Amount submitted?
☐ Correct amount?

MEASURING DEVICE

- ☒ yes Measuring device or access port required?
☒ no Installed?
☐ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

needs lockable device
proof acceptable

PRIORITY CALCULATION

Date proof received NA
Date proof due _____ - _____
No. of days late _____ = _____
Priority date _____ + _____
NEW PRIORITY DATE _____ = _____

JB

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1 Permit No. 65-13215 Telephone No. 208 452-3710

2 Name(s) of Permit Holder(s): Keith & Nyla Remington

3 Post Office Address: Box 424 Fruitland Ida 83619

4 Source of Water: Payette River

a If ground water, well driller's name: _____ Date drilled: _____

b. Pump horsepower: 2hp Pressure (psi): 40 lbs Dynamic pumping level (ft.): 8 ft

5 Extent of Use:

Domestic _____ (No. of households)

Irrigation 0.5 = (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

6 Total rate and/or volume for which proof is submitted .02 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Lockable

Measuring device: Required? ☒ Yes _____ No _____ Installed? _____ Yes _____ No _____

OR

Flow Measurement Port: Required? _____ Yes _____ No _____ Installed? _____ Yes _____ No _____

8 Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

9 Person to contact to accompany the Department representative during the field examination:

Nyla Remington et al Name 208-452-3710 Telephone No.

512 Pennsylvania Ave Address Fruitland

10 The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date

6/4/91

Signature

Nyla Remington

(and title if on behalf of a company or organization)

JUL 15 1991

138689
May 31, 1991

KEITH M. REMINGTON
NYLA M. REMINGTON
P.O. BOX 424
FRUITLAND, ID 83609

PROOF DUE NOTICE

RE: PERMIT NO. 65-13215

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

JUL 15 1991

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
July 23, 1990

KEITH M. REMINGTON
NYLA M. REMINGTON
P.O. BOX 424
FRUITLAND, ID 83609

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P65-13215

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Natural flow of the Payette River is fully appropriated except during periods of flood flow. Your permit is conditioned to require you to obtain storage water to compensate for your diversion of natural flow from the river. The amount of storage which you will be required to obtain is approximately 3 acre-feet per acre of irrigated ground. You will be notified in the future of the necessity to obtain storage water.

Be sure to note the special condition requiring you to install a lockable device that will provide the watermaster control on your diversion.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

RECORDED

JUL 26 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED

JUL 26 1990

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: RL DATE: 4/26/90 APPLICATION: 65.13215

REQUIRED INFORMATION

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
Address:
Source: (See USGS Quad for names of water sources)
Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
County:
Quantity: (flow and/or volume)
Period of use:
Nature of proposed use: (Include description of use)
Description of diverting works:
Time required for beneficial use of water:
Place of use or acres irrigated:
Map:
Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
Fee:
Yes ☐ No* ☐ In form to receipt:

Gov't. Lots:
4 P/D
4 P/U

ADDITIONAL INFORMATION

YES NO

N/A

irrigation
25 ac

Overlapping place of use: (Describe source & relationship to present application on the back.)
Overlapping point of diversion:
Field check required: Field check by: _____
Field report attached:
Critical groundwater area:
Groundwater management area:
Diversion within interim protected river area
Send dam safety information:
Send power requirement letter:
Send fish farm requirement letter:
Power residency affidavit:
Power efficiency form:
Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side: _____

RECEIVED
JUL 02 1990

Department of Water Resources

PROCESSING

APPLICATION NO. 65-13215

YES ☒ NO ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES ☐ NO ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES ☐ NO ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES ☒ NO ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received. Final date for protest June 4, 1990

Protest dates, resolution of protest recorded on application:

Recommendations attached: Appron, Bm

Measuring device required:

Measuring port required:

Water delivered by water master? District # 65

Special conditions of approval or cover letter:

See below for additional information

Recommended Date or Priority 4/11/1990

Recommended by: DM

Date 6/28/1990

STATE OFFICE REVIEW

P71, P01, P16

05(65) 59 01H

See below for additional information. By KW

Date 7-17-90

ADDITIONAL INFORMATION

65-13215

REMINGTON, KEITH M.
REMINGTON, NYLA M.
P.O. BOX 424
FRUITLAND, ID 83609

Source: PAYETTE RIVER

Tributary: SNAKE RIVER

Diversion Pt: LOT 3 (SESW) Sec 10 T 08N R 05W

Use: IRRIGATION (.020 CFS)
Total Diversion: (.020 CFS)

Date Filed: 4/11/ 1990

In: T08N R05W S10 Lot 3 (SESW)

0.5 ACRES TOTAL

RECEIVED

APR 16 1990