



RECEIVED
JUL 26 1990

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

William Miller
(Applicant)

RECEIVED

JUN 17 1993

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Emmett Valley Fruit, Inc. (Former owners William & Jane Paller) Permit No. 65-13211
 Current Address: P.O. Box 338, Emmett, ID 83617 Phone No. 365-3212
 2. Accompanied by: John Ploeger EXAM. DATE: 7/14/92
 Address: (Same) Phone No. (Same)
 Relationship to Permit Holder: Employee
 3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-1103 ☒ Copies Attached
 2. Other water rights with same point of diversion: 65-1103 ☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



JAN 18 1994

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).



P/D 9 P/M

PERMIT 65-1321 INIT RC

T. R. S. Q/Q

P/D 6N 3W 10 NESE

SCALE

PHOTO ID. W-5, W-55

Letha Sand Hollow

REPRODUCED

JAN 18 1994



PHOTO ONE-

Pressure Tank and 4" well casing in 5' x 6' well house in orchard.



PHOTO TWO-

View southwest of 1000 gallon storage tank. Well house approximately 75' south of tank can be seen in orchard.

JAN 18 1994



PHOTO THREE- View southwest of 1000 gallon storage Tank.



PHOTO FOUR-

Rear of Tank where 1" Iron Pipe connected
To storage Tank. Approximately 10' of 1"
Iron Pipe from ground to storage Tank.

JAN 18 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13211

Priority: February 14, 1990

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

3.0 AF

This is to certify, that JANE PALLER
WILLIAM PALLER

3611 VAN DEUSEN

EMMETT ID 83617

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 14, 1990; and has submitted Proof of Beneficial Use on July 26, 1991. An examination indicates that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.04 CFS	3.0 AF

LOCATION OF POINT(S) OF DIVERSION: NWNESE , Sec. 10, Township 06N, Range 03W
GEM County

PLACE OF USE: COMMERCIAL


TWN RGE SEC

06N 03W 10 NESE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Commercial use is for orchard spraying.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 14TH day of DECEMBER, 1993.

Acting for  R. Keith Higginson, Director

JAN 18 1994

RECEIVED

JUL 26 1991

STATE OF IDAHO

For Office Use Only

Amt of Fee \$ _____

Date _____

Receipt No. _____

Received by _____

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

- 1 Permit No. 65-13211 Telephone No. 365-5058
- 2 Name(s) of Permit Holder(s) William Paller - Jane Paller
- 3 Post Office Address. 3611 VAN DEUSEN ROAD EMMETT, ID 83617
- 4 Source of Water: Well
- a If ground water, well driller's name: ERNIE DRISCOLL Date drilled: 8-79
- b Pump horsepower: 3/4 HP Pressure (psi): _____ Dynamic pumping level (ft.): _____
- 5 Extent of Use:

Domestic ONE (No. of households)Irrigation ONE (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

- 6 Total rate and/or volume for which proof is submitted .04 cfs _____ acre/feet

- 7 Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No ☐ Installed? Yes ☐ No ☐

OR

Flow Measurement Port: Required? Yes ☒ No ☐ Installed? Yes ☐ No ☐

- 8 Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

- 9 Person to contact to accompany the Department representative during the field examination:

William + Jane Paller

Name

365-3273

Telephone No

3611 VAN DEUSEN ROAD, EMMETT, ID 83617

Address

- 10 The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho

AUG 22 1991

7/24/91

Date

W.D. Paller

Signature (and title if on behalf of a company or organization)

Jane M. Paller

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13211

Proposed Priority: February 14, 1990 Maximum Diversion Rate: 0.04 CFS
This is to certify, that **WILLIAM PALLER**

JANE PALLER
3611 VAN DEUSEN
EMMETT, ID 83617

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
COMMERCIAL	01/01 to 12/31	0.04 CFS
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		NWNESE Sec. 10, Township 06N, Range 03W GEM County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

06N 03W 10 NESE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 1, 1991**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Commercial use is for orchard spraying.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

9th day of July, 1990.

[Signature]
for R. Keith Higginson, Director

MICROFILMED

JUL 24 1990

RECEIVED

FEB 16 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Department of Water Resources
Western Regional Office

1. Name of applicant William & Jane Paller Phone 365-3273

Post office address 3611 Van Deusen, Emmett, ID 83617

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____

Sec. 10 Township 6N Range 3W B M GEM County; additional
points of diversion if any. _____

4. Water will be used for the following purposes:

Amount .04 for Commercial purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .04 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Existing well, pipeline,
storage tank

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive

c. Proposed well diameter is Existing inches, proposed depth of well is _____ feet

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

by 2 6 1990

8 Description of proposed uses (if irrigation only, go to item 9)

- Hydropower, show total feet of head and proposed capacity in KW. _____
- Stockwatering, list number and kind of livestock _____
- Municipal, show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. Commercial for orchard spraying

9. Description of place of use.

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example *D* for *Domestic*) in the corresponding place of use below See instructions for standard symbols.

TWP	RANGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
6N	3W	10													C				

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. None

- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? Applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

12 Remarks. _____

RECEIVED

JUN 20 1950

T6N R3W

10 of 5 P/D
Use

MICROFILMED
JUL 26 1990

William P. P.
(Applicant)

Received by SH Date 2/14/90 Time 1:00 p.m. Preliminary check by RW
Fee \$ 30- Receipted by SH # C014682 Date 2-14-90
Publication prepared by GG Date 4-11-90 Published in Messenger-Index
4/19 & 4/26/90
Publication approved ST Date 5-22-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions.

a. SUBJECT TO ALL PRIOR WATER RIGHTS

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit

e. Other

MICROFILMED

JUL 26 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

December 16, 1993

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

JANE PALLER
WILLIAM PALLER
3611 VAN DEUSEN
EMMETT ID 83617

RE: WATER RIGHT NO. 65-13211

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced water permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECORDED

JAN 18 1994

WR0749NP
No. L65-13211

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 11/30/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	JANE PALLER	02/14/1990	COMMERCIAL	01-01 12-31	0.04 CFS	3.0 AFA
C	WILLIAM PALLER					
	3611 VAN DEUSEN					
	EMMETT ID 83617					
	(208) 365-3273					
				TOTAL DIVERSION:	0.04 CFS	3.0 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.04 CFS

Point(s) of Diversion: T06N R03W S10 NW NE SE

Place of use Legal Description for: COMMERCIAL

	NE				NW				SW				SE			
T R S	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac
06N 03W 10	:				:				:				:	C		

Pou County: GEM

Remarks: Commercial use is for orchard spraying.

Dates:	App. Received:	02/14/1990	Priority Date:	02/14/1990
	Proof Due Date:	08/01/1991	Proof Made Date:	07/26/1991
	Exam Made Date:	07/14/1992	Exam Sent to S.O.:	06/16/1993
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 11/30/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 65-13211 Date 11-30-92 Brenda Chapman

	Yes	No	
NAME	☒	☐	Or Address Change? <u>NO ASSIGNMENT ON FILE</u>
PRIORITY DATE	☐	☒	Advance? <u> </u> Memo to Advance <u> </u>
	☐	☒	Order to Reinstate Needed? <u> </u>
	☐	☒	Incorrect Fee for rate recommended? <u> </u>
SOURCE	☐	☒	Changes? Clarification of Originally Intended source <u> </u>
	☐	☒	Notice of Intent to Void - Source change. <u> </u>
P/D	☒	☒	Amendment Needed? <u> </u>
	☒	☐	Overlap(s) <u>65-1103</u>
P/U	☐	☒	Amendment Needed? <u> </u>
	☒	☐	Overlap(s) <u>65-1103</u>
TOTAL CFS	☐	☒	Disagree/Measurement <u> </u>
	☐	☒	<u>5 gal bucket / 30 SEC = .02 CFS</u>
	☐	☒	<u>(SMALL PIPE ON SPIGOT) allow more</u>
	☐	☒	Theoretical $8.8 \times .70 \times 1.5$
	☐	☒	$+ 2.31 \times$
	☐	☒	Capacity <u>.02</u> on theoretical - allow the
	☐	☒	Allowable Amount: <u>.04</u> permit limit
TOTAL VOLUME	☐	☒	Season <u>183 days</u> $\div 13$
	☐	☒	Measurement done? <u> </u>
	☐	☒	<u>14000 X 5 X 14 = 3.0 AF</u>
	☐	☒	<u> </u>
	☐	☒	Flow limit: <u> </u> x <u> </u> x 1.9835 = <u> </u>
USES	☐	☒	Change(s) in Nature of Use? <u> </u>
	☐	☒	Amendment Needed? <u> </u>
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? <u> </u>
	☐	☒	Special Overlap <u> </u>
	☐	☒	Other <u> </u>
CONDITIONS	☐	☒	Measuring/Locking Devices <u> </u>
	☐	☒	W/Master Control <u> </u>
	☐	☒	Irrigation Overlap <u>2-4-90</u> Water Dist
	☐	☒	Water Quality <u>7-14-92</u> App Rec'd
	☐	☒	<u> </u> Exam Made

COMMENTS:

RECOMMENDED	CFS	DIV VOL		LICENSE
<u>Commercial</u>	<u>.04</u>	<u>3.0</u>	<u>JAN 18</u>	<u>AMEND</u> ☒
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u>2ND AMEND</u> <u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>

RECEIVED

JUN 17 1993

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: ^(New) Emmett Valley Fruit, Inc. ^(Former owners William & Jane Paller) Permit No. 65-13211
Phone No. 365-3212
Current Address: P.O. Box 338, Emmett, ID 83617
2. Accompanied by: John Ploeger EXAM. DATE: 7/14/92
Address: (Same) Phone No. (Same)
Relationship to Permit Holder: Employee
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-1103
_____ ☒ Copies Attached
2. Other water rights with same point of diversion: 65-1103
_____ ☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



JAN 18 1994

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Water is pumped from 4" well by 1½ h.p. Berkeley pump approximately 75' to elevated 1000 gallon storage tank. Water from tank is used to fill spraying tanks for spraying 100 acre of apples and plums. Spraying takes 4-5 days, commencing in mid-March and terminating in early September. Approximately 12,000 - 14,000 gallons of water used daily, every 2-3 weeks.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
(No Tag)		1½	(No Tag)	Jacuzzi	1"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	NE	SE	10	6N	3W	Gem	Aerial map

6. Place(s) of Use:

Indicate Method of Determination SAME AS P/O

Twp.	Rge.	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
6N	3W	10													C				

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

5 gallon bucket at spigot on well house

5 gallon / 30 sec = 10 gpm

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

5 gallon bucket

$\frac{10 \text{ gpm}}{448.8 \text{ gpm}} = 0.02 \text{ CFS}$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

N/A (No well information known)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

JAN 18 1994

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

$\frac{183 \text{ days}}{12} \approx 14 \text{ spraying periods}$

~~$V_R = \text{Commercial} = 0.6 \text{ AFA}$~~

$V_R = 14,000 \text{ gal} \times 5 \text{ days} \times 14 = 980,000 \text{ gal/spraying season}$

$= \frac{980,000}{325,150} = 3.0 \text{ AFA}$

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Overlaps - (P/D & P/U) - Same area but different P/D and P/U.

measured flow was between 0.02 and 0.03 cfs. Since spigot has smaller opening than 1" as pipe, flow measurement was less. Therefore recommend Licensing for 0.04 cfs as requested on permit.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Commercial	1/1	12/31	0.04	3.0
Totals:			0.04	3.0

2. Recommended Amendments


- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name Rick Collingwood
Signature Rick Collingwood
Certification Date _____
Field Report Preparation Date 8/13/92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JAN 18 1994

PHOTO

PUMMING
STATION

PERMIT 65-13211 INIT RC

T. R. S. Q/Q

P/D 4N 3W 10 NESE

SCALE

PHOTO ID. W-5, W-55

Le YAA
Sand Hollow




PHOTO ONE-

Pressure Tank and 4" well casing in 5' x 6' well house in orchard.



PHOTO TWO-

View southwest of 1000 gallon storage tank. well house approximately 75' south of tank can be seen in orchard.

JAN 18 1994



PHOTO THREE- View southwest of 1000 gallon storage tank.



PHOTO FOUR-

Rear of tank where 1" iron pipe connects to storage tank. Approximately 10' of 1" iron pipe from ground to storage tank.

JAN 18 1994

August 14, 1991

WILLIAM PALLER
JANE PALLER
3611 VAN DEUSEN
EMMETT, ID 83617

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13211

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED

AUG 22 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 65-13211

Date 8-12-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☒ Ground water source
NA Drill permit req'd?
1919 Copy in file? Drill permit no. _____
Amt paid for drilling permit? _____ Correct?
Well log in file?

LICENSE EXAMINATION FEE

- NO Required?
Amount submitted?
Correct amount?

MEASURING DEVICE

- NO Measuring device or access port required?
Installed?
Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

PRIORITY CALCULATION

Date proof received NA
Date proof due _____ - _____
No. of days late _____ = _____
Priority date _____ + _____
NEW PRIORITY DATE _____ = _____

RB

138686
May 31, 1991

WILLIAM PALLER
JANE PALLER
3611 VAN DEUSEN
EMMETT, ID 83617

PROOF DUE NOTICE

RE: PERMIT NO. 65-13211

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

AUG 22 1991

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
July 11, 1990

WILLIAM PALLER
JANE PALLER
3611 VAN DEUSEN
EMMETT, ID 83617

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P65-13211

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

MicroFILMED

JUL 26 1990

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED

JUL 20 1941

RECEIVED

APR 30 1990

Department of Water Resources
Western Regional Office

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,

ss.

COUNTY OF GEM,

Esma Reyes, being first
duly sworn, on ^{her} oath deposes and
says that she is the ^{clerk} printer of Mes-
senger-Index, a legal weekly news-
paper published at Emmett, in Gem
County, Idaho; that said newspaper
is in general circulation in said
county and has been published unin-
terruptedly and continuously for
more than 78 weeks prior to the
first publication of the annexed
document; and that the document
notice, process, or advertisement
hereunto annexed was published in
the regular edition of Messenger-
Index for Two

consecutive weekly issues thereof,
beginning with the issue of
April 18, 1990,

and ending with the issue of
April 25, 1990

Esma Reyes
Subscribed and sworn to before me

this 25th day of
April, 1990

Mary Ann Hanson
Notary Public,

Residing at Emmett, Idaho.

My Commission Expires 3-21-95

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application(s)
have been filed to appropriate
the public waters of the State
of Idaho:

65-13198
SWANDER, JOHN
6210 SPRING CR. RD.
EMMETT, ID 83617
Source: SPRING
Tributary: SPRING CREEK
Diversion Pt: LOT 2
(NWNWNE) Sec 2 T 07N R
01W
Use: IRRIGATION (.020 CFS)
STOCKWATER (.020 CFS)
Total Diversion: (.040 CFS)
Date Filed: 3/8/1990
In: T07N R01W S02 Lot 2
(NWNW) SWNE Lot 3 (NENW)
SENEW
10.0 ACRES TOTAL

65-13210
PARKS, DWIGHT G.
2036 N. PLAZA
EMMETT, ID 83617
Source: GROUNDWATER
Diversion Pt: SWSW Sec 34 T
07N R 01W
Use: IRRIGATION (.100 CFS)
Total Diversion: (.100 CFS)
Date Filed: 2/15/1990
In: T07N R01W S34 SWSW
5.0 ACRES TOTAL

65-13211
PALLER, JANE
PALLER, WILLIAM
3611 VAN DEUSEN
EMMETT, ID 83617
Source: GROUNDWATER
Diversion Pt: NWNESE Sec 10
T 06N R 03W
Use: COMMERCIAL (.040
CFS)
Total Diversion: (.040 CFS)
Date Filed: 2/14/1990
In: T06N R03W S10 NESE

65-13213
KINGDOM HALL OF
JEHOVAHS WITNESSES
C/O VERNON KILBURN
587 MONTE VISTA
EMMETT, IDAHO 83617
Source: GROUNDWATER
Diversion Pt: SWSWSE Sec 12
T 06N R 02W
Use: DOMESTIC (.200 CFS)
Total Diversion: (.200 CFS)
Date Filed: 2/8/1990
In: T06N R02W S12 SWSE

The permit(s) will be subject
to all prior water rights. Pro-
tests must be filed with the
Director, Dept. of Water
Resources, Western Region,
2735 Airport Way, Boise, Idaho
83705 on or before MAY 7,
1990.

R. KEITH HIGGINSQN,
Director
Pub.: 4-18,25-90
Legal Notice No. 765
Pub. in the Messenger Index

JUL 2 1990

65-13211

PALLER, JANE
PALLER, WILLIAM
3611 VAN DEUSEN
EMMETT, ID 83617

Source: GROUNDWATER

Diversion Pt: NWNENE Sec 10 T 06N R 03W

Use: COMMERCIAL (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 2/14/ 1990

In: T06N R03W S10 NESE

MICROFILMED

JUL 20 1990