




65-2447(2)
65-2428
65-2426(2)

65-2612

65-7964

65-2571 65-7827
65-2753 65-7929
65-2754(2) 65-7655
65-7632 65-2589
65-2605 65-7360
65-2120 65-2476(2)
65-7847 65-2587(6)
65-2480
65-2686
65-2530 65-12318
65-2755 65-2452
65-12364

65-2205
65-2516

65-2517
65-12237

65-12067

65-2597(4)
65-7000
65-12374

65-7488

65-7703

UNRECORDED

JUL 26 1990

65

12

GORDON SEGREGATION SUBD

SITUATED IN THE EAST 1/2 OF THE NE 1/4 OF SECTION 4 T8N R8E BM B'

BOISE NATIONAL FOREST

NE CORNER OF THE
EAST 1/2 OF THE NE
1/4 OF SECTION 4

BASIS OF BEARING

0.2 MILE TO INTERSECTION
OF ARCHIE CREEK ROAD

NE CORNER
SECTION 4

66 FOOT ROAD RIGHT-OF-WAY
EASEMENT AND UTILITY EASEMENT
FOR WATER, SEWER, POWER AND
OTHER UTILITIES AS NECESSARY

LOT
1
4.30 ACRES ±

LOT
3
5.63 ACRES ±

LOT
2
2.35 ACRES ±

ENCHANTED VALLEY
SUBDIVISION NO 2

MICROFILMED

JUL 26 1990

ENCHANTED VALLEY
SUBDIVISION NO 1

E TABLE

LINE	CHORD	TANGENT	CHORD BRG
1-2	48.71	24.49	N 15° 31' 00" E
2-3	88.22	45.29	N 01° 29' 00" W
3-4	79.06	19.84	N 22° 58' 14" W

NOTE: ENCHANTED VALLEY SUBDIVISIONS SHOWN FOR REFERENCE ONLY

The Following application (s) have been filed to appropriate the public waters

63-11312

Tributary: MUDDY CREEK
GRIMES CREEK
MUDDY CREEK


In:	T07N	ROSE	S03	Lot 15	(NWNE)		SWNE
Lot 3 (NENW)	Lot	Lot	4	(NWNE)			
	NESW				SWNW		SENW
					SWSW Lot 16		(SESW)
NESE			S04	Lot 1 (NENE) SESE	SENE		
T08N	ROSE		S10	Lot 11(NENW)	Lot 12		(NWNW)
SWSW			S27		NESW		NWSW
			SESW		SWSE		
					NESW		NWSW
SWSW			S28		NESE		NWSE
			SESW		SESE		NWSE
	SWSE				NESE		NWNE
			S29				
	SWSE				SESE		
			S33		NENE		
SWNE			SENE				

63-11315

30.0 ACRES TOTAL

R. KEITH HIGGINSON, Director
Published in The Idaho World June 7 and June 14, 1990.

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

NA Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	2	5KCR39JUN36KT	—	—

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: SPRINKLER HEAD - 15 1/4" HEADS AT 45psi

MICROFILMED
OCT 30 1997



S E

PAYETTE

Kirkham
Hot Springs

RIVER

Mile
115

BM 4050

Mile
116

4048

4881

BM X 3996

p4 p4

853

F O R E S T

5656

5521

JEOP TRAIL
Creek

(JACKSON PEAK)
N 77° 11' W
48°

Creek

X 6072

PERMIT	65-13206	INIT	D/S
T.	R.	S.	Q/Q
8N	8E	4	NENE

LOCATION CORRECT
ON TOPO PER
DISTANCES SOUTH &
WEST OF NE COR
OF SECTION (SEE SUBD.
PLAT ALSO)

SL 11/15/94

B A N N E R

R I D G E

6532 X

X 6451

Sawmill

Burnt
6595

X 6626

X 6305

Creek

5953

X 6556

MICROFILMED


OCT 30 1937

E

D

65-13266
8N 8E
1st 1/4

N 89° 47' E



MICROFILMED
OCT 30 1997

Sec. 10

GORDON SEGREGATION SUBD

SITUATED IN THE EAST 1/2 OF THE NE 1/4 OF SECTION 4 T8N R8E BM B'

BOISE NATIONAL FOREST

769'

0.24 MILE TO INTERSECTION
OF ARCHIE CREEK ROAD

NE CORNER OF THE
EAST 1/2 OF THE NE 1/4
OF SECTION 4

BASIS OF BEARING

NE CORNER
SECTION 4

66 FOOT ROAD RIGHT-OF-WAY
EASEMENT AND UTILITY EASEMENT
FOR WATER, SEWER, POWER AND
OTHER UTILITIES AS NECESSARY

Lot 3 of
Subd. is
in
NENE only
of S. 4

LOT
3

5.63 ACRES ±

LOT
1
4.30 ACRES ±

LOT
2
2.35 ACRES ±

ENCHANTED VALLEY
SUBDIVISION NO 2

ENCHANTED VALLEY
SUBDIVISION NO 1

MICROFILMED
OCT 30 1997

E. TABLE

CHORD	TANGENT	CHORD BRG
49.71	24.49	N 15° 31' 00" E
89.92	45.29	N 01° 29' 00" W
79.26	19.84	N 22° 58' 14" W

NOTE: ENCHANTED VALLEY SUBDIVISIONS SHOWN FOR REFERENCE ONLY

This map is a photographic reproduction of that on
in either the recorder's or surveyor's office, the
agency assumes no liability for variation, if any, with
that on record.



VIEW OF PUMP. LINE LEADS
OFF TO THE EAST & DROPS
INTO THE CREEK.

PHOTO ONE-

>



VIEW OF LINE IN CREEK.
P/d HAS A SCREEN WITH
A ROCK HOLDING IT INTO
PLACE

PHOTO TWO-

MICROFILMED
OCT 30 1997



View of THE P/U.
View to the NE.

PHOTO THREE-



View to the SW of
the P/U and the
SYSTEMS' HANDLINES.

PHOTO FOUR-

MICROFILMED
OCT 30 1997

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13206

Priority: April 5, 1990

Maximum Diversion Rate: 0.17 CFS

Maximum Diversion Volume: 18.1 AF

This is to certify, that JULIE JURICA
11501 HIGHLANDER
BOISE ID 83709

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated April 5, 1990; and
has submitted Proof of Beneficial Use on June 3, 1993. An examination indicates
that the works have a diversion capacity of 0.200 cfs of water from:

ARCHIE CREEK tributary to PAYETTE RIVER, SOUTH FORK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.15 CFS	17.5 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.17 CFS	18.1 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 1(NENE), Sec. 4, Township 08N, Range 08E
BOISE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
08N	08E	4	Lot 1(NENE)	5		5

Total number of acres irrigated: 5

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

APR 7 3 0 1997

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 65-13206

CONDITIONS OF APPROVAL AND REMARKS

5. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
6. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.5 afa per acre for irrigation of the lands above.
7. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.
8. Place of use known as Lot 3, Gordon Segregation Subdivision.
9. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.
10. When water is not available to fill this right, the right holder shall cease diversion or shall rent water from the Payette River Rental Pool.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 3RD day of October, 1997.


Acting for KARL J. DREHER, Director

RECEIVED

OCT 20 1997

RECEIVED

JUN 03 1993

Department of Water Resources

OFFICE USE ONLY

Amt. of Fee \$ 50.00

Date 6-3-93

Receipt No. 0027715

Receipt by CA

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-13206 Telephone No. 362-3562
2. Name(s) of Permit Holder(s): Julie Jurica
3. Mailing Address: 11501 Highlander, Boise, ID 83709
4. Source of Water: Archie Creek

If GROUNDWATER, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 5 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 0.19 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Rockable
Measuring device: Required? Yes ☒ Yes ☐ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

permit holder
Name _____ Telephone No. _____

Address _____

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

6/3/93
Date

Julie Jurica
Signature (and title, if on behalf of a company or organization)

JUL 02 1993

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13206

Proposed Priority: April 5, 1990 Maximum Diversion Rate: 0.19 CFS

This is to certify, that **JULIE JURICA**
11501 HIGHLANDER
BOISE, ID 83709

has applied for a permit to appropriate water from:

ARCHIE CREEK tributary of **PAYETTE RIVER, SOUTH FORK**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.15 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.19 CFS

LOCATION OF POINT(S) OF DIVERSION: NENE Sec. 4, Township 08N, Range 08E
BOISE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
08N	08E	4	NENE 2	SENE 3		5

Total number of acres irrigated: 5

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 1, 1993**.
2. Subject to all prior water rights.
3. Use of water under this permit is subject to control by the watermaster of State Water District No. 65.
4. The Director retains jurisdiction of this permit to require purchase or lease of storage water to compensate for diversion of the streamflow authorized by this right.
5. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
6. A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this permit.
7. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

JUL 26 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13206

CONDITIONS/REMARKS:

8. Place of use also known as Lot 3, Segregation Subd.
9. Domestic use is for one home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

23 day of July, 1990

for R. Keith Higginson
R. Keith Higginson, Director

MICROFILMED

JUL 26 1990

RECEIVED
APR 06 1990

Department of Water Resources
Western Regional Office

Ident. No. 65-13206

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: JULIE JURICA 208-362-3562
Address: 11501 HIGHLANDER
BOISE, ID 83709
2. Source: ARCHIE CREEK Trib. to: PAYETTE RIVER, SOUTH FORK
3. Location of Point of Diversion: NENE Sec. 4, Township 08N, Range 08E
BOISE County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	04/01	11/01	0.150		
DOMESTIC	01/01	12/31	0.040		
5. Total quantity to be appropriated is:
0.190 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
PUMP AND PIPELINE.
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is inches; proposed depth of well is
feet.
 - d. Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 5 years.
8. Description of proposed uses:
IRRIGATION OF 5 ACRES AND DOMESTIC USE FOR ONE HOME.
9. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
08N	08E	4	NENE 2	SENE 3		5
Total number of acres irrigated:						5
10. Describe any other water rights used for the same purposes.

MICROFILMED

JUL 26 1990

Ident. No. 65-13206

Page 2

11. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

P/U AKA GORDON SEGREGATION SUBDIVISION, LOT 3.

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Julie Jurica
Applicant

Received by kw Date 4-5-90 Time 12:00 Preliminary check by kw


Fee \$ 30.00 Receipted by kw # C016095 Date 4-5-1990

Publication prepared by GG Date 5-30-90 Published in Idaho World
6/6 & 6/13/90

Publication approved ST Date 6-30-90

INDEXED

JUL 26 1990



65-2447(2)
65-2428
65-2426(2)

65-2612

65-7964

65-2571 65-7827
65-2753 65-7929
65-2754(2) 65-7655
65-7432 65-2589
65-2605 65-7360
65-2120 65-2476(2)
65-7847 65-2571(2)
65-2480
65-2686
65-2530 65-12318
65-2755 65-2452
65-12364

65-2205
65-2516

65-2517
65-12237

65-12067

65-2597(4)
65-7000
65-12374

65-7488

65-7703

RECEIVED
JUL 26 1990

65
12

GORDON SEGREGATION SUBD

SITUATED IN THE EAST 1/2 OF THE NE 1/4 OF SECTION 4 T8N R8E BM B'

BOISE NATIONAL FOREST

DEFEASIBLE INTERSECTION
OF ARCHIE CREEK ROAD

POINT OF BEARING

NE CORNER
SECTION 4

66 FOOT ROAD RIGHT-OF-WAY
EASTMENT AND UTILITY EASEMENT
FOR WATER, SEWER, POWER AND
OTHER UTILITIES AS NECESSARY

LOT
1
4.30 ACRES ±

LOT
3
5.63 ACRES ±

LOT
2
2.35 ACRES ±

ENCHANTED VALLEY
SUBDIVISION NO 1

ENCHANTED VALLEY
SUBDIVISION NO 2

MICROFILMED

JUL 26 1990

ENCHANTED VALLEY
SUBDIVISION NO 1

This map is a photographic reproduction of that on
file in either the recorder's or surveyor's office, the
agency assumes no liability for variation, if any, with
either or re-survey.

TABLE

CHORD	TANGENT	CHORD B'G
19.1	24.49	N 15° 31' 00" E
45.23	45.23	N 01° 29' 00" W
19.84	19.84	N 22° 58' 14" W

NOTE ENCHANTED VALLEY SUBDIVISIONS SHOWN FOR REFERENCE ONLY

R KEITH HIGGINSON, Director
Published in The Idaho World June 7 and June 14, 1990

M E M O R A N D U M

DATE: October 10, 1997

TO: File 65-13206

FROM: Kari Lynn Townsend

RE: Returned Mail

=====

The water right license (with attendant cover letter and miscellaneous other paperwork) was returned by the postoffice today marked "UTD" (unable to deliver).

In checking the file I found a phone number - 352-3562 - which I called and left a message for Julie Jurica regarding her water right license.

I have set the file up for call-up on 10-24-97 in order to give her time to respond to the phone message.

ONE RECEIVED

OCT 20 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

October 3, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

JULIE JURICA
11501 HIGHLANDER
BOISE ID 83709

RE: WATER RIGHT NO. 65-13206

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name and title.

Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 3rd day of October, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 65-13206

JULIE JURICA
11501 HIGHLANDER
BOISE ID 83709


Kari Lynn Townsend
Secretary

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13206

Priority: April 5, 1990

Maximum Diversion Rate: 0.17 CFS
Maximum Diversion Volume: 18.1 AF

This is to certify, that JULIE JURICA
11501 HIGHLANDER
BOISE ID 83709

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated April 5, 1990; and
has submitted Proof of Beneficial Use on June 3, 1993. An examination indicates
that the works have a diversion capacity of 0.200 cfs of water from:

ARCHIE CREEK tributary to PAYETTE RIVER, SOUTH FORK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.15 CFS	17.5 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
Totals		0.17 CFS	18.1 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 1 (NENE), Sec. 4, Township 08N, Range 08E
BOISE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
08N	08E	4	Lot 1(NENE)	5		5

Total number of acres irrigated: 5

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE




WATER RIGHT NO. 65-13206

CONDITIONS OF APPROVAL AND REMARKS

5. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
6. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.5 afa per acre for irrigation of the lands above.
7. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.
8. Place of use known as Lot 3, Gordon Segregation Subdivision.
9. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.
10. When water is not available to fill this right, the right holder shall cease diversion or shall rent water from the Payette River Rental Pool.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 3RD
day of October, 1977.


Acting for KARL J. DREHER, Director



IDAHO DEPARTMENT OF WATER RESOURCES

1301 N. Orchard St.
P.O. Box 83720
Boise, ID 83720-0098
(208) 327-7900



**UNDELIVERABLE
AS ADDRESSED
UNABLE TO
FORWARD**

TO: LARRY LUTHER
701 LL AVENUE
11507 BOULDER
COLORADO

WTR
10/8/97

**RECEIVED
OCT 10 1997**

Department of Water Resources

10/10/97
10/10/97



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

October 3, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

JULIE JURICA
11501 HIGHLANDER
BOISE ID 83709

RE: WATER RIGHT NO. 65-13206

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

10/03/97

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name and title.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


OCT 28 1997

CERTIFICATE OF MAILING

I hereby certify that on the 3rd day of October, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 65-13206

JULIE JURICA
11501 HIGHLANDER
BOISE ID 83709


Kari Lynn Townsend
Secretary

OCT 20 1997

MEMORANDUM

TO: File 65-13206

FROM: Sharla

DATE: September 29, 1997

RE: Recommendation Adjustment(s)

The final license recommendations for Permit No. 65-13206 are based on the following:

H. RECOMMENDATIONS

Irrigation	4/15 - 10/15	0.15 cfs	17.5 afa
Domestic	1/1 - 12/31	0.02 cfs	0.6 afa
	TOTALS	0.17 cfs	18.1 afa

The irrigation of lawn/garden is covered in the irrigation component, therefore, the domestic use is for in-house use only. The rate for domestic use has been adjusted accordingly.

Examiner: Dave Gray
Exam Date: June 24, 1994

OCT 30 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 65-13206

DATE 9/25/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	—	✓	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	—	✓	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	—	✓	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>.19</u> cfs
Fee limit	<u>.20</u> cfs \$5000
Measured	<u>—</u> cfs
Theoretical	<u>.11</u> cfs 20 sprinkler heads

Recommended Total Div Rate .19 cfs

ANNUAL VOLUME/ NATURE OF USES

Use <u>✓</u>	<u>Dom.</u>	<u>.15</u> cfs	Volume Calc <u>17.5</u> af (5 x 35)
	<u>Dom.</u>	<u>.02</u>	<u>.6</u> af
			af
			af
	SUBTOTAL	<u>.17</u>	<u>18.1</u> af

Flow rate .15 cfs X 184 days X 1.98 = 54.6 af
 Total volume recommended 17.5 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

P/U aka lot 3, Gordon Aggregation
Subd.
1 home (WBS)

CONDITIONS

R04 Watermaster Control WD# 65
 GW Measurement/Measuring Device
R50 Overlap

— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed N/A

Adjustment Memo dom in house rate

1st Amend Letter N/A

2nd Amend Letter N/A

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

DEC 06 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-13206

1. Owner: JULIE JURICA Phone No. 362-3562

Current Address: 11501 HIGHLANDER BOISE - IDA

2. Accompanied by: JULIE JURICA EXAM DATE: 6-24-94

Address: SAME Phone No. SAME

Relationship to Permit Holder: SAME

3. Source: ARLIE CREEK tributary to PAYETTE RIVER - SOUTH FORK

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 65-02597, 65-10871, 65-11340

2. Other water rights with the same point of diversion: 65-02597 65-07488

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	01		NE	NE	4	EN	8E	BOISE	QUADS - ARIEL - OWNER ID.


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
8N	8E	4	5			5													5
			1st																

Gov't Lot per plat; acres in Gov't lot 1 (NE) per
subd. plat + topog. - J2 11/15/94

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required)

☒ NA Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	2	5KCR39JUN36KT	—	—

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: SPRINKLER HEAD 15 "1/2" HEADS AT 45 PSI

003 2 0 337

E. NARRATIVE/REMARKS/COMMENTS

THIS SYSTEM USES A 2HP TO PUMP WATER FROM ARCHIE CREEK. FROM THE 1 1/2" INTAKE TO THE 3/4" LINES THAT RUN THROUGH THE PROPERTY THE SYSTEM RUNS 10-15 HEADS AT ONE TIME AT @ 45 PSI. THE SYSTEM IS USED FOR 5.6 ACRES (LOT PLAT) AND FOR DOMESTIC PURPOSES. THE OWNER HAS MADE INTERCONNECTED PVC LINES WITH "T₃" THAT ARE INTERCHANGEABLE. THEREFORE, HAND LINES ^(OF PVC) MAY BE PLACED AT VARIOUS LOCATIONS.

* LWR #'S ARE NEIGHBORS WITH DIFFERENT PHS WHO ARE ALSO PULLING WATER FROM ARCHIE CREEK OR HAVE WELLS

SRBA CLAIM N/A SINCE PROOF > 11/87.

PL- AKA LOT 3, GARDEN SEGREGATED TINSOL.

Have conditions of permit approval been met? ☒ yes ☐ no

* JR 11/15/94

MICHAEL L.

OCT 30 1997

Additional Computation Sheets Attached

$$\text{THEORETICAL} = \frac{2 \times 8.8 \times .70}{(2.3 \times 45) + 10} = \frac{12.32}{113.5} = .11 \text{ CFS}$$

DOMESTIC - Allow .04 LFS

SPRINKLER HEAD; 15 HEADS $\times \frac{1 \frac{1}{4}''}{45 \text{ PSI}} = (5.91) \div 448.8 = .0265 \text{ CFS}$ IRRIGATION: 5 acres $\times .03 = .15 \text{ CFS}$
SYSTEM CAPACITY

1. Volume Calculations for Irrigation:

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 5 \times 3.5 = 17.5 \text{ AFA}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .15 \times 184 \times 1.9835 = 55 \text{ AFA}$$

$$V = \text{Smaller of } V_{LR} \text{ and } V_{DR} = 17.5 \text{ AFA}$$

DOMESTIC: Allow .6 (LAWN COVERED UNDER IRRIGATION)

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/1	11/01	.156 CFS	17.5 AFA
DOMESTIC	1/1	12/31	.04 CFS	.6
Totals:			.19 CFS	18.1 AFA

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Field Examiner's Name Date

Reviewer _____ Date _____


SEAL



E

65-13266
h 38 54
8N 86 1
8N 86 1

2899.47E



Sec. 10

GORDON SEGREGATION SUBD

SITUATED IN THE EAST 1/2 OF THE NE 1/4 OF SECTION 4 T8N R8E BM B'

THE CENTER OF THE
EAST 1/2 OF THE
NE 1/4 OF SECTION 4

BOISE NATIONAL FOREST

769'

0.24 MILE TO INTERSECTION
OF ARCHIE CREEK ROAD

BASIS OF BEARING

NE CORNER
SECTION 4

N 89° 22' 55" E

1325.76'

510.00'

66 FOOT ROAD RIGHT-OF-WAY
EASEMENT AND UTILITY EASEMENT
FOR WATER, SEWER, POWER AND
OTHER UTILITIES AS NECESSARY

Lot 3 of
SUBD. is
in
NENE only
of S. 4

LOT
3

5.63 ACRES ±

LOT
1
4.30 ACRES ±

LOT
2

2.35 ACRES ±

ENCHANTED VALLEY
SUBDIVISION NO 1

ENCHANTED VALLEY
SUBDIVISION NO 2

ENCHANTED VALLEY
SUBDIVISION NO 1

This map is a photographic reproduction of that on
file in the recorder's or surveyor's office. The
agency assumes no liability for variation, if any, with
that on file or re-survey.

DETAIL
(1115)

E TABLE

STATION	CHORD	TANGENT	CHORD BEG
1	48.71	24.49	N 15° 31' 00" E
2	89.72	45.29	N 01° 29' 00" W
3	29.06	19.84	N 22° 58' 14" W

NOTE ENCHANTED VALLEY SUBDIVISIONS SHOWN FOR REFERENCE ONLY

PHOTO ONE-




VIEW OF PUMP. LINE LEADS
OFF TO THE EAST ; DROPS
INTO THE CREEK.

>

VIEW OF LINE IN CREEK.
P/D HAS A SCREEN WITH
A ROCK HOLDING IT INTO
PLACE


PHOTO TWO-





View of THE P/U.
View to the NE.

PHOTO THREE-



View to the SW of
the P/U and the
SYSTEMS' HANDLINES.

PHOTO FOUR-

June 11, 1993

JULIE JURICA
11501 HIGHLANDER
BOISE ID 83709

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13206

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a lockable device to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the lockable device must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED

JUL 02 1993

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 15-13206 Reviewed by klg Date 6/3/93

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit? irrigate-5
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

✓ Surface water source
Ground water source
NA Drilling permit required?
/ Copy in the file? Drilling Permit No. _____
/ Amount paid for permit _____ Correct?
/ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50 Amount Submitted
yes Correct?
yes Required?
no Installed?
no Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due / -
No. of days late / =
Priority Date / +
New Priority Date /

DEFICIENCIES OR ACTION ITEMS

proof acceptable

needs a lockable

DATA ENTRY

New Address _____ Proof Made 6/3/93
6/11/93

May 31, 1993

JULIE JURICA
11501 HIGHLANDER
BOISE ID 83709

PROOF DUE NOTICE

RE: PERMIT NO. 65-13206

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



RECEIVED

JUL 02 1993

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
July 23, 1990

JULIE JURICA
11501 HIGHLANDER
BOISE, ID 83709

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P65-13206

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a lockable device that will provide the watermaster control on your diversion.

Natural flow of the Payette River is fully appropriated except during periods of flood flow. Your permit is conditioned to require you to obtain storage water to compensate for your diversion of natural flow from the river. The amount of storage which you will be required to obtain is approximately 3 acre-feet per acre of irrigated ground. You will be notified in the future of the necessity to obtain storage water.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of

MICROFILMED

JUL 26 1990

Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUL 25 1990

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: RW DATE: 5-19-90 APPLICATION: 65-13206

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership. or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No In form to receipt:
- Gov't. Lots:
N P/D
N P/U

ADDITIONAL INFORMATION

YES NO

- ☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion:
☒ Field check required: Field check by: _____
☒ Field report attached:
☒ Critical groundwater area:
☒ Groundwater management area:
☒ Send dam safety information:
☒ Send power requirement letter:
☒ Send fish farm requirement letter:
☒ Power residency affidavit:
☒ Power efficiency form:
☒ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side: _____

RECEIVED
JUL 02 1990

Department of Water Resources

65-13206

PROCESSING

YES NO

☒ ☐

In form for advertising:

☐ ☒

Statewide advertising:

☒ ☐

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒

I.D. Health and Welfare

☐ ☒

I.D. Fish and Game

☐ ☒

I.D. Lands

☐ ☒

Adjudication Bureau

YES NO

☐ ☒

U.S. BLM

☐ ☒

U.S. Forest Svc.

☐ ☒

Water Dist. #

☐ ☒

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐

Affidavit of publication received:

☒ ☐

Application published correctly: If not, record action taken.

☐ ☐☐ ☐☒ ☐

Publication dates and paper recorded on application:

☐ ☒

Protests received. Final date for protest

☐ ☒

Protest dates, resolution of protest recorded on application:

☐ ☒Recommendations attached: *Approved, DWR*☐ ☒

Measuring device required:

☐ ☒

Measuring port required:

☐ ☒Water delivered by water master? District # *65*☐ ☒

Special conditions of approval or cover letter:

26A (Allow 2 years)☐ ☐

See below for additional information

Recommended Date or Priority *4/5/1990*Recommended by: *DWR*Date *6/28/1990*STATE OFFICE REVIEW*AD1, PM1 PM 05(65) 59 26 01H*See below for additional information. By *KW*Date *7-17-90*ADDITIONAL INFORMATION*allow 3 yrs. to develop - applicant does not live at site*

65-13206

JURICA, JULIE
11501 HIGHLANDER
BOISE, ID 83709

Source: ARCHIE CREEK

Tributary: PAYETTE RIVER, SOUTH FORK

Diversion Pt: NENE Sec 4 T 08N R 08E

Use: IRRIGATION (.150 CFS)
 DOMESTIC (.040 CFS)
 Total Diversion: (.190 CFS)

Date Filed: 4/ 5/ 1990

In: T08N R08E S04 NENE SENE

5.0 ACRES TOTAL

MicroFILMED

JUL 26 1990