


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

+ Theresa Sheldon wife of Terry Sheldon
(Applicant)

office + shop

shop

PID

WASHINGTON ST

PAYETTE RIVER

 Photo of Diversion and System Attached


Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	submersible				
		1/2			6"

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

Theoretical

Introduction

JAN 18 1994



T7N
T6N

R1W
Sec 6
NWSE 49

48 59000m. N.
P/W
P/D

43°52'30"

5 39000m. E.

116°30'

NORTHWEST EMMETT, IDAHO
N4352.5-W11630/7.5
1974

ADVANCE PRINT

MICROFILMED
JAN 18 1994



6" well
1/2 HP submersible
pump

office



shop area

MICROFILMED
JAN 18 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13185

Priority: February 12, 1990

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.8 AF

This is to certify, that TJT ENTERPRISES

PO BOX 278

EMMETT ID 83617

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 12, 1990; and has submitted Proof of Beneficial Use on April 15, 1991. An examination indicates that the works have a diversion capacity of .030 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.02 CFS	0.8 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 9(SWNWSE), Sec. 6, Township 06N, Range 01W
GEM County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

06N 01W 6 Lot 9(NWSE)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Commercial use is for an office and shop building.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 6th day of DECEMBER, 1993.

Acting for  R. Keith Higginson, Director

RECEIVED

APR 15 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

14 or 336

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

- 1 Permit No. 65-13185 Telephone No. 365-5321
- 2 Name(s) of Permit Holder(s): T. J. T Enterprises A Partnership of
TERRY J. SHELDON & TERRY L. RADANDY
- 3 Post Office Address: P.O. Box 278 Emmett, Idaho 83617
- 4 Source of Water: Well
- a. If ground water, well driller's name: Driscoll Well Drilling Date drilled: 1987
- b. Pump horsepower: 1/2 H.P. Pressure (psi): 40 Dynamic pumping level (ft): _____
5. Extent of Use:
- | | |
|--|---------------------------------|
| Domestic _____ (No. of households) | Irrigation _____ (No. of acres) |
| Stockwater _____ (No. and type of stock) | Other <u>Commercial</u> |

6 Total rate and/or volume for which proof is submitted .02 cfs NO acre/feet

7 Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes X No Installed? Yes No
OR
Flow Measurement Port: Required? Yes X No Installed? Yes No

8 Fee Enclosed: \$ NONE (See License Examination Fee Schedule)

9 Person to contact to accompany the Department representative during the field examination:

TERRY J. SHELDON 208-365-5321
Name Telephone No.
P.O. Box 278 Emmett, Idaho 83617
Address

10 The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

4-5-91
Date

Terry Sheldon Partner JUN 10 1991
Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13185

Proposed Priority: February 12, 1990 Maximum Diversion Rate: 0.02 CFS

This is to certify, that TJT ENTERPRISES
P.O. BOX 276
EMMETT, ID 83617

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

COMMERCIAL	01/01 to 12/31	0.02 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: LOT 9(SWNWSE), Sec. 6, Township 06N, Range 01W
GEM County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

06N 01W 6 LOT 9(NWSE)

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Commercial use is for an office.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

21 day of

may, 1990

for *R. Keith Higginson*
R. Keith Higginson, Director

RECORDED

JUN 26 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant TJT Enterprises Phone 365-3221
Post office address P.O. Box 276 Emmett, ID. 83617
2. Source of water supply groundwater which is a tributary of _____
3. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot 09
Sec. 06 Township 6N Range 1W B.M. gem County; additional
points of diversion if any. _____
4. Water will be used for the following purposes:
Amount .02 for Commercial purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .02 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 1987 well (replaces 1970 well),
pump, pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage
_____ to _____ inclusive.
c. Proposed well diameter is 8 inches, proposed depth of well is 29 feet
d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year)

MICROFILMED

JUN 26 1990

8 Description of proposed uses (if irrigation only, go to item 9)

- a Hydropower; show total feet of head and proposed capacity in KW _____
- b Stockwatering, list number and kind of livestock _____
- c Municipal, show name of municipality _____
- d Domestic, show number of households _____
- e. Other, describe fully. Comm. - office use includes drinking etc; use is
entirely internal.

9 Description of place of use

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below
- b If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
6N	1W	06														2.9			—

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above NONE


11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks TJT Enterprises is owned & operated by Terry L. Randall
and Terry Sheldon.

RECORDED

JUN 26 1990

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

* Theresa Sheldon wife of Terry Sheldon
(Applicant)

Received by RL Date 2/12/90 Time 3:50 Preliminary check by RL
Fee \$ 30.50 Receipted by RL # W008695 Date 2/12/90
Publication prepared by GG Date 2-21-90 Published in Messenger-Index
3/1 & 3/8/90
Publication approved st Date 4-12-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____

1 Approval of said application is subject to the following limitations and conditions:

a SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 _____

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e Other:

MICROFILMED

JUN 26 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 7, 1993

TJT ENTERPRISES
PO BOX 278
EMMETT ID 83617

RE: WATER RIGHT NO. 65-13185

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over a circular stamp.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

JAN 18 1994

WR0749NP
No. L65-13185

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 11/30/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	TJT ENTERPRISES PO BOX 278 EMMETT ID 83617 (208) 365-5321	02/12/1990	COMMERCIAL	01-01 12-31	0.02 CFS	0.8 AFA
TOTAL DIVERSION:					0.02 CFS	0.8 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.03 CFS

Point(s) of Diversion: T06N R01W S06 Lot 09(SW NW SE)

Place of use Legal Description for: COMMERCIAL

NE				NW				SW				SE								
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:
06N	01W	6	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
												09-C								

Pou County: GEM

Other Water Rights Listing Overlapping Place(s) of use:

65-02458 65-02838 65-07062

Remarks: Commercial use is for an office and shop building.

Dates:	App. Received:	02/12/1990	Priority Date:	02/12/1990
	Proof Due Date:	06/01/1991	Proof Made Date:	04/15/1991
	Exam Made Date:	07/01/1993	Exam Sent to S.O.:	09/02/1993
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 11/30/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 65-13185 Date 11-30-93 Brenda Chapman

	Yes	No	
NAME	<u> </u>	<u> </u> ✓	Or Address Change?
PRIORITY DATE	<u> </u>	<u> </u> ✓	Advance? <u> </u> Memo to Advance <u> </u>
	<u> </u>	<u> </u> ✓	Order to Reinstate Needed?
	<u> </u>	<u> </u> <u>NA</u>	Incorrect Fee for rate recommended?
SOURCE	<u> </u>	<u> </u> ✓	Changes? Clarification of Originally Intended source <u> </u>
	<u> </u>	<u> </u> ✓	Notice of Intent to Void - Source change.
P/D	<u> </u>	<u> </u> ✓	Amendment Needed? <u> </u>
	<u> </u>	<u> </u> ✓	Overlap(s) <u> </u>
P/U	<u> </u>	<u> </u> ✓	Amendment Needed? <u> </u>
	<u> </u>	<u> </u> ✓	Overlap(s) <u> </u>
TOTAL CFS	<u> </u>	<u> </u> ✓	Disagree/Measurement <u>THEORETICAL ONLY</u>
	<u> </u>	<u> </u> ✓	Theoretical $(8.8 \times .70 \times .5) = .03$
	<u> </u>	<u> </u> ✓	Capacity <u>.03</u>
	<u> </u>	<u> </u> ✓	Allowable Amount: <u>Permit limit of .02 CFS</u>
TOTAL VOLUME	<u> </u>	<u> </u> ✓	Season <u>1-1 to 12-31</u>
	<u> </u>	<u> </u> ✓	Measurement done? <u>20 workers x 50 gpd x 260 days = .8 AF</u>
	<u> </u>	<u> </u> ✓	Flow limit: $.02 \times 365 \times 1.9835 = 14.5$
USES	<u> </u>	<u> </u> ✓	Change(s) in Nature of Use? <u> </u>
	<u> </u>	<u> </u> ✓	Amendment Needed? <u> </u>
REMARKS	<u> </u>	<u> </u> ✓	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u> </u>	<u> </u> ✓	Special Overlap <u> </u>
	<u> </u>	<u> </u> ✓	Other <u> </u>
CONDITIONS	<u> </u>	<u> </u> ✓	Measuring/Locking Devices <u> </u>
	<u> </u>	<u> </u> ✓	W/Master Control <u> </u>
	<u> </u>	<u> </u> ✓	Irrigation Overlap <u>2-12-90</u> Water Dist App Rec'd
	<u> </u>	<u> </u> ✓	Water Quality <u>7-1-93</u> Exam Made
COMMENTS:	<u> </u>		

RECOMMENDED	CFS	DIV VOL	LICENSE
<u>Commercial</u>	<u>.02</u>	<u>.8</u>	<u> </u> ✓
<u> </u>	<u> </u>	<u> </u>	AMEND <u> </u>
<u> </u>	<u> </u>	<u> </u>	2ND AMEND <u> </u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 3 - 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-13185

1. Owner: TST Enterprises Phone No. 365-5321

Current Address: PO Box 276 Emmett ID 83617

2. Accompanied by: _____ EXAM DATE: 7/1/93

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 65-01391, -03451, -05529, -02458, -02838, -07062
2. Other water rights with the same point of diversion: 65-01391, -05529

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	9	SW	NW	SE	6	6N	1W	Bern	USGS Quad


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
6N	1W	6																	

JAN 18 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required)

N/A Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	submersible				
		1/2			6"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Theoretical

~~REPRODUCED~~

JAN 18 1994

E. NARRATIVE/REMARKS/COMMENTS

a 6" well with a $\frac{1}{2}$ HP submersible pump
supplies water to two restrooms. There are
20 employees that work 8 hrs / day, 5 days / wk.
No other water kts are used

Have conditions of permit approval been met? ☒ yes ☐ no

JAN 18 1994

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

$$\frac{.5 \times 8.8 \times 1.7}{20 + 40 \times 2.31} = .03 \text{ cfs}$$

per area large
psi per owner

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

$$20 \text{ workers} \times 50 \text{ GPD} \times 260 \text{ days} / 325850 = .8 \text{ afa}$$

-VS-

$$.02 \text{ cfs} \times 365 \times 1.9835 = 14.5 \text{ afa}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Commercial	1/1	12/31	.02	.8
Totals:			.02	.8

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Loi Gauran Date 7/9/93

Reviewer _____ Date _____

SEAL

JAN 18 1994



T7N
T6N

R1W
Sec 6
NWSE 49

539000m. E.

116°30'

NORTHWEST EMMETT, IDAHO
N4352.5-W11630/7.5
1974

ADVANCE PRINT

JAN 18 1994

COMPOSITE



N O R T H

N O R T H

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: 65-13185

2. OWNER: TJT Phone: 365-5321
Address: PO Box 276 Emmett

3. WELL LOCATION: Twp 6N, Rge. 1W, Sec. 6, NW 1/4 Se 1/4
County Gem (Provide sketch map and photo on reverse.)

4. DRILLER: Driscoll Lic. No. 336
When Drilled? 1987

5. WELL CONSTRUCTION:

Casing Diameter 6 inches Water tight cap? ☐ Yes ☒ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 29 ft. Method Drilled cable
Condition of Well Casing: ☐ Good ☒ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☒ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving _____
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☒ Yes ☐ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:

Depth to Static Water 7 ft. Water Temperature cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: 40 (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☐ Domestic ☐ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: Commercial

RECEIVED
JAN 18 1994

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9.

REMARKS: Top of well has loose/removable
plate with hole in it. Well has been
stuffed with some kind of cloth

Lon Gorman
Signature of Dept. Representative & Title

7/1/93
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

see 65-13185


RECEIVED

JAN 18 1994



6" well
1/2 HP submersible
pump

office



shop area

JAN 18 1994

May 14, 1991

TJT ENTERPRISES
P.O. BOX 278
EMMETT, ID 83617

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13185

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED

JUN 10 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 65-13185

Date 4-16-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☒ Ground water source
☒ Drill permit req'd?
☒ Copy in file? Drill permit no. _____
☐ Amt paid for drilling permit? _____ Correct?
☒ Well log in file?

LICENSE EXAMINATION FEE

- ☒ Required?
☒ Amount submitted?
☒ Correct amount?

MEASURING DEVICE

- ☒ Measuring device or access port required?
☒ Installed?
☒ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

W.C. & D.P. *OK*

Proof acceptable

PRIORITY CALCULATION

Date proof received NA
Date proof due _____
No. of days late _____
Priority date _____
NEW PRIORITY DATE _____

Address Change *OK* *5-13-91*

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well

1. WELL OWNER Name <u>TJT Inc.</u> Address <u>No. Wash.</u> Owner's Permit No _____	7. WATER LEVEL Static water level <u>7</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug Temperature <u>58</u> °F Quality <u>Hard</u> Describe artesian or temperature of water below																																
2. NATURE OF WORK ☐ New well ☐ Deepened ☒ Replacement ☐ Abandoned (describe abandonment procedures such as material plug depths, etc in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Soaker ☒ Air ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr> <td><u>20</u></td> <td><u>1</u></td> <td><u>1</u></td> </tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>20</u>	<u>1</u>	<u>1</u>																										
Discharge G.P.M.	Pumping Level	Hours Pumped																															
<u>20</u>	<u>1</u>	<u>1</u>																															
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Water Yes No</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>8-10</u></td> <td><u>10</u></td> <td><u>29</u></td> <td><u>Gray Sand Clay</u></td> <td>☒</td> </tr> <tr> <td></td> <td></td> <td></td> <td><u>Gravel</u></td> <td>☒</td> </tr> </tbody> </table>	Bore Diam.	Depth		Material	Water Yes No	From	To	<u>8-10</u>	<u>10</u>	<u>29</u>	<u>Gray Sand Clay</u>	☒				<u>Gravel</u>	☒															
Bore Diam.	Depth		Material	Water Yes No																													
	From	To																															
<u>8-10</u>	<u>10</u>	<u>29</u>	<u>Gray Sand Clay</u>	☒																													
			<u>Gravel</u>	☒																													
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other _____	RECEIVED HH 02-1987 Department of Water Resources																																
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>250</u> inches</td> <td><u>6</u> inches</td> <td><u>1</u> feet</td> <td><u>29</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☐ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>12</u> Material used in seal. ☐ Cement grout ☒ Bentonite ☐ Pudding clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____	Thickness	Diameter	From	To	<u>250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>29</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	10. Work started <u>6-23-87</u> finished <u>6-25-87</u>
Thickness	Diameter	From	To																														
<u>250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>29</u> feet																														
_____ inches	_____ inches	_____ feet	_____ feet																														
_____ inches	_____ inches	_____ feet	_____ feet																														
_____ inches	_____ inches	_____ feet	_____ feet																														
Number	From	To																															
_____ perforations	_____ feet	_____ feet																															
_____ perforations	_____ feet	_____ feet																															
_____ perforations	_____ feet	_____ feet																															
6. LOCATION OF WELL Sketch map location <u>must</u> agree with written location. N <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:25%; text-align: center;">W</td> <td style="width:25%; text-align: center;">X</td> <td style="width:25%; text-align: center;">E</td> <td style="width:25%;"></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </table> S Subdivision Name _____ Lot No _____ Block No. _____ County <u>Gem</u> <u>SF. & New & Sec. 6 T. 6 N. R. 1 W</u>	W	X	E														11. DRILLERS CERTIFICATION (We certify that all minimum well construction standards were complied with at the time the rig was removed.) Firm Name <u>R.B. Driscoll</u> Firm No. <u>336</u> Address <u>930 S. Wash.</u> Date <u>6-28-87</u> Signed by (Firm Official) <u>Robert B. Driscoll</u> and (Operator) <u>Robert B. Driscoll</u>																
W	X	E																															

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

138321
March 31, 1991

TJT ENTERPRISES
P.O. BOX 276
EMMETT, ID 83617

PROOF DUE NOTICE

RE: PERMIT NO. 65-13185

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

JUN 10 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
May 22, 1990

TJT ENTERPRISES
P.O. BOX 276
EMMETT, ID 83617

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P65-13185

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 26 1990

STATE OF IDAHO
COUNTY OF GEM

On this 7th day of MARCH in the year of 90, before me,
a Notary Public, personally appeared Edna Reyes
known or identified to me to be the person whose name subscribed to the within instru-
ment, and being by me first duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Mary Ann Hanson
Notary Public for Idaho

Residing at Emmett, Ida

My commission expires. 3-21-95

RECEIVED
MAR 9 1990

Department of Water Resources
Western Regional Office

65-13162
HAW CREEK RANCH INC.
PO BOX 785
EMMETT, ID 83617
Source: HAW CREEK
Tributary: PAYETTE RIVER
Diversion Pt: SWNW Sec 17 T
07N R 01W
Use: IRRIGATION (600 CFS)
Total Diversion: (600 CFS)
Date Filed: 2/09/1990
In: T07N R01W S17 NWSW
S18 NESE SESE
30.0 ACRES TOTAL

65-13163
HAW CREEK RANCH, INC.
PO BOX 785
EMMETT, ID 83617
Source: SPRINGS
Tributary: SINKS
Diversion Pt: NWSWNW Sec
16 T 07N R 01W
SWSWNW Sec 16 T 07N R
01W
SENESE Sec 16 T 07N R 01W
SENENW Sec 17 T 07N R 01W
SENWNW Sec 20 T 07N R
01W
Use: STOCKWATER (.190)
Total Diversion: (.190)
Date Filed: 2/09/1990
In: T07N R01W S16 SWNW
NESE
S17 NENW NWSW SWSW
S18 SESE
S20 NWNW

65-13164
HAW CREEK RANCH INC.
PO BOX 785
EMMETT, ID 83617
Source: SPRINGS
Tributary: SINKS
Diversion Pt: LOT 3
(SWNENW) Sec 6 T 07N R 01E
NWNENW Sec 7 T 07N R 01E
LOT 2 (SWSWNW) Sec 31 T
08N R 01E
LOT 2 (SESWNW) Sec 31 T
08N R 01E
LOT 4 (SESWSW) Sec 31 T
08N R 01E
NWSWSE Sec 36 T 08N R 01W
Use: STOCKWATER (.070 CFS)
Total Diversion: (.070)
Date Filed: 2/09/1990
In: T07N R01E S06 Lot 3
(NENW)
S07 NENW
T08N R01E S31 Lot 2 (SWNW)
Lot 4 (SWSW)
R01W S36 SWSE

65-13177
MC CAULOU, HARRY J.
MC CAULOU, JUDITH A.
PO. BOX 54
OLA, ID 83657

65-13184
SUTTON, ALLEN L.
PO. BOX 26
OLA, ID 83657
Source: SPRING
Tributary: SQUAW CREEK
Diversion Pt: NESENW Sec 23
T 10N R 01E
Use: STOCKWATER (.070 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.110 CFS)
Date Filed: 2/02/1990
In: T10N R01E S23 SENW

65-13185
TJT ENTERPRISES
PO. BOX 276
EMMETT, ID 83617
Source: GROUNDWATER
Diversion Pt: LOT 9 (SWNWSE)
Sec 6 T 06N R 01W
Use: COMMERCIAL (.020
CFS)
Total Diversion: (.020 CFS)
Date Filed: 2/12/1990
In: T06N R01W S06 Lot 9
(NWSE)

65-13186
BABCOCK, OTIS
BABCOCK, FLORENCE
3131 FULLER RD
EMMETT, ID 83617
Source: WASTE WATER
Tributary: SAND HOLLOW
CREEK
Diversion Pt: NESWNE Sec 9
T 06N R 01 W
Use: IRRIGATION (.200 CFS)
Total Diversion: (.200 CFS)
Date Filed: 2/06/1990
In: T06N R01W S09 SWNE
10.0 ACRES TOTAL

65-13187
BABCOCK, OTIS
BABCOCK, FLORENCE
3131 FULLER RD.
EMMETT, ID 83617
Source: GROUNDWATER
Diversion Pt: NWSWNE Sec 9
T 06N R 01W
Use: DOMESTIC (.020 CFS)
Total Diversion: (.020 CFS)
Date Filed: 2/06/1990
In: T06N R01W S09 SWNE

The permit(s) will subject to
all prior water rights. Protests
must be filed with the Director,
Dept of Water Resources,
Western Region, 2735 Airport
Way, Boise, Idaho 83705 on or
before MARCH 19, 1990.

R. KEITH HIGGINSON,
Director

Pub.: 2-28, 3-7-90
Special Notice No. 708
Pub. Messenger Index

JUN 26 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s)
have been filed to appropriate
the public waters of the State of
Idaho:

63-11153
BLANTON, RODNEY J.
BROSSMAN, NANCY J.
3602 HILLCREST DR.
BOISE, ID 83705
Source: WILLOW CREEK,
NORTH FORK
Tributary: WILLOW CREEK
Diversion Pt: NWNESE Sec 17
T 06N R 01E
Use: IRRIGATION (.030 CFS)
Total Diversion: (.030 CFS)
Date Filed: 2/13/1990
In: T06N R01E S17 NESE
1.0 ACRES TOTAL

65-13147
HOWE, KRISTINE
HOWE, DAVID
1568 N. PLAZA
EMMETT, ID 83617
Source: SPRINGS
Tributary: PAYETTE RIVER
Source: UNNAMED STREAM
Tributary: PAYETTE RIVER
Diversion Pt: SWSESW Sec 4
T 06N R 01W
Use: IRRIGATION (.020 CFS)
Total Diversion: (.020 CFS)
Date Filed: 1/25/1990
In: T06N R01W S04 SESW
1.0 ACRES TOTAL

65-13151
ELDRIDGE, JAMES A.
BOX 261
EMMETT, ID 83617
Source: YERGENSEN CREEK
Tributary: SQUAW CREEK
Diversion Pt: LOT 2 (NWNE)
Sec 5 T 07N R 01E
Use: IRRIGATION (.700 CFS)
Total Diversion: (.700 CFS)
Date Filed: 2/02/1990
In: T07N R01E S05 Lot 2
(NWNE) SWNE Lot 3 (NENW)
SENW
35.0 ACRES TOTAL

65-13158
EMMETT SUNSET MANOR
C/O LARRY & MARIANNE
WILLIAMS
914 HOUSTON RD.
BOISE, ID 83706
Source: GROUNDWATER
Diversion Pt: LOT 3 (SESW)
Sec 5 T 06N R 01W
Use: IRRIGATION (.030 CFS)
DOMESTIC (.080 CFS)
Total Diversion: (.110 CFS)
Date Filed: 2/08/1990
In: T06N R01W S05 Lot 3
(SESW)
1.0 ACRES TOTAL

65-13159
HAW CREEK RANCH INC.
PO BOX 785
EMMETT, ID 83617
Source: GROUNDWATER
Diversion Pt: NWNE Sec 8 T
07N R 01W
Use: DOMESTIC (.060 CFS)
IRRIGATION (.030 CFS)
Total Diversion: (.080 CFS)
Date Filed: 2/09/1990
In: T07N R01W S08 SWNE
1.0 ACRES TOTAL

65-13160
HAW CREEK RANCH INC
PO BOX 785
EMMETT, ID 83617
Source: SPRING
Tributary: SINKS
Diversion Pt: NESWNW Sec 9
T 07N R 01W
Use: STOCKWATER (.190 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.230 CFS)
Date Filed: 2/09/1990
In: T07N R01W S08 SWNE
SENE

65-13161
HAW CREEK RANCH INC.
PO BOX 785
EMMETT, ID 83617
Source: HAW CREEK
Tributary: PAYETTE RIVER
Source: BRISTOL CREEK
Tributary: HAW CREEK
Diversion Pt: NENE Sec 8 T
07N R 01W
Use: IRRIGATION (1.600 CFS)
IRRIGATION STORAGE (10.00
AF)
IRRIGATION FROM STORAGE
(10.00 AF)
STOCKWATER (.050 CFS)
STOCKWATER STORAGE
(10.00 AF)
STOCKWATER FROM
STORAGE (10.00 AF)
Total Diversion: (1.650 CFS)
(10.00 AF)
Date Filed: 2/09/1990
In: T07N R01W S08 NENE
NWNE
80.0 ACRES TOTAL

Source: SPRINGS
Tributary: SQUAW CREEK
Diversion Pt: NWSWNE Sec 34
T 10N R 01E
NENWSE Sec 34 T 10N R 01E
Use: STOCKWATER (.050 CFS)
Total Diversion: (.050 CFS)
Date Filed: 2/14/1990
In: T10N R01E S34 SWNE
NWSE

65-13178
MC CAULOU, JUDITH A
MC CAULOU, HARRY J.
PO. BOX 54
OLA, ID 83657
Source: UNNAMED STREAM
Tributary: SQUAW CREEK
Diversion Pt: NESW Sec 34 T
10N R 01E
Use: DIVERSION TO
STORAGE (.170 CFS)
IRRIGATION (.120 CFS)
IRRIGATION STORAGE (86
AF)
IRRIGATION FROM STORAGE
(86 AF)
STOCKWATER (.050 CFS)
STOCKWATER STORAGE (86
AF)
STOCKWATER FROM
STORAGE (86 AF)
Total Diversion: (.170 CFS) (86
AF)
Date Filed: 2/14/1990
In: T10N R01E S34 SWNE
NESW NESE NWSE
6.0 ACRES TOTAL

65-13179
CARLOCK, CARROLL
SUTTON, LARRY
OLA, ID 83657
Source: SPRING
Tributary: SQUAW CREEK
Diversion Pt: NESESW Sec 14
T 10N R 01E
Use: STOCKWATER (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 2/02/1990
In: T10N R01E S14 SESW
SWSE

65-13180
SUTTON, LARRY
PO. BOX 2
OLA, ID 83657
Source: SPRINGS
Tributary: SQUAW CREEK
Source: UNNAMED STREAMS
Tributary: SQUAW CREEK
Diversion Pt: SESWNE Sec 11
T 10N R 01E
SWSENE Sec 14 T 10N 01E
SESENE Sec 14 T 10N 01E
NWNENE Sec 14 T 10N R 01E
SWNWSE Sec 14 T 10N R 01E
SESWSE Sec 14 T 10N R 01E
Use: STOCKWATER (.120 CFS)
STOCKWATER STORAGE
(400 CFS)
Total Diversion: (.120 CFS) (40
AF)
Date Filed: 2/02/1990
In: T10N R01E S11 SWNE
S14 SENE NESE NWSE SWSE

65-13181
MC LINN, WAYNE
2615 S SLOPE RD.
EMMETT, ID 83617
Source: GROUNDWATER
Diversion Pt: NESWNE Sec 27
T 06N R 02W
NWSENE Sec 27 T 06N R 02W
Use: COMMERCIAL (.040
CFS)
Total Diversion (.040 CFS)
Date Filed: 1/08/1990
In: T06N R02W S27 NENE

65-13182
HERR, RODNEY H.
HERR, MARCIA H.
400 COSTON ST.
BOISE, ID 83712
Source: SPRING
Tributary: SQUAW CREEK
Diversion Pt: SWNESW Sec 9
T 07N R 01E
Use: STOCKWATER (.090 CFS)
Total Diversion: (.090 CFS)
Date Filed: 2/09/1990
In: T07N R01E S09 NESW

65-13183
SUTTON, ALLEN L.
PO. BOX 26
OLA, ID 83657
Source: SPRINGS
Tributary: SQUAW CREEK
Diversion Pt: SENENW Sec 24
T 10N R 01E
Use: STOCKWATER (.070 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.110 CFS)
Date Filed: 2/02/1990
In: T10N R01E S24 NWNW

65-13185

TJT ENTERPRISES
P.O. BOX 276
EMMETT, ID 83617

Source: GROUNDWATER

Diversion Pt: LOT 9 (SWNWSE) Sec 6 T 06N R 01W

Use: COMMERCIAL (.020 CFS)
Total Diversion: (.020 CFS)

Date Filed: 2/12/1990

In: T06N R01W S06 Lot 9 (NWSE)

MICROFILMED

JUN 26 1990