


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Marcia H. Herr
(Applicant)

RECEIVED
MAR 25 1993

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 65-13182
1. Owner: Rodney H. & Marcia H. HERR Phone No. 343-9438
Current Address: 400 Coston ST., Boise, ID 83712
2. Accompanied by: Marcia Herr & Phil Hamilton (Farm) EXAM. DATE: 6/10/92
Address: (Same) Phone No. 343-9438
Relationship to Permit Holder: Permit Holder & Farm Manager
3. Source: Spring tributary to Squaw Creek

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED
AUG 27 1993

PERMIT 65-13182 INIT RC
T. R. S. Q/Q
P/D 7N 1E 9 NESW
SCALE
PHOTO ID. W-2 Montour

P/D

P/U

Roystone
Hot Springs

Regan

Reservoir

Regan
Butte

APPROVED

AUG 27 1993

Sweet

PAYETTE

Mont

Herr 65-13182 (6/10/92)



Water Trough # 3.



View SE of overflow area from Trough # 3.

RECORDED

AUG 27 1993



Water Trough # 1 (Dry)



Water Trough # 2

REPROFILMED

AUG 27 1993



View SW from approximate location of spring to (3) 8' diameter water troughs.



View westerly of watering troughs. Spring area in upper right corner.

UNRECORDED

AUG 27 1993

Herr 65-13182

(6/10/92)



View from Trough #1 NW Toward Spring. Spring begins near bush in background and extends to the north, appx 75 yds.



View northerly of south end of spring area.

RECEIVED
AUG 27 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13182

Priority: February 9, 1990

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

5.3 AF

This is to certify, that RODNEY H HERR
MARCIA H HERR

400 COSTON ST
BOISE ID 83712

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 9, 1990; and has submitted Proof of Beneficial Use on January 30, 1991. An examination indicates that the works have a diversion capacity of .020 cfs of water from:

SPRING

tributary to **SQUAW CREEK**

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	5.3 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNESW , Sec. 9, Township 07N, Range 01E
GEM County

PLACE OF USE: STOCKWATER
TWN RGE SEC

07N 01E 9 NESW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 65A.
6. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.

RECEIVED

APR 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13182

CONDITIONS/REMARKS:

7. Stockwater use is for 400 head of mixed stock.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 17TH
day of AUGUST, 1992.

Acting for 
R. Keith Higginson, Director

RECEIVED

AUG 27 1993

no fee req'd

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 65-13182 Telephone No. 343-9438

Name(s) of Permit Holder(s): Rodney &/or Marcia Herr

Post Office Address: 400 Coston St. Boise ID 83712

Source of Water: Spring

If ground water, well driller's name: _____ Date drilled: _____

Extent of Use:
Domestic _____ (No. of households) Irrigation _____ (No. of acres)
Stockwater ✓ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted .09 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 1986

One of the following may be a condition of approval of your permit:

Measuring device: Required? ✓ Yes ✓ No Installed? ✓ Yes ✓ No

OR

Flow Measurement Port: Required? ✓ Yes ✓ No Installed? ✓ Yes ✓ No

Fee Enclosed: \$ 50.00 *no fee CH* (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination

Phil Hamilton 584-3516
Name Telephone No

8917 Butte Rd Sweet, ID 83670
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho

ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED

MAR 20 1991

1-30-91
Date

Marcia H. Herr
Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13182

Proposed Priority: February 9, 1990

Maximum Diversion Rate:

0.09 CFS

This is to certify, that **RODNEY H. HERR**
MARCIA H. HERR
400 COSTON ST.
BOISE, ID 83712

has applied for a permit to appropriate water from:

SPRING

tributary of **SQUAW CREEK**

and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

STOCKWATER

01/01 to 12/31

0.09 CFS

LOCATION OF POINT(S) OF DIVERSION:

SWNESW

Sec. 9, Township 07N, Range 01E
GEM County

PLACE OF USE: STOCKWATER

TWN RGE SEC

07N 01E 9

NESW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1991.
2. Subject to all prior water rights.
3. Use of water under this permit is subject to control by the watermaster of State Water District No. 65A.
4. A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this permit.
5. Stockwater use is for 400 head.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

4th day of

June

, 1990

for R. Keith Higginson, Director

RECORDED

JUN 26 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Rodney H. Herr and MARCIA N. NEPP Phone 1-208-343-9438
Post office address 400 Coston St. Boise, Idaho 83712

2. Source of water supply Spring which is a tributary of Squaw Creek

3. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 9 Township 7N Range 1E B.M. GEM County; additional
points of diversion if any _____

4. Water will be used for the following purposes:

Amount .09 for stock water purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .09 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Spring, Trench, Perforated Pipe,
piped to three stock tanks

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage
_____ to _____ inclusive

c. Proposed well diameter is _____ inches, proposed depth of well is _____ feet

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year)

Completed, 1987

MICROFILMED

JUN 26 1990

8 Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering, list number and kind of livestock. 400 HEAD BEEF CATTLE
- Municipal; show name of municipality _____
- Domestic; show number of households _____
- Other, describe fully. _____

9. Description of place of use.

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
7N	1E	9									S								

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above NONE


- Who owns the property at the point of diversion? RODNEY H. HERR - Applicant
- Who owns the land to be irrigated or place of use? RODNEY H. HERR - Applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12 Remarks _____

RECORDED

JUN 26 1990

13. Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number.



MICROFILMED

JUN 26 1990

Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Marcia W. Herr
(Applicant)

Received by GP Date 2-9-90 Time 10:55 A Preliminary check by PL
Fee \$ \$30.00 Receipted by GP # W008586 Date 2-9-90
Publication prepared by GG Date 2-21-90 Published in Messenger-Index
3/1 & 3/8/90
Publication approved st Date 4-12-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1 Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit

e. Other:

MICROFILMED
JUN 26 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 19, 1993

RODNEY H HERR
MARCIA H HERR
400 COSTON ST
BOISE ID 83712

RE: WATER RIGHT NO. 65-13182

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over the typed name and title.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECORDED

AUG 27 1993

WR0749NP
No. L65-13182

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 07/23/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	RODNEY H HERR	02/09/1990	STOCKWATER	01-01 12-31	0.02 CFS	5.3 AFA
C	MARCIA H HERR					
	400 COSTON ST					
	BOISE ID 83712					
	(208) 343-9438					
TOTAL DIVERSION:					0.02 CFS	5.3 AFA

Water Source: SPRING

Tributary to: SQUAW CREEK

Stage: LICENSE

Point(s) of Diversion Capacity: 0.02 CFS

Point(s) of Diversion: T07N R01E S09 SW NE SW

Place of use Legal Description for: STOCKWATER

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:
07N	01E	9	:																	:
			:																	:

Pou County: GEM

Non-Irrigation Uses: STOCKWATER FOR 400 RANGE

Other Water Rights Listing Overlapping Place(s) of use:
65-03007 65-13148

Conditions of Approval:

- R04 - Use of water under this water right will be regulated by the watermaster of State Water District No. 65A.
- R02 - A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.

Remarks: Stockwater use is for 400 head of mixed stock.

Dates: App. Received: 02/09/1990 Priority Date: 02/09/1990
Proof Due Date: 07/01/1991 Proof Made Date: 01/30/1991
Exam Made Date: 06/10/1992 Exam Sent to S.O.: 03/24/1993
Licensed Date:

Misc: Water District Number: 65A Field Exam Fee: N (Not Required)

Audit: 07/23/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 65-13182 Date 7-23-93 Brenda Chapman

NAME Yes No ☒ Or Address Change?

PRIORITY DATE ☒ Advance? ☒ Memo to Advance ☐
☒ Order to Reinstate Needed?

SOURCE ☒ Changes? Clarification of Originally
☒ Intended source
☒ Notice of Intent to Void - Source change.

P/D ☒ Amendment Needed?
☒ Is Overlap Analysis a Consideration?

P/U ☒ Amendment Needed?
☒ Is Overlap Analysis a Consideration?

TOTAL CFS -NA- Incorrect Fee for rate recommended?
☒ Disagree/Measurement 2.6 gpm x .00223 = .01 cfs
-NA- Pumping Theoretical $(8.8) \times (.70) \times ()$
 $() + [2.31 \times ()]$
☒ System Capacity .02 (NON-DROUGHT FLOWS)
Allowable Amount: .02 CFS IS ADEQUATE

TOTAL VOLUME Rate/ac AFA Irr. Season
Standard Irr. Season
Season Recommended
☒ Disagree with Examiner's Calculations?
400 head x .0134 = 5.3
☒ Flow limit: .02 x 365 x 1.9835 = 14.4

USES ☒ Change(s) in Nature of Use?
☒ Amendment Needed?

REMARKS ☒ Multiple P/Ds in 1/4 1/4?
☒ Non-Irr. Uses Stockwater
☐ Special Overlap Condition
☐ Other

CONDITIONS RO2 LOCKABLE Measuring Devices Dates/Misc
RO4 W/Master Control 65A Water Dist
☒ Irrigation Overlap 2-9-90 App Rec'd
☒ Water Quality 6-10-92 Exam Made

COMMENTS: 400 head of cattle / horses
diversion - not limited to 2 hrs per day.
spring is a 24hr

RECOMMENDED	CFS	VOL
Irrigation	<u> </u>	<u> </u>
Domestic	<u> </u>	<u> </u>
Stockwater	<u>.02</u>	<u>5.3</u>

LICENSE ☒
AMEND

REDUCE RATE

RECEIVED
MAR 25 1993

STATE OF IDAHO
Department of Water Resources
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 65-13182
1. Owner: Rodney H. & Marcia H. HERR Phone No. 343-9438
Current Address: 400 Coston ST., Boise, ID 83712
2. Accompanied by: Marcia Herr & Phil Hamilton (Farm) EXAM. DATE: 6/10/92
Address: (Same) Phone No. 343-9438
Relationship to Permit Holder: Permit Holder & Farm Manager
3. Source: Spring tributary to Squaw Creek

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).

NOT FILMED
AUG 27 1993

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Three Livestock Troughs filled by 1½" PVC gravity line from spring. Spring area contains 8' of gravel and water is obtained through a 4" perforated PVC pipe running approx. 75 yd. These three Troughs are used from 11/1 - 4/1 for 350-400 cattle. Cattle are located near Packer John Cabin area during summer. Six or seven horses use Troughs during summer. Trough #2 is supplemented from additional spring, but as per Phil Hamilton, its location is unknown.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	NE	SW	9	7N	1E	Gem	Quad map.

6. Place(s) of Use:

Indicate Method of Determination Same as P/O

Twp.	Rge.	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
7N	1E	9									5								

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

5 gallon bucket - 2.6 gpm - hard to justify .09 cfs from spring (40 gpm). Based on estimate for properly designed pipe flow system, allow .06 cfs: $Q = 5 \pi R^2$
 $1.5" \text{ measured} = 5(3.1416)(\frac{1.5}{2})^2$
 (Use this estimate because flows are depleted by drought) = .06 cfs

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: 5 gallon bucket

allow .06 cfs

$$2.6 \text{ gpm} \left(\frac{1 \text{ ft}^3}{7.48 \text{ gal}} \right) \left(\frac{1 \text{ min}}{60 \text{ sec}} \right) = 0.006 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

N/A

Discharge Pressure: _____ psi x 2.31 = _____ ft (1), Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

$$V_R = \frac{400 \times 47 \text{ gpd} \times 365 \text{ days}}{325,850 \frac{\text{g}}{\text{AF}}} = 5.4 \text{ AF}$$

$V_R < V_D$, use 5.4 AF

$$V_D = (0.09)(365)(1.9835) = 65.2 \text{ AF}$$

$$(0.06)(365)(1.9835) = 43.4$$

FILED
AUG 27 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Small amount of water from unknown Spring. No record could be found for water right of Spring at this time. Waiting to hear from previous property owner (Goodwin Farms). This could be a possible overlap. Cattle use only during the winter months, approximately 400 head. During the next six months, 4/1 - 10/31, only 6 or 7 head of horses use water. Seems to be a lot of waste during this time period. Maybe flow could be regulated for needed flow from 11/1 to 4/1, and then reduced during the period 4/1 to 10/31.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)	
	From	To			
Stockwater	1/1	12/31	.09 .06	4.1	5.4
Totals:			.09 .06	4.1	5.4

2. Recommended Amendments


- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name Rick Collingwood
Signature Rick Collingwood
Certification Date _____
Field Report Preparation Date 6/12/92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MISS FILMED

AUG 27 1993

PERMIT 65-1382 INIT RC
T. R. S. Q/Q
P/D IN IE 9 NESW
SCALE
PHOTO ID. W-P Montour

P/O

-P/U

Roystone
Hot Spring

Regan

Regan
Butter

3028A

Sweet

2657-T

2603-T

2558

2606-T

290-T

2775-T

Mile


20

27

Herr 65-13182 (6/10/92)



Water Trough # 3.



View SE of overflow area from Trough # 3.


RECEIVED

AUG 27 1993

HERR 65-13182 (6/10/92)



Water Trough # 1 (Dry)




Water Trough # 2

REPRODUCED

AUG 27 1993



View SW from approximate location of spring to
(3) 8' diameter water troughs.



View westerly of watering trough spring area
in upper right corner.

AUG 27 1993



View from Trough #1 NW Toward Spring. Spring begins near bush in background and extends to the north, appx 75 yds.



View northward of south end of spring area.

1993

MEMORANDUM

March 1, 1991

TO: FILES 65-12182 AND 65-13148

FROM: Rita Fleck *[Signature]*

Re: Lockable Measuring Device

Both these rights show a source tributary to Squaw Creek.

Mrs. Herr called today. She is concerned that they will not be able to install lockable devices by the nature of the systems they use. She requested the department remove this condition of approval from each system.

I advised her that the field examiner would make a recommendation for removal at the time the field exam is done.

RECEIVED

MAR 20 1991

February 26, 1991

RODNEY H. HERR
MARCIA H. HERR
400 COSTON ST.
BOISE, ID 83712

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13182

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a lockable device to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the lockable device must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED
MAR 20 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 65-13182

Date 2-20-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, prepare data entry form.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☒ Surface water source
☐ Ground water source
☒ NA Drill permit req'd?
☐ Copy in file? Drill permit no. _____
☐ Well log in file?
☐ Amt paid for drilling permit? _____ Correct?

LICENSE EXAMINATION FEE

- ☒ NO Required?
☒ -0- Amount submitted?
☒ Correct amount?

MEASURING DEVICE

- ☒ Yes Measuring device or access port required?
☒ No Installed?
☐ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Lockable device required

Proof owing to be

PRIORITY CALCULATION

Date proof received	<u>NA</u>	_____
Date proof due	_____	- _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

LB

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

- - - - -

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 4, 1990

RODNEY H. HERR
MARCIA H. HERR
400 COSTON ST.
BOISE, ID 83712

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P65-13182

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a lockable device that will provide the watermaster control on your diversion.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 26 1990

STATE OF IDAHO
COUNTY OF GEM

On this 7/13 day of MARCH in the year of 90, before me,

a Notary Public, personally appeared Esma Reyes
known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Mary Ann Anderson
Notary Public for Idaho

Residing at Emmett, Ida

My commission expires: 3-21-95

RECEIVED
MARCH 9 1990

Department of Water Resources
Western Regional Office

65-13162
HAW CREEK RANCH INC.
P.O. BOX 785
EMMETT, ID 83617
Source: HAW CREEK
Tributary: PAYETTE RIVER
Diversion Pt: SWNW Sec 17 T
07N R 01W
Use: IRRIGATION (.600 CFS)
Total Diversion: (.600 CFS)
Date Filed: 2/09/1990
In: T07N R01W S17 NWSW
S18 NESE SESE
300 ACRES TOTAL
65-13163
HAW CREEK RANCH, INC.
P.O. BOX 785
EMMETT, ID 83617
Source: SPRINGS
Tributary: SINKS
Diversion Pt: NWSWNW Sec
16 T 07N R 01W
SWSWNW Sec 16 T 07N R
01W
SENESE Sec 16 T 07N R 01W
SENENW Sec 17 T 07N R 01W
SENWNW Sec 20 T 07N R
01W
Use: STOCKWATER (.190)
Total Diversion (.190)
Date Filed: 2/09/1990
In: T07N R01W S16 SWNW
NESE
S17 NENW NWSW SWSW
S18 SESE
S20 NWNW

65-13164
HAW CREEK RANCH INC.
P.O. BOX 785
EMMETT, ID 83617
Source: SPRINGS
Tributary: SINKS
Diversion Pt: LOT 3
(SWNENW) Sec 6 T 07N R 01E
NWNENW Sec 7 T 07N R 01E
LOT 2 (SWSWNW) Sec 31 T
08N R 01E
LOT 2 (SESWNW) Sec 31 T
08N R 01E
LOT 4 (SESWSW) Sec 31 T
08N R 01E
NWSWSE Sec 36 T 08N R 01W
Use: STOCKWATER (.070 CFS)
Total Diversion: (.070)
Date Filed: 2/09/1990
In: T07N R01E S06 Lot 3
(NENW)
S07 NENW
T08N R01E S31 Lot 2 (SWNW)
Lot 4 (SWSW)
R01W S36 SWSE

65-13177
MC CAULOU, HARRY J.
MC CAULOU, JUDITH A.
P.O. BOX 54
OLA, ID 83657

65-13184
SUTTON, ALLEN L.
P.O. BOX 26
OLA, ID 83657
Source: SPRING
Tributary: SQUAW CREEK
Diversion Pt: NESENW Sec 23
T 10N R 01E
Use: STOCKWATER (.070 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.110 CFS)
Date Filed: 2/02/1990
In: T10N R01E S23 SENW

65-13185
TJT ENTERPRISES
P.O. BOX 276
EMMETT, ID 83617
Source: GROUNDWATER
Diversion Pt: LOT 9 (SWNWSE)
Sec 6 T 06N R 01W
Use: COMMERCIAL (.020
CFS)
Total Diversion: (.020 CFS)
Date Filed: 2/12/1990
In: T06N R01W S06 Lot 9
(NWSE)

65-13186
BABCOCK, OTIS
BABCOCK, FLORENCE
3131 FULLER RD.
EMMETT, ID 83617
Source: WASTE WATER
Tributary: SAND HOLLOW
CREEK
Diversion Pt: NESWNE Sec 9
T 06N R 01 W
Use: IRRIGATION (.200 CFS)
Total Diversion: (.200 CFS)
Date Filed: 2/06/1990
In: T06N R01W S09 SWNE
100 ACRES TOTAL

65-13187
BABCOCK, OTIS
BABCOCK, FLORENCE
3131 FULLER RD.
EMMETT, ID 83617
Source: GROUNDWATER
Diversion Pt: NWSWNE Sec 9
T 06N R 01W
Use: DOMESTIC (.020 CFS)
Total Diversion: (.020 CFS)
Date Filed: 2/06/1990
In: T06N R01W S09 SWNE

The permit(s) will subject to
all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources,
Western Region, 2735 Airport
Way, Boise, Idaho 83705 on or
before MARCH 19, 1990.

R. KEITH HIGGINSON,
Director
Pub.: 2-28, 3-7-90
Legal Notice No. 708
Pub. in the Messenger Index

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s)
have been filed to appropriate
the public waters of the State of
Idaho:

63-11153
BLANTON, RODNEY J.
BROSSMAN, NANCY J.
3602 HILLCREST DR.
BOISE, ID 83705
Source: WILLOW CREEK,
NORTH FORK
Tributary: WILLOW CREEK
Diversion Pt: NWNESE Sec 17
T 06N R 01E
Use: IRRIGATION (.030 CFS)
Total Diversion: (.030 CFS)
Date Filed: 2/13/1990
In: T06N R01E S17 NESE
1.0 ACRES TOTAL

65-13147
HOWE, KRISTINE
HOWE, DAVID
1588 N. PLAZA
EMMETT, ID 83617
Source: SPRINGS
Tributary: PAYETTE RIVER
Source: UNNAMED STREAM
Tributary: PAYETTE RIVER
Diversion Pt: SWSESW Sec 4
T 06N R 01W
Use: IRRIGATION (.020 CFS)
Total Diversion: (.020 CFS)
Date Filed: 1/25/1990
In: T06N R01W S04 SESW
1.0 ACRES TOTAL

65-13151
ELDRIDGE, JAMES A.
BOX 261
EMMETT, ID 83617
Source: YERGENSEN CREEK
Tributary: SQUAW CREEK
Diversion Pt: LOT 2 (NWNE)
Sec 5 T 07N R 01E
Use: IRRIGATION (.700 CFS)
Total Diversion: (.700 CFS)
Date Filed: 2/02/1990
In: T07N R01E S05 Lot 2
(NWNE) SWNE Lot 3 (NENW)
SENW
35.0 ACRES TOTAL

65-13158
EMMETT SUNSET MANOR
C/O LARRY & MARIANNE
WILLIAMS
914 HOUSTON RD.
BOISE, ID 83706
Source: GROUNDWATER
Diversion Pt: LOT 3 (SESW)
Sec 5 T 06N R 01W
Use: IRRIGATION (.030 CFS)
DOMESTIC (.080 CFS)
Total Diversion: (.110 CFS)
Date Filed: 2/08/1990
In: T06N R01W S05 Lot 3
(SESW)
1.0 ACRES TOTAL

65-13159
HAW CREEK RANCH INC.
P.O. BOX 785
EMMETT, ID 83617
Source: GROUNDWATER
Diversion Pt: NWNE Sec 8 T
07N R 01W
Use: DOMESTIC (.060 CFS)
IRRIGATION (.030 CFS)
Total Diversion: (.090 CFS)
Date Filed: 2/09/1990
In: T07N R01W S08 SWNE
1.0 ACRES TOTAL

65-13160
HAW CREEK RANCH INC.
P.O. BOX 785
EMMETT, ID 83617
Source: SPRING
Tributary: SINKS
Diversion Pt: NESWNW Sec 9
T 07N R 01W
Use: STOCKWATER (.190 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.230 CFS)
Date Filed: 2/09/1990
In: T07N R01W S08 SWNE
SENE

65-13161
HAW CREEK RANCH INC.
P.O. BOX 785
EMMETT, ID 83617
Source: HAW CREEK
Tributary: PAYETTE RIVER
Source: BRISTOL CREEK
Tributary: HAW CREEK
Diversion Pt: NENE Sec 8 T
07N R 01W
Use: IRRIGATION (1.600 CFS)
IRRIGATION STORAGE (10.00
AF)
IRRIGATION FROM STORAGE
(10.00 AF)
STOCKWATER (.050 CFS)
STOCKWATER STORAGE
(10.00 AF)
STOCKWATER FROM
STORAGE (10.00 AF)
Total Diversion: (1.650 CFS)
(10.00 AF)
Date Filed: 2/09/1990
In: T07N R01W S08 NENE
NWNE
80.1 ACRES TOTAL

Source: SPRINGS
Tributary: SQUAW CREEK
Diversion Pt: NWSWNE Sec 34
T 10N R 01E
NENWSE Sec 34 T 10N R 01E
Use: STOCKWATER (.050 CFS)
Total Diversion: (.050 CFS)
Date Filed: 2/14/1990
In: T10N R01E S34 SWNE
NWSE

65-13178
MC CAULOU, JUDITH A.
MC CAULOU, HARRY J.
P.O. BOX 54
OLA, ID 83657
Source: UNNAMED STREAM
Tributary: SQUAW CREEK
Diversion Pt: NESW Sec 34 T
10N R 01E
Use: DIVERSION TO
STORAGE (.170 CFS)
IRRIGATION (.120 CFS)
IRRIGATION STORAGE (.86
AF)
IRRIGATION FROM STORAGE
(.86 AF)
STOCKWATER (.050 CFS)
STOCKWATER STORAGE (.86
AF)
STOCKWATER FROM
STORAGE (.86 AF)
Total Diversion: (.170 CFS) (.86
AF)
Date Filed: 2/14/1990
In: T10N R01E S34 SWNE
NESW NESE NWSE
6.0 ACRES TOTAL

65-13179
CARLOCK, CARROLL
SUTTON, LARRY
OLA, ID 83657
Source: SPRING
Tributary: SQUAW CREEK
Diversion Pt: NESESW Sec 14
T 10N R 01E
Use: STOCKWATER (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 2/02/1990
In: T10N R01E S14 SESW
SWSE

65-13180
SUTTON, LARRY
P.O. BOX 2
OLA, ID 83657
Source: SPRINGS
Tributary: SQUAW CREEK
Source: UNNAMED STREAMS
Tributary: SQUAW CREEK
Diversion Pt: SESWNE Sec 11
T 10N R 01E
SWSENE Sec 14 T 10N 01E
SESENE Sec 14 T 10N 01E
NWNENE Sec 14 T 10N R 01E
SWNWSE Sec 14 T 10N R 01E
SESWSE Sec 14 T 10N R 01E
Use: STOCKWATER (.120 CFS)
STOCKWATER STORAGE
(.400 CFS)
Total Diversion: (.120 CFS) (.40
AF)
Date Filed: 2/02/1990
In: T10N R01E S11 SWNE
S14 SENE NESE NWSE SWSE

65-13181
MC LINN, WAYNE
2615 S. SLOPE RD
EMMETT, ID 83617
Source: GROUNDWATER
Diversion Pt: NESWNE Sec 27
T 06N R 02W
NWSENE Sec 27 T 06N R 02W
Use: COMMERCIAL (.040
CFS)
Total Diversion (.040 CFS)
Date Filed: 1/08/1990
In: T06N R02W S27 NENE

65-13182
HERR, RODNEY H.
HERR, MARCIA H.
400 COSTON ST.
BOISE, ID 83712
Source: SPRING
Tributary: SQUAW CREEK
Diversion Pt: SWNESW Sec 9
T 07N R 01E
Use: STOCKWATER (.090 CFS)
Total Diversion: (.090 CFS)
Date Filed: 2/09/1990
In: T07N R01E S09 NESW

65-13183
SUTTON, ALLEN L.
P.O. BOX 26
OLA, ID 83657
Source: SPRINGS
Tributary: SQUAW CREEK
Diversion Pt: SENENW Sec 24
T 10N R 01E
Use: STOCKWATER (.070 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.110 CFS)
Date Filed: 2/02/1990
In: T10N R01E S24 NWNW

65-13182

HERR, RODNEY H.
HERR, MARCIA H.
400 COSTON ST.
BOISE, ID 83712

Source: SPRING

Tributary: SQUAW CREEK

Diversion Pt: SWNESW Sec 9 T 07N R 01E

Use: STOCKWATER (.090 CFS)
Total Diversion: (.090 CFS)

Date Filed: 2/09/1990

In: T07N R01E S09 NESW

MICROFILMED

JUN 26 1990