


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Wayne McLean
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = 100'

☒ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#1		1	submersible		4" well
#2		3/8		jet	3.5" well

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Theoretical based on #1 well only.
 #2 well has not been used during development period but can be used if necessary.
 (needs to be upgraded)

RECEIVED
 10/10/2017





4" well
1 HP submersible
pump



3 1/2" backup
well
3/8 HP jet
pump

MISSOURI

JAN 18 1994



Cherry
processing
area



Cherry
Bins

PHOTO TAKEN

JAN 18 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13181

Priority: January 25, 1990

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

0.4 AF

This is to certify, that WAYNE MC LINN
2615 S SLOPE RD
EMMETT ID 83617

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 8, 1990; and has submitted Proof of Beneficial Use on June 18, 1991. An examination indicates that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.04 CFS	0.4 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNESE , Sec. 27, Township 06N, Range 02W
NWSENE , Sec. 27, Township 06N, Range 02W
GEM County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

06N 02W 27 NENE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Commercial use is for a fruit packing plant.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 28th day of DECEMBER, 1993.

Acting for

R. Keith Higginson, Director

IAN 18 1994

APPROVED

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-13181

RECEIVED
DEC 08 1993
Department of Water Resources

Date of Priority: January 25, 1990

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 0.4 AF

Comes now
2615 S SLOPE RD
EMMETT ID 83617

WAYNE MC LINN

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 65-13181, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.04 CFS	0.4 AF

LOCATION OF POINT(S) OF DIVERSION:
SWNESE , Sec. 27, Township 06N, Range 02W
NWSENE , Sec. 27, Township 06N, Range 02W
GEM County

PLACE OF USE: COMMERCIAL
TWN RGE SEC
06N 02W 27 NENE

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Wayne Mc Linn, this 7 day of Dec, 1993.

MICROFILMED

(Signature)

JAN 18 1994

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-13181

FOR DEPARTMENT USE ONLY

Preliminary check by PC Fee = 20⁰⁰ Received by IV # 6029174 Date 12-8-93 ✓

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 65-13181 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Commercial use is for a fruit packing plant.

Witness my hand this 28th day of DECEMBER, 1993.


Acting for R. Keith Higginson, Director

JAN 18 1994

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 65-13181 IN THE)
NAME OF WAYNE MC LINN) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before June 1, 1991; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on June 18, 1991;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 65-13181 be REINSTATED and the priority advanced to January 25, 1990.

Dated this 21st day of June, 1991.


L. GLEN SAXTON, Chief
Water Allocation Bureau

MICROFILMED
AUG 06 1991

RECEIVED

JUN 18 1991

No \$ received
Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1 Permit No. 65-13181 Telephone No. 365-26272 Name(s) of Permit Holder(s) WAYNE McLINN3 Post Office Address: 2615 S SHORE RD EMMETT IDAHO 836174 Source of Water: GROUNDa If ground water, well driller's name: DRISCO Date drilled: 1944b Pump horsepower: 2 Pressure (psi): 65 Dynamic pumping level (ft.): 65

5 Extent of Use:

Domestic 2 (No. of households)

Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock)

Other Packing shed.6 Total rate and/or volume for which proof is submitted .04 cfs 2.40 acre/feet

7 Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes XNo Installed? Yes No

OR

Flow Measurement Port: Required? Yes XNo Installed? Yes No

8 Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

9 Person to contact to accompany the Department representative during the field examination:

WAYNE McLINN
Name365-2627
Telephone No.2615 S SHORE RD EMMETT IDAHO
Address

10 The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

AUG 06 1991

Date

Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13181

Proposed Priority: January 8, 1990 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **WAYNE MC LINN**
2615 S. SLOPE RD.
EMMETT, ID 83617

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

COMMERCIAL

01/01 to 12/31

0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

NESWNE

Sec. 27, Township 06N, Range 02W

NWSENE

Sec. 27, Township 06N, Range 02W
GEM County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

06N 02W 27

NENE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Commercial use is for a packing plant.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

24th day of

May, 1990

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

JUN 26 1990

RECEIVED

JAN 10 1990
STATE OF IDAHO

RECEIVED

JAN 8 1990

65-13181

RECEIVED

DEPARTMENT OF WATER RESOURCES
Western Regional Office

Department of Water Resources

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

- 1 Name of applicant WYNNE MELIN IV Phone 365-9627
Post office address EMMETT 2615 South slope Rd 83617
- 2 Source of water supply WELLS Groundwater which is a tributary of _____
- 3 Location of point of diversion is NEU $\frac{1}{4}$ of SE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt Lot _____
Sec. 27 Township 6N Range 2W B.M. Gem County; additional
points of diversion if any: and NE, SW, NE Sec. 27
- 4 Water will be used for the following purposes: PACKING PLANT
Amount 0.04 for _____ purposes from _____ to 1-1-89 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.04 for Commercial purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- 5 Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
- 6 Proposed diverting works
- a Description of ditches, flumes, pumps, headgates, etc. 2 wells manifold
system piped to plant.
- b Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet, period of year when water will be diverted to storage
_____ to _____ inclusive
- c. Proposed well diameter is _____ inches, proposed depth of well is _____ feet
- d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed use is
1 years (minimum 1 year)

MICROFILMED

JUN 26 1990

8 Description of proposed uses (if irrigation only, go to item 9):

- a Hydropower, show total feet of head and proposed capacity in KW _____
- b Stockwatering, list number and kind of livestock _____
- c Municipal, show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully Commercial packing plant

9 Description of place of use:

- a If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols

TWP	RANGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
6N	2W	27	C																

Total number of acres to be irrigated NA

10 Describe any other water rights used for the same purposes as described above. NONE

11. a Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant

c If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____


12. Remarks: Wells have supplied water to this plant since 1979.

RECORDED

JUN 26 1979

2W

6W



MICROFILMED

JUN 26 1990

x Wayne McPhee
(Applicant)

Received by AB Date 1/8/90 Time 15:28:21 Preliminary check by fw
Fee \$30.00 Received by AB # M005468 Date 1/8/90
Publication prepared by GG Date 2-21-90 Published in Messenger-Index
3/1 & 3/8/90
Publication approved AT Date 4-12-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____

1 Approval of said application is subject to the following limitations and conditions

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 _____

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit

e. Other:

MICROFILMED

JUN 26 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 29, 1993

WAYNE MC LINN
2615 S SLOPE RD
EMMETT ID 83617

RE: WATER RIGHT NO. 65-13181

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact this office.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', with a long horizontal line extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

JAN 1 8 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 1, 1993

WAYNE MC LINN
2615 S SLOPE RD
EMMETT ID 83617

RE: WATER RIGHT NO. 65-13181


Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 14 days.

If you do not concur with this information, please contact me as soon as possible.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED
JAN 18 1994

DATE: 11/30/93
PAGE: 1

Audit: 11/30/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 65-13181

Date 11-30-93

Brenda Chapman

	Yes	No	
NAME	<u> </u>	<u> ✓ </u>	Or Address Change?
PRIORITY DATE	<u> ✓ </u>	<u> </u>	Advance? <u>DONE</u> Memo to Advance <u>TO: 1-25-90</u>
	<u> </u>	<u> ✓ </u>	Order to Reinstate Needed? <u>DONE</u>
	<u>-NA-</u>	<u> </u>	Incorrect Fee for rate recommended?
SOURCE	<u> </u>	<u> ✓ </u>	Changes? Clarification of Originally Intended source
	<u> </u>	<u> ✓ </u>	Notice of Intent to Void - Source change.
P/D	<u> ✓ </u>	<u> </u>	Amendment Needed? <u>CHANGE UESWNE TO SW NEVE</u>
	<u> </u>	<u> ✓ </u>	Overlap(s) <u> </u>
P/U	<u> </u>	<u> ✓ </u>	Amendment Needed? <u> </u>
	<u> </u>	<u> ✓ </u>	Overlap(s) <u> </u>
TOTAL CFS	<u> </u>	<u> ✓ </u>	Disagree/Measurement <u>Theoretical ONLY</u>
	<u> </u>	<u> ✓ </u>	Theoretical $(8.8 \times .70 \times 1 \text{ HP}) / (80 + 2.31 \times 40) = .04 \text{ CFS}$
	<u> </u>	<u> ✓ </u>	Capacity <u>.04</u>
	<u> </u>	<u> </u>	Allowable Amount: <u>.04</u>
TOTAL VOLUME	<u> </u>	<u> ✓ </u>	Season <u>30 days PER YEAR</u>
	<u> </u>	<u> </u>	Measurement done? <u> </u>
	<u> </u>	<u> </u>	<u>40 bins per day @ 100 gal per bin x 30 days</u>
	<u> </u>	<u> </u>	<u>120,000 ÷ 325,850 = .4 AF</u>
	<u> </u>	<u> </u>	Flow limit: <u> </u> x <u> </u> x 1.9835 = <u> </u>
USES	<u> </u>	<u> ✓ </u>	Change(s) in Nature of Use? <u> </u>
	<u> </u>	<u> </u>	Amendment Needed? <u> </u>
REMARKS	<u> </u>	<u> ✓ </u>	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u> </u>	<u> ✓ </u>	Special Overlap <u> </u>
	<u> </u>	<u> ✓ </u>	Other <u> </u>
CONDITIONS	<u> </u>	<u> ✓ </u>	Measuring/Locking Devices
	<u> </u>	<u> ✓ </u>	W/Master Control
	<u> </u>	<u> ✓ </u>	Irrigation Overlap <u>1-8-90</u> Water Dist App Rec'd
	<u> </u>	<u> ✓ </u>	Water Quality <u>7-21-93</u> Exam Made
COMMENTS:	<u>Amend P/D</u>		

RECOMMENDED
Commercial

CFS
.04

DIV VOL
.4

LICENSE
AMEND P39
2ND AMEND P42

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT**RECEIVED****SFP 3 - 1993**

Department of Water Resources

A. GENERAL INFORMATIONPermit No. 65-131811. Owner: Wayne McLinn Phone No. 365-2627Current Address: 2615 S Slope Rd Emmett 836172. Accompanied by: Wayne EXAM DATE: 7/21/93Address: same Phone No. _____Relationship to Permit Holder: owner3. Source: Ground Water tributary to _____**B. OVERLAP REVIEW**1. Other water rights with the same place of use: 65-00066, - 026262. Other water rights with the same point of diversion: 65-03641, - 05096**C. DIVERSION AND DELIVERY SYSTEM**

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	SE	NE	27	6N	2W	Gem	USGS Quad
		SE	NE	NE	27	6N	2W	Gem	" "
		SW							


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
6N	2W	27	C																

APPROVED
JAN 18 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate well size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required)

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#1		1	submersible		4" well
#2		3/8		jet	3.5" well

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Theoretical based on #1 well only.
#2 well has not been used during development period but can be used if necessary.
(needs to be upgraded)

E. NARRATIVE/REMARKS/COMMENTS

A 4" well with a 1 HP submersible pump supplies water for cherry packing through the month of June. A 3 1/2" with a 3/8 HP jet pump can be used as a backup well if necessary. This well has not been used during the permit development period but is connected to the 1" PVC line that supplies water for the cherry packing. Since this well will only be used in case of emergency, and only as an alternate well, the P/D has been recommended but the pumping capacity has not.

No other water uss are used. 65-03641 is for domestic use from the 4" well for the same owner.

Have conditions of permit approval been met? ☒ yes ☐ no

JAN 18 1994

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

$$\frac{1 \times .7 \times 8.8}{80 + 40 \times 2.31} = .04 \text{ cfs}$$

Based on 100' depth + 60' static
PSI per owner

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

$$40 \text{ bins of cherries per day} \times 100 \text{ gal water/bin} \times 30 \text{ days/yr} = 120,000$$

$$120,000 \div 325,850 = .4 \text{ afa required}$$

$$.04 \times 365 \times 1.9835 = 29 \text{ afa potential}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Commercial	1/1	12/31	.04	.4
Totals:			.04	.4

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


I. AUTHENTICATION

Field Examiner's Name W. G. Garrow Date 7/26/93

Reviewer _____ Date _____

SEAL

JAN 18 1994



T6N Sec 27
R2W

MISSOURI

1 P 1034

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: unknown OTHER APPLICABLE NO: 65-13181
2. OWNER: Wayne Mc Linn Phone: 365-2627
Address: 2615 S Slope Rd Emmett
3. WELL LOCATION: Twp 6N, Rge. 2W, Sec. 27, Se 1/4 Ne 1/4
County Gem (Provide sketch map and photo on reverse.)
4. DRILLER: _____ Lic. No. _____
When Drilled? _____
5. WELL CONSTRUCTION:
Casing Diameter 4 inches Water tight cap? ☒ Yes ☐ No Access Port: ☐ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing _____ ft. Method Drilled _____
Condition of Well Casing: ☐ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☒ No Pressure Gauge: ☐ Yes ☐ No
Condition of Piping and Valving _____
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 60 ft. Water Temperature cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: 40 (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☒ Domestic ☐ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☒ Other: commercial

JAN 18 1994

8. **POSSIBLE CONTAMINATION SOURCES:**

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. **REMARKS:** _____

Loi Ganner
Signature of Dept. Representative & Title

7/21/93
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

JAN 18 1994

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: ? OTHER APPLICABLE NO: 65-13181
2. OWNER: Wayne Mc Linn Phone: 365-2627
Address: 2615 S slope Rd Emmett
3. WELL LOCATION: Twp 6N, Rge. 2W, Sec. 27, Ne 1/4 Ne 1/4
County Gern (Provide sketch map and photo on reverse.)
4. DRILLER: ? Lic. No. _____
When Drilled? _____
5. WELL CONSTRUCTION:
Casing Diameter 3 1/2 inches Water tight cap? ☐ Yes ☐ No Access Port: ☐ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☐ Yes ☒ No - Describe in dump
Depth of Casing _____ ft. Method Drilled _____
Condition of Well Casing: ☐ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☐ No Pressure Gauge: ☐ Yes ☐ No
Condition of Piping and Valving _____
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☐ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION: Not currently used
Depth to Static Water 60 ft. Water Temperature cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☒ Domestic ☐ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☒ Other: Commercial

RECEIVED
JAN 18 1994

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☐ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

*small well not used (backup well)
with jet pump.*

Lon G. Gaven

Signature of Dept. Representative & Title

7/21/93

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

RECEIVED
JAN 18 1994




4" well
1 HP submersible
pump

3 1/2" backup
well

3/8 HP jet
pump



8 1994



cherry
processing
area

Cherry
Bin



JAN 18 1994

July 9, 1991

WAYNE MC LINN
2615 S. SLOPE RD.
EMMETT, ID 83617

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13181

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

Enclosure

RECORDED

AUG 06 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 65-12405

Date 6-20-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☒ Ground water source
☒ Drill permit req'd?
1944 ☐ Copy in file? Drill permit no. _____
☐ Amt paid for drilling permit? _____ Correct?
☐ Well log in file?

LICENSE EXAMINATION FEE

- ☒ Required?
☐ Amount submitted?
☐ Correct amount?

MEASURING DEVICE

- ☒ Measuring device or access port required?
☐ Installed?
☐ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Reinstated - proof acceptable

PRIORITY CALCULATION

Date proof received June 18, 1991 169
Date proof due June 1, 1991 152
No. of days late = 17
Priority date Jun 8, 1990 + 8
NEW PRIORITY DATE Jun 25, 1990 = 25


LB

Wayne Mc Linn
2615 So Slope Rd.
Emmett, ID 83617

AUG 06 1991



State of Idaho
Dept of Water Resources
1301 N. Orchard St.
Boise, Id. 83706-2237



WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

June 4, 1991

WAYNE MC LINN
2615 S. SLOPE RD.
EMMETT, ID 83617

LAPSE NOTICE

RE: PERMIT NO. 65-13181

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated March 31, 1991. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:rf


Enclosures

NOTED

AUG 06 1991

CERTIFICATION OF MAILING

I hereby certify that on 6-11-91
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.



138320

March 31, 1991

WAYNE MC LINN
2615 S. SLOPE RD.
EMMETT, ID 83617

PROOF DUE NOTICE

RE: PERMIT NO. 65-13181

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

AUG 06 1991

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
May 24, 1990

WAYNE MC LINN
2615 S. SLOPE RD.
EMMETT, ID 83617

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-13181

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

RECORDED

JUN 26 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 26 1990

STATE OF IDAHO
COUNTY OF GEN

On this 1st day of MARCH in the year of 90 before me,
a Notary Public, personally appeared Esma Reyes
known or identified to me to be the person whose name subscribed to the within instru-
ment, and being by me first duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Mary Ann Hanson
Notary Public for Idaho

Residing at Emmett, Ida

My commission expires: 3-21-95

RECEIVED
MAR 9 1990

Department of Water Resources
Western Regional Office

65-13162
HAW CREEK RANCH INC
PO BOX 785
EMMETT, ID 83617
Source: HAW CREEK
Tributary: PAYETTE RIVER
Diversion Pt: SWNW Sec 17 T
07N R 01W
Use: IRRIGATION (.600 CFS)
Total Diversion: (.600 CFS)
Date Filed: 2/09/1990
In: T07N R01W S17 NWSW
S18 NESE SESE
30.0 ACRES TOTAL

65-13163
HAW CREEK RANCH, INC
PO BOX 785
EMMETT, ID 83617
Source: SPRINGS
Tributary: SINKS
Diversion Pt: NWSWNW Sec
16 T 07N R 01W
SWSWNW Sec 16 T 07N R
01W
SENESE Sec 16 T 07N R 01W
SENENW Sec 17 T 07N R 01W
SENWNW Sec 20 T 07N R
01W
Use: STOCKWATER (.190)
Total Diversion: (.190)
Date Filed: 2/09/1990
In: T07N R01W S16 SWNW
NESE
S17 NENW NWSW SWSW
S18 SESE
S20 NWNW

65-13164
HAW CREEK RANCH INC.
P.O. BOX 785
EMMETT, ID 83617
Source: SPRINGS
Tributary: SINKS
Diversion Pt: LOT 3
(SWNENW) Sec 6 T 07N R 01E
NWNENW Sec 7 T 07N R 01E
LOT 2 (SWSWNW) Sec 31 T
08N R 01E
LOT 2 (SESWNW) Sec 31 T
08N R 01E
LOT 4 (SESWSW) Sec 31 T
08N R 01E
NWSWSE Sec 36 T 08N R 01W
Use: STOCKWATER (.070 CFS)
Total Diversion: (.070)
Date Filed: 2/09/1990
In: T07N R01E S06 Lot 3
(NENW)
S07 NENW
T08N R01E S31 Lot 2 (SWNW)
Lot 4 (SWSW)
R01W S36 SWSE

65-13177
MC CAULOU, HARRY J.
MC CAULOU, JUDITH A.
PO BOX 54
OLA, ID 83657

65-13184
SUTTON, ALLEN L.
PO BOX 26
OLA, ID 83657
Source: SPRING
Tributary: SQUAW CREEK
Diversion Pt: NESENW Sec 23
T 10N R 01E
Use: STOCKWATER (.070 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.110 CFS)
Date Filed: 2/02/1990
In: T10N R01E S23 SENW

65-13185
TJT ENTERPRISES
PO BOX 276
EMMETT, ID 83617
Source: GROUNDWATER
Diversion Pt: LOT 9 (SWNWSE)
Sec 6 T 06N R 01W
Use: COMMERCIAL (.020
CFS)
Total Diversion: (.020 CFS)
Date Filed: 2/12/1990
In: T06N R01W S06 Lot 9
(NWSE)

65-13186
BABCOCK, OTIS
BABCOCK, FLORENCE
3131 FULLER RD
EMMETT, ID 83617
Source: WASTE WATER
Tributary: SAND HOLLOW
CREEK
Diversion Pt: NESWNE Sec 9
T 06N R 01 W
Use: IRRIGATION (.200 CFS)
Total Diversion: (.200 CFS)
Date Filed: 2/06/1990
In: T06N R01W S09 SWNE
10.0 ACRES TOTAL

65-13187
BABCOCK, OTIS
BABCOCK, FLORENCE
3131 FULLER RD
EMMETT, ID 83617
Source: GROUNDWATER
Diversion Pt: NWSWNE Sec 9
T 06N R 01W
Use: DOMESTIC (.020 CFS)
Total Diversion: (.020 CFS)
Date Filed: 2/06/1990
In: T06N R01W S09 SWNE
The permit(s) will subject to
all prior water rights. Protests
must be filed with the Director,
Dept of Water Resources,
Western Region, 2735 Airport
Way, Boise, Idaho 83705 on or
before MARCH 19, 1990
R. KEITH HIGGINSON,
Director

Pub.: 2-28, 3-7-90
Legal Notice No. 708
Pub. in the Messenger Index

MICROFILMED

JUN 26 1990

NOTICE OF APPLICATION
FOR WATER RIGHT

The Following application(s)
have been filed to appropriate
the public waters of the State of
Idaho:

63-11153
BLANTON, RODNEY J.
BROSSMAN, NANCY J.
3602 HILLCREST DR.
BOISE, ID 83705
Source: WILLOW CREEK,
NORTH FORK
Tributary: WILLOW CREEK
Diversion Pt: NWNESE Sec 17
T 06N R 01E
Use: IRRIGATION (.030 CFS)
Total Diversion: (.030 CFS)
Date Filed: 2/13/1990
In: T06N R01E S17 NESE
1.0 ACRES TOTAL

65-13147
HOWE, KRISTINE
HOWE, DAVID
1568 N. PLAZA
EMMETT, ID 83617
Source: SPRINGS
Tributary: PAYETTE RIVER
Source: UNNAMED STREAM
Tributary: PAYETTE RIVER
Diversion Pt: SWSESW Sec 4
T 06N R 01W
Use: IRRIGATION (.020 CFS)
Total Diversion: (.020 CFS)
Date Filed: 1/25/1990
In: T06N R01W S04 SESW
1.0 ACRES TOTAL

65-13151
ELDRIDGE, JAMES A.
BOX 261
EMMETT, ID 83617
Source: YERGENSEN CREEK
Tributary: SQUAW CREEK
Diversion Pt: LOT 2 (NWNE)
Sec 5 T 07N R 01E
Use: IRRIGATION (.700 CFS)
Total Diversion: (.700 CFS)
Date Filed: 2/02/1990
In: T07N R01E S05 Lot 2
(NWNE) SWNE Lot 3 (NENW)
SENV
35.0 ACRES TOTAL

65-13158
EMMETT SUNSET MANOR
C/O LARRY & MARIANNE
WILLIAMS
914 HOUSTON RD.
BOISE, ID 83706
Source: GROUNDWATER
Diversion Pt: LOT 3 (SESW)
Sec 5 T 06N R 01W
Use: IRRIGATION (.030 CFS)
DOMESTIC (.080 CFS)
Total Diversion: (.110 CFS)
Date Filed: 2/08/1990
In: T06N R01W S05 Lot 3
(SESW)
1.0 ACRES TOTAL

65-13159
HAW CREEK RANCH INC
PO BOX 785
EMMETT, ID 83617
Source: GROUNDWATER
Diversion Pt: NWNE Sec 8 T
07N R 01W
Use: DOMESTIC (.060 CFS)
IRRIGATION (.030 CFS)
Total Diversion: (.080 CFS)
Date Filed: 2/09/1990
In: T07N R01W S08 SWNE
1.0 ACRES TOTAL

65-13160
HAW CREEK RANCH INC.
PO BOX 785
EMMETT, ID 83617
Source: SPRING
Tributary: SINKS
Diversion Pt: NESWNW Sec 9
T 07N R 01W
Use: STOCKWATER (.190 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.230 CFS)
Date Filed: 2/09/1990
In: T07N R01W S08 SWNE
SENE

65-13161
HAW CREEK RANCH INC.
PO BOX 785
EMMETT, ID 83617
Source: HAW CREEK
Tributary: PAYETTE RIVER
Source: BRISTOL CREEK
Tributary: HAW CREEK
Diversion Pt: NENE Sec 8 T
07N R 01W
Use: IRRIGATION (1.600 CFS)
IRRIGATION STORAGE (10.00
AF)
IRRIGATION FROM STORAGE
(10.00 AF)
STOCKWATER (.050 CFS)
STOCKWATER STORAGE
(10.00 AF)
STOCKWATER FROM
STORAGE (10.00 AF)
Total Diversion: (1.650 CFS)
(10.00 AF)
Date Filed: 2/09/1990
In: T07N R01W S08 NENE
NWNE
80.0 ACRES TOTAL

Source: SPRINGS
Tributary: SQUAW CREEK
Diversion Pt: NWSWNE Sec 34
T 10N R 01E
NENWSE Sec 34 T 10N R 01E
Use: STOCKWATER (.050 CFS)
Total Diversion: (.050 CFS)
Date Filed: 2/14/1990
In: T10N R01E S34 SWNE
NWSE

65-13178
MC CAULOU, JUDITH A.
MC CAULOU, HARRY J.
P.O. BOX 54
OLA, ID 83657
Source: UNNAMED STREAM
Tributary: SQUAW CREEK
Diversion Pt: NESW Sec 34 T
10N R 01E
Use: DIVERSION TO
STORAGE (.170 CFS)
IRRIGATION (.120 CFS)
IRRIGATION STORAGE (.86
AF)
IRRIGATION FROM STORAGE
(.86 AF)
STOCKWATER (.050 CFS)
STOCKWATER STORAGE (.86
AF)
STOCKWATER FROM
STORAGE (.86 AF)
Total Diversion: (.170 CFS) (.86
AF)
Date Filed: 2/14/1990
In: T10N R01E S34 SWNE
NESW NESE NWSE
6.0 ACRES TOTAL

65-13179
CARLOCK, CARROLL
SUTTON, LARRY
OLA, ID 83657
Source: SPRING
Tributary: SQUAW CREEK
Diversion Pt: NESESW Sec 14
T 10N R 01E
Use: STOCKWATER (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 2/02/1990
In: T10N R01E S14 SESW
SWSE

65-13180
SUTTON, LARRY
PO BOX 2
OLA, ID 83657
Source: SPRINGS
Tributary: SQUAW CREEK
Source: UNNAMED STREAMS
Tributary: SQUAW CREEK
Diversion Pt: SESWNE Sec 11
T 10N R 01E
SWSENE Sec 14 T 10N 01E
SESENE Sec 14 T 10N 01E
NWNENE Sec 14 T 10N R 01E
SWNWSE Sec 14 T 10N R 01E
SESWSE Sec 14 T 10N R 01E
Use: STOCKWATER (.120 CFS)
STOCKWATER STORAGE
(.400 CFS)
Total Diversion: (.120 CFS) (.40
AF)
Date Filed: 2/02/1990
In: T10N R01E S11 SWNE
S14 SENE NESE NWSE SWSE

65-13181
MC LINN, WAYNE
2615 S SLOPE RD.
EMMETT, ID 83617
Source: GROUNDWATER
Diversion Pt: NESWNE Sec 27
T 06N R 02W
NWSENE Sec 27 T 06N R 02W
Use: COMMERCIAL (.040
CFS)
Total Diversion (.040 CFS)
Date Filed: 1/08/1990
In: T06N R02W S27 NENE

65-13182
HERR, RODNEY H.
HERR, MARCIA H.
400 COSTON ST.
BOISE, ID 83712
Source: SPRING
Tributary: SQUAW CREEK
Diversion Pt: SWNESW Sec 9
T 07N R 01E
Use: STOCKWATER (.090 CFS)
Total Diversion: (.090 CFS)
Date Filed: 2/09/1990
In: T07N R01E S09 NESW

65-13183
SUTTON, ALLEN L.
P.O. BOX 26
OLA, ID 83657
Source: SPRINGS
Tributary: SQUAW CREEK
Diversion Pt: SENENW Sec 24
T 10N R 01E
Use: STOCKWATER (.070 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.110 CFS)
Date Filed: 2/02/1990
In: T10N R01E S24 NWNW

65-13181

MC LINN, WAYNE
2615 S. SLOPE RD.
EMMETT, ID 83617

Source: GROUNDWATER

Diversion Pt: NESWNE Sec 27 T 06N R 02W
 NWSENE Sec 27 T 06N R 02W

Use: COMMERCIAL (.040 CFS)
 Total Diversion: (.040 CFS)

Date Filed: 1/08/1990

In: T06N R02W S27 NENE

MICROFILMED

JUN 26 1990