

GEOLOGICAL SURVEY

T6N, R2W, Sec. 8, NE, SE

AG-13172

1°56'37"30"
52'30"

531000mE

532

533

535

534

4857000mN

4856

4854

4854

50'

4853

4852




334-2190

Linda Werner

MICROFILMED
JUN 26 1990

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	submersible				
		1			6"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Theoretical

RECEIVED

JAN 18 1994



Copies Of These Maps
At Bonneville Blue Print

THIS MAP COMPLIES WITH NATIONAL
FOR SALE BY U.S. GEOLOGICAL SURVEY

UNRECORDED

JAN 18 1994

has been prepared by the Idaho Department of Water Resources pursuant to
42-1410 to assist claimants in filing notices of claims and objections in the Snake
Adjudication. No warranty, either express or implied, is made and no legal
responsibility is assumed by IDWR, its employees, its agents, contractors, and reproduction
entirely by Bonneville Blueprint Supply Co., Inc. or its employees for the accuracy
or usefulness of any information set forth on this map.



6" well
1 hp submersible
pump
(hand pump on top)

clinic -



Microfilm

JAN 18 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13172

Priority: March 2, 1990

Maximum Diversion Rate: 0.02 CFS

Maximum Diversion Volume: 0.4 AF

This is to certify, that EVERRETT D HILL
2119 TOMS CABIN RD
EMMETT ID 83617

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated February 14, 1990; and
has submitted Proof of Beneficial Use on July 17, 1991. An examination indicates
that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.02 CFS	0.4 AF

LOCATION OF POINT(S) OF DIVERSION: NESE, Sec. 8, Township 06N, Range 02W
GEM County

PLACE OF USE: COMMERCIAL
TWN RGE SEC
06N 02W 8 NESE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Commercial use is for a veterinary clinic.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 6TH
day of DECEMBER, 1993.

Acting for  R. Keith Higginson, Director

JAN 18 1994

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 65-13172 IN THE)
NAME OF EVERRETT D. HILL) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before July 1, 1991; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on July 17, 1991;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 65-13172 be REINSTATED and the priority advanced to March 2, 1990.

Dated this 25th day of July, 1991.


L. GLEN SAXTON, Chief
Water Allocation Bureau

RECEIVED

AUG 06 1991

RECEIVED

JUL 17 1991

STATE OF IDAHO

For Office Use Only

Amt. of Fee \$

Date

Receipt No.

Received by

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1 Permit No. 6-5-13172 Telephone No. 208 36538382 Name(s) of Permit Holder(s): 13 Post Office Address: 2119 Town Cabin Rd Emmett Ida 836174 Source of Water: 80ft-a If ground water, well driller's name: L+H Date drilled: Jan 1987b Pump horsepower: 1 hp Pressure (psi): _____ Dynamic pumping level (ft.): _____

5 Extent of Use:

Domestic Clinic (No. of households)Irrigation 2 (No. of acres)Stockwater 0-10 (No. and type of stock)

Other _____

6 Total rate and/or volume for which proof is submitted _____ cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes X No Installed? Yes No

OR

Flow Measurement Port: Required? Yes X No Installed? Yes No

8 Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

9 Person to contact to accompany the Department representative during the field examination:

E.D. Hill
Name208 3653838
Telephone No.2119 Town Cabin Rd Emmett Ida 83617
Address

AUG 06 1991

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

12 July 91
DateE.D. Hill
Signature (and title if on behalf of a company or organization)

PS. This was taken care of in your office a long time ago.
Sincerely E.D. Hill

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13172

Proposed Priority: February 14, 1990 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **EVERRETT D. HILL**
5033 HWY. 52
EMMETT, ID 83617

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	0.02 CFS
COMMERCIAL	01/01 to 12/31	0.02 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: NESE Sec. 8, Township 06N, Range 02W
GEM County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

06N 02W 8 NESE

PLACE OF USE: STOCKWATER, same as COMMERCIAL use


PLACE OF USE: DOMESTIC, same as COMMERCIAL use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1991.
2. Subject to all prior water rights.
3. Commercial use is for veterinary clinic.
4. Stockwater use is for 30 head mixed.
5. Domestic use is for one home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

4th day of June, 1990.

for

R. Keith Higginson, Director

MICROFILMED

JUN 26 1990

Ident. No. 65-13172

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: EVERRETT D. HILL
Address: 5033 HWY. 52
EMMETT, ID 83617

208-365-4716

2. Source: GROUNDWATER

Trib. to:

3. Location of Point of Diversion:

NESE Sec. 8, Township 06N, Range 02W
GEM County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	01/01	12/31	0.040		
COMMERCIAL	01/01	12/31	0.020		
STOCKWATER	01/01	12/31	0.020		

5. Total quantity appropriated is:

0.040 CFS (and/or)

AF

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc.

80' DEEP, 6" CS, 1 HP PUMP

b. Height of storage dam feet; active reservoir capacity

acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.

c. Proposed well diameter is 6 inches; proposed depth of well is 80
feet.

d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:

COMMERCIAL, DOMESTIC, STOCKWATER

9. Place of Use: COMMERCIAL

TWN RGE SEC
06N 02W 8

NESE

Place of Use: DOMESTIC, same as COMMERCIAL use

JUN 26 1930

Ident. No. 65-13172
Page 2

Place of Use: STOCKWATER, same as COMMERCIAL use

10. Describe any other water rights used for the same purposes.
NONE

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

COMMERCIAL-VETERINARY CLINIC. HOUSE AND CLINIC ARE IN THE SAME
BUILDING.

13. Map of proposed point of diversion and place of use attached? [✓]

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.


Applicant

Received by L. Werner Date 2-14-90 Time 1130 Preliminary check by fw

Fee \$ 30- Receipted by L. Werner # W8847 Date 2-14-90

Publication prepared by GG Date 3-28-90 Published in Messenger-Index
4/5 & 4/12/90

Publication approved et Date 5-4-90

MICROFILMED

JUN 26 1990

GEOLOGICAL SURVEY

T6N, R2W, Sec. 8, NE, SE
13172

135° 37' 30"
52° 30"

931000mE

932

933

935

934

4857000mN


4856

4854

50'

4853

4852



334-2190

LINDA Werner



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 7, 1993

EVERRETT D HILL
2119 TOMS CABIN RD
EMMETT ID 83617

RE: WATER RIGHT NO. 65-13172

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over a horizontal line.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

JAN 18 1994

WR0749NP
No. L65-13172

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 11/30/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	EVERRETT D HILL 2119 TOMS CABIN RD EMMETT ID 83617 (208) 365-3838	03/02/1990	COMMERCIAL	01-01 12-31	0.02 CFS	0.4 AFA
				TOTAL DIVERSION:	0.02 CFS	0.4 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.04 CFS

Point(s) of Diversion: T06N R02W S08 NE SE

Place of use Legal Description for: COMMERCIAL

								NE				NW				SW				SE											
								NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac		
06N	02W	8	:									:									:										
			:									:									:	C									

Pou County: GEM

~~Non-Irrigation Uses: STOCK-30 HEAD MIXED~~

Other Water Rights Listing Overlapping Place(s) of use:
65-00034X 65-13205

Remarks: Commercial use is for a veterinary clinic.

Dates: App. Received: 02/14/1990 Priority Date: 03/02/1990 (Priority Date Advanced.)
 Proof Due Date: 07/01/1991 Proof Made Date: 07/17/1991 (Proof Received Late.)
 Exam Made Date: 07/01/1993 Exam Sent to S.O.: 08/31/1993
 Licensed Date:

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 11/30/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 65-13172 Date 11-30-93 Brenda Chapman

	Yes	No	
NAME	<u> </u>	<u>✓</u>	Or Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance? <u>Done</u> Memo to Advance <u>TO: 3-2-90</u>
	<u> </u>	<u>✓</u>	Order to Reinstate Needed?
	<u>-NA-</u>	<u> </u>	Incorrect Fee for rate recommended?
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of Originally Intended source <u> </u>
	<u> </u>	<u>✓</u>	Notice of Intent to Void - Source change. <u> </u>
P/D	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Overlap(s) <u> </u>
P/U	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Overlap(s) <u> </u>
TOTAL CFS	<u>-NA-</u>	<u> </u>	Disagree/Measurement <u>THEORETICAL ONLY</u> <u>COMMERCIAL USE ONLY = .02 CFS</u>
	<u> </u>	<u> </u>	Theoretical $(\frac{8.8 \times .70 \times 1 \text{ HP}}{50 + 2.31 \times 40}) = .04$
	<u> </u>	<u> </u>	Capacity <u>.04</u> Allowable Amount: <u>Permit limit @ .04 cfs</u>
TOTAL VOLUME	<u> </u>	<u>✓</u>	Season <u>1-1 to 12-31</u> Measurement done? <u>Commercial use only = .4</u>
	<u> </u>	<u> </u>	Flow limit: <u>.02</u> x 365 x 1.9835 = <u>14.5</u>
USES	<u>✓</u>	<u> </u>	Change(s) in Nature of Use? <u>Delete stockwater</u>
	<u> </u>	<u>✓</u>	Amendment Needed? <u>and domestic</u>
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u> </u>	<u>✓</u>	Special Overlap <u> </u>
	<u> </u>	<u>✓</u>	Other <u> </u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring/Locking Devices <u> </u>
	<u> </u>	<u>✓</u>	W/Master Control <u> </u> <u>✓</u> Water Dist
	<u> </u>	<u>✓</u>	Irrigation Overlap <u> </u> App Rec'd
	<u> </u>	<u>✓</u>	Water Quality <u> </u> Exam Made
COMMENTS:	<u>Commercial use only use found - delete stockwater and domestic</u>		

RECOMMENDED	CFS	DIV VOL	LICENSE
<u>Commercial</u>	<u>.02</u>	<u>.4</u>	<u>AMEND</u>
			<u>2ND AMEND</u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 3 - 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-13172

1. Owner: Everett D Hill

Phone No. 365-3838

Current Address: 5033 Hwy 52 Emmett Id 83617

2. Accompanied by: Everett

EXAM DATE: 7/1/93

Address: same

Phone No. _____

Relationship to Permit Holder: owner

3. Source: Ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 65-00034X, -00132, -01075, -13205

2. Other water rights with the same point of diversion: 65-00132, -01075, -13172

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No	Gov't Lot	1/4	1/4	1/4	Sec	Twp.	Rge.	County	Method of Determination/Remarks
			Ne	Se	8	6N	2W	Gem	USGS Quad


2 Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
6N	2W	8													C				

JAN 18 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required)

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	submersible				
		1			6"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Theoretical

JAN 18 1994

E. NARRATIVE/REMARKS/COMMENTS

A 6" well with a 1 HP submersible pump and a hand pump supplies water to a vet clinic. The clinic consists of one animal bed and 3 employees that work 8 hrs/day, 330 days/yr. The well is not used for anything outside the clinic. No other water uses are used.

Have conditions of permit approval been met? ☒ yes ☐ no

APR 8 1994

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

$$\frac{1 \times 8.8 \times .7}{50 + (40 \times 2.3)} = .04 \text{ cfs}$$

per well log
psi per owner

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

$$3 \text{ emp} \times 35 \text{ GPD} \times 330 \text{ days} / 325850 = .1 \text{ afa}$$

vs

$$.02 \text{ cfs} \times 365 \times 1.9835 = 14.5$$

1 animal bed

$$300 \text{ GPD} \times 330 \text{ days} / 325850 = .3$$

vs

$$.02 \text{ cfs} \times 365 \times 1.9835 = 14.5$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Commercial</u>	<u>1/1</u>	<u>12/31</u>	<u>.02</u>	<u>.4</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>.02</u>	<u>.4</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION
 Field Examiner's Name Loi Gramer Date 7/9/93

Reviewer _____ Date _____

SEAL



Copies Of These Map
At Bonneville Blue F

THIS MAP COMPLIES WITH NATION
FOR SALE BY U.S. GEOLOGICAL SURV

JAN 18 1994

has been prepared by the Idaho Department of Water Resources pursuant to
12-1410 to assist claimants in filing notice of claims and objections in the Snake
Adjudication. No warranty, either express or implied, is made and no legal
responsibility is assumed by IDWR, its employees, its agents, contractors, and reproduction
agents. Bonneville Blueprint Supply Co., Inc. or its employees for the accuracy
or usefulness of any information set forth on this map.

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 65-88-W-018 OTHER APPLICABLE NO: 65-13172

2. OWNER: Everett Hill Phone: 365-3838
Address: 2114 Tom Cabin Rd Emmett 83617

3. WELL LOCATION: Twp 6N, Rge. 2W, Sec. 8, N 1/4 SE 1/4
County Gem (Provide sketch map and photo on reverse.)

4. DRILLER: K+H Lic. No. 194
When Drilled? 1988

5. WELL CONSTRUCTION:

Casing Diameter 6 inches Water tight cap? ☐ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 80 ft. Method Drilled cable
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☒ No Pressure Gauge: ☐ Yes ☐ No
Condition of Piping and Valving _____
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:

Depth to Static Water 6 ft. Water Temperature cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: 30 (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☒ Domestic ☐ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: vet clinic

JAN 18 1989

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS: hand pump connected to top of well plate

Loi Guevara

Signature of Dept. Representative & Title

7/1/93

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

JAN 18 1994

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

JAN 18 1994



6" well
1 hp submersible
pump
(hand pump on top)

Clinic -
1



18 541

EXPENDITURE VOUCHER

AUDITOR USE

STATE OF IDAHO
Office of State Auditor

AGENCY USE

Date	08/01/91
Code	153002

VENDOR: If you require additional information regarding this payment, please contact the State agency listed below

AGENCY NAME DEPT. OF WATER RESOURCES

Document No	
Pre-Audit	Date
Warrant No.	

PAY
TO

EVERETT D. HILL
5033 HWY 52
EMMETT, ID 83617

CHECK ONE:

(1) MISCELLANEOUS EXPENDITURE
() STATE CONTRACT

() PURCHASE ORDER

() MISCELLANEOUS ENCUMBRANCE REQUISITION

Encumbrance Reference No

PAYMENT: () PARTIAL () FINAL

LINE No.	PROGRAM	FUND	ACCT.		DESCRIPTION	LINE AMOUNT	AGENCY USE
			May	Min			
1	05 10 199	1238	2601		REFUNDS PER RITA FLEO WR #65-13172 RECEIPT #0021212 7/27/91 15.00	15.00	
TOTAL						15.00	

NOTE: Final payment must be accompanied by a receiving copy

TO STATE AUDITOR

Request is hereby made that a warrant be authorized and drawn in payment of the item or items described above. I hereby certify that the items described were ordered by proper authority; that they are necessary in the public service, that the items have been received and accounted for, and that the account as stated is correct and just

AUDITOR'S CERTIFICATE

I hereby certify that the above account is in proper form; that totals carried hereon are correct; that receipts when required by law or regulation of the State Board of Examiners covering items for which reimbursement is asked are submitted herewith, and that there are funds in the state treasury and balances in appropriation accounts out of which the same may be lawfully paid.

Date

Head of Agency or Institution

State Auditor

July 27, 1991

EVERETT D HILL
5033 HWY 52
EMMETT ID 83617

Dear Mr. Hill:

Re: Permit No. 65-13172

The department received and accepts the proof of beneficial use form. Returned to you is the partially completed request for extension of time form. You also enclosed a \$15 filing fee which is not needed for submittal of the proof form. That amount will be refunded to you in a few weeks.

The next step is for the department to conduct the field inspection to confirm and determine the extent of beneficial use. I cannot tell just when the representative from our Western Regional office will conduct the exam, but he will try to contact you or your representative prior to being in the area.

If you have questions, please contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

c: W. Region
Fiscal Sec.

MAILED
AUG 06 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 65-13172

Date 7-12-91

GENERAL CONSIDERATIONS

☒ Name same as permit?
NO Address same as permit? If no, indicate below.
NO Proof timely received? If no, complete priority
advancement below.

SOURCE OF WATER

☐ Surface water source
☒ Ground water source
NA Drill permit req'd?
Copy in file? Jan 1987 Drill permit no. _____
Amt paid for drilling permit? _____ Correct?
Well log in file?

LICENSE EXAMINATION FEE

NO Required?
15.00 Amount submitted?
NO Correct amount?

MEASURING DEVICE

NA Measuring device or access port required?
☐ Installed?
☐ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Address Change
needs refund \$15.00
7-23-91



PRIORITY CALCULATION

Date proof received July 17, 1991 198
Date proof due July 1, 1991 - 182
No. of days late = 16
Priority date Feb 14, 1990 + 45
NEW PRIORITY DATE March 2, 1990 = 61

LB

Ed. Hill
219 Travis Cabin Rd
Gunnison, Ida 83617

AUG 06 1991



Dept. of Water Resources
1301 N. Dearborn St.
Statehouse Mail, Boise
Idaho 83720-9000

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

July 5, 1991

EVERRETT D. HILL
5033 HWY. 52
EMMETT, ID 83617

LAPSE NOTICE

RE: PERMIT NO. 65-13172

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated April 30, 1991. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:rf

Enclosures

RECEIVED

AUG 06 1991

CERTIFICATION OF MAILING

I hereby certify that on 7-8-91
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

138497
April 30, 1991

EVERRETT D. HILL
5033 HWY. 52
EMMETT, ID 83617

PROOF DUE NOTICE

RE: PERMIT NO. 65-13172

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

06 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 4, 1990

EVERRETT D. HILL
5033 HWY. 52
EMMETT, ID 83617

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P65-13172

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

RECORDED

JUN 26 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 26 1990

RECEIVED

APR 13 1990

Department of Water Resources
Western Regional Office

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,

ss.

COUNTY OF GEM,

Esma Reyes, being first
duly sworn, on his oath deposes and
says that she is the her clerk of Mes-
senger-Index, a legal weekly news-
paper published at Emmett, in Gem
County, Idaho; that said newspaper
is in general circulation in said
county and has been published unin-
terruptedly and continuously for
more than 78 weeks prior to the
first publication of the annexed
document; and that the document
notice, process, or advertisement
hereunto annexed was published in
the regular edition of Messenger-
Index for Two

consecutive weekly issues thereof,
beginning with the issue of

April 4, 1990,

and ending with the issue of

April 11, 1990

Esma Reyes

Subscribed and sworn to before me
this 11th day of

April, 1990

Mary Ann Hanson

Notary Public,

Residing at Emmett, Idaho.

My Commission Expires 3-21-95

MICROFILMED

JUN 26 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s)
have been filed to appropriate
the public waters of the State of
Idaho:

65-13110

CHURCH OF JESUS CHRIST
OF LATTER DAY SAINTS
REAL ESTATE DIVISION,
12TH FLOOR

50 E N TEMPLE ST.
SALT LAKE CITY, UT 84150

Source: GROUNDWATER
Diversión Pt: SWSESW Sec 36

T 07N R 03W
Use: IRRIGATION (.090 CFS)

HEATING (.200 CFS)
COOLING (.200 CFS)

Total Diversión: (.200 CFS)
Date Filed: 12/5/1989

In: T06N R03W S01 Lot 3
(NENW)

T07N R03W S36 SESW
3.0 ACRES TOTAL

65-13154

SUTTON, ALLEN L
PO BOX 26

OLA, ID 83657
Source: SQUAW CREEK

Tributary: PAYETTE RIVER
Diversión Pt: NWSW Sec 12 T

10N R 01E
Use: IRRIGATION (.400 CFS)

Total Diversión: (.400 CFS)
Date Filed: 2/5/1990

In: T10N R01E S23 NWNE
SWNE NENW SENW

20.0 ACRES TOTAL

65-13157

LANHAM, REX E.
848 JACKSON

EMMETT, ID 83617
Source: WASTE WATER

Tributary: PAYETTE RIVER
Diversión Pt: NENE Sec 11 T

06N R 02W
Use: IRRIGATION (.800 CFS)

Total Diversión: (.800 CFS)
Date Filed: 2/7/1990

In: T06N R02W S11 NENE
NWNE Lot 2 (SWNE) Lot 3

(SENE)
40.0 ACRES TOTAL

65-13165

WOODIE, RONALD
WOODIE, JUDITH

PO. BOX 785
EMMETT, ID 83617

Source: SPRING
Tributary: HAW CREEK

Diversión Pt: SWSW Sec 3
T 07N R 01W

Use: STOCKWATER (.070 CFS)
Total Diversión: (.070 CFS)

Date Filed: 2/9/1990
In: T07N R01W S03 SENW

65-13168

KRAFT, DALLAS G.
KRAFT, SUSAN J.

7191 BILL BURNS RD.
EMMETT, ID 83617

Source: SPRING
Tributary: PAYETTE RIVER

Diversión Pt: NENWNW Sec 18
T 06N R 02W

Use: STOCKWATER (.040 CFS)
Total Diversión: (.040 CFS)

Date Filed: 2/13/1990
In: T06N R02W S18 NWNW

65-13169

CARLOCK, CARROLL
PO BOX 60

OLA, ID 83657
Source: SPRINGS

Tributary: SQUAW CREEK
Diversión Pt: SWNESW Sec 3

T 11N R 01E
SESESW Sec 3 T 11N R 01E

SENW Sec 3 T 11N R 01E
SENWSW Sec 26 T 12N R 01E

NENWNE Sec 34 T 12N R 01E
Use: STOCKWATER (.070 CFS)

Total Diversión: (.070 CFS)
Date Filed: 2/13/1990

In: T11N R01E S03 NESW
SESW NWSE

T12N R01E S26 NWSW

S34 NWNE

65-13170

CUNNINGHAM, MARILYN
PO. BOX 59

OLA, ID 83657
Source: UNNAMED STREAM

Tributary: SQUAW CREEK, SE-
COND FORK

Diversión Pt: SENW Sec 6 T
11N R 02E

Use: STOCKWATER (.020 CFS)
STOCKWATER STORAGE (1.15

AF)
STOCKWATER FROM

STORAGE (1.15 AF)
Total Diversión: (.020 CFS) (1.15

AF)
Date Filed: 2/20/1990

In: T11N R02E S06 SENW

65-13171

CARLOCK, CARROLL
PO BOX 60

OLA, ID 83657
Source: SPRING

Tributary: LITTLE SQUAW
CREEK

Source: SPRINGS
Tributary: SQUAW CREEK

Diversión Pt: NENESW Sec 1
T 09N R 01E

NENWNE Sec 34 T 10N R 01E
NESWNE Sec 35 T 10N R 01E

Use: STOCKWATER (.070 CFS)
Total Diversión: (.070 CFS)

Date Filed: 2/13/1990
In: T09N R01E S01 NESW

T10N R01E S34 NWNE
S35 SWNE

65-13172

HILL, EVERRETT D.
5033 HWY. 52

EMMETT, ID 83617
Source: GROUNDWATER

Diversión Pt: NESE Sec 8 T
06N R 02W

Use: DOMESTIC (.040 CFS)
COMMERCIAL (.020 CFS)

STOCKWATER (.020 CFS)
Total Diversión: (.040 CFS)

Date Filed: 2/14/1990
In: T06N R02W S08 NESE

65-13199

MC CAULOU, MURRY RAY
MC CAULOU, ARLEEN

PO. BOX 53
OLA, ID 83657

Source: SPRING
Tributary: SINKS

Diversión Pt: NWNWSW Sec
10 T 08N R 01E

Use: STOCKWATER (.020 CFS)
DOMESTIC (.020 CFS)

Total Diversión: (.040 CFS)
Date Filed: 2/14/1990

In: T08N R01E S10 SESW

65-13201

HUNTER, R J
HUNTER, MAE B.

BOX 98
EMMETT, ID 83617

Source: SPRINGS
Tributary: HAW CREEK

Diversión Pt: NESWNW Sec 16
T 07N R 01W

SESWNW Sec 16 T 07N R 01W
Use: STOCKWATER (.050 CFS)

Total Diversión: (.050 CFS)
Date Filed: 2/12/1990

In: T07N R01W S16 SWNW

65-13203

REINIG, DARRELL R.
9675 N. HWY. 52

HORSESHOE BEND, ID 83629
Source: PAYETTE RIVER

Tributary: SNAKE RIVER
Diversión Pt: SWSE Sec 15 T

07N R 01E
Use: IRRIGATION (.120 CFS)

STOCKWATER (.020 CFS)
Total Diversión: (.140 CFS)

Date Filed: 2/13/1990
In: T07N R01E S15 Lot 2

(SWSE)
6.0 ACRES TOTAL

The permit(s) will be subject
to all prior water rights. Protests
must be filed with the Director,
Dept of Water Resources,
Western Region, 2735 Airport
Way, Boise, Idaho, 83705 on or
before APRIL 23, 1990.

R. KEITH HIGGINSON,
Director

Pub: 4-4,11-90
Legal Notice No. 754
Pub. in the Messenger Index

65-13172

HILL, EVERRETT D.
5033 HWY. 52
EMMETT, ID 83617

Source: GROUNDWATER

Diversion Pt: NESE Sec 8 T 06N R 02W

Use: DOMESTIC	(.040 CFS)
COMMERCIAL	(.020 CFS)
STOCKWATER	(.020 CFS)
Total Diversion:	(.040 CFS)

Date Filed: 2/14/ 1990

In: T06N R02W S08 NESE