




3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: 5 gal bucket ; 30⁺ seconds = 10gpm or 0.2 CFS (MIN FLOW)

RECEIVED

FEB 17 1995



PERMIT 65-13165 INIT DLB
T. R. S. Q/Q
P/D 7N 1W 3 SWSENN #1
SCALE _____
PHOTO ID. _____
Handwritten in blue ink: PL 121 ONLY

NOV 17 1995

KEY

① Woodie - Developed spring needs
New water right

② Woodie - Developed spring for
Permit 65-13165

③ Developed spring - Area of dispute:
Radandt: 65-00115 decadal right,
1915

" : 65-13535* Withdrawn
Appl. for Permit

Woodie: Developed spring needs
NEW water right

④ Radandt - 2 wells (artesian?)
Appl. for Permit 65-13531,
Protested by Woodie

⑤ Radandt - 2 springs
Appl. for Permit 65-13532
Protested by Woodie

* Also protested by Woodie

FEB 17 1995






PHOTO ONE-

VIEW OF SPRING SITE.
LINES & THE COLLECTION
BOX ARE BURIED. GRAVITY
FEEDS THE WATER FROM
THE TANK TO THE P/U.



PHOTO TWO-

VIEW OF THE STOCK TANK.
THE TANK IS 150 GALLONS.

MICROFILMED
FEB 17 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13165

Priority: February 9, 1990

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

4.0 AF

This is to certify, that RONALD WOODIE
JUDITH WOODIE

PO BOX 785

EMMETT ID 83617

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 9, 1990; and has submitted Proof of Beneficial Use on May 12, 1992. An examination indicates that the works have a diversion capacity of 0.020 cfs of water from:

SPRING

tributary to **SINKS**

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	4.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSNW , Sec. 3, Township 07N, Range 01W
GEM County

PLACE OF USE: STOCKWATER

TWN RGE SEC


07N 01W 3 SENW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Stockwater use is for 300 range cattle.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 9TH day of FEBRUARY, 1990.

Acting for


R. Keith Higginson, Director

RECEIVED
MAY 12 1992

OFFICE USE ONLY
Amt. of Fee \$ 30.00
Date 5-12-92
Receipt No. C024099
Receipt by [Signature]

STATE OF IDAHO
Department of Water Resources DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-13165 Telephone No. 208-365-4022
2. Name(s) of Permit Holder(s): Ronald & Judith Woodie
3. Mailing Address: P.O. Box 785 Emmett, ID 83617
4. Source of Water: Spring

If **GROUNDWATER**, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater 300hd. cattle (No. and type of stock)
Irrigation _____ (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .070 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ____ Yes X No Installed? ____ Yes ____ No

Flow Measurement Port: Required? ____ Yes X No Installed? ____ Yes ____ No
OR

8. Fee Enclosed: \$ 30.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Ron Woodie 208-365-4022
Name Telephone No.

5758 Van Duesen Road Emmett, Idaho 83617
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

5-11-92
Date

Judith A Woodie
Signature (and title, if on behalf of a company or organization)

FILED
MAY 21 1992

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13165

Proposed Priority: February 9, 1990 Maximum Diversion Rate: 0.07 CFS

This is to certify, that JUDITH WOODIE
RONALD WOODIE
P.O. BOX 785
EMMETT, ID 83617

has applied for a permit to appropriate water from:

SPRING tributary of **HAW CREEK**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

STOCKWATER	01/01 to 12/31	0.07 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: SWSNW Sec. 3, Township 07N, Range 01W
GEM County

PLACE OF USE: STOCKWATER

TWN RGE SEC


07N 01W 3 SENW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1992.
2. Subject to all prior water rights.
3. Use of water under this permit is subject to control by the watermaster of State Water District No. 65.
4. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
5. Stockwater use is for 300 head.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

4th day of June, 1990.

for 
R. Keith Higginson, Director

MICROFILMED

JUN 26 1990

Ident. No. 65-13165

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: RONALD WOODIE 208-365-4022
Address: P.O. BOX 785
EMMETT, ID 83617
AND/OR
Name: JUDITH WOODIE 208-365-4022
Address: P.O. BOX 785
EMMETT, ID 83617

2. Source: SPRING Trib. to: HAW CREEK
3. Location of Point of Diversion: SWSNW Sec. 3, Township 07N, Range 01W
GEM County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
STOCKWATER	01/01	12/31	0.070		

5. Total quantity appropriated is:
0.070 CFS (and/or) AF

6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc.
SPRING AND STOCKTANK.
b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
c. Proposed well diameter is inches; proposed depth of well is
feet.
d. Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 2 years.

8. Description of proposed uses:
STOCKWATER FOR 300 HEAD RANGE CATTLE.

9. Place of Use: STOCKWATER

TWN RGE SEC
07N 01W 3 SENW

MICROFILMED

JUN 26 1990

10. Describe any other water rights used for the same purposes.

11. a. Who owns the property at the point of diversion?

APPLICANTS

b. Who owns the land to be irrigated or place of use?

APPLICANTS

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? ☒


BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

Judith A. Woodie
Applicant

Received by SK Date ^{2/12/90} 2/9/90 Time ^{11:30} 12:00 Preliminary check by RW
Fee \$ 30. Receipted by SK # C014531 Date 2/9/90
Publication prepared by GG Date 3-28-90 Published in Messenger index
Publication approved st Date ^{4/5 & 4/12/90} 5-4-90

MICROFILMED

JUN 26 1990





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 9, 1995

RONALD WOODIE
JUDITH WOODIE
PO BOX 785
EMMETT ID 83617

RE: WATER RIGHT NO. 65-13165

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECORDED

FEB 17 1995

MEMORANDUM

TO: SHELLEY KEEN *SK*

FROM: STEVE LESTER *SL*

DATE: FEBRUARY 1, 1995

RE: FIELD EXAMINATIONS FOR 65-13164 (HAW CREEK RANCH) AND 65-13165 (WOODIE)

Following our recent conversation regarding P/U photographs in the two field exams, this memo describes what I believe to be the process leading to some confusion on the part of the examiner. The bottom line is that I think an honest mistake has been made in including three different pictures of the same stock tank for P/U documentation for three separate springs, two for 65-13164 and one for 65-13165.

65-13164 was examined on 7/19/94 while the other permit was inspected on 6/27/94, according to the report dates. Scheduling notes found in the Region files confirm that these two rights were examined on different days.

File 65-13165 was related to a water dispute between the Woodies and another nearby water user, Mr. Radandt. While working on the water complaint last August, I had occasion to review the original exam for Woodies' right. The examiner had noted a spring for Haw Ck. Ranch near the Woodie property and had originally recommended Woodie's right for a spring in NENESW S.3. This latter site is central to the Woodies/Radandt dispute, a matter outside of the scope of permits 65-13164 & 13165. The original exam for Woodies' 65-13165 included a P/U photo for the spring in NENESW instead of for the one in SWSNW (latter being the corrected P/U recommendation).

Two things turned out to be incorrect. No spring for Haw Ck. Ranch is found near any springs in S.3, and the Woodie right needed to be recommended for the developed spring found in SWSNW S.3 as shown on permit 65-13165.

Both exams were returned to the examiner last August-September for revision. Corrected reports were prepared and sent forward for licensing. During the general timeframe of the exam revisions, the examiner was preparing/starting his extra efforts in assisting Water District #65 plus was trying to finish many exam reports for 1994 field work that was already conducted as well as trying to arrange additional exam appointments to blend with his water district work. I think this pressure, plus not having a photo for the correct spring in 65-13165, led to a mixup in photos.

Recently, the Woodies visited me at the office to file on two springs found by the examiner that could not be part of the Woodie permit. These are the springs in SWNENW S.3 and the previously mentioned one in NENESW S.3 as documented on my 9/26/94 letter in exam 65-13165. The examiner had visited all three Woodie springs, and the owners discussed the exam visit and confirmed the findings.

MINOR CHANGES

FEB 17 1995

Exams 65-13164 & 65-13165
Feb. 1, 1995
Page 2

While I do not have similar confirmation for permit 65-13164, the Haw Creek Ranch folks were also recently in the office to file new water rights (not related to topic at hand) and remembered the examiner's visit. We discussed that exam visit in an offhand way during their office visit. Of course, I had no way of knowing that such conversation might become useful in another matter, but it has.

After working with the examiner and both owners in question, I am reasonably confident that the springs recommended in both permits were indeed visited and examined as documented. I have no definitive explanation as to why the same stock tank but from three perspectives shows up in photographs for the exam reports, but at worst I think we can conclude that the tank is representative of the three unique places of use. The rest of the mystery can be chalked up to a hectic time for the examiner, and a follow-up field visit does not seem warranted.

MICROFILMED

FEB 17 1995

LICENSE REVIEW CHECKLIST

PERMIT NO. 65-13165 DATE 1-18-95



NAME	Yes ☐	No ☒	Or Address Change?
PRIORITY DATE	☐	☒	Advance? ☐ Advanced to: _____ Order to reinstate needed? _____ Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☐	☒	Changes or just clarification of originally intended source? <u>NOT TRIB TO HAW CREEK/SINKS</u> Notice of Intent to Void necessary? _____
POINT OF DIV	☐	☒	Amendment needed? _____ ☒ Overlaps? _____
PLACE OF USE	☐	☒	Amendment needed? _____ ☒ Overlaps? <u>65-13164 will not cover any portion of this permit.</u>
DIV RATE	☐	☒	Permit/fee limits: <u>.07 cfs</u> 5 GAL Bucket Meas Q = <u>.02</u> Theo Q = _____ Recommend: <u>.02</u> Combined rates exceed capacity _____
ANNUAL VOLUME	☐	☒	Season of use: <u>1-1 to 12-31</u> Calculations: <u>300 head x .0134 = 4.0 AF</u> Flow limit: _____ cfs x _____ x 1.9835 = _____ Combined volumes exceed capacity/allowable _____
USES	☐	☒	Change in Nature of Use or additional uses? _____ Amendment necessary? _____
REMARKS	☐	☒	Multiple p/d(s) in 1/4 1/4? _____ ☒ Other _____
CONDITIONS	☐	☒	Measuring/Locking Devices Watermaster control - District <u>65</u> Irrigation Overlap Water Quality Other _____ Heat/Cool/ Fish verified _____

SINKS
NOT
NECESSARY

COMMENTS: _____

RECOMMENDED	CFS	VOL	SRBA Claim Filed	<u>NO</u>
<u>Stockwater</u>	<u>.02</u>	<u>4.0</u>	Adjustment Memo Needed	<u>NO</u>
_____	_____	_____	LICENSE	☒
_____	_____	_____	1ST AMENDMENT LETTER	_____
_____	_____	_____	FINAL AMENDMENT LETTER	_____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 09 1995

A. GENERAL INFORMATION

Department of Water Resources
Permit No. 65-13168

1. Owner: JUDITH WOODIE AND RONALD WOODIE Phone No. 365-4022

Current Address: P.O. Box 785 Emmett Idaho 83617

2. Accompanied by: Ronald Woodie EXAM DATE: 6-27-94

Address: SAME Phone No. SAME

Relationship to Permit Holder: SAME

3. Source: Spring tributary to NA

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 65-13164

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	SE	NW	3	7N	1W	GEM	Quads, owner Id.

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
7N	1W	3							5									5	

MINUTEMAN
FEB 17 1995

FEB 17 1995

2. Measurements: 5 gal bucket; 30 seconds = 1800 cc (min flow)

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

D. FLOW MEASUREMENTS


*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

Photo of Diversion and System Attached

Aerial Photo Attached (required for irrigation of 10+ acres)

Copy of USGS Quadrangle Showing location(s) of point(s) of diversion and place(s) of use (required)



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS

THIS SPRING FILLED TANK HOLDS 150 GALLONS AND SERVES FOR
AROUND 300 HEAD OF CATTLE. THE COLLECTION BOX IS
BURIED @ 8' IN GRAVEL IS NORTH OF THE TANK.
IT COLLECTS WATER AND RUNS IT TO A 150gal TROUGH (ROUND)
THROUGH A 1 1/2" GALVANIZED LINE. TO THE WATERING TANK
THE SPRING FEEDS AT A CONSTANT RATE, AGAIN THROUGH
A 1 1/2", BURIED, GALVANIZED LINE. FLOW RECORDED ARE
AROUND .02 CFS BUT, FLOWS VARY THROUGHOUT THE
YEAR. TWO ADDITIONAL SPRINGS (UNFILED) HAVE BEEN FOUND IN
THE AREA. THE SPRING RELATED TO THIS PERMIT SHOULD BE KNOWN AS #1
ON ALL MAPS & REFERENCES. *

* 65-13164 COVERS OTHER SPRINGS ON THE SAME (WOODIE PROP.) LAND
OWNED BY THE PERMIT HOLDERS BUT IN DIFFERENT SECTIONS THAN THESE THREE.

* SPRING #3 IS CURRENTLY UNDER DISPUTE AND IS NOT COVERED
BY ANY WOODIE WRT'S. WOODIE SHOULD FILE FOR WRT'S
ON #2 & #3 SPRINGS BECAUSE AT THESE TWO PLOTS, HE
HAS SIGNIFICANT BENEFICIAL USE.

SEE 9/26/94 LETTER FROM REGION TO WOODIE & NEW
W.R.'S TO FILE 2 OTHER SPRINGS. SHOULD RECEIVE APPL.
SOON. -JL 10/14/94 *

Have conditions of permit approval been met? ☒ yes ☐ no

* 65-13165 = #1 IN EXAMINER'S INDEXED
= #2 IN 9/26/94 LETTER + MAP
FEB 17 1995 12/15/94

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

(Exhibit 10) 30 sec fill
5 gal bucket = .02 cfs (min)

SYSTEM
CAPACITY

NEED: 300 HEAD - EX. 15A = .07 cfs

Allow capacity of
.02 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ NA

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

(EX. 15A)
Stock; 300 HEAD $\times$ 12 gal day $\times$ 365 $\div$ 325850 gal/acre = 4.0 AFA

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Stockwater	1-1	12-31	.02 cfs	4.0 AFA
Totals:			.02 cfs	4.0 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Dave Gray Date 7-19-94

Reviewer _____ Date _____

SEAL

RECORDED

FEB 17 1995

PHOTO ID

WU

1995

KEY

① Woodie - Developed spring needs
New water right

② Woodie - Developed spring for
Permit 65-13165

③ Developed spring - Area of dispute:
Radandt: 65-00115 deeded right,
1915


" : 65-13535* withdrawn
Appl. for Permit

Woodie: Developed spring needs
New water right

④ Radandt - 2 wells (active?)
Appl. for Permit 65-13531,
Protected by Woodie

⑤ Radandt - 2 springs
Appl. for Permit 65-13533
Protected by Woodie
* Also protected by Woodie

FEB 17 1995





State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 26, 1994

Ron and Judy Woodie
PO Box 785
Emmett, ID 83617

RE: Woodie and Radandt Water Rights

Dear Mr. and Mrs. Woodie:

This letter follows my recent letter to you and Jerry Radandt regarding a disagreement over a spring located in NENESW Section 3. Please see the attached map for the location of the spring and other items. I am also writing to you to convey what I hope is useful information to settle any problems between the parties regarding water rights and water uses.

Withdrawn
The attached map locates the springs and wells used and/or proposed for use by you and by Mr. Radandt. Regarding your protest of the three water right applications filed by Mr. Radandt, please note that his filing for site no. 3 has been withdrawn. This is the disputed spring. He filed Application for Permit No. 65-13535 to provide water for your stock. Perhaps his gesture to secure a water right at this location for your stock water needs might offer a basis for settling the disagreement. The other two Radandt applications are for different sites.

Turning to water systems that you have developed as confirmed by the field examination conducted on June 27, 1994, the examiner found that three springs have been developed by you. Your Permit No. 65-13165 specifies a spring in SWSENE Section 3. The examiner found a developed spring at that site and will recommend that spring for licensing of the permit. This letter corrects a misunderstanding on my part in my August 18 letter to you in which I stated that the license recommendation would include spring no. 3 but not spring no. 2 as referenced on the enclosed map. Instead, the license will cover spring no. 2 as specified by the permit but cannot include spring no. 3. } ★


Springs developed by you at site nos. 1 and 3 do not have valid water rights for your uses. These uses must be protected by new water rights to be secured by filing applications for permit. I prepared two applications for you to review and complete. The applications can be returned to me.

Withdrawn
FEB 17 1995

Ron and Judy Woodie
September 22, 1994
Page 2

Please contact me at 334-2190 if you have any questions in filing these applications.

Sincerely,



Steve Lester
Water Rights Supervisor

Enclosure: Map and Applications


c: Jerry Radandt
Dave Gray, IDWR Examiner

FEB 17 1995



VIEW OF SPRING SITE.
LINES & THE COLLECTION
BOX ARE BURIED. GRAVITY
FEEDS THE WATER FROM
THE TANK TO THE P/U.

PHOTO ONE-



VIEW OF THE STOCK TANK.
THE TANK IS 150 GALLONS.

PHOTO TWO-

RECEIVED
FEB 17 1995

May 15, 1992

JUDITH WOODIE
RONALD WOODIE
P.O. BOX 785
EMMETT ID 83617

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13165

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
MAY 21 1992

April 30, 1992

JUDITH WOODIE
RONALD WOODIE
P.O. BOX 785
EMMETT ID 83617

PROOF DUE NOTICE

RE: PERMIT NO. 65-13165

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

MISS FILMED

MAY 21 1992



S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 4, 1990

JUDITH WOODIE
RONALD WOODIE
P.O. BOX 785
EMMETT, ID 83617

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P65-13165

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 26 1990

RECEIVED

APR 13 1990

Department of Water Resources
Western Regional Office

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,

ss.

COUNTY OF GEM,

Esma Reyes, being first
duly sworn, on his oath deposes and
says that she is the ^{her} printer of Mes-
senger-Index, a legal weekly news-
paper published at Emmett, in Gem
County, Idaho; that said newspaper
is in general circulation in said
county and has been published unin-
terruptedly and continuously for
more than 78 weeks prior to the
first publication of the annexed
document; and that the document
notice, process, or advertisement
hereunto annexed was published in
the regular edition of Messenger-
Index for Two

consecutive weekly issues thereof,
beginning with the issue of
April 4, 1990,
and ending with the issue of
April 11, 1990

Subscribed and sworn to before me
this 11th day of

April, 1990
May Ann Hanson

Notary Public,
Residing at Emmett, Idaho.

My Commission Expires

MICROFILMED

JUN 26 1990

**NOTICE OF APPLIC
FOR WATER RIG.**

The Following application(s)
have been filed to appropriate
the public waters of the State of
Idaho:

65-13110
CHURCH OF JESUS CHRIST
OF LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150
Source: GROUNDWATER
Diversión Pt: SWSEW Sec 36
T 07N R 03W
Use: IRRIGATION (.090 CFS)
HEATING (.200 CFS)
COOLING (.200 CFS)
Total Diversión: (.200 CFS)
Date Filed: 12/5/1989
In: T06N R03W S01 Lot 3
(NENW)
T07N R03W S36 SESW
3.0 ACRES TOTAL

65-13154
SUTTON, ALLEN L.
P.O. BOX 26
OLA, ID 83657
Source: SQUAW CREEK
Tributary: PAYETTE RIVER
Diversión Pt: NWSW Sec 12 T
10N R 01E
Use: IRRIGATION (.400 CFS)
Total Diversión: (.400 CFS)
Date Filed: 2/5/1990
In: T10N R01E S23 NWNE
SWNE NENW SENW
20.0 ACRES TOTAL

65-13157
LANHAM, REX E.
848 JACKSON
EMMETT, ID 83617
Source: WASTE WATER
Tributary: PAYETTE RIVER
Diversión Pt: NENE Sec 11 T
06N R 02W
Use: IRRIGATION (.800 CFS)
Total Diversión: (.800 CFS)
Date Filed: 2/7/1990
In: T06N R02W S11 NENE
NWNE Lot 2 (SWNE) Lot 3
(SEW)
40.0 ACRES TOTAL

65-13165
WOODIE, RONALD
WOODIE, JUDITH
P.O. BOX 785
EMMETT, ID 83617
Source: SPRING
Tributary: HAW CREEK
Diversión Pt: SWSW Sec 3
T 07N R 01W
Use: STOCKWATER (.070 CFS)
Total Diversión: (.070 CFS)
Date Filed: 2/9/1990
In: T07N R01W S03 SENW

65-13168
KRAFT, DALLAS G.
KRAFT, SUSAN J.
7191 BILL BURNS RD.
EMMETT, ID 83617
Source: SPRING
Tributary: PAYETTE RIVER
Diversión Pt: NENWNW Sec 18
T 06N R 02W
Use: STOCKWATER (.040 CFS)
Total Diversión: (.040 CFS)
Date Filed: 2/13/1990
In: T06N R02W S18 NWNW

65-13169
CARLOCK, CARROLL
P.O. BOX 60
OLA, ID 83657
Source: SPRINGS
Tributary: SQUAW CREEK
Diversión Pt: SWNESW Sec 3
T 11N R 01E
SESEW Sec 3 T 11N R 01E
SENWSW Sec 3 T 12N R 01E
NENWNE Sec 34 T 12N R 01E
Use: STOCKWATER (.070 CFS)
Total Diversión: (.070 CFS)
Date Filed: 2/13/1990
In: T11N R01E S03 NESW
SESW NWSE
T12N R01E S26 NWSW

S34 NWNE

65-13170
CUNNINGHAM, MARILYN
P.O. BOX 59
OLA, ID 83657
Source: UNNAMED STREAM
Tributary: SQUAW CREEK, SE-
COND FORK
Diversión Pt: SENW Sec 6 T
11N R 02E
Use: STOCKWATER (.020 CFS)
STOCKWATER STORAGE (1.15
AF)
STOCKWATER FROM
STORAGE (1.15 AF)
Total Diversión: (.020 CFS) (1.15
AF)

Date Filed: 2/20/1990
In: T11N R02E S06 SENW
65-13171
CARLOCK, CARROLL
P.O. BOX 60
OLA, ID 83657
Source: SPRING
Tributary: LITTLE SQUAW
CREEK
Source: SPRINGS
Tributary: SQUAW CREEK
Diversión Pt: NENESW Sec 1
T 09N R 01E
NENWNE Sec 34 T 10N R 01E
NESWNE Sec 35 T 10N R 01E
Use: STOCKWATER (.070 CFS)
Total Diversión: (.070 CFS)
Date Filed: 2/13/1990
In: T09N R01E S01 NESW
T10N R01E S34 NWNE
S35 SWNE

65-13172
HILL, EVERETT D.
5033 HWY. 52
EMMETT, ID 83617
Source: GROUNDWATER
Diversión Pt: NESE Sec 8 T
06N R 02W
Use: DOMESTIC (.040 CFS)
COMMERCIAL (.020 CFS)
STOCKWATER (.020 CFS)
Total Diversión: (.040 CFS)
Date Filed: 2/14/1990
In: T06N R02W S08 NESE

65-13199
MC CAULOU, MURRY RAY
MC CAULOU, ARLEEN
P.O. BOX 53
OLA, ID 83657
Source: SPRING
Tributary: SINKS
Diversión Pt: NWNWSW Sec
10 T 08N R 01E
Use: STOCKWATER (.020 CFS)
DOMESTIC (.020 CFS)
Total Diversión: (.040 CFS)
Date Filed: 2/14/1990
In: T08N R01E S10 SESW

65-13201
HUNTER, R.J.
HUNTER, MAE B.
BOX 98
EMMETT, ID 83617
Source: SPRINGS
Tributary: HAW CREEK
Diversión Pt: NESWNW Sec 18
T 07N R 01W
SESWNW Sec 16 T 07N R 01W
Use: STOCKWATER (.050 CFS)
Total Diversión: (.050 CFS)
Date Filed: 2/12/1990
In: T07N R01W S16 SWNW

65-13203
REINIG, DARRELL R.
9675 N. HWY. 52
HORSESHOE BEND, ID 83629
Source: PAYETTE RIVER
Tributary: SNAKE RIVER
Diversión Pt: SWSE Sec 15 T
07N R 01E
Use: IRRIGATION (.120 CFS)
STOCKWATER (.020 CFS)
Total Diversión: (.140 CFS)
Date Filed: 2/13/1990
In: T07N R01E S15 Lot 2
(SWSE) 6.0 ACRES TOTAL

The permit(s) will be subject
to all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources,
Western Region, 2735 Airport
Way, Boise, Idaho, 83705 on or
before APRIL 23, 1990.

R. KEITH HIGGINSON,
Director
Pub: 4-4,11-90
Legal Notice No. 754
Pub. in the Messenger Index

65-13165

WOODIE, RONALD
WOODIE, JUDITH
P.O. BOX 785
EMMETT, ID 83617

Source: SPRING

Tributary: HAW CREEK

Diversion Pt: SWSNW Sec 3 T 07N R 01W

Use: STOCKWATER (.070 CFS)
Total Diversion: (.070 CFS)

Date Filed: 2/ 9/ 1990

In: T07N R01W S03 SENW

MICROFILMED

JUN 26 1990