




PD 5 P236

31

6

7

MICROFILMED
JUN 26 1990

8N
7N

65-13164

1W

7N 1E

MERIDIAN

S. 0° 3' W. 39.86	S. 0° 1' W. 39.70	118.241 4 38.48	120.001 <u>3</u> 39.87	120.001 2 39.75	120.001 1 39.62	119.751 4 39.51	3 39.53	
		5 36.80	Sec. 6 626.60		S. 0° 21' E. 79.75	120.001 40.00	Sec. 638	
		6 36.96						
		7 37.12	N. 89° 48' E. 78.56					WE 80
NORTH	NORTH	118.561 1 37.15	120.001 40.00	NORTH		Sec. 65-13164-59 S. 89° 79		
		2 37.19	Sec. 7 628.83					
		3 37.23						
		4 37.28						
2.71-		N. 89° 32' E. 78.63						
25	25	118.631 1 37.65	120.001 40.00					

MICROFILMED
JUN 26 1990

8N HE

65-13164

Sec. 36

MICROFILMED

JUN 26 1990

Sec. 32

64.0

0.39

35.68

623.36

64.0

0.96

35.36

(17.60)

(20.00)

40.00

77.60

80.20

N. 89° 55' W.

35.21

N. 89° 31' E

77.60

80.20

N. 89° 55' W.

80.20

N. 89° 55' W.

39.29

80

160

N. 0

39.61

80

160

N. 0

36.32

(18.24)

(20.00)

40.00

78.24

80

160

N. 0


80

78.24


AN INCH
ACTION 18° 0' E.

COA

#1




#2 & #6




NOTE: ALL TANKS ARE GRAVITY FED

#3




RECEIVED
FEB 17 1995

#4



#5



RECEIVED
FEB 17 1995

PERMIT 65-13164 INIT DA
T. R. S. Q/Q
P/D 7N 1E 7 NWNNW Spr. #1
SCALE _____
PHOTO ID. _____

PERMIT 65-13164 INIT DA
T. R. S. Q/Q
P/D 8N 1E 31 SESWNW LT 2 Spr. #2
SCALE SESWNW LT 4 Spr. #3
PHOTO ID. SESWNW LT 2 Spr. #6

PERMIT 65-13164 INIT DA
T. R. S. Q/Q
P/D 7N 1E 6 SWNNW LT 3 ~~LT 3~~ Spring #4
SCALE _____
PHOTO ID. _____

PERMIT 65-13164 INIT DA
T. R. S. Q/Q
P/D 8N 1W 36 NWWSW Spr. #5
SCALE _____
PHOTO ID. _____

Spring #6
Pld →
Pld →
Spring #2

Pld →
Spr #5

Spring
Pld #3

Spring
Pld #4


Pld
Spring #1

M

Springs #. 2, 3, 6

III

N



Surveys Designated


By Whom Surveyed

Date of Contract

Township lines
(Resurvey)

Abraham L. Rinearson August 17-1891


PERMIT 65-13104 INTL 44
 T. R. S. 919
 P/D 7N 1E 7th NW 7 Spring #1
 SCALE SWNE 6 473 Spring #4
 PHOTO ID. _____



FEB 17 1995
 RECORDED

Spring #
 1, 4

PROCESSED
FEB 17 1995



PERMIT 65-1316 INIT DA
T. R. S. Q/Q
P/D EN 1W 310 NW/SE
SCALE — Spring
PHOTO ID. — #5

LAT 43° 59' N.
LONG 116° 24' W

above. Map of Township. 1928 North



#1

View of STANDARD Spring to stock tank system of Hawk Creek Ranch. The collection box is buried in this foliage & a $\frac{3}{4}$ " line brings water to the holding tank below.

PHOTO ONE-



NOTE: This spring shows only THE CAPACITY FOR A MINIMAL .01 CFS FLOW.

PHOTO TWO-

REPRODUCED
FEB 17 1995



#2

View of Spring Area.
Buried collection box !
3/4" GRAVITY Line to trough.

PHOTO THREE-



NOTE: TANK shows minimum
CAPACITY FOR .01 cfs.

PHOTO FOUR-

MICROFILMED
FEB 17 1995

#3



View of SPRING Area.

Buried collection box to $\frac{3}{4}$ "
line. Gravity feeds the stock
TANK below.

PHOTO FIVE-



NOTE: THIS TANK, AS CAN BE
SEEN, HAS A MINIMAL FLOW.
OILCS MAX.

PHOTO SIX-

MICROFILMED
FEB 17 1995



#4

View of Spring Area.
Stock tank is GRAVITY FED.
The collection box is buried
; has a $\frac{3}{4}$ " line that fills
the tank.

PHOTO ~~SEVEN~~ - SEVEN



NOTE: Tank only showed
THE CAPACITY FOR A minimum
flow of .01 cfs.

PHOTO ~~EIGHT~~ - EIGHT

MICROFILMED
FEB 17 1995



#5

Spring is located in the bushes above. The buried tank fills the tank below through a $\frac{3}{4}$ " gravity fed line.

PHOTO ~~NINE~~ NINE

NOTE: This tank & spring system only showed the capacity for 0.01 cfs.

PHOTO ~~TEN~~ TEN

RECEIVED
FEB 17 1995

#6

View of the collection box
and the head of the spring.
Water is caught & filtered in
this tank & a 3/4" line gravity
feeds the tank below.



PHOTO ~~FIVE~~ ELEVEN

>



NOTE: This tank, unlike
the others, has a capacity
for .02 cfs. It filled
a 5 GALLON BUCKET in 60 SEC.

PHOTO ~~SIX~~ TWELVE

17 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13164

Priority: February 9, 1990

Maximum Diversion Rate:

0.07 CFS

Maximum Diversion Volume:

4.0 AF

This is to certify, that HAW CREEK RANCH INC

PO BOX 785

EMMETT ID 83617

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 9, 1990; and has submitted Proof of Beneficial Use on April 28, 1992. An examination indicates that the works have a diversion capacity of 0.070 cfs of water from:

SPRINGS

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.07 CFS	4.0 AF

LOCATION OF POINT(S) OF DIVERSION:

Lot 3(SWNENW), Sec. 6, Township 07N, Range 01E
NWENW, Sec. 7, Township 07N, Range 01E
Lot 2(SESWNW), Sec. 31, Township 08N, Range 01E
Lot 4(SESWSW), Sec. 31, Township 08N, Range 01E
NWSWSE, Sec. 36, Township 08N, Range 01W

GEM County

PLACE OF USE: STOCKWATER

TWN RGE SEC

07N 01E	6	Lot 3(NENW)
	7	NENW
08N 01E	31	Lot 2(SWNW)
01W 36		SWSE

Lot 4(SWSW)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Two points of diversion are located within Lot 2, SESWNW, S31, T08N, R01E.

RECORDED

FEB 17 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 65-13164

CONDITIONS/REMARKS:

6. Stockwater use is for 300 range cattle.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 9TH
day of FEBRUARY, 1995.

Acting for


R. Keith Higginson, Director

7 1995

REC'D

APR 22 1992

REC'D
APR 28 1992

OFFICE USE ONLY

Amt of Fee \$ 17.00Date 4-22-92Receipt No. 1007Receipt by WJHSTATE OF IDAHO
Department of Water Resources
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-13164 Telephone No. 365-4022 / 365-22202. Name(s) of Permit Holder(s): HAW Creek Ranch, Inc3. Mailing Address: PO Box 785, Emmett, Idaho 836174. Source of Water: Springs

If GROUNDWATER, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater 300 Hd. Range Cattle (No. and type of stock)

Irrigation _____ (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .07 cfs OR _____ acre/feet7. Refer to the approval conditions on your permit and respond accordingly: 4/22/92 KlgMeasuring device: Required? _____ Yes X No Installed? _____ Yes _____ No

OR

Flow Measurement Port: Required? _____ Yes X No Installed? _____ Yes _____ No8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system

Name Ron Woodie Telephone No. 365-2220Address PO Box 785 / 5758 Van Dusen Rd. Emmett, Idaho 83617

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date 4-11-92Signature (and title, if on behalf of a company or organization) Haw Creek Ranch Inc
Ron Woodie pres.

MAY 21 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13164

Proposed Priority: February 9, 1990 Maximum Diversion Rate: 0.07 CFS
This is to certify, that **HAW CREEK RANCH INC.**

P.O. BOX 785
EMMETT, ID 83617

has applied for a permit to appropriate water from:

SPRINGS

tributary of **SINKS**

and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

STOCKWATER

01/01 to 12/31

0.07 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWNEW Sec. 7, Township 07N, Range 01E
LOT 2(SWSNW), Sec. 31, Township 08N, Range 01E
LOT 4(SESWSW), Sec. 31, Township 08N, Range 01E
LOT 3(SWNENW), Sec. 6, Township 07N, Range 01E
NWSWE Sec. 36, Township 08N, Range 01W
LOT 2(SESWNW), Sec. 31, Township 08N, Range 01E
GEM County

PLACE OF USE: STOCKWATER

TWN RGE SEC

07N 01E 6 LOT 3(NENW)
7 NENW
08N 01E 31 LOT 2(SWNW) LOT 4(SWSW)
01W 36 SWSE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1992.
2. Subject to all prior water rights.
3. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
4. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
5. Stockwater use is for 300 head.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

21st day of May, 1990

RECORDED

JUN 26 1990

R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: HAW CREEK RANCH INC. 208-365-4022
Address: P.O. BOX 785
EMMETT, ID 83617

2. Source: SPRINGS Trib. to: SINK

3. Location of Point of Diversion: Lot 3 (SWNE1/4) Sec. 6, Township 07N, Range 01E
NWNE1/4 Sec. 7, Township 07N, Range 01E
Lot 2 (SWSW1/4) Sec. 31, Township 08N, Range 01E
Lot 2 (SESW1/4) Sec. 31, Township 08N, Range 01E
Lot 4 (SESW1/4) Sec. 31, Township 08N, Range 01E
NWSW1/4 Sec. 36, Township 08N, Range 01W
GEM County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
STOCKWATER	01/01	12/31	0.070		

5. Total quantity appropriated is:
0.070 CFS (and/or) AF

6. Proposed diverting works:
- Description of ditches, flumes, pumps, headgates, etc.
SPRINGS TO STOCKTANKS.
 - Height of storage dam feet; active reservoir capacity acre-feet; total reservoir capacity acre-feet; period of year when water will be diverted to storage: to inclusive.
 - Proposed well diameter is inches; proposed depth of well is feet.
 - Is groundwater with a temperature greater than 90F being sought? NO


7. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years

8. Description of proposed uses:
STOCKWATER FOR 300 HEAD RANGE CATTLE.

MICROFILMED

JUN 26 1990

* per USGS plot, database updated
i + up



9. Place of Use: STOCKWATER

TWN RGE SEC

07N 01E 6 Lot 3 (NENW)

7 NENW

08N 01E 31 Lot 2 (SWNW)

01W 36 SWSE

Lot 4 (SWSW)

*database updated
2-16-90,
JC*

10. Describe any other water rights used for the same purposes.

11. a. Who owns the property at the point of diversion?

STATE LEASED LAND & APPLICANT

b. Who owns the land to be irrigated or place of use?

STATE LEASED LAND & APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Judith A. Woodie
Applicant
Vice President

Received by 715 KW Date 2/12/90 Time 10:15 AM Preliminary check by JC
2/9/90


Fee \$ 30. Receipted by KW # CO14531 Date 2/9/90

Publication prepared by GG Date 2-21-90 Published in Messenger-Index

Publication approved st Date 3/1 & 3/8/90
4-12-90

MICROFILMED

JUN 26 1990



7N 1E

MERIDIAN

NORTH

NORTH

65-13164
S. 89°

S. 0° 3' W. 39.86
S. 0° 1' W. 39.70

S. 0° 21' E. 79.75
40.00 (20.00) (19.75)

118.241 4 38.48	120.001 <u>3</u> 39.87	120.001 2 39.75	120.001 1 39.62	4 39.51	3 39.53
5 36.80	Sec. 6 626.60		S. 0° 21' E. 79.75 40.00 120.001/19.751	Sec. 638	
6 36.96					
7 37.12					
N. 89° 48' E. 78.56				WE 80	
118.561 1 37.15	120.001	40.00			
2 37.19	Sec. 7 628.83		NORTH MICROFILMED JUN 26 1990	Sec.	
3 37.23				65-13164	
4 37.28				S. 89°	
N. 89° 32' E. 78.63					
118.631 1 37.65	120.001	40.00			
				79	

MICROFILMED

JUN 26 1990

MEMORANDUM

TO: APPLICATIONS FOR PERMIT
FROM: KAY WALKER
RE: HAW CREEK RANCH INC. OFFICERS
DATE: 9-FEB-1990

=====

The officers of Haw Creek Ranch Inc. are:

David Little, President
P.O. Box 68
Emmett, ID 83617

Judith A. Woodie, Vice President
P.O. Box 785
Emmett, ID 83617

MICROFILMED

JUN 26 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 9, 1995

HAW CREEK RANCH INC
PO BOX 785
EMMETT ID 83617

RE: WATER RIGHT NO. 65-13164

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

FEB 17 1995

MEMORANDUM

TO: SHELLEY KEEN *SK*

FROM: STEVE LESTER *SL*

DATE: FEBRUARY 1, 1995

RE: FIELD EXAMINATIONS FOR 65-13164 (HAW CREEK RANCH) AND 65-13165 (WOODIE)

Following our recent conversation regarding P/U photographs in the two field exams, this memo describes what I believe to be the process leading to some confusion on the part of the examiner. The bottom line is that I think an honest mistake has been made in including three different pictures of the same stock tank for P/U documentation for three separate springs, two for 65-13164 and one for 65-13165.

65-13164 was examined on 7/19/94 while the other permit was inspected on 6/27/94, according to the report dates. Scheduling notes found in the Region files confirm that these two rights were examined on different days.

File 65-13165 was related to a water dispute between the Woodies and another nearby water user, Mr. Radandt. While working on the water complaint last August, I had occasion to review the original exam for Woodies' right. The examiner had noted a spring for Haw Ck. Ranch near the Woodie property and had originally recommended Woodie's right for a spring in NENESW S.3. This latter site is central to the Woodies/Radandt dispute, a matter outside of the scope of permits 65-13164 & 13165. The original exam for Woodies' 65-13165 included a P/U photo for the spring in NENESW instead of for the one in SWSENW (latter being the corrected P/U recommendation).

Two things turned out to be incorrect. No spring for Haw Ck. Ranch is found near any springs in S.3, and the Woodie right needed to be recommended for the developed spring found in SWSENW S.3 as shown on permit 65-13165.

Both exams were returned to the examiner last August-September for revision. Corrected reports were prepared and sent forward for licensing. During the general timeframe of the exam revisions, the examiner was preparing/starting his extra efforts in assisting Water District #65 plus was trying to finish many exam reports for 1994 field work that was already conducted as well as trying to arrange additional exam appointments to blend with his water district work. I think this pressure, plus not having a photo for the correct spring in 65-13165, led to a mixup in photos.

Recently, the Woodies visited me at the office to file on two springs found by the examiner that could not be part of the Woodie permit. These are the springs in SWNENW S.3 and the previously mentioned one in NENESW S.3 as documented on my 9/26/94 letter in exam 65-13165. The examiner had visited all three Woodie springs, and the owners discussed the exam visit and confirmed the findings.

RECEIVED

FEB 7 1995

Exams 65-13164 & 65-13165

Feb. 1, 1995

Page 2

While I do not have similar confirmation for permit 65-13164, the Haw Creek Ranch folks were also recently in the office to file new water rights (not related to topic at hand) and remembered the examiner's visit. We discussed that exam visit in an offhand way during their office visit. Of course, I had no way of knowing that such conversation might become useful in another matter, but it has.

After working with the examiner and both owners in question, I am reasonably confident that the springs recommended in both permits were indeed visited and examined as documented. I have no definitive explanation as to why the same stock tank but from three perspectives shows up in photographs for the exam reports, but at worst I think we can conclude that the tank is representative of the three unique places of use. The rest of the mystery can be chalked up to a hectic time for the examiner, and a follow-up field visit does not seem warranted.

FEB 17 1995

LICENSE REVIEW CHECKLIST

PERMIT NO. 65-13164 DATE 1-18-95



NAME	Yes ☐ No ☒	Or Address Change?
PRIORITY DATE	Yes ☐ No ☒	Advance? ☐ Advanced to: _____ Order to reinstate needed? _____ Incorrect fee for rate recommended? <u>NO</u>
SOURCE	Yes ☐ No ☒	Changes or just clarification of originally intended source? _____ Notice of Intent to Void necessary? _____
POINT OF DIV	Yes ☐ No ☒	Amendment needed? <u>Not necessary - in name 1/4 1/4 - just</u> Overlaps? <u>different 10 acre tract</u>
PLACE OF USE	Yes ☐ No ☒	Amendment needed? _____ Overlaps? _____
DIV RATE	Yes ☐ No ☒ <i>5 gal bucket</i>	Permit/fee limits: <u>.07 cfs</u> Meas. Q = <u>.07</u> Theo Q = _____ Recommend: <u>.07</u> <u>Springs 1-5 produce .01 cfs</u> <u>Spring #16 produces .02 cfs</u> Combined rates exceed capacity _____
ANNUAL VOLUME	Yes ☐ No ☒	Season of use: <u>1-1 to 12-31</u> Calculations: <u>300 cattle x .0134 = 4.0 af</u> Flow limit: _____ cfs x _____ x 1.9835 = _____ Combined volumes exceed capacity/allowable _____
USES	Yes ☐ No ☒	Change in Nature of Use or additional uses? _____ Amendment necessary? _____
REMARKS	<u>1032</u>	Multiple p/d(s) in 1/4 1/4? <u>Springs 2 & 6 both are</u> Other <u>in same 10 acre tract description</u> <u>LOT 2 SE SW NW OF SEC 31-8N-1E</u>
CONDITIONS	Yes ☐ No ☒	Measuring/Locking Devices _____ Watermaster control - District _____ Irrigation Overlap _____ Water Quality _____ Other _____ Heat/Cool/ Fish verified _____
COMMENTS:	<u>Because this is not an irrigation right, the non-interconnected springs are not being split into separate parts for each one.</u>	

RECOMMENDED	CFS	VOL	SRBA Claim Filed	<u>NO</u>
<u>Stockwater</u>	<u>.07</u>	<u>4.0</u>	Adjustment Memo Needed	<u>YES</u>
_____	_____	_____	LICENSE	☒
_____	_____	_____	1ST AMENDMENT LETTER	_____
_____	_____	_____	FINAL AMENDMENT LETTER	_____

RECEIVED
JAN 09 1995

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT* NOTE: It would be recommendable to
split up each spring to
separate each Pld. Numbering
springs A → F in relation
with numbers 1-6.

A. GENERAL INFORMATION

Permit No. 65-131641. Owner: Haw Green Ranch, Inc. Phone No. 365-4022Current Address: P.O. Box 785 Emmett Ida 836172. Accompanied by: Ron Waddie EXAM DATE: 7-19-94Address: SAME Phone No. SAMERelationship to Permit Holder: OWNER3. Source: Springs tributary to SINKS

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
#1		NW	NE	NW	7	7N	1E	GEM	Quads. Cont Lots. Field Exam
* #2	2	SW	SW	NW	31	8N	1E	GEM	" "
#3	4	SE	SW	SW	31	8N	1E	GEM	" "
#4	3	SW	NE	NW	6	7N	1E	GEM	" "
#5		NW	SW	SE	36	8N	1W	GEM	" "
* #6	2	SW	SW	NW	31	8N	1E	GEM	" "

2. Place(s) of Use:

Indicate Method of Determination


	TWP	RGE	SEC	NE				NW				SW				SE				Totals
				NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
#1	7N	1E	7					S												Stockwater
#2	8N	1E	31						S											S
#3	8N	1E	31							S										S
#4	7N	1E	6					S												S
#5	8N	1W	36												S					S
#6	8N	1E	31						S											Losprings

* SEE attached explanation memo. BC

FEB 17 1995

FOR STOCKWATER

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.



Scale: 1" =
 Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
 Aerial Photo Attached (required for irrigation of 10+ acres)
 Photo of Diversion and System Attached

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Only spring # 6 HAO A FRIED OBER, 01 cfs: ~~5 gal bucket @ 30 sec = (EXHIBIT A) .07 cfs.~~

FEB 17 1995

E. NARRATIVE/REMARKS/COMMENTS

THIS SYSTEM USED A SYSTEM OF BURIED COLLECTION BOXES THAT FILTERED WATER FROM SPRINGS, THROUGH GRAVEL TO GRAVITY FILL 6 STOCK TANKS. THE 6 SPRINGS / STOCK TANKS ARE INDEPENDANT OF EACH OTHER; ARE MARKED 1-6 IN ORDER OF APPEARANCE IN PERMIT # 65-13164. ONLY SPRING #6 HAS A COLLECTION BOX THAT IS VISIBLE. IT HOWEVER FOLLOWS THE CONSTRUCTION FORMATION OF THE OTHERS. ALL USE $\frac{3}{4}$ " LINE TO GRAVITY FEED THE TANKS. SPRING #6 IS ALSO THE ONLY TANK THAT HAD A MEASURABLE FLOW OVER .01 CFS.

NOTE: THIS RANGE IS INDEPENDANT OF ANY OTHER ON HAW CREEK RANCH AND HAS SEPERATE AREAS. SPRING # 2 & 6 ARE IN THE SAME $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$ TRACT OF LAND. THE PERMIT IS INCORRECT ON SPRING #2. GOVT LOTS HAVE MISMARKED THE LOCATION OF THE ROAD TO SWEET FROM EMMETT THAT APPEARS IN THE ORTHOS. THE ROAD PASSES THROUGH LOT #2 AS SHOWN IN THE ORTHO. SPRING #2 IS IN THE SE-SW-NW $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$ OF SEC 31.

Have conditions of permit approval been met? ☒ yes

☐ no

RECEIVED
FEB 17 1995

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

Springs 1-5 show minimal flows of .01 cfs = .05 cfs
(AT EXAM DATE)

* Flows between 45 sec - 60 sec to fill
Spring #6 * 5 gallon bucket

EXHIBIT 10 = 30 sec fill = .02 cfs

.07 cfs
SYSTEM
CAPACITY

NEED: 300 range cattle.

Exh 15A

.07 cfs

Allow system capacity

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ NA

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

VOLUME FOR STOCKWATER = 300 HEAD $\times$ 12 gal/day $\times$ 365 / 325850 = 4 AFA

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Stock Water</u>	<u>1-1</u>	<u>12-31</u>	<u>.07 cfs</u>	<u>4 AFA</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>.07 cfs</u>	<u>4 AFA</u>

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Dave Gray Date 2-3-94

Reviewer _____ Date _____

SEAL

FEB 17 1995

MEMORANDUM

TO: File 65-13164 / Haw Creek Ranch, Inc.
FROM: Brenda Chapman
DATE: January 18, 1995
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for the above referenced water right are based on the information below:

NOTE: Because this is not an irrigation right, it is acceptable to not split the non-interconnected developments into separate parts for each of the 6 springs.

C. DIVERSION AND DELIVERY SYSTEM

1. Point of Diversion: Springs 2 & 6 are both listed in the narrative and on the maps as being in the SESWNW of Section 31 rather than the SWSWNW of the section.

H. AMENDMENTS

2. Recommended Amendments


DOES NOT NEED TO BE CHECKED.

- | | | |
|---|-----------------------------------|--------------------------------|
| ☒ Change P.D. | ☐ Add P.D. | ☐ None |
| ☐ Change P.U. | ☐ Add P.U. | ☐ Other |


Spring #2 on the original permit was listed as being in the SWSWNW of Section 31 rather than in the SESWNW. Spring #6 is also in the SESWNW and was listed on the permit that way; therefore, this is not a new location requiring an amendment.

RECEIVED
FEB 17 1995

#1




#2 & #6




NOTE; ALL TANKS ARE GRAVITY FED

#3




FEB 17 1995

#4



#5



RECEIVED

FEB 17 1995

10-1-1964
T. R. S. Q/Q
P/D 7N 1E 7 SURFMAN Sp. #1
SCALE
PHOTO ID.

10-1-1964
T. R. S. Q/Q
P/D 8N 1E 31 SURFMAN/12 Sp. #2
SCALE SURFMAN/12 Sp. #3
PHOTO ID. SE SURFMAN/12 Sp. #6

10-1-1964
T. R. S. Q/Q
P/D 7N 1E 6 SURFMAN/13 Sp. #4
SCALE
PHOTO ID.


10-1-1964
T. R. S. Q/Q
P/D 8N 1W 36 SURFMAN/15 Sp. #5
SCALE
PHOTO ID.

M

Spring # 2, 3, 6

III

N



Survey Designated

By Whom Surveyed

Date of Contract

Township lines
(Resurveyed)

Abraham L. Riechers August 17-1891

PERMIT 65-19164 INIT ~~24~~
T. R. S. Q/O
P/D ~~24~~ 31 Spring #2 Lt2 S.D.W.M.
SCALE 3446 S.W.M.
PHOTO ID. 044256515W

PERMANENT 6-13/1984 JUNE 1984
 T. R. S. Q/Q
 P/D 72 LE TIG WYNNW 7 Spring #1
 SCALE SWNEBY 6 473 Spring #4
 PHOTO ID.

Spring #
 1, 4


NORTH		S. 0° 3' W. 39.86		S. 0° 1' W. 39.70	
118.241	120.001	120.001	120.001	120.001	120.001
36.48	39.87	39.75	39.62	39.51	39.53
5	3	2	1	4	3
36.80	Sec. 6	626.60	79.75	638.15	Sec. 5
6	6	6	6	6	6
36.96	36.96	36.96	36.96	36.96	36.96
7	7	7	7	7	7
37.12	N. 89° 48' E. 78.56	S. 0° 21' E. 40.00	WEST	80.00	37.12
118.561	120.001	40.00	80.00	37.15	118.561
37.15	Spring #1	40.00	80.00	37.19	37.15
2	2	2	2	2	2
37.19	Sec. 7	678.83	Sec. 8	678.83	37.19
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH		NORTH		NORTH	
NORTH					

above. Map of ... 1918 ...

Sec. 35
640

Sec. 36
640


PERMIT NO. 1000
T. 1. R. 8. Q. 10
P/D By Mr. J. C. ...
SCALE 1" = 1/2 mile
PHOTO ID. 100



True Meridian

LAT 43° 50' N
LONG 116° 24' W


RECEIVED
JUN 17 1995



#1

View of standard Spring to stock tank system of Hawk Creek Ranch. The collection box is buried in this foliage & a 3/4" line brings water to the holding tank below.

PHOTO ONE-



NOTE: This spring shows only the capacity for a minimal .01 cfs flow.

PHOTO TWO-


RECEIVED
FEB 17 1995



#2

View of Spring Area.
Buried collection box !
3/4" GRAVITY Line to trough.

PHOTO THREE-




NOTE: Tank shows minimum
CAPACITY FOR .01 cfs.

PHOTO FOUR-

RECEIVED

FEB 17 1995




#3

View of SPRING Area.

Burred collection box to $\frac{3}{4}$ "
line. Gravity feeds the stock
tank below.


PHOTO FIVE-



NOTE: THIS TANK, AS CAN BE
SEEN, HAS A MINIMAL FLOW.
0.0 CFS MAX.

PHOTO SIX-


RECEIVED
FEB 17 1995



#4

View of Spring Area.
Stock tank is GRAVITY FED.
The collection box is buried
; has a $\frac{3}{4}$ " line that fills
the tank.

PHOTO ~~SEVEN~~ - Seven



NOTE: Tank only showed
THE CAPACITY FOR A MINIMUM
flow OF .01 CFS.

PHOTO ~~EIGHT~~ - Eight

RECEIVED

FEB 17 1995



#5

Spring is located in the bushes above. The buried tank fills the tank below through a $\frac{3}{4}$ " gravity fed line.

PHOTO ~~ONE~~ NINE

Note: This tank & spring system only showed the capacity for .01 cfs.

PHOTO ~~ONE~~ TEN

RECEIVED
FEB 17 1995

#6



PHOTO ~~ONE~~-ELEVEN

View of the collection box
and the head of the spring.
WATER IS CAUGHT & FILTERED IN
THIS TANK & $\frac{3}{4}$ " LINE GRAVITY
FEEDS THE TANK BELOW.




PHOTO ~~ONE~~-TWELVE

NOTE: THIS TANK, UNLIKE
THE OTHERS, HAS A CAPACITY
FOR .02 CFS. IT FILLED
A 5 GALLON BUCKET IN 60 SEC.

17 1995

May 1, 1992

HAW CREEK RANCH INC.
P.O. BOX 785
EMMETT ID 83617

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13164

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
MAY 21 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

April 22, 1992

Haw Creek Ranch Inc.
P.O. Box 785
Emmett, ID 83617

Re: Permit No. 65-13164

Dear Permit Holder:

Returned is the proof of beneficial use you submitted in connection with the above referenced permit. Unfortunately, it is unacceptable as filed. The Department is not authorized to bill you as you requested. The proof is considered incomplete until accompanied by the applicable fee.

The Department has determined, from pertinent sections of the Idaho Code, that the permit holder must meet two requirements in order to be exempt from the license exam fee. They are:

1. The water right must use a groundwater source.
2. The rate of diversion must be .04 cfs or less.

As you can see, you do not meet requirement #1 since you use a spring (surface water) for your source. Therefore, a license examination fee of \$50 applies to your permit. I have enclosed a copy of the Instructions for the Proof of Beneficial Use for your convenience.

Please return the proof of beneficial use and the \$50 license exam fee as soon as possible.

If you have any questions or if I can be of any further assistance, please feel to contact me.

Sincerely,

Karen L. Gustafson
Karen L. Gustafson
Secretary/Records Manager

Enclosure

RECEIVED

MAY 21 1992

HAW CREEK RANCH INC.
P.O. BOX 785
EMMETT ID 83617

March 31, 1992

CERTIFIED MAIL

NO.

138783

RE: PERMIT NO. 65-13164 PROOF DUE NOTICE

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

RECEIVED
MAY 21 1992

MAY 21 1992

4-17-92

Dept of Water Resources

These are stock
watering springs. If there
is a fee involved please
bill us.

Hew Creek Ranch Inc

by David Little mrs

MICROFILMED

P.O. Box 68

MAY 21 1992

Emmett, ID - 83617

RECEIVED
APR 22 1992

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
May 22, 1990

HAW CREEK RANCH INC.
P.O. BOX 785
EMMETT, ID 83617

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P65-13164

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 26 1990

STATE OF IDAHO
COUNTY OF

On this _____ day of _____ in the year of 1990, before me,
a Notary Public, personally appeared Emma Reyes
known or identified to me to be the person whose name subscribed to the within instru-
ment, and being by me first duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same

Nancy Ann Hansen
Notary Public for Idaho

Residing at Emmett, Idaho

My commission expires 3-21-95

RECEIVED
MAR 9 1990

Department of Water Resources
Western Regional Office

65-13162
HAW CREEK RANCH INC.
P.O. BOX 785
EMMETT, ID 83617
Source: HAW CREEK
Tributary: PAYETTE RIVER
Diversión Pt: SWNW Sec 17 T
07N R 01W
Use: IRRIGATION (.600 CFS)
Total Diversión: (.600 CFS)
Date Filed: 2/09/1990
In: T07N R01W S17 NWSW
S18 NESE SESE
30.0 ACRES TOTAL

65-13163
HAW CREEK RANCH, INC.
P.O. BOX 785
EMMETT, ID 83617
Source: SPRINGS
Tributary: SINKS
Diversión Pt: NWSWNW Sec
16 T 07N R 01W
SWSWNW Sec 16 T 07N R
01W
SENESE Sec 16 T 07N R 01W
SENENW Sec 17 T 07N R 01W
SENWNW Sec 20 T 07N R
01W
Use: STOCKWATER (.190)
Total Diversión: (.190)
Date Filed: 2/09/1990
In: T07N R01W S16 SWNW
NESE
S17 NENW NWSW SWSW
S18 SESE
S20 NWNW

65-13164
HAW CREEK RANCH INC.
P.O. BOX 785
EMMETT, ID 83617
Source: SPRINGS
Tributary: SINKS
Diversión Pt: LOT 3
(SWNENW) Sec 6 T 07N R 01E
NWNENW Sec 7 T 07N R 01E
LOT 2 (SWSWNW) Sec 31 T
06N R 01E
LOT 2 (SESWNW) Sec 31 T
06N R 01E
LOT 4 (SESWSW) Sec 31 T
06N R 01E
NWSW Sec 36 T 06N R 01W
Use: STOCKWATER (.070 CFS)
Total Diversión: (.070)
Date Filed: 2/09/1990
In: T07N R01E S06 Lot 3

65-13177
MC CAULOU, HARRY J.
MC CAULOU, JUDITH A.
P.O. BOX 54
OLA, ID 83657

65-13184
SUTTON, ALLEN L.
P.O. BOX 26
OLA, ID 83657
Source: SPRING
Tributary: SQUAW CREEK
Diversión Pt: NESENW Sec 23
T 10N R 01E
Use: STOCKWATER (.070 CFS)
DOMESTIC (.040 CFS)
Total Diversión: (.110 CFS)
Date Filed: 2/02/1990
In: T10N R01E S23 SENW

65-13185
TJT ENTERPRISES
P.O. BOX 276
EMMETT, ID 83617
Source: GROUNDWATER
Diversión Pt: LOT 9 (SWNWSE)
Sec 6 T 06N R 01W
Use: COMMERCIAL (.020
CFS)
Total Diversión: (.020 CFS)
Date Filed: 2/12/1990
In: T06N R01W S06 Lot 9
(NWSE)

65-13186
BABCOCK, OTIS
BABCOCK, FLORENCE
3131 FULLER RD.
EMMETT, ID 83617
Source: WASTE WATER
Tributary: SAND HOLLOW
CREEK
Diversión Pt: NESWNE Sec 9
T 06N R 01 W
Use: IRRIGATION (.200 CFS)
Total Diversión: (.200 CFS)
Date Filed: 2/06/1990
In: T06N R01W S09 SWNE
10.0 ACRES TOTAL

65-13187
BABCOCK, OTIS
BABCOCK, FLORENCE
3131 FULLER RD.
EMMETT, ID 83617
Source: GROUNDWATER
Diversión Pt: NWSWNE Sec 9
T 06N R 01W
Use: DOMESTIC (.020 CFS)
Total Diversión: (.020 CFS)
Date Filed: 2/06/1990
In: T06N R01W S09 SWNE

The permits will subject to
all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources,
Western Region, 2735 Airport
Way, Boise, Idaho 83705 on or
before MARCH 19, 1990.

R. KEITH HIGGINSON,
Director

Pub.: 2-28, 3-7-90
Legal Notice No. 708
Pub. in the Messenger Index

NO ICE OF APPLICATION
FOR WATER RIGHT
The Following application(s)
have been filed to appropriate
the public waters of the State of
Idaho

63-11153
BLANTON, RODNEY J
BROSSMAN, NANCY J
3602 HILLCREST DR
BOISE, ID 83705
Source: WILLOW CREEK,
NORTH FORK
Tributary: WILLOW CREEK
Diversión Pt: NWNE Sec 17
T 06N R 01E
Use: IRRIGATION (.030 CFS)
Total Diversión: (.030 CFS)
Date Filed: 2/13/1990
In: T06N R01E S17 NESE
1.0 ACRES TOTAL

65-13147
HOWE, KRISTINE
HOWE, DAVID
1568 N. PLAZA
EMMETT, ID 83617
Source: SPRINGS
Tributary: PAYETTE RIVER
Source: UNNAMED STREAM
Tributary: PAYETTE RIVER
Diversión Pt: SWSW Sec 4
T 06N R 01W
Use: IRRIGATION (.020 CFS)
Total Diversión: (.020 CFS)
Date Filed: 1/25/1990
In: T06N R01W S04 SESW
1.0 ACRES TOTAL

65-13151
ELDRIDGE, JAMES A.
BOX 261
EMMETT, ID 83617
Source: YERGENSEN CREEK
Tributary: SQUAW CREEK
Diversión Pt: LOT 2 (NWNE)
Sec 5 T 07N R 01E
Use: IRRIGATION (.700 CFS)
Total Diversión: (.700 CFS)
Date Filed: 2/02/1990
In: T07N R01E S05 Lot 2
(NWNE) SWNE Lot 3 (NENW)
SEW
35.0 ACRES TOTAL

65-13158
EMMETT SUNSET MANOR
C/O LARRY & MARIANNE
WILLIAMS
914 HOUSTON RD.
BOISE, ID 83708
Source: GROUNDWATER
Diversión Pt: LOT 3 (SESW)
Sec 5 T 06N R 01W
Use: IRRIGATION (.030 CFS)
DOMESTIC (.080 CFS)
Total Diversión: (.110 CFS)
Date Filed: 2/08/1990
In: T06N R01W S05 Lot 3
(SESW)
1.0 ACRES TOTAL

65-13159
HAW CREEK RANCH INC.
P.O. BOX 785
EMMETT, ID 83617
Source: GROUNDWATER
Diversión Pt: NWNE Sec 8 T
07N R 01W
Use: DOMESTIC (.060 CFS)
IRRIGATION (.030 CFS)
Total Diversión: (.090 CFS)
Date Filed: 2/09/1990
In: T07N R01W S08 SWNE
1.0 ACRES TOTAL

65-13160
HAW CREEK RANCH INC.
P.O. BOX 785
EMMETT, ID 83617
Source: SPRING
Tributary: SINKS
Diversión Pt: NESWNW Sec 9
T 07N R 01W
Use: STOCKWATER (.190 CFS)
DOMESTIC (.040 CFS)
Total Diversión: (.230 CFS)
Date Filed: 2/09/1990
In: T07N R01W S08 SWNE
SENE

65-13161
HAW CREEK RANCH INC.
P.O. BOX 785
EMMETT, ID 83617
Source: HAW CREEK
Tributary: PAYETTE RIVER
Source: BRISTOL CREEK
Tributary: HAW CREEK
Diversión Pt: NENE Sec 8 T
07N R 01W
Use: IRRIGATION (1.600 CFS)
IRRIGATION STORAGE (10.00
AF)
IRRIGATION FROM STORAGE
(10.00 AF)
STOCKWATER (.050 CFS)
STOCKWATER STORAGE
(10.00 AF)
STOCKWATER FROM
STORAGE (10.00 AF)
Total Diversión: (1.650 CFS)
(10.00 AF)
Date Filed: 2/09/1990
In: T07N R01W S08 NENE
NWNE
80.0 ACRES TOTAL

Source: SPRINGS
Tributary: SQUAW CREEK
Diversión Pt: NWSW Sec 34
T 10N R 01E
NENW Sec 34 T 10N R 01E
Use: STOCKWATER (.050 CFS)
Total Diversión: (.050 CFS)
Date Filed: 2/14/1990
In: T10N R01E S34 SWNE
NWSE

65-13178
MC CAULOU, JUDITH A
MC CAULOU, HARRY J
PO BOX 54
OLA, ID 83657
Source: UNNAMED STREAM
Tributary: SQUAW CREEK
Diversión Pt: NESW Sec 34 T
10N R 01E
Use: DIVERSION TO
STORAGE (.170 CFS)
IRRIGATION (.120 CFS)
IRRIGATION STORAGE (.86
AF)
IRRIGATION FROM STORAGE
(.86 AF)
STOCKWATER (.050 CFS)
STOCKWATER STORAGE (.86
AF)
STOCKWATER FROM
STORAGE (.86 AF)
Total Diversión: (.170 CFS) (.86
AF)
Date Filed: 2/14/1990
In: T10N R01E S34 SWNE
NESW NESE NWSE
6.0 ACRES TOTAL

65-13179
CARLOCK, CARROLL
SUTTON, LARRY
OLA, ID 83657
Source: SPRING
Tributary: SQUAW CREEK
Diversión Pt: NESESW Sec 14
T 10N R 01E
Use: STOCKWATER (.040 CFS)
Total Diversión: (.040 CFS)
Date Filed: 2/02/1990
In: T10N R01E S14 SESW
SWSE

65-13180
SUTTON, LARRY
P.O. BOX 2
OLA, ID 83657
Source: SPRINGS
Tributary: SQUAW CREEK
Source: UNNAMED STREAMS
Tributary: SQUAW CREEK
Diversión Pt: SESWNE Sec 11
T 10N R 01E
SWSWNE Sec 14 T 10N R 01E
SESENE Sec 14 T 10N R 01E
NWNENE Sec 14 T 10N R 01E
SWNWSW Sec 14 T 10N R 01E
SESWSE Sec 14 T 10N R 01E
Use: STOCKWATER (.120 CFS)
STOCKWATER STORAGE
(.400 CFS)
Total Diversión: (.120 CFS) (.40
AF)
Date Filed: 2/02/1990
In: T10N R01E S11 SWNE
S14 SENE NESE NWSE SWSE

65-13181
MC LINN, WAYNE
2615 S. SLOPE RD.
EMMETT, ID 83617
Source: GROUNDWATER
Diversión Pt: NESWNE Sec 27
T 06N R 02W
NWSWNE Sec 27 T 06N R 02W
Use: COMMERCIAL (.040
CFS)
Total Diversión: (.040 CFS)
Date Filed: 1/08/1990
In: T06N R02W S27 NENE

65-13182
HERR, RODNEY H.
HERR, MARCIA H.
400 COSTON ST.
BOISE, ID 83712
Source: SPRING
Tributary: SQUAW CREEK
Diversión Pt: SWNESW Sec 9,
T 07N R 01E
Use: STOCKWATER (.090 CFS)
Total Diversión: (.090 CFS)
Date Filed: 2/09/1990
In: T07N R01E S09 NESW

65-13183
SUTTON, ALLEN L.
P.O. BOX 26
OLA, ID 83657
Source: SPRINGS
Tributary: SQUAW CREEK
Diversión Pt: SENENW Sec 24
T 10N R 01E
Use: STOCKWATER (.070 CFS)
DOMESTIC (.040 CFS)
Total Diversión: (.110 CFS)
Date Filed: 2/02/1990
In: T10N R01E S24 NWNW

65-13164

HAW CREEK RANCH INC.
P.O. BOX 785
EMMETT, ID 83617

Source: SPRINGS

Tributary: SINKS

Diversion Pt:	LOT 3	(SWNENW)	Sec 6	T 07N	R 01E
		NWNENW	Sec 7	T 07N	R 01E
	LOT 2	(SWSWNW)	Sec 31	T 08N	R 01E
	LOT 2	(SESWNW)	Sec 31	T 08N	R 01E
	LOT 4	(SESWSW)	Sec 31	T 08N	R 01E
		NWSWSE	Sec 36	T 08N	R 01W

Use: STOCKWATER (.070 CFS)
Total Diversion: (.070 CFS)

Date Filed: 2/09/1990

In:	T07N	R01E	S06	Lot 3	(NENW)
			S07		NENW
	T08N	R01E	S31	Lot 2	(SWNW)
		R01W	S36	Lot 4	(SWSW)
					SWSE

MICROFILMED

JUN 26 1990