


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ron E. Jones Margie Stone
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 27 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-13143
Phone No. 322-8737 / 634-2697
EXAM. DATE: 7/6/92
Phone No. (same)


1. Owner: Ron E. + Marjorie T. Stoor
Current Address: 1250 Cotterell Way, Boise, ID 83709
2. Accompanied by: Ron Stoor
Address: (same)
Relationship to Permit Holder: Applicant
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-13338
_____ ☒ Copies Attached
2. Other water rights with same point of diversion: 65-13338
_____ ☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached






Scale: 1" = NTS

RECEIVED

APR 28 1993

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).



PERMIT 65-13143 INIT RC
T. R. S. Q/Q
P/D 18N 3E 3D NESW
SCALE _____
PHOTO ID. S-59 No Bus. Intn.

MICROFILMED
APR 28 1993



PHOTO ONE-

View northwest of well and spigot. Well located north of garage and driveway.

>



PHOTO TWO-

Well with shut-off valve.

MICROFILMED

APR 28 1993



PHOTO THREE-

pressure tank and filtering system for house.



PHOTO FOUR-

View north of front of home.

MICROFILMED

APR 28 1993



PHOTO FIVE-

View northwest of east side of home. Well casing
can be seen right of truck.

>

PHOTO SIX-

MICROFILMED
APR 28 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13143

Priority: December 27, 1989

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.6 AF

This is to certify, that RON E STOOR
MARJORIE T STOOR

1250 COTTERELL WAY
BOISE ID 83709

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 27, 1989; and has submitted Proof of Beneficial Use on April 29, 1991. An examination indicates that the works have a diversion capacity of .020 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 10(NESW), Sec. 30, Township 18N, Range 03E
VALLEY County

PLACE OF USE: DOMESTIC
TWN RGE SEC

18N 03E 30 Lot 10(NESW)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.
6. Place of use is located within Lots 20 and 21, Payette River Subdivision.

APR 28 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13143

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 22nd
day of FEBRUARY, 1945.

Acting for R. Keith Higginson, Director

APR 10 1945

APPROVED

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-13143

RECEIVED

FEB 11 1993

Department of Water Resources

Date of Priority: December 27, 1989

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.6 AF

Comes now

RON E STOOR
MARJORIE T STOOR

1250 COTTERELL WAY
BOISE ID 83709

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 65-13143, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 10(NESW), Sec. 30, Township 18N, Range 03E
VALLEY County

PLACE OF USE: DOMESTIC
TWN RGE SEC

18N 03E 30 Lot 10(NESW)

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at 5 pm, this 9th day of February, 1993.

Ron E Stoor
(Signature)

Microfilm

APR 28 1993

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-13143

FOR DEPARTMENT USE ONLY

Preliminary check by Fee = \$20.00 Received by JW # C026741 Date 2-12-93

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 65-13143 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.
6. Place of use is located within Lots 20 and 21, Payette River Subdivision.

Witness my hand this 22ND day of FEBRUARY, 1993.

Acting for R. Keith Higginson, Director

FILED

APR 28 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13143

Proposed Priority: December 27, 1989 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **MARJORIE T. STOOR**

RON E. STOOR
1250 COTTERELL WAY
BOISE, ID 83709

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

01/01 to 12/31

0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWSE Sec. 30, Township 18N, Range 03E
VALLEY County

PLACE OF USE: DOMESTIC

TWN RGE SEC

18N 03E 30

NWSE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Place of use also known as Lots 20 & 21, Payette River Subd.
5. Domestic use is for one home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

27th day of

may, 19

90

for 
R. Keith Higginson, Director

MICROFILMED

JUN 06 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

- 1 Name of applicant Ron E And/or Marjorie T. Stoor Phone 322-8737
Post office address 1250 Cottrell Way Boise, Id. 83709
- 2 Source of water supply Well - Groundwater which is a tributary of N/A
- 3 Location of point of diversion is _____ ¼ of NW ¼ of SE ¼, Govt. Lot _____
Sec 30 Township 18N Range 3E B.M. Valley County; additional
points of diversion if any Jayette River Sub. McCall Lots 20, 21
4. Water will be used for the following purposes
- Amount 10 gpm for household purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount 0.04 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- 5 Total quantity to be appropriated is (a) 10.04 and/or (b) _____
cubic feet per second acre feet per annum
- 6 Proposed diverting works
- a Description of ditches, flumes, pumps, headgates, etc. 6" well 120' deep
- b Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage
_____ to _____ inclusive
- c Proposed well diameter is 6" inches; proposed depth of well is 120' feet
- d Is ground water with a temperature of greater than 90°F being sought? NO
- 7 Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year)

RECORDED

JUN 06 1990

Well drilled under Permit # 65-89-2-086

applicant to make this filing.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use? Same

11. a. Who owns the property at the point of diversion? *Ron E. And/or Margaret T. Stone*

10. Describe any other water rights used for the same purposes as described above.

Total number of acres to be irrigated.

[illegible]

ponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example, *D for Domestic*) in the corresponding column.

a If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9 Description of place of use.

e. Other; describe fully

d Domestic, show number of households.


c Municipal, show name of municipality.

b. Stockwatering, list number and kind of livestock

a Hydropower, show total feet of head and proposed capacity in kW

8 Description of proposed uses (if irrigation only, go to item 9)

13. Map of proposed project. show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth

Ren E. [Signature]
(Applicant)

Margie [Signature]

Received by MS. Date 12/27/89 Time 9:57am Preliminary check by RW
Fee \$ 30⁰⁰ Received by RL # W007258 Date 12-27-89
Publication prepared by GG Date 1-31-90 Published in Star News
Publication approved et Date 3-13-90
2/7 & 2/14/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1 Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land

d The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit

e Other

MICROFILMED

JUN 06 1990

RECEIVED

MAR 12 1990

Department of Water Resources
Western Regional Office

Publisher's Affidavit of Publication

STATE OF IDAHO

.SS

County of Valley

I, Bobette S. Steffler, being duly sworn and say, I am the receptionist of The Central Idaho Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the NOTICE OF APPLICATION FOR WATER RIGHT, a copy of which is enclosed hereto and is a part hereof, was published in said newspaper once a week for three consecutive weeks in the regular and entire issue of every number thereof during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began February 9, 1990 and ended February 15, 1990.

Subscribed and sworn before me this 7th day of March, 1990.

STATE OF IDAHO

COUNTY OF VALLEY

On this 7th day of March, in the year of 1990, before me, a Notary Public, personally appeared Bobette S. Steffler, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Tom Grote
Notary Public for Idaho
Residing at McCall, Idaho
Commission Expires: 1993

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-13137

STATE OF IDAHO, DEPT. OF LANDS, STATEHOUSE, BOISE, ID 83720

Source: BIG PAYETTE LAKE

Tributary: PAYETTE RIVER, NORTH FORK

Diversion Pt: LOT 1 (N1/4NW) Sec 22 T 19N R 03E

Use: DOMESTIC (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 1/17/1990

In: T19N R03E S22 Lot 1 (N1/4NW)

65-13138

STATE OF IDAHO DEPT. OF LANDS, STATEHOUSE, BOISE, IDAHO 83720

Source: BIG PAYETTE LAKE

Tributary: PAYETTE RIVER, NORTH FORK

Diversion Pt: LOT 1 (N1/4NE) Sec 3 T 18N R 03E

Use: DOMESTIC (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 1/17/1990

In: T18N R03E S03 Lot 1 (N1/4NE)

65-13140

STATE OF IDAHO, DEPT. OF LANDS, STATEHOUSE, BOISE, ID 83720

Source: UNNAMED STREAM

Tributary: BIG PAYETTE LAKE

Diversion Pt: Lot 1 (N1/4NW) Sec 33 T 19N R 03E

Use: DOMESTIC

(.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 1/17/1990

In: T19N R03E S33 Lot 1 (N1/4NW)

65-13143

STOOR, MARDORIE T., STOOR, RON E., 1250 COTTERELL WAY, BOISE, ID 83709

Source: GROUNDWATER

Diversion Pt: NWSE Sec 30 T 18N R 03E

Use: DOMESTIC (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 12/27/1989

In: T18N R03E S30 NWSE

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before FEBRUARY 26, 1990.

R. KEITH HIGGINSON, Director
2/2/15



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

March 4, 1993

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

RON E STOOR
MARJORIE T STORR
1250 COTTERELL WAY
BOISE ID 83709

RE: WATER RIGHT NO. 63-13143

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

APR 28 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 3, 1993

RON E STOOR
MARJORIE T STOOR
1250 COTTERELL WAY
BOISE ID 83709

RE: WATER RIGHT NO. 65-13143

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
APR 28 1993

LICENSE REVIEW CHECKLIST

Permit # 65-13143

Date 02-02-93
CB

	Yes	No	
NAME	<u> </u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance? <u> </u>
	<u> </u>	<u>✓</u>	Memo to Advance
	<u> </u>	<u>✓</u>	Order to Reinstate Needed?
TOTAL CFS	<u> </u>	<u>✓</u>	No Fee Paid
	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u> </u>	<u>✓</u>	Disagree with Actual Measurement?
	<u>✓</u>	<u> </u>	<u>.02 cfs (DOM)</u>
	<u>✓</u>	<u> </u>	Disagree with Theoretical? <u>.75 x 8.8 x .7 = .027</u>
	<u> </u>	<u> </u>	Limited by Capacity? <u>.02 cfs 78' + (2.31 x 40)</u> <u>measured @ 100' = .024</u>
TOTAL VOLUME			Rate/ac <u> </u> AFA Irr. Season <u> </u>
			<u> </u> Standard Irr. Season
			<u> </u> Season Recommended
	<u> </u>	<u>✓</u>	Disagree with Examiner's Calculations?
	<u> </u>	<u>✓</u>	<u>.6 cfs (DOM)</u>
	<u> </u>	<u>✓</u>	Limited by Flow? <u> </u>
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	<u> </u>	<u>✓</u>	<u>Intended</u> source <u> </u>
	<u> </u>	<u>✓</u>	Notice of Intent to Void.
P/D	<u>✓</u>	<u> </u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u>Change NWSE to NESW</u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U	<u>✓</u>	<u> </u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u>Change NWSE to NESW</u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use? <u> </u>
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u>✓</u>	<u> </u>	Non-Irr. Uses <u>DOM / Home</u>
	<u> </u>	<u>✓</u>	Special Overlap Condition <u> </u>
	<u>✓</u>	<u> </u>	Other <u>P/U</u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device
	<u> </u>	<u>✓</u>	W/Master Control
	<u> </u>	<u>✓</u>	Overlap
	<u> </u>	<u>✓</u>	Water Quality
			DATES/MISC
			<u> </u> <u>✓</u> Water Dist.
			<u>✓</u> <u> </u> App Rec'd
			<u>✓</u> <u> </u> Exam Made

COMMENTS: Amend P/D & P/U
Info for HP equation from Well inspection & log, and Proof B/U
68' SWL / Used 58' minimum dynamic level - 40 psi estimate DOM & per proof
Pump test on Well log 10gpm - same as measurement
 LICENSE AMEND ✓ SPECIAL PARAGRAPH

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 27 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No 65-13143
Phone No 322-8737 / 634-2697
EXAM. DATE 7/6/92
Phone No (same)


1. Owner: RON E. + MARJORIE T. STOR
Current Address: 1250 COTTERELL Way, Boise, ID 83709
2. Accompanied by: RON STOR
Address: (same)
Relationship to Permit Holder: Applicant
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use. 65-13338
_____ ☒ Copies Attached
2. Other water rights with same point of diversion: 65-13338
_____ ☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



RECEIVED

APR 28 1993

Scale: 1" = NTS

2. ☒ Copy of U S G S Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required) ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

Water from 122' 6" well, is piped into home for domestic, inside, use. No lawn or outdoor watering. Occasional water used to water flowers near port deck.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	(No					
Motor Make	Tag)					
Hp	3/4					
Motor Serial No.	(No Tag)					
Pump Make	Model 10507-12					
Pump Serial No. or Discharge Size						

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination

[illegible]

Do not use this space

APR 28 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

5 gallon bucket @ spigot

5 gallon / 30 sec = 10 gpm

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: 5 gallon bucket

$$Q = \frac{10 \text{ gpm}}{448.8 \text{ gpm}} = 0.02 \text{ CFS}$$

2. Alternate Method for Checking Purposes:

only 1 faucet measured - limited flow due to back pressure - allow .04 CFS per theoretical

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: 20 psi x 2.31 = 46.2 ft (1); Dynamic pumping level: 68 ft (2)

Total Head: (1) + (2) = 114.2 (3) $Q = \frac{(8.8)(0.7)(0.75)}{114.2} = 0.04 \text{ CFS}$; Flow rate: 0.04 cfs (4)

Water HP: (3) x (4) ÷ 8.8 = (5)

Meter Input KW: 3.6 x KH x CTR or MULT x PTR x N/ T = (6)

Meter Input HP: (6) x 1.34 = (7)

Panel Input KW: Ave PF x Ave Volts x Ave Amps x .001732 = (6)

Panel Input HP: (6) x 1.34 = (7) Efficiency: (5)/(7) x 100 = %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$

2. Volume Calculations for Other Uses:

$V_R = \text{Domestic (Inside)} = 0.6 \text{ AF}$

MISSOURI

APR 28 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

OVERLAP - P/D - Same area but different source.

P/U - Same area but different use.

Flow from spigot was ^{slightly} greater than 0.02 cfs, and the theoretical flow calculated to be 0.04 cfs. Recommend for Licensing 0.04 cfs as requested in permit.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	0.04	0.6 AF
Totals:			0.04	0.6 AF

2 Recommended Amendments

☒ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Rick Collingwood

12/31/92


Signature

Rick Collingwood

Certification Date

Field Report Preparation Date



7/16/92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

FILMED


APR 28 1993



PERMIT 65-1 3 INIT RC
T. R. S. Q/Q
ND 18N 3E 1/ESW
SCALE
PHOTO ID. 5-1 N 64 N

APR 28 1993

Archives



UNPUBLISHED

APR 28 1993

Sheet 225 of 228 of the Hydrographic Survey of the Coast of Liberia, 1880. Number of sheets 23101.32

Survey Designated	By Whom Surveyed	Date of Contract	Amount of Survey	When Surveyed	Mean Declination
225	1880	1880	1880	1880	1880

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 65-13143

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 18N, Rge 3E, Sec. 30, NW 1/4 SE 1/4 or Lot _____.

2. Owner: Ron E. & Marjorie T. Stoor

Address 1250 Cotterell Way, City Boise, St ID

3. Casing $\geq$ 12 inches above ground: Yes _____ No _____

4. Access Port:	Yes _____ No ☒	Static Water Level:	<u>68'</u>
Pressure Gauge:	Yes _____ No ☒	Casing Diameter:	<u>6"</u>
Flowing:	Yes ☒ No _____	Temperature:	<u>50°F</u>

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

MICROFILMED

APR 28 1993




PHOTO ONE-

View northwest of well and spigot. Well located north of garage and driveway.

>



PHOTO TWO-

well with shut-off valve.

MIDDELL MED

APR 28 1993




PHOTO THREE-

pressure tank and filtering system for house.

>



PHOTO FOUR-

View north of front of home.

MICROFILMED

APR 28



PHOTO FIVE-

View northwest of east side of home. Well casing can be seen right of truck.

>

PHOTO SIX-

MICROFILMED
APR 28 1993

May 3, 1991

MARJORIE T. STOOR
RON E. STOOR
1250 COTTERELL WAY
BOISE, ID 83709

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13143

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

ED
JUN 10 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 65-13143

Date 4-30-91

GENERAL CONSIDERATIONS

4 Name same as permit?
4 Address same as permit? If no, indicate below.
4 Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

4 Surface water source
4 Ground water source
4 Drill permit req'd?
4 Copy in file? Drill permit no. 65-89-Z-86
4 Amt paid for drilling permit? Correct?
4 Well log in file?

LICENSE EXAMINATION FEE

No Required?
4 Amount submitted?
4 Correct amount?

MEASURING DEVICE

No Measuring device or access port required?
4 Installed?
4 Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

*Proof acceptable
new well log*

PRIORITY CALCULATION

Date proof received _____
Date proof due _____ - _____
No. of days late _____ = _____
Priority date _____ + _____
NEW PRIORITY DATE _____ = _____

fb

RECEIVED

AUG 24 1989

Drilling Permit No. 65-89-Z-086
Water Permit No. _____
Injection Permit No. _____
Verbal issued 8/2/89 by [illegible]

Department of Water Resources

State of Idaho
Department of Water Resources

DRILLING PERMIT

1. Applicant RON STOR
2. Address 1250 Cotterell Way
Boise, Id. 83709 Telephone _____
- ☒ Well Owner () Well Operator () Other, specify _____
3. Proposed well location NW 1/4 SE 1/4, or Gov't lot No. _____,
Sec. 30, Twp. 18 N, Rge. 3 E, County VALLEY,
Lot, block and subdivision Pajette River Sub.
4. Proposed use of well: (Check all that apply)
☒ Domestic () Stockwater () Monitoring
No. of households 1 No. of livestock _____
() Irrigation () Industrial () Municipal
() Injection () Other, Specify _____
5. Well construction information:
(☒ New well () Deepen () Replace
Proposed surface diameter 6" Maximum depth 120'
Anticipated bottom hole temperature:
(☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
6. Anticipated construction start date 7.27.89
7. Well Driller (if known) MENASO Drilling
Address MCCALL, Id.
8. Applicant's signature Ron Stor by Al Menaso
Title _____
Date 7.27.89

ACTION OF DEPARTMENT OF WATER RESOURCES

This Permit is

APPROVED

If approved, this permit authorizes the construction of a well subject to the following conditions:

GENERAL CONDITIONS

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

SPECIFIC CONDITIONS

Dated this 29 day of August, 1989.

Signed

Mark S. Stiffen

Title

Groundwater Protection Section

Receipt No. C010271 Received by DMS Fee 10 Date 8-24-89

EXTENSION OF DRILLING PERMIT

Approval Date _____ Extension approved by _____ JUN 10 1991

This extension is good for 60 days beyond the above extension approval date.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

USE TYPEWRITER OR
BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

I. WELL OWNER

Name RON STOKES
Address 1250 COTTELL WAY
BOISE, ID. 83701
Owner's Permit No. 65-89-2-086

7. WATER LEVEL

Static water level 68' feet below land surface.
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 50 °F. Quality clear
Describe artesian or temperature zones below _____

II. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as
materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Bailor ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>10</u>	<u>115</u>	<u>1 hr.</u>

III. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
8"	0	4	Fill		X
8"	4	7	TOPSOIL		X
8"	7	10	Brown sand & gravel		X
8"	10	20	" " "		X
6"	20	30	" " "		X
6"	30	40	yellow clay		X
6"	40	80	Brown sand		X
6"	80	100	dk Brown sand & gravel		X
6"	100	116	clay & sandy clay		X
6"	116	121	coarse gravel	X	

IV. METHOD DRILLED

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

V. WELL CONSTRUCTION

Casing schedule: ☐ Steel ☐ Concrete ☐ Other _____
Thickness _____ Diameter _____ From _____ To _____
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet


Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____

Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 20' Material used in seal: ☐ Cement grout
☒ Bentonite ☐ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent
Weld _____
☐ Cemented between strata

Describe access port sanitary well seal

VI. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name Payette
River Sub.
Lot No. _____ Block No. _____

County Valley
NW 1/4 SE 1/4 Sec. 30, T. 18 N, R. 30 E.

10.

Work started 7-27-89 finished 7-31-89

11. DRILLERS CERTIFICATION

I, Menasco Drilling, certify that all minimum well construction standards were
complied with at the time the rig was removed.

Firm Name Menasco Drilling Firm No. 391
Address McCall Id. Date 8-21-89

Signed by (Firm Official) [Signature]
and
(Operator) [Signature]

RECEIVED
APR 29 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Amt of Fee \$

Date

Receipt No

Received by

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department

1. Permit No. 65-13143 Telephone No. 634-2697

2. Name(s) of Permit Holder(s): MARJORIE T and RONNY E Stoor BOIH 322-8737

3. Post Office Address: 1250 Coffeyville Way Boise, Id 83709 W 338-3458

4. Source of Water: Groundwater

(well) a. If ground water, well driller's name: Al Manasco Date drilled: Aug 89

b. Pump horsepower: 3/4 Pressure (psi): 40 Dynamic pumping level (ft.): 100'

5. Extent of Use: total depth 122'
Static level 68'

Domestic X (No. of households)

Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

6. Total rate and/or volume for which proof is submitted .04 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes X No Installed? Yes No

OR

Flow Measurement Port: Required? Yes X No Installed? Yes No

8. Fee Enclosed: \$ -0- (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Same

Name

Telephone No.

Address

10. The above information is my true statement of the extent to which the above number 65-13143 permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

4/26/91
Date

Ron E Stoor
Signature (and title if on behalf of a company or organization)

138511

March 31, 1991

MARJORIE T. STOOR
RON E. STOOR
1250 COTTERELL WAY
BOISE, ID 83709

PROOF DUE NOTICE

RE: PERMIT NO. 65-13143

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

637
Jul 10 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
May 24, 1990

MARJORIE T. STOOR
RON E. STOOR
1250 COTTERELL WAY
BOISE, ID 83709

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P65-13143

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

RECORDED
JUN 06 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED
JUN 06 1990

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: AW DATE: 1-18-90 APPLICATION: 65-13143

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume) Gov't. Lots:
☒ Period of use: N P/D
☒ Nature of proposed use: (Include description of use) N P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion:
☒ Field check required: Field check by: _____
☒ Field report attached:
☒ Critical groundwater area:
☒ Groundwater management area:
☒ Send dam safety information:
☒ Send power requirement letter:
☒ Send fish farm requirement letter:
☒ Power residency affidavit:
☒ Power efficiency form:
☒ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side: _____

MAY 14 1990
Department of Water Resources

65-13143

PROCESSING

YES NO

☒ ☐

In form for advertising:

☐ ☒

Statewide advertising:

☒ ☐

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒

I.D. Health and Welfare

☐ ☒

I.D. Fish and Game

☐ ☒

I.D. Lands

☐ ☒

Adjudication Bureau

YES NO

☐ ☒

U.S. BLM

☐ ☒

U.S. Forest Svc.

☐ ☒

Water Dist. # _____

☐ ☒

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☒

Affidavit of publication received:

☒ ☐

Application published correctly: If not, record action taken.

☐ ☐☐ ☐☒ ☐

Publication dates and paper recorded on application:

☐ ☒Protests received. Final date for protest February 26, 1990☐ ☒

Protest dates, resolution of protest recorded on application:

☐ ☒Recommendations attached: Approved, Dnr☐ ☒

Measuring device required:

☐ ☒

Measuring port required:

☐ ☒Water delivered by water master? District # 65 P05☐ ☒

Special conditions of approval or cover letter: _____

☐ ☒

See below for additional information

Recommended Date or Priority 12/27/1989Recommended by: DnrDate 6/6/1990STATE OFFICE REVIEWP05, P23P1446See below for additional information. By DnrDate 5-21-90ADDITIONAL INFORMATION

Form 235-1
3/89

RECEIVED
AUG 24 1989

Drilling Permit No. 65-89-Z-086
Water Permit No. _____
Injection Permit No. _____
Verbal issued 8/2/89 by letter

Department of Water Resources

State of Idaho
Department of Water Resources

DRILLING PERMIT

1. Applicant RON STORR
2. Address 1250 Cotterell Way
Boise, Id. 83709 Telephone _____
☒ Well Owner () Well Operator () Other, specify _____
3. Proposed well location NW 1/4 SE 1/4, or Gov't lot No. _____,
Sec. 30, Twp. 18 N, Rge. 3 E, County VALLEY,
Lot, block and subdivision Pajette River Sub.
4. Proposed use of well: (Check all that apply)
☒ Domestic () Stockwater () Monitoring
No. of households 1 No. of livestock _____
() Irrigation () Industrial () Municipal
() Injection () Other, Specify _____
5. Well construction information:
(☒ New well () Deepen () Replace
Proposed surface diameter 6" Maximum depth 120'
Anticipated bottom hole temperature:
(☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
6. Anticipated construction start date 7.27.89
7. Well Driller (if known) MENASLO Drilling
Address MCCALL, Id. **RECORDED & INDEXED**
8. Applicant's signature Ron Storr by Al Menaslo **JUN 06 1990**
Title _____
Date 7.27.89

104 CFS
cont #30 water on town

Water Resources
(John)

334-2190

ACTION OF DEPARTMENT OF WATER RESOURCES

This Permit is **APPROVED**.

If approved, this permit authorizes the construction of a well subject to the following conditions:

GENERAL CONDITIONS

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

SPECIFIC CONDITIONS

Dated this 29 day of August, 1989.

Signed

Title

Mahb. Shaffer

Groundwater Protection Section

Receipt No. C010271

Received by DMS

Fee 10

Date 8-24-89

RECEIVED

EXTENSION OF DRILLING PERMIT

JUN 06 1990

Approval Date _____ Extension approved by _____

This extension is good for 60 days beyond the above extension approval date.

65-13143

STOOR, MARJORIE T.
STOOR, RON E.
1250 COTTERELL WAY
BOISE, ID 83709

Source: GROUNDWATER

Diversion Pt: NWSE Sec 30 T 18N R 03E

Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 12/27/1989

In: T18N R03E S30 NWSE

MICROFILMED

JUN 06 1990