

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



600

100

MICROFILMED
JUN 06 1990

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X *Alan Hyde*
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
APR 16 1992

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Alan Hyde Permit No. 65-13142
Current Address: 2588 Waterwheel Rd Phone No. 365-5396
2. Accompanied by: Mrs. Hyde EXAM. DATE: 6-5-91
Address: _____ Phone No. _____
Relationship to Permit Holder: Mother & Office Manager
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-1264, 65-1840, 65-1841,
65-2353, 65-10874 ☐ Copies Attached
2. Other water rights with same point of diversion: 65-1264, 65-1840, 65-1841,
65-2353, 65-10874 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED
JUL 30 1992

Scale: 1" = _____.

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

TSN

An aerial photograph of a river valley, likely the Payette River. A red rectangular boundary is drawn on the left side of the image, enclosing a section of the river and surrounding land. Within this boundary, there are two yellow sticky notes with handwritten text. The top note reads "5N 1W Sec 4 SW/NE" and the bottom note reads "P4 P/D". A red arrow points from the top note to the bottom note. The river flows from the top left towards the bottom right. The surrounding landscape is a patchwork of agricultural fields and some wooded areas. A red stamp in the bottom right corner reads "JUL 20 1992". Other labels on the map include "Payette River", "Fuller Island", "Canal", and "2475-T".

65-13142



#1

Point of diversion.

Well on right
has been plugged.



#2

Place of use.

MICROFILMED
JUL 30 1992

#3

Place of use.
Stockwater.



MICROFILMED
JUL 30 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13142

Priority: January 12, 1990

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

0.8 AF

This is to certify, that ALAN HYDE
2588 WATERWHEEL RD
EMMETT ID 83617

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 12, 1990; and has submitted Proof of Beneficial Use on April 4, 1991. An examination indicates that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.04 CFS	0.8 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 4, Township 06N, Range 01W
GEM County

PLACE OF USE: COMMERCIAL
TWN RGE SEC

06N 01W 4 SWNE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Commercial use is for a veterinary hospital.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 14TH day of July, 1992.

Acting for R. Keith Higginson, Director

MICROFILMED

JUL 30 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13142

Proposed Priority: January 12, 1990 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **ALAN HYDE**
2588 WATERWHEEL RD.
EMMETT, ID 83617

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
COMMERCIAL	01/01 to 12/31	0.04 CFS
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		SWNE Sec. 4, Township 06N, Range 01W GEM County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

06N 01W 4 SWNE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Commercial use is for a veterinary hospital.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

24th day of May, 1990

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

JUN 06 1990

RECEIVED

JAN 12 1990

Ident No 65-13142

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Department of Water Resources
Western Regional Office

To appropriate the public waters of the State of Idaho

1. Name of applicant Alan Hyde Phone 208-365-5396

Post office address 2588 Waterwheel Rd. Emmett, Id. 83617

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of _____ $\frac{1}{4}$, Govt. Lot _____

Sec. 4 Township 6N Range 1W B.M. Gem County; additional

points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for Commercial purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well piped to building.
put well in in 1978

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is _____ inches, proposed depth of well is _____ feet

d. Is ground water with a temperature of greater than 90°F being sought? NO


7 Time required for the completion of the works and application of the water to the proposed beneficial use:
1 years (minimum 1 year).

* unknown per telecon with applicant 1/23/90, RL.

RECEIVED
JUN 06 1990

b Stockwatering; list number and kind of livestock.

13 Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Alan H. H. H.
(Applicant)

Received by JDH Date 1-12-90 Time 11:15am Preliminary check by RL
Fee \$ 30.00 Receipted by JDH # W007560 Date 1-12-90
Publication prepared by GG Date 1-24-90 Published in Messenger-Index
2/1 & 2/8/90
Publication approved st Date 3-30-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No _____, and said application is hereby _____

1 Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 _____

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

JUN 06 1990

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,

ss.

COUNTY OF GEM,

Esma Reyes, being first
duly sworn, on his oath deposes and
says that he is the printer of Mes-
senger-Index, a legal weekly news-
paper published at Emmett, in Gem
County, Idaho; that said newspaper
is in general circulation in said
county and has been published unin-
terruptedly and continuously for
more than 78 weeks prior to the
first publication of the annexed
document; and that the document
notice, process, or advertisement
hereunto annexed was published in
the regular edition of Messenger-
Index for Two (2)

consecutive weekly issues thereof,
beginning with the issue of
JANUARY 31, 1990,
and ending with the issue of
FEBRUARY 7, 1990

Esma Reyes

Subscribed and sworn to before me
this 7th day of

FEBRUARY, 1990

Mary Ann Hanson

Notary Public,
Residing at Emmett, Idaho.

My Commission Expires 3-21-95

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s)
have been filed to appropriate
the public waters of the State of
Idaho:

63-11098

AUGUSTINE, PATRICIA E.
AUGUSTINE, CHARLES R.
RT 7 BOX 420
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt: NWSW Sec 33 T

06N R 03W
Use: IRRIGATION (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 1/10/1990
In: T06N R03W S33 NWSW
2.0 ACRES TOTAL

63-11106

COBB, DONALD R.
COBB, GLENDA D.
RT. 7 BOX 422
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt: SENWSW Sec 33
T 06N R 03W

Use: IRRIGATION (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 1/08/1990
In: T06N R03W S33 NWSW
2.0 ACRES TOTAL

65-13123

DAVIS, ALVIN D.
DAVIS, KAREN L.
HC 78 BOX 3769
OLA, ID 83657
Source: SPRING
Tributary: SQUAW CREEK
Diversion Pt: SWNESE Sec 10
T 11N R 01E

Use: IRRIGATION (.200 CFS)
Total Diversion: (.200 CFS)
Date Filed: 11/28/1989
In: T11N R01E S10 NWSE
10.0 ACRES TOTAL

65-13134

VILLAGE OF SWEET
C/O DUANE S. HILL
7250 SWEET HWY.
SWEET, ID 83670
Source: SPRING

Tributary: SQUAW CREEK
Diversion Pt: NENESW Sec 3
T 07N R 01E

Use: IRRIGATION (.030 CFS)
STOCKWATER (.050 CFS)
DOMESTIC (.050 CFS)
FIRE PROTECTION (.050 CFS)
Total Diversion (.050 CFS)
Date Filed: 1/18/1990

In: T07N R01E S03 Lot 2
(NWNE)
NESW
SWNE Lot 3 (NENW) SENW
NWSE

65-13135

JUSTUS ENTERPRISES
C/O DON JUSTUS
1024 RANCH RD.
BOISE, ID 83702
Source: SPRINGS

Tributary: YERGENSEN
CREEK

Source: YERGENSEN CREEK
Tributary: SQUAW CREEK
Diversion Pt: SESWNW Sec 31
T 08N R 01E

SESENW Sec 31 T 08N R 01E
SESW Sec 32 T 08N R 01E
Use: STOCKWATER (.070 CFS)
STOCKWATER STORAGE (.140
AFA)

STOCKWATER FROM
STORAGE (.140 AFA)
Total Diversion: (.070 CFS) (.14
AF)

Date Filed: 1/17/1990
In: T08N R01E S31 SWNW
SENW NESE

632 SESW T 08N R 01E S31
65-13142

HYDE, ALAN
2588 WATERWHEEL RD.
EMMETT, ID 83617

Source: GROUNDWATER
Diversion Pt: SWNE Sec 4 T
06N R 01W
Use: COMMERCIAL (.040
CFS)

Total Diversion: (.040 CFS)
Date Filed: 1/12/1990
In: T06N R01W S04 SWNE

The permit(s) will be subject
to all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources,
Western Region, 2735 Airport
Way, Boise, Idaho
83705 on or before February 20,
1990.

R. KEITH HIGGINSON,
Director

Pub.: 1-31, 2-7-90

Legal Notice No. 687

Pub. in the Messenger Index

INDEXED
JUN 6 1990

July 14, 1992

ALAN HYDE
2588 WATERWHEEL RD
EMMETT ID 83617

RE: WATER RIGHT NO. 65-13142

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED
JUL 30 1992

LICENSE REVIEW CHECKLIST

Permit # 65-13142

Date 6-18-92 *es*

	<u>Yes</u>	<u>No</u>	
NAME	_____	<u>✓</u>	Address Change? _____
PRIORITY DATE	_____	<u>✓</u>	Advance? _____
	_____	<u>✓</u>	Memo to Advance _____
	_____	<u>✓</u>	Order to Reinstate Needed? _____
TOTAL CFS	_____	<u>✓</u>	Incorrect Fee for rate recommended? _____
	<u>NA</u>	_____	Disagree with Actual Measurement? _____
			<u>.04 cfs (COMM)</u>
	<u>✓</u>	_____	Disagree with Theoretical? <u>.75 x 8.8 x .7 = .04</u>
	_____	_____	Limited by Capacity? <u>.04 cfs 6' x 2.31 x 40</u>
TOTAL VOLUME			Rate/ac _____ AFA Irr. Season _____
			Standard Irr. Season _____
			Season Recommended _____
	_____	<u>✓</u>	Disagree with Examiner's Calculations? _____
			<u>.8 afa (COMM)</u>
	_____	<u>✓</u>	Limited by Flow? _____
SOURCE	_____	<u>✓</u>	Changes? Clarification of <u>Originally</u>
			<u>Intended</u> source _____
	_____	<u>✓</u>	Notice of Intent to Void. _____
P/D	_____	<u>✓</u>	Verify with Map _____
	_____	<u>✓</u>	Amendment Needed? _____
	_____	<u>✓</u>	Is Overlap Analysis a Consideration? _____
P/U	_____	<u>✓</u>	Verify with Map _____
	_____	<u>✓</u>	Amendment Needed? _____
	_____	<u>✓</u>	Is Overlap Analysis a Consideration? _____
USES	_____	<u>✓</u>	Change(s) in Nature of Use? _____
	_____	<u>✓</u>	Amendment Needed? _____
REMARKS	_____	<u>✓</u>	Multiple P/Ds in 1/4 1/4? _____
	<u>✓</u>	_____	Non-Irr. Uses <u>COMM/Vet hospital</u>
	_____	<u>✓</u>	Special Overlap Condition _____
	_____	<u>✓</u>	Other _____
CONDITIONS	_____	<u>✓</u>	Measuring Device _____ DATES/MISC _____
	_____	<u>✓</u>	W/Master Control _____ <u>✓</u> Water Dist. _____
	_____	<u>✓</u>	Overlap _____ <u>✓</u> App Rec'd _____
	_____	<u>✓</u>	Water Quality _____ <u>✓</u> Exam Made _____
COMMENTS/MEMOS NEEDED:	_____		
	<u>Used 40 psi / low end DOM-type estimate</u>		
	<u>Proof states 60 psi, but also shows 20 gpm / .04 cfs</u>		
License	<u>✓</u> 10-Day	15-Day	Special Correspondence

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
APR 16 1992

Department of Water Resources

A. GENERAL INFORMATION


1 Owner: Alan Hyde Permit No. 65-13142
Current Address: 2588 Waterwheel Rd Phone No. 365-5396
2 Accompanied by: Mrs. Hyde EXAM. DATE: 6-5-91
Address: _____ Phone No. _____
Relationship to Permit Holder: Mother & Office Manager
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-1264, 65-1840, 65-1841,
65-2353, 65-10874 ☐ Copies Attached
2. Other water rights with same point of diversion: 65-1264, 65-1840, 65-1841,
65-2353, 65-10874 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1 **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i. d. as applicable. ☐ Alternative diagram attached



MICROFILMED
JUL 30 1992

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc)

A 6" well discharged through an underground line into the commercial building located 50' away. Hydrants from the building were used to water a small lawn and to water an average of four head of stock per day. The water was used inside the building to wash animals, clean cages, and for two bathrooms.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	N/A	3/4	N/A	N/A	

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NE	4	6N	1W	GEM	USGS Photo Quad

6 Place(s) of Use:

Indicate Method of Determination USGS Photo Quad

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
6N	1W	4			C														

Do not use this space

MIDGET MED

JUL 30 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

Theoretical H.P. $\frac{8.8 \times 70\% \text{ EFF} \times 3/4 \text{ H.P.}}{(2.31 \times 20 \text{ psi}) + 6'} = .09 \text{ cfs} -$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

See "additional computations" attachment

MICROFILMED
JUL 30 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

The dynamic pumping level of 6' was taken from the proof of beneficial use. The owners did not know what the level was, but this value reasonably corresponds with other well logs in the same area. Turbidity per is the estimated value used on domestics.

All volumes given are based on an average amount of use during the year.

No overlaps affect this permit.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Commercial	1/1	12/31	.04	.8
Totals:			.04	.8


2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

J. AUTHENTICATION

Field Examiner's Name Mark Smius
Signature Mark Smius
Certification Date _____
Field Report Preparation Date 6-7-91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JUL 30 1992

WATER REQUIREMENTS FOR HOSPITAL

Volume Consumption:

a. Toilets (2)	40 gal/day * 365
b. Hand sinks (3)	30 gal/day * 365
c. Animal bath (10 gallon/twice weekly)	20 gal/week * 52
d. Clean kennels	10 gal/day * 365
e. Water animals	2 gal/day * 365
f. Clean stock facilities	25 gal/week * 52
g. Water stock (4 head/day ave.)	48 gal/day * 365

Totals:

49,790gal/year

49,790gal/year * 1acre-foot/325,350gal

.15 afa office

.6 afa lawn

.04 X 365 X 1.9835

.75 afa

= 28.95

Instantaneous Demand:

vir = .8 afa

vdr = 29 afa

a. Per annum volume of a-f = 32,270gpy

32,270gpy/365days/24hrs/60min/448.8

.01cfs

b. Stock watering (4 head*.00022)

.01cfs

c. Irrigation (175'*20'/43560sq.ft./acre) .1acre

.01cfs

Totals:

.03cfs

APR 30 1992

(
end 100
at 4 5 1/2 mile

T7N
T5N

810 000
FEET



Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 65-13142

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 6N, Rge 1W, Sec. 4, SW1/4 NE1/4 or Lot .

2. Owner: Alan Hyde

Address 2588 Waterwheel Rd., City Emmett, St ID
83617

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port:	Yes ☒ No ☐	Static Water Level:	<u>N/A</u>
Pressure Gauge:	Yes ☐ No ☒	Casing Diameter:	<u>6"</u>
Flowing:	Yes ☒ No ☐	Temperature:	<u> </u>


5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks:

MICROFILMED
JUL 30 1992

65-13142




#1

Point of diversion
Well on right
has been plugged.



#2


Place of use.



MICROFILMED
JUL 30 1992

#3

Place of use
Stockwater.



RECEIVED
JUL 30 1992

April 12, 1991

ALAN HYDE
2588 WATERWHEEL RD.
EMMETT, ID 83617

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13142

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

NOT FILMED

APR 23 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 65-13142

Date 4-11-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☒ Ground water source
NA Drill permit req'd?
☐ Copy in file? Drill permit no. _____
☐ Amt paid for drilling permit? _____ Correct?
☐ Well log in file?

LICENSE EXAMINATION FEE

- NO Required?
☐ Amount submitted?
☐ Correct amount?

MEASURING DEVICE

- NO Measuring device or access port required?
☐ Installed?
☐ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

PRIORITY CALCULATION

Date proof received	<u>NA</u>	
Date proof due		-
No. of days late		=
Priority date		+
NEW PRIORITY DATE		=

[Signature]

RECEIVED

APR 04 1991

No 3 received
Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Am't of Fee \$

Date

Receipt No

Received by

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1 Permit No 65-13142 Telephone No. 365-3206

2 Name(s) of Permit Holder(s): DR. Alan Hyde

3 Post Office Address: 2588 Waterwheel Rd. Emmett, Id. 83617

4 Source of Water: Well

a If ground water, well driller's name: Ernie Driscoll Date drilled: Spring 1979

b Pump horsepower: 3/4 Pressure (psi): 60 Dynamic pumping level (ft.): 6 ft.

5 Extent of Use:

Domestic _____ (No. of households)

Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock)

Other Commercial -

Veterinary Hospital

6 Total rate and/or volume for which proof is submitted (20 gpm) cfs _____ acre/feet
.04

7 Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes X No Installed? Yes No

OR

Flow Measurement Port: Required? Yes X No Installed? Yes No

8 Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

DR. Alan Hyde
Name

365-3206
Telephone No.

2588 Waterwheel Rd. Emmett, Id.
Address

10 The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

4-1-91
Date

Alan Hyde - owner APR 23 1991
Signature (and title if on behalf of a company or organization)

Rita 4-3-91 - No fee required.

138310
March 31, 1991

ALAN HYDE
2588 WATERWHEEL RD.
EMMETT, ID 83617

PROOF DUE NOTICE

RE: PERMIT NO. 65-13142

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

APR 23 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
May 24, 1990

ALAN HYDE
2588 WATERWHEEL RD.
EMMETT, ID 83617

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P65-13142

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please be advised that water quality is subject to regulations of the Idaho Department of Health and Welfare. We suggest that you check with them before starting construction.

MICROFILMED

JUN 06 1990

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 06 1990

P/D & P/U

6N

5-4

5WNE

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: SL DATE: 1/22/90 APPLICATION: 65-13142

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume) Gov't. Lots:
☒ Period of use: N P/D
☒ Nature of proposed use: (Include description of use) N P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES	NO	
☒	☐	Overlapping place of use: (Describe source & relationship to present application on the back.)
☒	☐	Overlapping point of diversion:
☐	☐	Field check required: Field check by: _____
☐	☐	Field report attached:
☐	☐	Critical groundwater area:
☐	☐	Groundwater management area:
☐	☐	Diversion within interim protected river area
☐	☐	Send dam safety information:
☐	☐	Send power requirement letter:
☐	☐	Send fish farm requirement letter:
☐	☐	Power residency affidavit:
☐	☐	Power efficiency form:
☐	☐	Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐	☐	Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☐	☐	*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

☒ DATE REQUESTED: _____
☐ Additional information on reverse side:

RECEIVED
MAY 14 1990

Department of Water Resources

65-13142

HYDE, ALAN
2588 WATERWHEEL RD.
EMMETT, ID 83617

Source: GROUNDWATER

Diversion Pt: SWNE Sec 4 T 06N R 01W

Use: COMMERCIAL (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 1/12/1990

In: T06N R01W S04 SWNE

MICROFILMED

JUN 06 1990