


T7N, R1W, Sec. 18, SESE



AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
ss.
COUNTY OF GEM,

Esma Reyes, being first
duly sworn, on ^{her} oath deposes and
says that ^{she} is the ^{clerk} printer of Mes-
senger-Index, a legal weekly news-
paper published at Emmett, in Gem
County, Idaho; that said newspaper
is in general circulation in said
county and has been published unin-
terruptedly and continuously for
more than 78 weeks prior to the
first publication of the annexed
document; and that the document
notice, process, or advertisement
hereunto annexed was published in
the regular edition of Messenger-
Index for TWO

consecutive weekly issues thereof,
beginning with the issue of
FEBRUARY 14, 1990,
and ending with the issue of
FEBRUARY 21, 1990

Esma Reyes
Subscribed and sworn to before me
this 21st day of

FEBRUARY, 1990

Mary Ann Hanson

Notary Public,
Residing at Emmett, Idaho

My Commission Expires 3-21-95

MICROFILMED
JUN 06 1990

NOTICE OF APPLICATION
FOR WATER RIGHT

The Following appli- (s)
have been filed to ap- late
the public waters of the State of
Idaho:

65-13141

BOWMAN, ELMER
BOWMAN, HILMA
5550 VAN DEUSEN RD.
EMMETT, ID 83617
Source: GROUNDWATER
Diversion Pt: SESE Sec 18 T
07N R 01W
Use: IRRIGATION (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 1/23/1990
In: T07N R01W S18 SESE
1.5 ACRES TOTAL

65-13145

SUTTON, KAREN R.
SUTTON, RODGER E.
1238 EAGLE HILLS WAY
EAGLE, ID 83616
Source: SPRINGS
Tributary: GOLD RUN CREEK
Source: UNNAMED STREAM
Tributary: GOLD RUN CREEK
Diversion Pt: NESENE Sec 24
T 10N R 01E
NENESE Sec 24 T 10N R 01E
NWNWSE Sec 24 T 10N R 01E
NESWSE Sec 24 T 10N R 01E
SESWSE Sec 24 T 10N R 01E
LOT 2 (NESWNW) Sec 19 T
10N R 02E
SENESE Sec 19 T 10N R 02E
SESESE Sec 19 T 10N R 02E
SESENE Sec 30 T 10N R 02E
Use: STOCKWATER (.200 CFS)
STOCKWATER STORAGE
(11.70 AF)
Total Diversion: (.200 CFS)
(11.70 AF)
Date Filed: 1/25/1990
In: T10N R01E S24 SENE
NESE NWSE SWSE
R02E S19 Lot 2 (SWNW)
NESW SESW
S30 SENW

65-13146

BILBREY DITCH CO. LTD.
2551 TOMS CABIN RD.
EMMETT, ID 83617
Source: PAYETTE RIVER
Tributary: SNAKE RIVER
Diversion Pt: LOT 5 (NWSW)
Sec 11 T 06N R 02W
Use: IRRIGATION (1.080 CFS)
Total Diversion: (.020 CFS)
Date Filed: 1/15/1990
In: T06N R02W S09 Lot 4
(NWNW) SWNW SENW
S16 NENE NWNE
54.0 ACRES TOTAL

65-13148

HERR, RODNEY H.
HERR, MARCIA H.
400 COSTON DR.
BOISE, ID 83712
Source: UNNAMED DRAIN
Tributary: SQUAW CREEK
Diversion Pt: NENE Sec 9 T
07N R 01E
NESE Sec 9 T 07N R 01E
SWSE Sec 9 T 07N R 01E
Use: IRRIGATION (1.700 CFS)
Total Diversion: (1.700 CFS)
Date Filed: 1/30/1990
In: T07N R01E S09 NENE
NWNE NESW NWSE
S16 NWNE NENW
85.0 ACRES TOTAL

65-13149

MORRIS, JAY L.
MORRIS, JUDITH L.
P.O. BOX 41
EMMETT, ID 83617
Source: GROUNDWATER
Diversion Pt: SWNWSE Sec 14
T 06N R 02W
Use: COMMERCIAL (.170 CFS)
Total Diversion: (.170 CFS)
Date Filed: 1/31/1990
In: T06N R02W S14 NWSE

The permit(s) will be subject
to all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources,
Western Region, 2735 Airport
Way, Boise, Idaho 83705 on or
before MARCH 5, 1990.

R. KEITH HIGGINSON,
Director

Pub.: 2-14, 21-90

Legal Notice No. 699
Pub. in the Messenger Index

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
APR 16 1992

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Elmer & Helma Bowman Permit No. 05-13141
Current Address: 5550 Van Dusen Rd., Emmett, Idaho 83617 Phone No. 305-3309
2. Accompanied by: Mr & Mrs Bowman EXAM. DATE: 4-12-91
Address: Same Phone No. Same
Relationship to Permit Holder: Same
3. Source: groundwater tributary to NA

B. OVERLAP REVIEW

1. Other water rights with same place of use: 05-13162, 05-13163 ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 100'

RECORDED
JUL 30 1992


2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

PHOTO ID.

47

PERMIT 05-13141 INIT

T. R. S. Q/Q
P/D 7W 1W 18 SCSE
SCALE



65-13141



#1

Well



#2

Front pasture

MICROFILMED
JUL 30 1992

65-13141



#3

View looking
East of entire
property including
home.



#4

View of
back pasture

MICROFILMED
JUL 30 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13141

Priority: January 23, 1990

Maximum Diversion Rate:
Maximum Diversion Volume:

0.04 CFS
6.8 AF

This is to certify, that ELMER BOWMAN
HILMA BOWMAN

5550 VAN DEUSEN RD
EMMETT ID 83617

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 23, 1990; and has submitted Proof of Beneficial Use on June 1, 1990. An examination indicates that the works have a diversion capacity of .120 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.04 CFS	6.8 AF

LOCATION OF POINT(S) OF DIVERSION:

SESE , Sec. 18, Township 07N, Range 01W
GEM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07N	01W	18	SESE	1.5		1.5

Total number of acres irrigated: 1.5

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED
JUL 30 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13141

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 14th
day of July, 19 72.

Acting for *Ron C. Young*
R. Keith Higginson, Director

JUL 20 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13141

Proposed Priority: January 23, 1990 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **ELMER BOWMAN**
HILMA BOWMAN
5550 VAN DEUSEN RD.
EMMETT, ID 83617

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	0.04 CFS
------------	----------------	----------

<u>LOCATION OF POINT(S) OF DIVERSION:</u>	SESE	Sec. 18, Township 07N, Range 01W GEM County
---	------	--

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07N 01W 18	SESE 1.5			1.5


Total number of acres irrigated: 1.5

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **June 1, 1991**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

24th day of May, 1990.

for

R. Keith Higginson, Director

MICROFILMED

JUN 10 1990

Ident. No. 65-13141

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: ELMER BOWMAN 208-365-3309
Address: 5550 VAN DEUSEN RD.
EMMETT, ID 83617
OR
Name: HILMA BOWMAN 208-365-3309
Address: 5550 VAN DEUSEN RD.
EMMETT, ID 83617

2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: SESE Sec. 18, Township 07N, Range 01W
GEM County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.040		

5. Total quantity appropriated is:
0.040 CFS (and/or) AF

6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc.
6" CS, 50' DEEP, 3 HP PUMP
b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
c. Proposed well diameter is 6 inches; proposed depth of well is 50
feet.
d. Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:
IRRIGATION

9. Place of Use: IRRIGATION

TWN RGE SEC	ACRES	ACRES	ACRES	TOTAL
07N 01W 18	SESE 1.5			1.5
		Total number of acres irrigated:		1.5

MICROFILMED

JUN 06 1990

10. Describe any other water rights used for the same purposes.
NONE

11. a. Who owns the property at the point of diversion?
APPLICANT

b. Who owns the land to be irrigated or place of use?
APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

Hilma Bowman
Applicant

Received by L. Werner Date 1-23-90 Time 1:30p Preliminary check by CC

Fee \$ 30- Receipted by L. Werner # W7848 Date 1-23-90

Publication prepared by GG Date 2-7-90 Published in Messenger-Index
2/15 & 2/22/90

Publication approved st Date 4-2-90

MICROFILMED

JUN 06 1990

65-13141

- 710, R.W., Sec. 18, SE SE



AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
ss.
COUNTY OF GEM,

Esma Reyes, being first
duly sworn, on ^{her} oath deposes and
says that she is the ^{clerk} printer of Mes-
senger-Index, a legal weekly news-
paper published at Emmett, in Gem
County, Idaho; that said newspaper
is in general circulation in said
county and has been published unin-
terruptedly and continuously for
more than 78 weeks prior to the
first publication of the annexed
document; and that the document
notice, process, or advertisement
hereunto annexed was published in
the regular edition of Messenger-
Index for TWO

consecutive weekly issues thereof,
beginning with the issue of
FEBRUARY 14, 1990,
and ending with the issue of
FEBRUARY 21, 1990

Esma Reyes

Subscribed and sworn to before me
this 21st day of

FEBRUARY, 1990

Mary Ellen Hanson

Notary Public,
Residing at Emmett, Idaho

My Commission Expires 3-21-95 JUN 06 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The Following appli (s)
have been filed to ap, iate
the public waters of the State of
Idaho.

65-13141
BOWMAN, ELMER
BOWMAN, HILMA
5550 VAN DEUSEN RD
EMMETT, ID 83617
Source: GROUNDWATER
Diversion Pt: SESE Sec 18 T
07N R 01W
Use IRRIGATION (040 CFS)
Total Diversion (040 CFS)
Date Filed 1/23/1990
In: T07N R01W S18 SESE
15 ACRES TOTAL

65-13145
SUTTON, KAREN R
SUTTON, RODGER E
1238 EAGLE HILLS WAY
EAGLE, ID 83616
Source SPRINGS
Tributary GOLD RUN CREEK
Source UNNAMED STREAM
Tributary GOLD RUN CREEK
Diversion Pt: NESENE Sec 24
T 10N R 01E
NENESE Sec 24 T 10N R 01E
NWNWSE Sec 24 T 10N R 01E
NESWSE Sec 24 T 10N R 01E
SESWSE Sec 24 T 10N R 01E
LOT 2 (NESWNW) Sec 19 T
10N R 02E
SENESE Sec 19 T 10N R 02E
SESESE Sec 19 T 10N R 02E
SESENE Sec 30 T 10N R 02E
Use: STOCKWATER (.200 CFS)
STOCKWATER STORAGE
(11 70 AF)
Total Diversion (.200 CFS)
(11 70 AF)
Date Filed 1/25/1990
In: T10N R01E S24 SENE
NESE NWSE SWSE
R02E S19 Lot 2 (SWNW)
NESW SESW
S30 SENW

65-13146
BILBREY DITCH CO LTD
2551 TOMS CABIN RD
EMMETT, ID 83617
Source: PAYETTE RIVER
Tributary SNAKE RIVER
Diversion Pt: LOT 5 (NWSW)
Sec 11 T 06N R 02W
Use: IRRIGATION (1080 CFS)
Total Diversion: (.020 CFS)
Date Filed: 1/15/1990
In: T06N R02W S09 Lot: 4
(NWNW) SWNW SENW
S16 NENE NWNE
54.0 ACRES TOTAL

65-13148
HERR, RODNEY H
HERR, MARCIA H
400 COSTON DR
BOISE, ID 83712
Source: UNNAMED DRAIN
Tributary: SQUAW CREEK
Diversion Pt: NENE Sec 9 T
07N R 01E
NESE Sec 9 T 07N R 01E
SWSE Sec 9 T 07N R 01E
Use IRRIGATION (1,700 CFS)
Total Diversion: (1 700 CFS)
Date Filed: 1/30/1990
In: T07N R01E S09 NENE
NWNE NESW NWSE
S16 NWNE NENW
850 ACRES TOTAL

65-13149
MORRIS, JAY L.
MORRIS, JUDITH L
P.O. BOX 41
EMMETT, ID 83617
Source: GROUNDWATER
Diversion Pt: SWNWSE Sec 14
T 06N R 02W
Use: COMMERCIAL (170 CFS)
Total Diversion: (.170 CFS)
Date Filed: 1/31/1990
In: T06N R02W S14 NWSE
The permit(s) will be subject
to all prior water rights. Pro
must be filed with the Dir
Dept. of Water Resou
Western Region, 2735 A
Way, Boise, Idaho 83705
before MARCH 5, 1990.

R KEITH HIGGIN

Pub 2-14, 21-90

Legal Notice No.

Pub in the Messenger Index

July 14, 1992

ELMER BOWMAN
HILMA BOWMAN
5550 VAN DEUSEN RD
EMMETT ID 83617

RE: WATER RIGHT NO. 65-13141

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED
JUL 30 1992

LICENSE REVIEW CHECKLIST

Permit # 65-13141

Date 6-17-92
38

	Yes	No	
NAME	_____	_____	Address Change?
PRIORITY DATE	_____	_____	Advance? _____
	_____	_____	Memo to Advance _____
	_____	_____	Order to Reinstate Needed? _____
TOTAL CFS	_____	_____	Incorrect Fee for rate recommended? _____
	_____	_____	Disagree with Actual Measurement? _____
	_____	_____	1.5 x .03 = .045 / Allow .04 cfs (IRR) per permit
	_____	_____	Disagree with Theoretical? _____
	_____	_____	Limited by Capacity? .12 cfs
TOTAL VOLUME			Rate/ac 4.5 AFA Irr. Season D
			3-15 to 11-15 Standard Irr. Season
			Same Per Permit Season Recommended
	_____	_____	Disagree with Examiner's Calculations? _____
	_____	_____	1.5 x 4.5 = 6.75 @ 6.8 a/c (IRR)
	_____	_____	Limited by Flow? .04 x 245 x 1.9835 = 19.4 > 6.8
SOURCE	_____	_____	Changes? Clarification of <u>Originally</u>
	_____	_____	<u>Intended</u> source _____
	_____	_____	Notice of Intent to Void. _____
P/D	_____	_____	Verify with Map _____
	_____	_____	Amendment Needed? _____
	_____	_____	Is Overlap Analysis a Consideration? _____
P/U	_____	_____	Verify with Map _____
	_____	_____	Amendment Needed? _____
	_____	_____	Is Overlap Analysis a Consideration? _____
USES	_____	_____	Change(s) in Nature of Use? _____
	_____	_____	Amendment Needed? _____
REMARKS	_____	_____	Multiple P/Ds in 1/4 1/4? _____
	_____	_____	Non-Irr. Uses _____
	_____	_____	Special Overlap Condition _____
	_____	_____	Other _____
CONDITIONS	_____	_____	Measuring Device _____
	_____	_____	W/Master Control _____
	_____	_____	Overlap _____
	_____	_____	Water Quality _____
	_____	_____	DATES/MISC _____
	_____	_____	Water Dist. _____
	_____	_____	App Rec'd _____
	_____	_____	Exam Made _____
COMMENTS/MEMOS NEEDED:	_____		

License	10-Day	15-Day	Special Correspondence

RECEIVED
APR 16 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Elmer & Helma Bowman Permit No. 05-13141
Current Address: 5550 Van Dusen Rd, Emmett, Idaho 83617 Phone No. 365-3309
2. Accompanied by: Mr & Mrs Bowman EXAM. DATE: 4-12-91
Address: Same Phone No. Same
Relationship to Permit Holder: Same
3. Source: groundwater tributary to NA

B. OVERLAP REVIEW

1. Other water rights with same place of use: 05-13162, 05-13163
☐ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 100'

RECORDED
JUL 30 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc)

3" main line that has above every 40'. With a discharge
is delivered by a pump, 3" line above 140' to a 4" line
discharge of a well with a 6" casing and a 2" discharge. With
by a 2" pump line pipe to about 120' above of pump.

☐ See Remarks on page 4 for continuation

Well or Division Identification No.*	35-418-S2	3	35-418-S2	2" discharge
Motor Make	3	35-418-S2	35-418-S2	2" discharge
Motor Make	3	35-418-S2	35-418-S2	2" discharge
Hp	3	35-418-S2	35-418-S2	2" discharge
Motor Serial No.	35-418-S2	35-418-S2	35-418-S2	2" discharge
Pump Make	35-418-S2	35-418-S2	35-418-S2	2" discharge
Pump Serial No. or Discharge Size	35-418-S2	35-418-S2	35-418-S2	2" discharge

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination.

[illegible]

Do not use this space

JUL 3 0 1992

MICROFILM

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$\frac{3 \times 8.8 \times .7}{15 + (2.3 \times 60)} = \frac{18.48}{153} = .12 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.5 \times 4.5 = 6.75$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .12 \times 246 \times 1.9835 = 58.74$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 6.75$

2. Volume Calculations for Other Uses.

MicroFILMED
JUL 30 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

System consists of a 50' well with a 6" diameter casing. Water is provided to a buried main line by a buried 3" line approx 135 ft. long. The buried main line is a 3" line approx 440 ft long with eleven risers that provide water to 2" aluminum pipe for delivery to pasture area. This same well provides domestic water through 120 ft of 1 1/2" buried line to a pair of pressure tanks in the garage of residence. The pump is a 3 hp submersible pump. The dynamic level is 15 ft per the owner and his records.

Other rights in same PQ do not affect this permit

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	.04	6.75
Totals:			.04	6.75

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Melvin T. Schulte


Signature

Mel Schulte

Certification Date

Field Report Preparation Date

5-3-91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

JUL 30 1991

PHOTO ID. 117

PERMIT 05-13141 INIT

T. R. S. Q/Q

P/D 7W 1W 18 SCSE

SCALE



Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 05-13141

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 7N, Rge 1W, Sec. 18, SE 1/4 SE 1/4 or Lot _____.

2. Owner: Elmer & Heling Borman
Address 5530 Van Deusen Rd, City Emmett, St Id.

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port:	Yes ☐ No ☒	Static Water Level:	<u>15'</u>
Pressure Gauge:	Yes ☐ No ☒	Casing Diameter:	<u>0"</u>
Flowing:	Yes ☐ No ☒	Temperature:	_____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☐

If answer to Item 5 is Yes, describe in remarks and attach photo.


Remarks: No problems noted

MICROFILMED
JUL 30 1992

-65-13141 -


#1

Well



#2

Front pasture




RECORDED
JUL 30 1992

45-13141



#3
View looking
East of entire
property including
home.



#4
View of
back pasture

JUL 30 1992

June 26, 1990

ELMER BOWMAN
HILMA BOWMAN
5550 VAN DEUSEN RD.
EMMETT, ID 83617

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13141

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JUN 27 1990

EX-6-25-90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 165-13141 Telephone No. 365-3309

Name(s) of Permit Holder(s): Mr. & Mrs. Elmer Bowman

Post Office Address: 5550 Van Deusen Rd.

Source of Water: Groundwater

If ground water, well driller's name: Ernest Russell Date drilled: Mar. 7-1980

Extent of Use:
Domestic ☒ (No. of households) Irrigation 1 1/2 (No. of acres)
Stockwater ☒ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: June 1, 1980

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Fee Enclosed: \$ None (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination

Mr. or Mrs. Elmer Bowman 365-3309
Name Telephone No.

5550 Van Deusen Rd. Emmett, Id.
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

JUN 27 1990

6/11/90
Date

Hilma Bowman
Signature (and title if on behalf of a company or organization)

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 65-13141

Date: 6-25-90

General Considerations:

☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change NO If yes, prepare a data entry
☒ Proof received timely
☐ Reinstated

Source of Water:

☐ Surface water
☒ Groundwater
1. well log in file 1780
2. drilling permit N/A
A. amount of drilling fee paid for proposed uses N/A

Extent of Use and Rate of Diversion:

☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Priority Calculation:

Date proof received

Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

<u>1780</u>	
	-
	=
	+
	=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
May 24, 1990

ELMER BOWMAN
HILMA BOWMAN
5550 VAN DEUSEN RD.
EMMETT, ID 83617

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P65-13141

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MicroFILMED

JUN 06 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MILKRUN LMEB

JUN 06 1990

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: GL DATE: 1-31-90 APPLICATION: 65-13141

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:
- Gov't. Lots:
N/A P/D
N/A P/U

ADDITIONAL INFORMATION

- | YES | NO | |
|--------------------------|-------------------------------------|--|
| ☐ | ☒ | Overlapping place of use: (Describe source & relationship to present application on the back.) |
| ☐ | ☒ | Overlapping point of diversion: |
| ☐ | ☐ | Field check required: Field check by: _____ |
| ☐ | ☐ | Field report attached: |
| ☐ | ☒ | Critical groundwater area: |
| ☐ | ☒ | Groundwater management area: |
| ☐ | ☒ | Diversion within interim protected river area |
| ☐ | ☒ | Send dam safety information: |
| ☐ | ☒ | Send power requirement letter: |
| ☐ | ☒ | Send fish farm requirement letter: _____ |
| ☐ | ☒ | Power residency affidavit: |
| ☐ | ☒ | Power efficiency form: |
| ☐ | ☒ | Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.) |
| ☐ | ☒ | Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.) |
| ☐ | ☒ | *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT |

DATE REQUESTED: _____

Additional information on reverse side: _____

RECEIVED

MAY 14 1990

Department of Water Resources

PROCESSING

APPLICATION NO. 65-13141

YES NO

☒ ☐
☐ ☒
☐ ☐
☒ ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☒
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☒

Publication dates and paper recorded on application:

Protests received. Final date for protest March 5, 1990

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, Dnr

Measuring device required:

Measuring port required:

Water delivered by water master? District # 65-P05

Special conditions of approval or cover letter:

See below for additional information

Recommended Date or Priority 1/23/1990

Recommended by: Dnr

Date 5/6/1990

STATE OFFICE REVIEW

P05, P23

P16

46

See below for additional information. By

RW

Date 5-21-90

ADDITIONAL INFORMATION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

FEBRUARY 7, 1990

Messenger-Index
P.O. Box 577
Emmett, ID 83617

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MARCH 5, 1990.

Yours truly,

GAIL GARRETT
Secretary

Encl.

MICROFILMED

JUN 1990

65-13141

BOWMAN, ELMER
BOWMAN, HILMA
5550 VAN DEUSEN RD.
EMMETT, ID 83617

Source: GROUNDWATER

Diversion Pt: SESE Sec 18 T 07N R 01W

Use: IRRIGATION (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 1/23/1990

In: T07N R01W S18 SESE

1.5 ACRES TOTAL