


T8N R1E

SECTIONS 31 & 32



MICKFILMED

JUN 06 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 27 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: JUSTUS Enterprises, c/o Don Justus Permit No. 65-13135
Current Address: 1024 Ranch Road, Boise, ID 83702 Phone No. 774-3322/344-0921
2. Accompanied by: Don + Kevin Justus EXAM. DATE: 7/15/92
Address: (SAME) Phone No. SAME
Relationship to Permit Holder: Applicant + Son
3. Source: Springs tributary to Yergenson Creek
Yergenson Creek Squaw Creek

B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-0335, 65-10464, 65-13164, 65-12683
☒ Copies Attached
2. Other water rights with same point of diversion: NONE
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

RECEIVED
JUN 8 1993

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).



PERMIT 65-1335 INIT KC
T. R. S. Q/Q
P/D 8N 1E 31 SENN, SWNW, SIESW
SCALE
PHOTO ID. W-78 N.E. Emmett & Montour

8 1993

Regan



PHOTO ONE-

View southwest up ravine where spring is located.
Three troughs are to the left of barn.

>



PHOTO TWO-

View northeast of JUSTUS home, barn, and miscellaneous structures. Picture taken near spring box location.

MISSOURI
FEB 18 1993



PHOTO THREE-

Spring Box Lid, approximately 30" x 30", in brushy area of Ravine. Box itself is 2' diameter concrete pipe.



RECEIVED
FEB 18 1993

PHOTO FOUR-

Plastic barrel used as valve cover. One valve controls flow to main line, and the other for two rubber troughs near barn.



PHOTO FIVE-

Valves under plastic barrel. Valve to the top of photo controls FLOW TO the two rubber troughs. The valve in the bottom portion of photo controls FLOW TO mainline.

>



PHOTO SIX-

Two rubber troughs near barn. The valve control cover is shown in background. (Troughs 1 and 2).



SEVEN
PHOTO ONE-

Trough #3 inside corral near barn. Overflow Ties back into main line to service Troughs 4 to 7.



EIGHT
PHOTO TWO-

Inflow and overflow, 1" Iron Pipe, to Trough #3. The 1 1/4" PVC main line is shown weaving through fence.

APPROVED
FEB 18 1993



^{NINE}
PHOTO THREE-

The 1 1/4" PVC mainline weaving through fence and brush.



REPRODUCED
FEB 18 1993

^{TEN}
PHOTO FOUR-

Trough #4 north of Butte Road and approximately 2000' east of barn.



ELEVEN
PHOTO FIVE-

Trough # 5 Located directly south about 100' from Trough # 4 and south of BUTTE ROAD. The 1" Iron pipe is the overflow from Trough # 4.

>



TWELVE
PHOTO SIX-

View northwest of Trough # 5. The $1\frac{1}{4}$ " PVC shown is the overflow and supplies water to Trough # 6.

RECEIVED
FEB 18 1993



THIRTEEN
PHOTO ONE-

View southwest of Trough #6 Located approximately 3200' east of barn. Trough located south of Butte Road.



FOURTEEN
PHOTO TWO-

View southeast of Trough #7 Located approximately 3400' east of barn. Trough located north of Butte Road. Overflow discharges down ravine.

FEB 18 1993

RECEIVED



FIFTEEN
PHOTO THREE-

Spring box, 5' diameter cnp, located in the SESW/NW of Section 31. Supplies water to small barrel Trough and overflows Trough to water area through locust grove of trees.

>



SIXTEEN
PHOTO FOUR-

A 2' diameter Trough located approximately 200' east of spring shown above.

RECEIVED
FEB 18 1993



SEVENTEEN

PHOTO ~~FIVE~~-

View northeast of stockwater storage pond filled by Yergensen Creek. Yergensen Creek has been dry for 4-5 years, thus the pond has been dry also for 4-5 years.

>

RECEIVED
FEB 18 1993

EIGHTEEN

PHOTO ~~SIX~~-

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13135

Priority: January 17, 1990

Maximum Diversion Rate:

0.07 CFS

Maximum Diversion Volume:

3.1 AF

This is to certify, that JUSTUS ENTERPRISES

C/O DON JUSTUS

1024 RANCH RD

BOISE ID 83702

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 17, 1990; and has submitted Proof of Beneficial Use on June 11, 1991. An examination indicates that the works have a diversion capacity of .070 cfs of water from:

SPRINGS

YERGENSON CREEK

tributary to YERGENSON CREEK

tributary to SQUAW CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.07 CFS	3.0 AF
STOCKWATER STORAGE	01/01 to 12/31		0.1 AF
	Totals	0.07 CFS	3.1 AF

LOCATION OF POINT(S) OF DIVERSION:

SESWNW , Sec. 31, Township 08N, Range 01E
SWNESW , Sec. 31, Township 08N, Range 01E
SESW , Sec. 32, Township 08N, Range 01E
GEM County

PLACE OF USE: STOCKWATER

TWN RGE SEC

08N 01E 31

SWNW

SESW

NESW

32

NESE

NWSW

SESW

PLACE OF USE: STOCKWATER STORAGE

TWN RGE SEC

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.

RECEIVED

FEB 18 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 65-13135

CONDITIONS/REMARKS:

2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 65A.
6. Stockwater use is for 4 horses and 220 range cattle.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code, Witness the seal and signature of the Director, affixed at Boise, this 15TH day of FEBRUARY, 1973.

Acting for


R. Keith Higginson, Director

FEB 18 1993

State of Idaho
Department of Water Resources

RECEIVED

FEB 8 1993

Department of Water Resources

APPROVED

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-13135

Date of Priority: January 17, 1990

Maximum Diversion Rate:

0.07 CFS

Maximum Diversion Volume:

3.1 AF

Comes now

JUSTUS ENTERPRISES

C/O DON JUSTUS

1024 RANCH RD

BOISE ID 83702

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 65-13135, and requests that the permit be changed as follows:

Source: SPRINGS

tributary to YERGENSON CREEK

Source: YERGENSON CREEK

tributary to SQUAW CREEK

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.07 CFS	3.0 AF
STOCKWATER STORAGE	01/01 to 12/31		0.1 AF
	Totals	0.07 CFS	3.1 AF

LOCATION OF POINT(S) OF DIVERSION:

SESWNW , Sec. 31, Township 08N, Range 01E
SWNESW , Sec. 31, Township 08N, Range 01E
SESW , Sec. 32, Township 08N, Range 01E
GEM County

PLACE OF USE: STOCKWATER
TWN RGE SEC

08N 01E	31	SWNW	SESW	NESW
		NESE		
	32	NWSW	SESW	

PLACE OF USE: STOCKWATER STORAGE
TWN RGE SEC

RECEIVED

FEB 18 1993

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-13135

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Boise, ID, this 5th day of February, 1993.

Donald K. Justice
(Signature)

FEB 18 1993

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-13135

FOR DEPARTMENT USE ONLY

Preliminary check by CS Fee = \$20.00 Received by JJ # C026702 Date 2-9-93

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 65-13135 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 65A.
6. Stockwater use is for 4 horses and 220 range cattle.

Witness my hand this 15TH day of FEBRUARY, 1993.

Acting for R. Keith Higginson, Director

FEB 18 1993

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 65-13135 IN)
THE NAME OF JUSTUS ENTERPRISES) ORDER
_____)

WHEREAS, on June 4, 1990, the Department of Water Resources issued Permit No. 65-13135 with a condition of approval which states:

A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this permit,


and;

WHEREAS, the Department of Water Resources has determined that the compliance with this condition of approval is not required at this time;

NOW, THEREFORE, IT IS ORDERED that this condition of approval on Permit No. 65-13135 is REMOVED.

IT IS FURTHER ORDERED that the Director retains jurisdiction to require future installation upon a finding of need.

Dated this 17th day of June, 1991.


L. GLEN SAXTON
Chief, Water Allocation Bureau

MICROFILMED

JUL 15 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13135

Proposed Priority: January 17, 1990 Maximum Diversion Rate: 0.07 CFS
This is to certify, that **JUSTUS ENTERPRISES**

C/O DON JUSTUS
1024 RANCH RD.
BOISE, ID 83702

has applied for a permit to appropriate water from:

SPRINGS
YERGENSEN CREEK

tributary of **YERGENSEN CREEK**
tributary of **SQUAW CREEK**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.07 CFS	
STOCKWATER STORAGE	01/01 to 12/31		0.1 AF
STOCKWATER FROM STORAGE	01/01 to 12/31		0.1 AF
	Totals	0.07 CFS	

LOCATION OF POINT(S) OF DIVERSION:

SESENW Sec. 31, Township 08N, Range 01E
SESW Sec. 32, Township 08N, Range 01E
SESWNW Sec. 31, Township 08N, Range 01E
GEM County

PLACE OF USE: STOCKWATER

TWN RGE SEC

08N 01E 31	SWNW	SENW	NESE
32	SESW		

PLACE OF USE: STOCKWATER STORAGE

TWN RGE SEC

08N 01E 32	SESW
------------	------

PLACE OF USE: STOCKWATER FROM STORAGE, same as STOCKWATER use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1991.
2. Subject to all prior water rights.
3. Use of water under this permit is subject to control by the watermaster of State Water District No. 65A.
4. A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this permit.

MICROFILMED
JUN 09 1990

State of Idaho
Department of Water Resources**Permit To Appropriate Water**

NO. 65-13135

CONDITIONS/REMARKS:

5. Two points of diversion within SENW, S31,T8N, R1E.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

4th day of June, 1990.

for R. Keith Higginson
R. Keith Higginson, Director

MICROFILMED

JUN 06 1990

Ident. No. 65-13135

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: JUSTUS ENTERPRISES 208-344-0921
Address: C/O DON JUSTUS
1024 RANCH RD.
BOISE, ID 83702
2. Source: SPRINGS Trib. to: YERGENSEN CREEK
YERGENSON CREEK SQUAW CREEK
3. Location of Point of Diversion: SESWN Sec. 31, Township 08N, Range 01E
SESENW Sec. 31, Township 08N, Range 01E
SESW Sec. 32, Township 08N, Range 01E
GEM County
4. Water will be used for the following purposes:
- | Purpose | From | To | CFS | (or) | AF |
|-------------------------|-------|-------|-------|------|------|
| STOCKWATER | 01/01 | 12/31 | 0.070 | | |
| STOCKWATER STORAGE | 01/01 | 12/31 | | | 0.14 |
| STOCKWATER FROM STORAGE | 01/01 | 12/31 | | | 0.14 |
5. Total quantity to be appropriated is:
0.070 CFS (and/or) 0.14 AF
6. Proposed diverting works:
- Description of ditches, flumes, pumps, headgates, etc.
THREE SPRINGS, PIPELINE, STOCKTANKS, POND 100'X 150'X 3'
 - Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - Proposed well diameter is inches; proposed depth of well is
feet.
 - Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.
8. Description of proposed uses:
STOCKWATER

RECORDED

JUN 06 1990

9. Place of Use: STOCKWATER

TWN RGE SEC
08N 01E 31
32

SWNW
SESW

SENW

NESE

Place of Use: STOCKWATER STORAGE

TWN RGE SEC
08N 01E 32

SESW

Place of Use: STOCKWATER FROM STORAGE

TWN RGE SEC
08N 01E 32

SESW

10. Describe any other water rights used for the same purposes.
NONE

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

* 12. Remarks: Two points of Diversion within SE NW 31 T08N R01E.

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

RECORDED

JUN 06 1990

SEE Original Applications
Applicant

Received by L. WERNER Date 1-17-90 Time 3:00 Preliminary check by GP

Fee \$ 30.00 Receipted by L. WERNER # W007704 Date 1-17-90

Publication prepared by GG Date 1-24-90 Published in Messenger-Index
2/1 & 2/8/90

Publication approved st Date 3-30-90

* added to data base 1-23-90 gg

Additional Owners

STEVEN JUSTUS

1009 North 22nd

Boise, Idaho 83702

KEVIN JUSTUS

1009 North 22nd

Boise, Idaho 83702

KARIN JUSTUS

1024 Ranch Road


Boise, Idaho 83702

MICROFILMED

JUN 06 1990

T8N R1E

SECTIONS 31 & 32



MICROFILMED

JUN 06 1990

ORIGINAL

combined with
65-13135

Ident. No. 65-13136

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: JUSTUS ENTERPRISES 208-344-0921
Address: C/O DON JUSTUS
1024 RANCH RD.
BOISE, ID 83702
2. Source: YERGENSON CREEK Trib. to: SQUAW CREEK
3. Location of Point of Diversion: SESW Sec. 32, Township 08N, Range 01E
GEM County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
STOCKWATER	01/01	12/31	0.070		
STOCKWATER STORAGE	01/01	12/31			0.14
STOCKWATER FROM STORAGE	01/01	12/31			0.14
5. Total quantity appropriated is:
0.070 CFS (and/or) 0.14 AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
ON-STREAM POND:100'X150'X3'
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is inches; proposed depth of well is
feet.
 - d. Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.
8. Description of proposed uses:
STOCKWATER
9. Place of Use: STOCKWATER
TWN RGE SEC
08N 01E 32 SESW

MICROFILMED

JUN 06 1990

Ident. No. 65-13136
Page 2

Place of Use: STOCKWATER STORAGE, same as STOCKWATER use
Place of Use: STOCKWATER FROM STORAGE, same as STOCKWATER use

10. Describe any other water rights used for the same purposes.

NONE

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Applicant

Received by L. Werner Date 1-17-90 Time 3:00 p Preliminary check by _____

Fee \$ 30.00 Receipted by L. Werner # W7704 Date 1-17-90

Publication prepared by _____ Date _____ Published in _____

Publication approved _____ Date _____

RECORDED
INDEXED

JUN 06 1990

ORIGINAL

Combined with
65-13136

Ident. No. 65-13135

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: JUSTUS ENTERPRISES 208-344-0921
Address: C/O DON JUSTUS
1024 RANCH RD.
BOISE, ID 83702
2. Source: SPRINGS Trib. to: YERGENSEN CREEK
3. Location of Point of Diversion: SESWN Sec. 31, Township 08N, Range 01E
SESEWN Sec. 31, Township 08N, Range 01E
GEM County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
STOCKWATER	01/01	12/31	0.070		
5. Total quantity appropriated is:
0.070 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
SEE REMARKS
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is inches; proposed depth of well is
feet.
 - d. Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.
8. Description of proposed uses:
STOCKWATERING
9. Place of Use: STOCKWATER

TWN RGE SEC
08N 01E 31

SWNW SENW NESE
10. Describe any other water rights used for the same purposes.
NONE

MICROFILMED

JUN 06 1990


11. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

THERE ARE TWO SPRINGS IN THE SE1/4,NW1/4. SPRING NO. 1 HAS
HYDRANT W/OVERFLOW TO POND. DIMENSIONS ARE APPROX. 30'X20'X18".
SPRING NO. 2 IS TWO SPRINGS CONNECTED BY PIPELINE WITH ADDITIONAL
PIPELINE GOING TO CORRAL (STOCK TANK) AND ACROSS THE ROAD TO
ANOTHER TANK.

13. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.


Applicant

Received by L. Werner Date 1-17-90 Time 3:00p Preliminary check by _____

Fee \$ 30.00 Receipted by L. Werner # W7704 Date 1-17-90

Publication prepared by _____ Date _____ Published in _____

Publication approved _____ Date _____

RECORDED

JUN 06 1990

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
 ss.
 COUNTY OF GEM,

Esma Reyes, being first
 duly sworn, on his oath deposes and
 says that he is the ^{her} printer of Mes-
 senger-Index, a legal weekly news-
 paper published at Emmett, in Gem
 County, Idaho; that said newspaper
 is in general circulation in said
 county and has been published unin-
 terruptedly and continuously for
 more than 78 weeks prior to the
 first publication of the annexed
 document; and that the document
 notice, process, or advertisement
 hereunto annexed was published in
 the regular edition of Messenger-
 Index for Two (2)

consecutive weekly issues thereof,
 beginning with the issue of
JANUARY 31, 1990,
 and ending with the issue of
FEBRUARY 7, 1990

Esma Reyes
 Subscribed and sworn to before me
 this 7th day of
FEBRUARY, 1990
Mary Ann Hanson
 Notary Public,
 Residing at Emmett, Idaho.

My Commission Expires 3-21-95

RECORDED
 JUN 06 1990

NOTICE OF APPLICATION FOR WATER RIGHTS

The Following application(s)
 have been filed to appropriate
 the public waters of the State of
 Idaho:

63-11098
 AUGUSTINE, PATRICIA E.
 AUGUSTINE, CHARLES R.
 RT. 7 BOX 420
 CALDWELL, ID 83605
 Source: GROUNDWATER
 Diversion Pt. NWSW Sec 33 T
 06N R 03W
 Use: IRRIGATION (.040 CFS)
 Total Diversion: (.040 CFS)
 Date Filed: 1/10/1990
 In: T06N R03W S33 NWSW
 2.0 ACRES TOTAL

63-11106
 COBB, DONALD R.
 COBB, GLENDA D.
 RT. 7 BOX 422
 CALDWELL, ID 83605
 Source: GROUNDWATER
 Diversion Pt. SENWSW Sec 33
 T 06N R 03W
 Use: IRRIGATION (.040 CFS)
 Total Diversion: (.040 CFS)
 Date Filed: 1/08/1990
 In: T06N R03W S33 NWSW
 2.0 ACRES TOTAL

65-13123
 DAVIS, ALVIN D
 DAVIS, KAREN L.
 HC 78 BOX 3769
 OLA, ID 83657
 Source: SPRING
 Tributary: SQUAW CREEK
 Diversion Pt: SWNESE Sec 10
 T 11N R 01E
 Use: IRRIGATION (.200 CFS)
 Total Diversion: (.200 CFS)
 Date Filed: 11/28/1989
 In: T11N R01E S10 NWSE
 10.0 ACRES TOTAL

65-13134
 VILLAGE OF SWEET
 C/O DUANE S HILL
 7250 SWEET HWY.
 SWEET, ID 83670
 Source: SPRING
 Tributary: SQUAW CREEK
 Diversion Pt: NENESW Sec 3
 T 07N R 01E
 Use: IRRIGATION (.030 CFS)
 STOCKWATER (.050 CFS)
 DOMESTIC (.050 CFS)
 FIRE PROTECTION (.050 CFS)
 Total Diversion (.050 CFS)
 Date Filed: 1/18/1990
 In: T07N R01E S03 Lot 2
 (NWNE)
 NESW
 SWNE Lot 3 (NENW) SENW
 NWSE

65-13135
 JUSTUS ENTERPRISES
 C/O DON JUSTUS
 1024 RANCH RD.
 BOISE, ID 83702
 Source: SPRINGS
 Tributary: YERGENSEN
 CREEK
 Source: YERGENSEN CREEK
 Tributary: SQUAW CREEK
 Diversion Pt: SESWNW Sec 31
 T 08N R 01E
 SESEWN Sec 31 T 08N R 01E
 SESW Sec 32 T 08N R 01E
 Use: STOCKWATER (.070 CFS)
 STOCKWATER STORAGE (.140
 AFA)
 STOCKWATER FROM
 STORAGE (.140 AFA)
 Total Diversion: (.070 CFS) (.14
 AF)
 Date Filed: 1/17/1990
 In: T08N R01E S31 SWNW
 SENW NESE
 S32 SESW

65-13142
 HYDE, ALAN
 2588 WATERWHEEL RD.
 EMMETT, ID 83617
 Source: GROUNDWATER
 Diversion Pt: SWNE Sec 4 T
 06N R 01W
 Use: COMMERCIAL (.040
 CFS)
 Total Diversion: (.040 CFS)
 Date Filed: 1/12/1990
 In: T06N R01W S04 SWNE

The permit(s) will be subject
 to all prior water rights. Protests
 must be filed with the Director,
 Dept. of Water Resources,
 Western Region, 2735 Airport
 Way, Boise, Idaho
 83705 on or before February 20,
 1990.

R. KEITH HIGGINSON,
 Director
 Pub.: 1-31, 2-7-90
 Legal Notice No. 687
 Pub in the Messenger Index



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 16, 1993

JUSTUS ENTERPRISES
C/O DON JUSTUS
1024 RANCH RD
BOISE ID 83702

RE: WATER RIGHT NO. 65-13135

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

FILED 18 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 3, 1993

JUSTUS ENTERPRISES
C/O DON JUSTUS
1024 RANCH RD
BOISE ID 83702

RE: WATER RIGHT NO. 65-13135

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

FEB 18 1993

LICENSE REVIEW CHECKLIST

Permit # 65-13135

Date 02-02-93
C.S.

	<u>Yes</u>	<u>No</u>	
NAME	___	<u>✓</u>	Address Change? _____
PRIORITY DATE	___	<u>✓</u>	Advance? _____
	___	<u>✓</u>	Memo to Advance _____
	___	<u>✓</u>	Order to Reinstate Needed? _____
TOTAL CFS	___	<u>✓</u>	Incorrect Fee for rate recommended? _____
	___	<u>✓</u>	Disagree with Actual Measurement? <u>NA-Drought</u>
	___	___	<u>Allow .07 cfs (STOCK)</u>
	<u>NA</u>	___	Disagree with Theoretical? _____
	___	<u>✓</u>	Limited by Capacity? <u>.07 cfs</u>
TOTAL VOLUME			Rate/ac _____ AFA Irr. Season _____
			_____ Standard Irr. Season _____
			_____ Season Recommended _____
	___	<u>✓</u>	Disagree with Examiner's Calculations? _____
	___	<u>✓</u>	<u>.1afa (STOCK/STOR) 224 x .0134 = 3.0afa (STOCK)</u>
	___	<u>✓</u>	Limited by Flow? _____
SOURCE	___	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	___	<u>✓</u>	<u>Intended</u> source _____
	___	<u>✓</u>	Notice of Intent to Void. _____
P/D			Verify with Map _____
	<u>✓</u>	___	Amendment Needed? <u>change SESENW to SESWNW</u>
	___	<u>✓</u>	Is Overlap Analysis a Consideration? <u>per Exam map</u>
P/U			Verify with Map _____
	<u>✓</u>	___	Amendment Needed? <u>Add NESW, S31 + NWSW, S32</u>
	___	<u>✓</u>	Is Overlap Analysis a Consideration? _____
USES	___	<u>✓</u>	Change(s) in Nature of Use? <u>Drop From STOR.</u>
	___	<u>✓</u>	Amendment Needed? _____
REMARKS	___	<u>✓</u>	Multiple P/Ds in 1/4 1/4? _____
	<u>✓</u>	___	Non-Irr. Uses <u>STOCK / 220 Cattle + 4 Horses</u>
	___	<u>✓</u>	Special Overlap Condition _____
	___	<u>✓</u>	Other _____
CONDITIONS	___	<u>✓</u>	Measuring Device _____
	<u>RC4</u>	___	W/Master Control <u>45A</u>
	___	<u>✓</u>	Overlap _____
	___	<u>✓</u>	Water Quality _____
			DATES/MISC _____
			Water Dist. _____
			App Rec'd _____
			Exam Made _____
COMMENTS:	<u>Proof filed shows 220 Cattle + 4 Horses Amend P/D + P/U</u>		
	<u>No pond dimensions on exam - 5.1afa = pond capacity</u>		
	<u>P/D legals taken from exam map - Do not concur with exam legals.</u>		
LICENSE	<u>AMEND</u>	<u>✓</u>	SPECIAL PARAGRAPH _____

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	JUSTUS ENTERPRISES C/O DON JUSTUS 1024 RANCH RD BOISE ID 83702 (208) 344-0921	01/17/1990	STOCKWATER STOCKWATER STORAGE	01-01 12-31 01-01 12-31	0.07 CFS	3.0 AFA 0.1 AFA
TOTAL DIVERSION:					0.07 CFS	3.1 AFA

Water Source: SPRINGS
YERGENSON CREEK

Tributary to: YERGENSON CREEK
SQUAW CREEK

Stage: LICENSE

Point(s) of Diversion Capacity: 0.07 CFS

Point(s) of Diversion: T08N R01E S31 SE SW NW SW NE SW
S32 SE SW

Place of use Legal Description for: STOCKWATER

				NE				NW				SW				SE							
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:
				Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac	
08N	01E	31	:																				
08N	01E	32	:																				

Place of use Legal Description for: STOCKWATER STORAGE

				NE				NW				SW				SE							
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:
				Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac	
08N	01E	32	:																				

Pou County: GEM

Non-Irrigation Uses: ~~5/300-HEAD CATTLE~~

Other Water Rights Listing Overlapping Place(s) of use:
65-00335

Conditions of Approval:

- R04 - Use of water under this water right will be regulated by the watermaster of State Water District No. 65A.

Remarks: Stockwater use is for 4 horses and 220 range cattle.

Dates: App. Received: 01/17/1990 Priority Date: 01/17/1990
Proof Due Date: 07/01/1991 Proof Made Date: 06/11/1991
Exam Made Date: 07/15/1992 Exam Sent to S.O.: 01/22/1993
Licensed Date:

Misc: Water District Number: 65A Field Exam Fee: R (Received)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 27 1993

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 65-13135
1. Owner: JUSTUS Enterprises, c/o Don Justus Phone No. 774-3322/344-0921
Current Address: 1024 Ranch Road, Boise, ID 83702
2. Accompanied by: Don + Kevin Justus EXAM. DATE: 7/15/92
Address: (SAME) Phone No. SAME
Relationship to Permit Holder: Applicant + Son
3. Source: Springs tributary to Yergenson Creek
Yergenson Creek Squaw Creek

B. OVERLAP REVIEW

1. Other water rights with same place of use 65-0335, 65-10464, 65-13164, 65-12683
☒ Copies Attached
2. Other water rights with same point of diversion: NONE
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



RECEIVED

Scale: 1" = NTS

8 1993

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and place(s) of use (required). (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

(P/O #1) Spring southwest of home and barn, supplies water from 2' diameter concrete pipe spring box through 1 1/4" PVC to stockwater troughs, 7 in all. The last is approximately 2/3 of a mile east of home and barn. (P/O #2) This spring located directly west of home, has a 3' diameter CMP Spring Box with a steel lid. Water is piped approximately 200' east to a spigot filling 2' diameter trough. Another line from this spring, 1 1/4" PVC, supplies water to home. A hose from the front yard spigot is also used to tie into a 1" PVC line to small 'emergency' trough approximately 500' east of home. ☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
N/A					

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	NE	SW	31	8N	1E	Gem	Aerial Map
		SE	SE	NE	31	8N	1E	Gem	Aerial Map
		SE	SW		32	8N	1E	Gem	Aerial Map

6. Place(s) of Use:

Indicate Method of Determination Same as P/O

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
8N	1E	31							5'	5'	5'				5'				
8N	1E	32									5'		5' (storage)						

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

5 gallon bucket at Trough #3 near Barn Flow = 5 gpm
 5 gallon bucket at Trough from Spring #2 east of home
 at spigot to Trough Flow = 5 gallon / 55 sec = 5.4 gpm

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached (not accurate due to drought)

1. Measured Method: 5 gallon bucket

Spring 1 - $\frac{5 \text{ gpm}}{448.8 \text{ gpm}} = 0.01 \text{ cfs}$ Spring 2 - $\frac{5.4 \text{ gpm}}{448.8 \text{ gpm}} = 0.01 \text{ cfs}$

2. Alternate Method for Checking Purposes:

$Q = 5 \pi R^2 = .04 \text{ cfs}$ for $1\frac{1}{4}$ pipe @ 5'/sec $.04 \times 2' = .08 \text{ cfs}$ allow .07 cfs per permit

F. PUMP EFFICIENCY DATA (Optional)

N/A

Discharge Pressure: _____ psi x 2.31 = _____ ft (1), Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____ FEB 18 1993

2. Volume Calculations for Other Uses: 6.4 head

$V_R = \frac{224 \times 12 \times 365}{125850} = 3.0 \text{ AF}$

$V_R < V_{IR}$ use 3.0 AFA

$V_0 = 0.07 \times 365 \times 1.9835 = 50.7 \text{ AF}$

STOCKWATER STORAGE PROVIDED - $V = \frac{220,000 \text{ FT}^3}{43,560 \text{ FT}^3} = 5.1 \text{ AFA}$

07 x 1.9835 = .14
 storage required
 but limited to .10 per permit

H. REMARKS AND OVERLAP REVIEW ANALYSIS

(.14 per data base)
for storage

OVERLAPS - (P/U) - Same uses but different sources.

As per Table # 6, annual water use for 224 head of cattle is 0.07 cfs. The annual volume requested is ~~0.2~~^{0.14} AF, although volume calculations for the stockwater storage was 5.1 AF. Therefore recommend Licensing for 0.7 cfs for stockwater and 0.10 AF for stockwater storage. Also, since no stockwater is distributed by storage pond, recommend removal of stockwater from storage as shown on permit.

P/D correction - SWNE SW section 31, T8N., R1E.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Stock water	1/1	12/31	0.07	3.0
Stockwater storage	1/1	12/31	—	~~5.1~~ ^{0.1}
Totals:			0.07	8.1
				3.10

2. Recommended Amendments

☒ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☒ Other

elements
st from storage

J. AUTHENTICATION

Field Examiner's Name

Rick Collingwood

Signature

Rick Collingwood


Certification Date

Field Report Preparation Date

8/3/92

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



8-1353



P/D

P/L
Trough
4

P/L
Trough
5

P/D
+ P/L

P/L
Trough
1,2,3

P/D

P/L
Trough
6

P/L
Trough
7

PERMIT 65-1335 INIT KC

T. R. S. Q/Q

P/D 8N 1E 31 SEWN, SWNW, SESW

SCALE

PHOTO ID. W-7,8 N.E. Emmett & Montrose

Royston

Regan




PHOTO ONE-

View southwest up ravine where spring is located.
Three Troughs are to the left of barn.



PHOTO TWO-

View northeast of Justus home, barn, and miscellaneous
structures. Picture taken near spring box location.

FEB 18 1993





PHOTO THREE-

Spring Box Lid, approximately 30" x 30", in
brushy area of Ravine. Box itself is 2' diameter
concrete pipe

>



RECEIVED
FEB 18 1993

PHOTO FOUR-

Plastic barrel used as valve cover. One valve
controls flow to main line, and the other for
two rubber troughs near barn.



PHOTO FIVE-

Valves under plastic barrel. Valve to the top of photo controls flow to the two rubber troughs. The valve in the bottom portion of photo controls flow to mainline.

>



PHOTO SIX-

Two rubber troughs near barn. The valve control cover is shown in background. (Troughs 1 and 2).

FEB 18 1993



SEVEN
PHOTO ~~ONE~~

Trough #3 inside CORRAL near barn. Overflow Ties back into main line to service Troughs 4 to 7.



PHOTOGRAPHED
FEB 18 1993

EIGHT
PHOTO ~~TWO~~

Inflow and overflow, 1" Iron Pipe, to Trough #3. The 1 1/4" PVC mainline is shown weaving through fence.



~~NINE~~
~~PHOTO THREE~~

The $1\frac{1}{4}$ " PVC mainline weaving through fence and brush.




FEB 18 1993
~~TEN~~
~~PHOTO FOUR~~

Trough #4 north of BUTTE Road and approximately 2000' east of barn.



ELEVEN
PHOTO ~~FIVE~~-

Trough # 5 Located directly south about 100' from Trough # 4 and south of BUTTE ROAD. The 1" Iron Pipe is the overflow from Trough # 4.



TWELVE
PHOTO ~~SIX~~

View northwest of Trough #5. The 1 1/4" PVC shown is the overflow and supplies water to Trough #6.

FEB 18 1993



THIRTEEN
PHOTO ONE-

View southwest of Trough #6 Located approximately 3200' east of barn. Trough located south of Butte Road.



FOURTEEN
PHOTO TWO-

View southeast of Trough #7 Located approximately 3400' east of barn. Trough located north of Butte Road. Overflow discharges down ravine.

FEB 18 1993

1993



FIFTEEN
PHOTO THREE-

Spring box, 5' diameter cnp, located in the SESW1/4 of Section 31. Supplies water to small barrel Trough and overflows Trough to water area through locust grove of trees.



SIXTEEN
PHOTO FOUR-

A 2' diameter Trough located approximately 200' east of spring shown above.

RECEIVED
FEB 18 1993



SEVENTEEN

PHOTO ~~FIVE~~

View NORTHEAST OF STOCKWATER STORAGE pond FILLED
by Yergensen Creek. Yergensen Creek has been
dry for 4-5 years, thus the pond has been
dry also for 4-5 years.

>

FEE

EIGHTEEN

PHOTO ~~SIX~~

June 20, 1991

JUSTUS ENTERPRISES
C/O DON JUSTUS
1024 RANCH RD.
BOISE, ID 83702

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13135

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JUL 15 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 65-13135

Date 6-12-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☒ Surface water source
☐ Ground water source
☒ NA Drill permit req'd?
☐ Copy in file? Drill permit no. _____
☐ Amt paid for drilling permit? _____ Correct?
☐ Well log in file?

LICENSE EXAMINATION FEE

- ☒ Required?
\$0.00 Amount submitted?
☒ Correct amount?

MEASURING DEVICE

- ☒ Measuring device or access port required?
☒ Installed?
☒ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

See note about lockable device

Proof acceptable

PRIORITY CALCULATION

Date proof received	<u>NA</u>	
Date proof due		-
No. of days late		=
Priority date		+
NEW PRIORITY DATE		=

SB

RECEIVED
JUN 11 1991

STATE OF IDAHO

For Office Use Only
Amt. of Fee \$ 50.00
Date 6/11/91
Receipt No 0020792
Received by J. Garrison

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-13135 Telephone No. 344-0921
774-3322
2. Name(s) of Permit Holder(s): JUSTUS ENTERPRISES
3. Post Office Address: 1024 BANCHE RD BOISE, ID - 83702
4. Source of Water: @ Springs
 - a. If ground water, well driller's name: _____ Date drilled: _____
 - b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____
5. Extent of Use:

Domestic _____ (No. of households)

Irrigation _____ (No. of acres)

Stockwater 220 Cow (No. and type of stock)

Other _____

4 horses

6. Total rate and/or volume for which proof is submitted .070 cfs _____ acre/feet
7. Refer to the approval conditions on your permit and respond accordingly: Most size of a lockhole device - There are springs that flow constantly.

Measuring device: Required? ☒ Yes _____ No _____ Installed? _____ Yes _____ No _____
LOCKABLE OR
Flow Measurement Port: Required? _____ Yes _____ No _____ Installed? _____ Yes _____ No _____
8. Fee Enclosed: \$ 50 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Norm Justus
Name774-3322 - Occasional
344-0921 - occasional
Telephone NoBox 9132 Ketchikan, 2nd (summer) - 1024 Bancher - Boise ID
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date

6/5/91

Signature (and title if on behalf of a company or organization)

Norm Justus

JUL 1 1991

138487

April 30, 1991

JUSTUS ENTERPRISES
C/O DON JUSTUS
1024 RANCH RD.
BOISE, ID 83702

PROOF DUE NOTICE

RE: PERMIT NO. 65-13135

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

JUL 15 1991

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 4, 1990

JUSTUS ENTERPRISES
C/O DON JUSTUS
1024 RANCH RD.
BOISE, ID 83702

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P65-13135

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a lockable device that will provide the watermaster control on your diversion.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 06 1990

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: JO DATE: 1-23-90 APPLICATION: 65-13135

REQUIRED INFORMATION

OR Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
/ Address:
/ Source: (See USGS Quad for names of water sources)
/ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
/ County:
/ Quantity: (flow and/or volume)
/ Period of use:
/ Nature of proposed use: (Include description of use)
/ Description of diverting works:
/ Time required for beneficial use of water:
/ Place of use or acres irrigated:
/ Map:
/ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
/ Fee:
/ Yes No* In form to receipt:

Gov't. Lots:
N/A P/D
N/A P/U

ADDITIONAL INFORMATION

YES	NO	
<u>/</u>	<u> </u>	Overlapping place of use: (Describe source & relationship to present application on the back.)
<u> </u>	<u>/</u>	Overlapping point of diversion:
<u> </u>	<u> </u>	Field check required: Field check by: <u> </u>
<u> </u>	<u> </u>	Field report attached:
<u> </u>	<u>/</u>	Critical groundwater area:
<u> </u>	<u>/</u>	Groundwater management area:
<u> </u>	<u>/</u>	Diversion within interim protected river area
<u> </u>	<u>/</u>	Send dam safety information:
<u> </u>	<u>/</u>	Send power requirement letter:
<u> </u>	<u>/</u>	Send fish farm requirement letter:
<u> </u>	<u>/</u>	Power residency affidavit:
<u> </u>	<u>/</u>	Power efficiency form:
<u> </u>	<u>/</u>	Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
<u> </u>	<u>/</u>	Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
<u> </u>	<u>/</u>	*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

 DATE REQUESTED:
/ Additional information on reverse side:

RECEIVED
MAY 18 1990

Department of Water Resources

PROCESSING

APPLICATION NO. 65-13135

YES ☒ NO ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES ☐ NO ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES ☐ NO ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # _____

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES ☒ NO ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received. Final date for protest February 20, 1990

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approval, DNR

Measuring device required: (None req'd)

Measuring port required:

Water delivered by water master? District # 65A

Special conditions of approval or cover letter:

05(65, Squaw Creek), OIH

See below for additional information

Recommended Date or Priority 1/17/1990

Recommended by: DNR

Date 5/14/1990

STATE OFFICE REVIEW

P01, P16

05(65A) OIH

See below for additional information. By

KW

Date 5-24-90

ADDITIONAL INFORMATION

Applications 65-13135 + 65-13136 are combined into 65-13135 All one system developed two years ago.

WR 65-00335 is from different springs, same purpose, same stock same legal land description.

part of

65-13135

JUSTUS ENTERPRISES
C/O DON JUSTUS
1024 RANCH RD.
BOISE, ID 83702

Source: SPRINGS
YERGENSON CREEK

Tributary: YERGENSEN CREEK
SQUAW CREEK

Diversion Pt: SESWNW Sec 31 T 08N R 01E
 SESENW Sec 31 T 08N R 01E
 SESW Sec 32 T 08N R 01E

Use: STOCKWATER (.070 CFS)
 STOCKWATER STORAGE (.140 AFA)
 STOCKWATER FROM STORAGE (.140 AFA)
 Total Diversion: (.070 CFS) (.14 AF)

Date Filed: 1/17/1990

In: T08N R01E S31	SWNW	SENW	NESE
S32	SESW		

MICROFILMED

JUN 06 1990

EXPENDITURE VOUCHER

AUDITOR USE

STATE OF IDAHO
Office of State Auditor

AGENCY USE

7950
Date
02/01/90
Code
193002

VENDOR: If you require additional information regarding this payment, please contact the State agency listed below.

AGENCY NAME DEPT. OF WATER RESOURCES

Document No	
Pre - Audit	Date
Warrant No	

PAY

TO

JUSTUS ENTERPRISES
C/O DON JUSTUS
1024 RANCH ROAD
BOISE, ID 83702

CHECK ONE:

(1) MISCELLANEOUS EXPENDITURE

() STATE CONTRACT

() PURCHASE ORDER

() MISCELLANEOUS
ENCUMBRANCE REQUISITION

PAYMENT: () PARTIAL () FINAL

Encumbrance Reference No

LINE No.	PROGRAM	FUND	ACCT.		DESCRIPTION	LINE AMOUNT	AGENCY USE
			Maj	Min			
1	06 20 199	1238	8831		RECEIPT #W007704 PER GENE GIBSON 1/23/90 30.00	30.00	
RECEIVED FEB 02 1990 Department of Water Resources Western Regional Office							MICROFILMED JUN 06 1990
TOTAL						30.00	

NOTE: Final payment must be accompanied by a receiving copy

TO STATE AUDITOR

Request is hereby made that a warrant be authorized and drawn in payment of the item or items described above. I hereby certify that the items described were ordered by proper authority; that they are necessary in the public service, that the items have been received and accounted for, and that the account as stated is correct and just

AUDITOR'S CERTIFICATE

I hereby certify that the above account is in proper form; that totals carried hereon are correct; that receipts when required by law or regulation of the State Board of Examiners covering items for which reimbursement is asked are submitted herewith, and that there are funds in the state treasury and balances in appropriation accounts out of which the same may be lawfully paid.

Date

Head of Agency or Institution

State Auditor