

65-13134 N

T7N, R1E, Sec 3

NE, SW


65-13134

MICROFILMED
JUN 06 1990

plu
fire
protection

Irrij +
plu - stock + domestic

Spring = Sweet city
Spring right by
main road in
town



65-13134

7N

16

53

S. 89° 55' E.

3 39.51	2 39.48	1 39.41	4 39.37	3 39.33	2 39.39	1 39.40	4 39.55	3 39.70	2 39.71
Sec. 4		Sec. 3		Sec. 2		Sec. 1			
637.94		637.54		639.10		639.10			
S. 89° 52' W.		WEST		N. 89° 39' E.		N. 89° 39' E.			
79.66		80.00		79.92		79.92			

MICROFILMED

JUN 06 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
APR 16 1992

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: City of Sweet, c/o Duane S. Hill Permit No. 65-13134
Current Address: 7250 Sweet Hwy. Sweet, ID 83670 Phone No. 584-3318
2. Accompanied by: Duane Hill EXAM. DATE: 6-14-91
Address: Same Phone No. _____
Relationship to Permit Holder: _____


3. Source: Spring tributary to Squaw Creek

B. OVERLAP REVIEW

1. Other water rights with same place of use: Numerous other rights, but no overlap ☐ Copies Attached
2. Other water rights with same point of diversion: 65-00073, 65-00134, 65-00242, 65-00307 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = None

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

MICROFILMED
JUL 30 1992



PERMIT _____ INIT MS
T. R. S. Q/Q
P/D W 1E 3 NE/SW
SCALE _____
PHOTO ID. Montana

MICROFILMED
JUL 30 1992

65-13134



#1. Point of diversion.
Spring Flows into trough
on right side.
Water is pumped through
hose on left side.



#2 Place of use,
Facing north.

Trough is located
in left, center
of picture. (Red Circle)

Overflow hose
crosses under
the road in
center of picture.
(Blue Circle)

MICROFILMED
JUL 30 1992

#65-13134



#3
Place of use,
Facing South.



#4
Pipe carrying
over flow under
the road.

MICROFILMED

JUL 30 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13134

Priority: January 18, 1990

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

3.5 AF

This is to certify, that CITY OF SWEET
C/O DUANE S HILL
7250 SWEET HWY
SWEET ID 83670

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated January 18, 1990; and
has submitted Proof of Beneficial Use on June 12, 1990. An examination indicates
that the works have a diversion capacity of .020 cfs of water from:

SPRING

tributary to SQUAW CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	2.7 AF
STOCKWATER	01/01 to 12/31	0.01 CFS	0.7 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.1 AF
FIRE PROTECTION	01/01 to 12/31	0.02 CFS	
	Totals	0.02 CFS	3.5 AF

LOCATION OF POINT(S) OF DIVERSION:

NENESW , Sec. 3, Township 07N, Range 01E
GEM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07N	01E	3	NESW	0.6		0.6

Total number of acres irrigated: 0.6

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

PLACE OF USE: FIRE PROTECTION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>			
07N	01E	3	Lot 2(NWNE)	SWNE	Lot 3(NENW)
			SENE	NESW	NWSE

RECORDED

JUL 30 1992

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 65-13134

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 65A.
6. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.
7. Domestic use is for a picnic area and miscellaneous use by residents.
8. Stockwater use is for 50 mixed stock.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 21st
day of July, 19 92

Acting for R. Keith Higginson, Director

JUL 30 1992

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13134

Proposed Priority: January 18, 1990 Maximum Diversion Rate: 0.05 CFS
This is to certify, that CITY OF SWEET

C/O DUANE S. HILL
7250 SWEET HWY.
SWEET, ID 83670

has applied for a permit to appropriate water from:

SPRING tributary of **SQUAW CREEK**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.03 CFS
STOCKWATER	01/01 to 12/31	0.05 CFS
DOMESTIC	01/01 to 12/31	0.05 CFS
FIRE PROTECTION	01/01 to 12/31	0.05 CFS
Totals		0.05 CFS

LOCATION OF POINT(S) OF DIVERSION: NENESW Sec. 3, Township 07N, Range 01E
GEM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07N	01E	3	NESW	1		1

Total number of acres irrigated: 1

PLACE OF USE: FIRE PROTECTION

<u>TWN RGE SEC</u>					
07N	01E	3	LOT 2(NWNE) SENW	SWNE NWSE	LOT 3(NENW)

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1991.
2. Subject to all prior water rights.
3. Use of water under this permit is subject to control by the watermaster of State Water District No. 65A.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

RECEIVED
JUN 06 1990

State of Idaho
Department of Water Resources**Permit To Appropriate Water**

NO. 65-13134

CONDITIONS/REMARKS:

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

25th day of May, 1990

R. Keith Higginson
for R. Keith Higginson, Director

RECEIVED
JUN 06 1990

Ident. No. 65-13134

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: VILLAGE OF SWEET
Address: C/O DUANE S. HILL
7250 SWEET HWY.
SWEET, ID 83670
208-584-3318
2. Source: SPRING
Trib. to: SQUAW CREEK
3. Location of Point of Diversion: NENESW Sec. 3, Township 07N, Range 01E
GEM County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.030		
STOCKWATER	01/01	12/31	0.050		
DOMESTIC	01/01	12/31	0.050		
FIRE PROTECTION	01/01	12/31	0.050		
5. Total quantity appropriated is:
0.050 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
CEMENT TROUGH, PIPELINE, 1/2 HP PUMP, SPRINKLERS
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is inches; proposed depth of well is
feet.
 - d. Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.
8. Description of proposed uses:
CEMENT TROUGH, PIPELINE, PUMP, SPRINKLERS
9. Place of Use: IRRIGATION

TWN RGE SEC
07N 01E 3

NESW - Assume 1 ac. - kw 5/21/90

RECORDED

JUN 06 1990

Ident. No. 65-13134
Page 2

Place of Use: FIRE PROTECTION

TWN RGE SEC
07N 01E 3

Lot 2 (NWNE)
SENE

SWNE
NESE ALSO
AR.

Lot 3 (NENW)
NWSE

Total number of acres irrigated: 0

database
updated
1/24/90
SL

Place of Use: STOCKWATER, same as IRRIGATION use
Place of Use: DOMESTIC, same as IRRIGATION use

10. Describe any other water rights used for the same purposes.
A65-18349

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

PLACE OF USE FOR DOMESTIC AND STOCK SAME AS IRRIGATION. DOMESTIC
AND STOCKWATER USAGE TAKEN FROM PIPELINE AT SPRING.
CLAIM NUMBER A65-18349 FILED FOR THIS USAGE DATING BACK TO 1850
IN LIEU OF CLAIM THAT WAS NOT FILED IN THE PAYETTE RIVER ADJ.

remarks
deleted from
database by
S.O.

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

Duane L. Kill
Applicant

JUN 06 1990

Received by YLS Date 1/18/90 Time 1:30pm Preliminary check by SL

Fee \$ 30.00 Receipted by AD # W007127 Date 1-18-90

Publication prepared by GG Date 1-24-90 Published in Messenger-Index
2/1 & 2/8/90

Publication approved SL Date 3-30-90


65-13134

REC'D
JUN 26 1998
FBI

plm
first
point

plm - first point

Spring - San city
right by
main road in
town



65-13134

7N

16

59

S. 89° 55' E.

3 19.51	2 39.48	1 39.41	4 39.37	3 39.33	2 39.39	1 39.40	4 39.55	3 39.70
79.68	79.70	79.70	79.70	79.70	79.70	79.70	79.70	79.70
Sec. 4	Sec. 3	Sec. 2	Sec. 1	Sec. 2	Sec. 4	Sec. 3	Sec. 2	Sec. 1
637.94	637.54	637.10	637.10	637.10	637.94	637.54	637.10	637.10
79.66	80.00	80.00	80.00	80.00	79.66	80.00	80.00	80.00
S. 89° 52' W.	WEST	WEST	WEST	WEST	S. 89° 52' W.	WEST	WEST	WEST

RECEIVED
JUN 06 1990

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
 COUNTY OF GEM,

Esma Reyes, being first
 duly sworn, on his oath deposes and
 says that he is the printer of Mes-
 senger-Index, a legal weekly news-
 paper published at Emmett, in Gem
 County, Idaho; that said newspaper
 is in general circulation in said
 county and has been published unin-
 terruptedly and continuously for
 more than 78 weeks prior to the
 first publication of the annexed
 document; and that the document
 notice, process, or advertisement
 hereunto annexed was published in
 the regular edition of Messenger-
 Index for Two (2x)

consecutive weekly issues thereof,
 beginning with the issue of
JANUARY 31, 1990,
 and ending with the issue of
FEBRUARY 7, 1990
Esma Reyes

Subscribed and sworn to before me
 this 7th day of
FEBRUARY, 1990
Mary Ann Hanson
 Notary Public,
 Residing at Emmett, Idaho.

My Commission Expires 3-21-95

NOTICE OF APPLICATION FOR WATER RIGHTS

The Following application(s)
 have been filed to appropriate
 the public waters of the State of
 Idaho:

63-11098
 AUGUSTINE, PATRICIA E
 AUGUSTINE, CHARLES R.
 RT 7 BOX 420
 CALDWELL, ID 83605
 Source: GROUNDWATER
 Diversion Pt: NWSW Sec 33 T
 06N R 03W
 Use: IRRIGATION (040 CFS)
 Total Diversion: (040 CFS)
 Date Filed: 1/10/1990
 In: T06N R03W S33 NWSW
 2.0 ACRES TOTAL

63-11106
 COBB, DONALD R.
 COBB, GLENDA D.
 RT 7 BOX 422
 CALDWELL, ID 83605
 Source: GROUNDWATER
 Diversion Pt: SENWSW Sec 33
 T 06N R 03W
 Use: IRRIGATION (040 CFS)
 Total Diversion: (040 CFS)
 Date Filed: 1/08/1990
 In: T06N R03W S33 NWSW
 2.0 ACRES TOTAL

65-13123
 DAVIS, ALVIN D
 DAVIS, KAREN L.
 HC 78 BOX 3769
 OLA, ID 83657
 Source: SPRING
 Tributary: SQUAW CREEK
 Diversion Pt: SWNESE Sec 10
 T 11N R 01E
 Use: IRRIGATION (200 CFS)
 Total Diversion: (200 CFS)
 Date Filed: 11/28/1989
 In: T11N R01E S10 NWSE
 100 ACRES TOTAL

65-13134
 VILLAGE OF SWEET
 C/O DUANE S. HILL
 7250 SWEET HWY.
 SWEET, ID 83670
 Source: SPRING
 Tributary: SQUAW CREEK
 Diversion Pt: NENESW Sec 3
 T 07N R 01E
 Use: IRRIGATION (030 CFS)
 STOCKWATER (050 CFS)
 DOMESTIC (050 CFS)
 FIRE PROTECTION (050 CFS)
 Total Diversion (050 CFS)
 Date Filed: 1/18/1990
 In: T07N R01E S03 Lot 2
 (NWNE)
 NESW
 SWNE Lot 3 (NENW) SENW
 NWSE

65-13135
 JUSTUS ENTERPRISES
 C/O DON JUSTUS
 1024 RANCH RD.
 BOISE, ID 83702
 Source: SPRINGS
 Tributary: YERGENSEN
 CREEK
 Source: YERGENSEN CREEK
 Tributary: SQUAW CREEK
 Diversion Pt: SESWNW Sec 31
 T 08N R 01E
 SESENW Sec 31 T 08N R 01E
 SESW Sec 32 T 08N R 01E
 Use: STOCKWATER (070 CFS)
 STOCKWATER STORAGE (140
 AFA)
 STOCKWATER FROM
 STORAGE (140 AFA)
 Total Diversion: (070 CFS) (14
 AF)
 Date Filed: 1/17/1990
 In: T08N R01E S31 SWNW
 SENW NESE
 S32 SESW

65-13142
 HYDE, ALAN
 2588 WATERWHEEL RD.
 EMMETT, ID 83617
 Source: GROUNDWATER
 Diversion Pt: SWNE Sec 4 T
 06N R 01W
 Use: COMMERCIAL (040
 CFS)
 Total Diversion: (040 CFS)
 Date Filed: 1/12/1990
 In: T06N R01W S04 SWNE
 The permit(s) will be subject
 to all prior water rights. Protests
 must be filed with the Director,
 Dept. of Water Resources,
 Western Region, 2735 Airport
 Way, Boise, Idaho
 83705 on or before February 20,
 1990.

R. KEITH HIGGINSON,
 Director
 Pub.: 1-31, 2-7-90
 Legal Notice No 687
 Pub. in the Messenger Index

FILED
 JUN 06 1990

July 22, 1992

CITY OF SWEET
C/O DUANE S HILL
7250 SWEET HWY
SWEET ID 83670

RE: WATER RIGHT NO. 65-13134

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

JUL 30 1992

June 30, 1992

CITY OF SWEET
C/O DUANE S HILL
7250 SWEET HWY
SWEET ID 83670

RE: WATER RIGHT NO. 65-13134

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

JUL 30 1992

LICENSE REVIEW CHECKLIST

Permit # 65-13134

Date 6-17-92
28

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance _____
	☐	☒	Order to Reinstate Needed? _____
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended? $50 \times .00022 = .011$
	☐	☒	Disagree with Actual Measurement? $.01 \text{ cfs (STOCK)}$
	☐	☒	$.6 \times .03 = .018 \approx .02 \text{ cfs (IRR). } .02 \text{ cfs (DOM). } .02 \text{ cfs (Fire P.)}$
	☐	☒	Disagree with Theoretical? _____
	☒	☐	Limited by Capacity? $.02 \text{ cfs (Measured)}$
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
	☒	☐	Disagree with Examiner's Calculations? $50 \times .0134 = .67$
	☒	☐	$.6 \times 4.5 = 2.7 \text{ cfs (IRR)} 100 \times 365 / 325,850 = .11 \text{ cfs (DOM). } .7 \text{ cfs (STOCK)}$
	☒	☐	Limited by Flow? $.02 \times 245 \times 1.9835 = 9.7 > 2.7$
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source _____
	☐	☒	Notice of Intent to Void.
P/D			Verify with Map
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use? _____
	☐	☒	Amendment Needed? _____
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? _____
	☒	☐	Non-Irr. Uses <u>DOM/Picnic & Misc. use</u> <u>STOCK/SD mixed</u>
	☐	☒	Special Overlap Condition _____
	☐	☒	Other _____
CONDITIONS			Measuring Device
	<u>R04</u>	☐	W/Master Control
	<u>R52</u>	☐	Overlap
	☐	☒	Water Quality
			DATES/MISC
		☒	<u>654</u> Water Dist.
		☒	App Rec'd
		☒	Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduced Acres, rate</u>		
	<u>Assume 50-100gpd DOM use as originally described</u>		
	<u>on Application & S. Lester's Memo 1-24-90/Note picnic</u>		
	<u>area in photos, & open access flow at trough.</u>		
License	☐	☒	10-Day
	☐	☐	15-Day
	☐	☐	Special Correspondence

ok

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CITY OF SWEET C/O DUANE S HILL 7250 SWEET HWY SWEET ID 83670 (208) 584-3318	01/18/1990	IRRIGATION STOCKWATER DOMESTIC FIRE PROTECTION	03-15 11-15 01-01 12-31 01-01 12-31 01-01 12-31	0.02 CFS 0.01 CFS 0.02 CFS 0.02 CFS	2.7 AFA 0.7 AFA 0.1 AFA
TOTAL DIVERSION:					0.02 CFS	3.5 AFA

Water Source: SPRING

Tributary to: SQUAW CREEK

Stage: LICENSE

Point(s) of Diversion Capacity: 0.02 CFS

Point(s) of Diversion: T07N R01E S03 NE NE SW

Place of use Legal Description for: IRRIGATION

			NE				NW				SW				SE				
T	R	S	: Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	: Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	: SUM
07N	01E	3	:								:	.6							: 0.6
TOTAL ACRES																			: 0.6

Place of use location for STOCKWATER is the same location as described for: IRRIGATION

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Place of use Legal Description for: FIRE PROTECTION

			NE				NW				SW				SE				
T	R	S	: Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	: Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:
07N	01E	3	:								:								:
			:	02-F							:	03-F							:
			:		F						:		F						:

Pou County: GEM

Other Water Rights with Same Point(s) of Diversion and Source:
65-00134 65-00135 65-13134

Other Water Rights Listing Overlapping Place(s) of use:
65-00243 65-00387 65-00429 65-03004 65-03043 65-13134

Conditions of Approval:

- R04 - Use of water under this water right will be regulated by the watermaster of State Water District No. 65A.
- R52 - This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

Remarks: Domestic use is for a picnic area and miscellaneous use by residents.
Stockwater use is for 50 mixed stock.

WR0749NP
No. L65-13134

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 06/17/92
PAGE: 2

=====

Dates:	App. Received:	01/18/1990	Priority Date:	01/18/1990
	Proof Due Date:	06/01/1991	Proof Made Date:	06/12/1990
	Exam Made Date:	06/13/1991	Exam Sent to S.O.:	04/14/1992
	Licensed Date:			
Misc:	Water District Number:	65A	Field Exam Fee:	N (Not Required)
Audit:	06/17/92 SKAGGS			

MEMORANDUM

TO: FILE 65-13134

FROM: PAM SKAGGS *CS*

RE: DOMESTIC USE

DATE: 17-JUN-1992

=====

The field examiner states that no domestic use is operated off this system and recommends that domestic use be dropped. The application was originally filed with domestic use and Steve Lester's memo of 01-24-90 clarifies the specific use as miscellaneous use by residents from the spring. There were no diversions from the trough directly to homes intended. There is a public picnic area shown in the photos on the irrigated lawn area surrounding the spring diversion. There is also open access to the water as it flows into the trough.

I recommend that the domestic use be included on the license with a volume estimate of 100 gpd or 0.1 afa.

$100 \text{ gpd} \times 365 \text{ days} / 325,850 \text{ gal} = 0.1 \text{ afa}$

RECORDED

JUL 30 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
APR 16 1992

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: City of Sweet, c/o Duane S. Hill Permit No. 65-13134
Current Address: 7250 Sweet Hwy. Sweet ID 83670 Phone No. 584-3318
2. Accompanied by: Duane Hill EXAM DATE: 6-14-91
Address: Suite Phone No. _____
Relationship to Permit Holder: _____


3. Source: Spring tributary to Squaw Creek

B. OVERLAP REVIEW

1. Other water rights with same place of use Numerous other rights, but no overlap ☐ Copies Attached
2. Other water rights with same point of diversion 65-0073, 65-00134, 65-00242, 65-00307 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable ☐ Alternative diagram attached



Scale: 1" = None

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).

RECEIVED
JUL 30 1992

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

The spring flows out of a 1" dia pipe into a 2'x6' concrete trough. Stock watered directly from the trough, but the no of head is unknown because the use is sporadic. Fire protection for the surrounding community is obtained by filling a tank from the trough. A 1/2 hp pump supplies water to a single sprinkler and irrigates approx. 1/2 acre. Overhead from the spring is directed into a 3' pipe to property line northeast of the spring. This land operates under another permit(s).

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	No tags	1/2		No tags	

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NE	SW	3	7N	1E	GERI	USGS Q. 1

6. Place(s) of Use:

Indicate Method of Determination USGS Quad/Footing

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7N	1E	3									.6								.6
											5								
				F	F		F			F					F				
				42			43												

11-30-1232

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

5 gal bucket filled in 43 s = 1/41 s
50 gal x .00022 = .01 cfs ALLOW .02 cfs
ASSUMED

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{5 \text{ gal}}{43 \text{ s}} \cdot \frac{60 \text{ s}}{1 \text{ min}} = 6.9 \text{ gpm } 1.4138 = .02 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .6 \times 45 = 2.7 \text{ afa}$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .02 \text{ cfs} \times 246 \times 1.9835 = 9.75 \text{ afa}$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 2.7 \text{ afa}$

2. Volume Calculations for Other Uses:

5 gal bucket filled in 43 s = 1/41 s

MITCHELL
JUL 30 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

No domestic diverted off of this system. F.F.R. head of
this site appears. This is is derived from G.S.
Claims 65-00073, 65-00341 and 65-00625 all appear to divert
water across the Co. road from the spring through listed in this exam.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/5	4/15	0.2	2.7
Fire Protection	1/1	12/15	0.2	7
Stockwater	1/1	12/15	0.1	7
Totals:			0.2	3.4

2. Recommended Amendments


- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION


Field Examiner's Name Mark Jensen
Signature [Signature]
Certification Date 3/4/92
Field Report Preparation Date 6-8-91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JUL 30 1992




PERMIT _____ INIT P/S
T. R. S. Q/Q
P/D W 15 3 15'
SCALE _____
PHOTO ID. Marlow



JUL 30 1992

= 65-1313-1



#1 Point of diversion
Spring flows into trough
on right side
Water is pumped through
here on left side



#2 Piece of use,
Facing north

Trough is located
in left, center
of picture. (Red Circle)


Discharge pipe
crosses under
the road in
center of picture
(Blue Circle)

MICROFILMED
JUL 30 1992

#65-13134



#B
Place of use,
Facing south.



#4

Pipe carrying
over flow under
the road.

RECEIVED

JUL 30 1992

November 1, 1990

CITY OF SWEET
C/O DUANE S. HILL
7250 SWEET HWY.
SWEET, ID 83670

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13134

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a lockable device to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the lockable device must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

NOV 2 / 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 5-15-24

Date: 1-18-90

General Considerations:

4 Name same as permit
3 Signature the same as permit holder
1 Address change _____ If yes, prepare a data entry
3 Proof received timely
_____ Reinstated

Source of Water:

1 Surface water
1 Groundwater
1. well log in file
2 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

5 Rate of diversion appropriate for uses
1 Is rate or volume and fee appropriate?
5 Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

4 Is a measuring device or access port required?
4 Has one been installed?
1 Waiver or modification of measuring device requested

Remarks: Good acceptance

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	-
No. of days late	_____	=
Priority date	_____	+
NEW PRIORITY DATE	_____	=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

JS

RECEIVED

JUN 13 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

RECEIVED

JUN 12 1990

Department of Water Resources
Western Regional Office

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 65-13134 Telephone No. 584-3318

Name(s) of Permit Holder(s): City of Sweet c/o Duane S. Hill

Post Office Address: 7250 Sweet Hwy Sweet ID 83670

Source of Water: Spring

If ground water, well driller's name. _____ Date drilled: _____

Extent of Use:

Domestic _____ (No. of households)

Irrigation 1 (No. of acres)

Stockwater _____ (No. and type of stock)

Other Err, Stk, Dom

Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: Spring 1989

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No

Fee Enclosed: \$ N/A (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

See above
Name

Telephone No. _____

Address _____

MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

NOV 27 1990

6-12-90
Date

x Duane S. Hill
Signature (and title if on behalf of a company or organization)

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
May 29, 1990

CITY OF SWEET
C/O DUANE S. HILL
7250 SWEET HWY.
SWEET, ID 83670

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P65-13134

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

INDEXED

JUN 06 1990

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: gl DATE: 1/23/90 APPLICATION: 65-13134

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

Gov't. Lots:
N P/D
y P/U

ADDITIONAL INFORMATION

YES NO
☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion:
☐ Field check required: Field check by: _____
☐ Field report attached:
☐ Critical groundwater area:
☐ Groundwater management area:
☐ Diversion within interim protected river area
☐ Send dam safety information:
☐ Send power requirement letter:
☐ Send fish farm requirement letter:
☐ Power residency affidavit:
☐ Power efficiency form:
☐ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)

*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

Type of domestic, type & # of stock, info about Village of Sweet's signed (then telephone)
DATE REQUESTED: 1/23/90
Additional information on reverse side: reg'd rec'd 1/24/90

PROCESSING

APPLICATION NO. 65-13134

YES NO

☒ ☐
☐ ☒
☐ ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☒ ☐

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # _____

Other _____

FINAL REGIONAL PROCESSING REVIEW

Copy to Western region Adjud. File 165-18349 provided on 1/23/90

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☐
☐ ☒

Publication dates and paper recorded on application:

Protests received. Final date for protest February 20, 1990

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, Dist

Measuring device required:

Measuring port required:

Water delivered by water master? District # 65ASpecial conditions of approval or cover letter: 65A Squaw Creek(05)(61-A, Squaw Creek)

Not applicable for this system

See below for additional information

Recommended Date or Priority 1/18/1990Recommended by: DMDate 5/6/1990

STATE OFFICE REVIEW

P1605(65A)See below for additional information. By KWDate 5-21-90

ADDITIONAL INFORMATION

Overlap

P16 - 65-00073, 00134, 00135, 00242, 00307 springs (possibly include same spring as in application)
65-00237, 00308 groundwater.

P16 - Numerous domestic & stockwater in NGSW as listed in pld above.
29 acres irrigation in NGSW from Squaw Creek.
NO fire protection listed in S.3 p16 microfilm.

CONVERSATION MEMORANDUM

DATE 1/24/90
FILE 65-13134NAME OF PARTY Orville HillEMPLOYEE Steve Lester

RE: _____

- ① He is the person ~~but~~^{who} handles most of the business related to Sweet. University town without ~~being~~ a mayor or other titled people.
- ② this is the city spring next to Sweet road in town.
- ③ Domestic = misc. use, people come to spring for H₂O. no divisions from the trough to houses etc.
- ④ Stock = mixed stock, people bring stock to source (trough), up to 200 lbs.

MICROFILMED

JUN 06 1990

65-13134

VILLAGE OF SWEET
C/O DUANE S. HILL
7250 SWEET HWY.
SWEET, ID 83670

Source: SPRING

Tributary: SQUAW CREEK

Diversion Pt: NENESW Sec 3 T 07N R 01E

Use: IRRIGATION (.030 CFS)
STOCKWATER (.050 CFS)
DOMESTIC (.050 CFS)
FIRE PROTECTION (.050 CFS)
Total Diversion: (.050 CFS)

Date Filed: 1/18/1990

In: T07N R01E S03 Lot 2 (NWNE) SWNE Lot 3 (NENW) SENW
NESW NWSE

RECORDED

JUN 06 1990