

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 27 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-13133
1. Owner: WALTER L. & LOURABELLE M. ODERMOTT Phone No. 584-3543
Current Address: HC 78 BOX 3815, OLA, ID 83657
2. Accompanied by: WALTER ODERMOTT EXAM. DATE: 6/3/92
Address: (SAME) Phone No. 584-3543
Relationship to Permit Holder: _____
3. Source: Spring tributary to SQUAW CREEK

B. OVERLAP REVIEW


1. Other water rights with same place of use: NONE

☐ Copies Attached
2. Other water rights with same point of diversion: NONE

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

RECORDED

FEB 18 1993



Roadside Rest

Old Butte

P/O

P/O

FEB 18 1993

PERMIT 65-13133 INIT RC
T. R. S. Q/Q
P/D LN IE 27 SWSE
SCALE
PHOTO ID. V-R OLA



View SW of 4' diameter water Trough. Spring is Located in background in brushy draw and pipe through 1" pipe to water Trough.



View north of Trough and drainage. Overflow is piped to drainage.

RECEIVED
FEB 18 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13133

Priority: January 10, 1990

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

2.0 AF

This is to certify, that LOURABELLE M ODERMOTT
WALTER L ODERMOTT

HC 78 BOX 3815

OLA ID 83657

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 10, 1990; and has submitted Proof of Beneficial Use on June 15, 1990. An examination indicates that the works have a diversion capacity of .030 cfs of water from:

SPRING

tributary to SQUAW CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.03 CFS	2.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SESWSE , Sec. 27, Township 10N, Range 01E
GEM County

PLACE OF USE: STOCKWATER

TWN RGE SEC

10N 01E 27

SESE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 65A.
6. Stockwater use is for 150 horses and range cattle.

RECORDED

FEB 18 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13133

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 4TH
day of FEBRUARY, 1993.

Acting for R. Keith Higginson, Director

FEB 18 1993

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NOS. 65-13132)
AND 65-13133 IN THE NAME OF)
LOURABELLE M. &/OR WALTER OBERMOTT) ORDER

WHEREAS, on June 11, 1990, the Department of Water Resources issued Permit Nos. 65-13132 and 65-13133 with a condition of approval which states:

A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this permit.

and,

WHEREAS, the Department of Water Resources has determined that the installation of a lockable device is not required at this time;

NOW, THEREFORE, IT IS ORDERED that this condition of approval on Permit Nos. 65-13132 and 65-13133 be REMOVED.

Dated this 20th day of August, 1990.


L. GLEN SAXTON
Chief, Water Allocation Bureau

MICROFILMED

SEP 18 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13133

Proposed Priority: January 10, 1990 Maximum Diversion Rate: 0.04 CFS
This is to certify, that LOURABELLE M. ODERMOTT
WALTER L. ODERMOTT
HC 78 BOX 3815
OLA, ID 83657

has applied for a permit to appropriate water from:

SPRING tributary of SQUAW CREEK

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

STOCKWATER	01/01 to 12/31	0.04 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: SESWSE Sec. 27, Township 10N, Range 01E
GEM County

PLACE OF USE: STOCKWATER

TWN RGE SEC

10N 01E 27 SESE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1991.
2. Subject to all prior water rights.
3. A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this permit.
4. Use of water under this permit is subject to control by the watermaster of State Water District No. 65A.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

11th day of June, 1990.

RECORDED

SEP 18 1990

for R. Keith Higginson, Director

Ident. No. 65-13133

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: WALTER L. ODERMOTT 208-584-3543
Address: HC 78, BOX 3815
OLA, ID 83657
OR
Name: LOURABELLE M. ODERMOTT 208-584-3543
Address: HC 78, BOX 3815
OLA, ID 83657
2. Source: SPRING Trib. to: SQUAW CREEK
3. Location of Point of Diversion: SESWSE Sec. 27, Township 10N, Range 01E
GEM County
4. Water will be used for the following purposes:
- | Purpose | From | To | CFS | (or) | AF |
|------------|-------|-------|-------|------|----|
| STOCKWATER | 01/01 | 12/31 | 0.040 | | |
5. Total quantity appropriated is:
0.040 CFS (and/or) AF
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc.
PIPELINE TO STOCK TANK
b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
c. Proposed well diameter is inches; proposed depth of well is
feet.
d. Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.
8. Description of proposed uses:
STOCKWATER
9. Place of Use: STOCKWATER
- TWN RGE SEC
10N 01E 27 SESE

MICROFILMED

SEP 18 1990

10. Describe any other water rights used for the same purposes.
NONE

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? [X]

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

W. L. Odumatt
Applicant

Received by L. Werner Date 1-10-90 Time 10:50 Preliminary check by RW

Fee \$ 30.00 Receipted by L. Werner # M5482 Date 1-10-90

Publication prepared by GG Date 3-7-90 Published in Messenger-Index


Publication approved st Date 4-25-90
3/15 & 3/22/90

MICROFILMED

SEP 18 1990

65-13133

Stocks. TION, RIF. Speers 27 SE



AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,

ss.

COUNTY OF GEM,

Esma Reyes, being first duly sworn, on his oath deposes and says that he is the ^{her} printer of Messenger-Index, a legal weekly newspaper published at Emmett, in Gem County, Idaho; that said newspaper is in general circulation in said county and has been published uninterruptedly and continuously for more than 78 weeks prior to the first publication of the annexed document; and that the document notice, process, or advertisement hereunto annexed was published in the regular edition of Messenger-Index for Two (2)

consecutive weekly issues thereof, beginning with the issue of

MARCH 14, 1990,

and ending with the issue of

MARCH 21, 1990

Esma Reyes

Subscribed and sworn to before me this 21st day of

MARCH, 1990

Mary Ann Harrison

Notary Public,

Residing at Emmett, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11112

HELZER, EUNICE M

5901 S. SLOPE RD.

EMMETT, ID 83617

Source: GROUNDWATER

Diversion Pt: NESW Sec 17 T

06N R 02W

Use: COMMERCIAL (.040

CFS)

IRRIGATION (.020 CFS)

Total Diversion (.040 CFS)

Date Filed: 1/30/1990

In: T06N R02W S17 NESW

0.5 ACRES TOTAL

65-13132

ODERMOTT, LOURABELLE

M.

ODERMOTT, WALTER L.

HC 78 BOX 3815

OLA, ID 83657

Source: SPRING

Tributary: SQUAW CREEK

Diversion Pt: SWNESW Sec 27

T 10N R 01E

Use: STOCKWATER (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 1/10/1990

In: T10N R01E S27 NESW

0.5 ACRES TOTAL

65-13133

ODERMOTT, WALTER L.

ODERMOTT, LOURABELLE

M.

HC 78 BOX 3815

OLA, ID 83657

Source: SPRING

Tributary: SQUAW CREEK

Diversion Pt: SESW Sec 27

T 10N R 01E

Use: STOCKWATER (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 1/10/1990

In: T10N R01E S27 SESE

8.0 ACRES TOTAL

65-13144

NESBITT, HOMER

NESBITT, LOUISE E.

HC 78 BOX 3761

OLA, ID 83657

Source: SQUAW CREEK, SE-

COND FORK, Tributary:

SQUAW CREEK

Diversion Pt: SESE Sec 2 T

11N R 01E

Use: IRRIGATION (.160 CFS)

Total Diversion: (.160 CFS)

Date Filed: 2/14/1990

In: T11N R01E S11 NWNW

SWNW

8.0 ACRES TOTAL

65-13152

GILLIHAN, CATHERINE

LANHAM, HAZEL

850 JACKSON AVE.

EMMETT, ID 83617

Source: PAYETTE RIVER

Tributary: SNAKE RIVER

Diversion Pt: SWSW Sec 6 T

06N R 01W

Use: IRRIGATION (.200 CFS)

Total Diversion: (.200 CFS)

Date Filed: 2/05/1990

In: T06N R02W S11 NWNW

10.0 ACRES TOTAL

65-13166

LITTLE LAND & LIVESTOCK

CO.

PO BOX 205

EMMETT, ID 83617

Source: SPRINGS

Tributary: SAND HOLLOW

CREEK

Diversion Pt: NESE Sec 7

T 06N R 01E

Use: STOCKWATER (.190 CFS)

Total Diversion: (.190 CFS)

Date Filed: 2/14/1990

In: T06N R01E S07 SENW

R01W S13 SWNW

65-13167
LITTLE LAND & LIVESTOCK
CO.

PO BOX 205

EMMETT, ID 83617

Source: UNNAMED STREAM

Tributary: JAKES CREEK

Diversion Pt: LOT 1 (SWNE)

Sec 1 T 08N R 01W

Use: STOCKWATER STORAGE

(7.00 AF)

STOCKWATER FROM

STORAGE

(7.00 AF)

STOCKWATER (200 CFS)

Total Diversion: (.200 CFS) (7.00

AF)

Date Filed: 2/14/1990

In: T08N R01W S01 Lot 1

(NENE)

65-13173

LITTLE LAND & LIVESTOCK

CO.

PO BOX 205

EMMETT, ID 83617

Source: SPRINGS

Tributary: LITTLE COTTON-

WOOD CREEK

Source: SPRING

Tributary: BIG COTTONWOOD

CREEK

Source: BOX SPRING

Tributary: BIG COTTONWOOD

CREEK

Diversion Pt: NESW Sec 7

T 08N R 01E

Use: STOCKWATER (.120 CFS)

Total Diversion: (.120 CFS)

Date Filed: 2/14/1990

In: T08N R01E S07 SWSE

S08 SWSE

S10 NWNW

65-13174

LITTLE LAND & LIVESTOCK

CO.

PO BOX 205

EMMETT, ID 83617

Source: SPRING

Tributary: BRUSH CREEK

Source: SPRINGS

Tributary: DYES GULCH

Diversion Pt: NWNWNE Sec 17

T 08N R 01E

Use: STOCKWATER (.120 CFS)

Total Diversion: (.120 CFS)

Date Filed: 2/14/1990

In: T08N R01E S17 NWNW

S18 NESW Lot 2 (SWSW)

SESW

65-13175

LITTLE LAND & LIVESTOCK

CO.

PO BOX 205

EMMETT, ID 83617

Source: SPRING

Tributary: BRUSH CREEK

Source: SPRINGS

Tributary: DYES GULCH

Diversion Pt: NWNWNE Sec 17

T 08N R 01E

Use: STOCKWATER (.120 CFS)

Total Diversion: (.120 CFS)

Date Filed: 2/14/1990

In: T08N R01E S17 NWNW

S18 NESW Lot 2 (SWSW)

SESW

65-13176

LITTLE LAND & LIVESTOCK

CO.

PO BOX 205

EMMETT, ID 83617

Source: SPRING

Tributary: JAKES CREEK

Diversion Pt: NESE Sec 24

T 09N R 01W

Use: STOCKWATER (.050 CFS)

Total Diversion: (.050 CFS)

Date Filed: 2/14/1990

In: T09N R01W S24 SESE

65-13176

JONES, TERRY A

JONES, KERMIT Q

5888 SANDY AVE.

EMMETT, ID 83617

Source: GROUNDWATER

Diversion Pt: SWSW Sec 12 T

07N R 03W

Use: STOCKWATER (.130 CFS)

Total Diversion: (.130 CFS)

Date Filed: 2/14/1990

In: T07N R03W S11 NESE

SESE

S12 NWSW SWSW

S13 NWNW

65-13192

SMITH FINANCIAL GROUP

INC.

PO BOX 27

BOISE, ID 83707

Source: BISSEL CREEK

Tributary: PAYETTE RIVER

Diversion Pt: SWSW Sec 15 T

07N R 02W

Use: IRRIGATION (1.600 CFS)

Total Diversion: (1.600 CFS)

Date Filed: 2/14/1990

In: T07N R02W S15 SWSW

S22 NWNW SWNW

800 ACRES TOTAL

65-13193

SMITH FINANCIAL GROUP

INC.

PO BOX 27

BOISE, ID 83707

Source: UNNAMED SPRINGS

Tributary: BISSEL CREEK

Diversion Pt: NESWSW Sec 15

T 07N R 02W

Use: STOCKWATER (.550 CFS)

Total Diversion: (.550 CFS)

Date Filed: 2/14/1990

In: T07N R02W S15 SWSW

65-13194

BURKHARD, FREDERICK

P.O. BOX 156

SWEET, ID 83670

Source: SPRING

Tributary: SQUAW CREEK

Diversion Pt: NWSW Sec 34

T 08N R 01E

Use: DOMESTIC (.020 CFS)

Total Diversion: (.020 CFS)

Date Filed: 2/02/1990

In: T08N R01E S34 SENW

65-13195

WRIGHT, ERNEST

610 E. 3RD

EMMETT, ID 83617

Source: GROUNDWATER

Diversion Pt: NENESW Sec 8

T 06N R 02W

Use: IRRIGATION (.090 CFS)

Total Diversion: (.090 CFS)

Date Filed: 1/11/1990

In: T06N R02W S8 NESW

3.0 ACRES TOTAL

65-13196

BARRETT, HAROLD

1466 W. 12TH ST.

EMMETT, ID 83617

Source: GROUNDWATER

Diversion Pt: SWSE Sec 12 T

06N R 02W

Use: COMMERCIAL (.040

CFS)

Total Diversion: (.040 CFS)



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 5, 1993

LOURABELLE M ODERMOTT
WALTER L ODERMOTT
HC 78 BOX 3815
OLA ID 83657

RE: WATER RIGHT NO. 65-13133

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED

FEB 18 1993

LICENSE REVIEW CHECKLIST

Permit # 65-13133

Date 02-02-93
Q8

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	No Fee Paid
	☐	☒	Incorrect Fee for rate recommended?
	☐	☒	Disagree with Actual Measurement?
	☐	☒	<u>.03 cfs (STOCK) 150 x .00022 = .03</u>
	☒	☐	Disagree with Theoretical?
	☒	☐	Limited by Capacity? <u>.03 cfs</u>
TOTAL VOLUME			Rate/ac _____ AFA Irr. Season _____
			Standard Irr. Season _____
			Season Recommended _____
	☒	☐	Disagree with Examiner's Calculations?
	☐	☒	<u>2.0 afa (STOCK) 150 x .0134 = 2.01</u>
	☐	☒	Limited by Flow? _____
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D	☐	☒	Verify with Map
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration?
P/U	☐	☒	Verify with Map
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use? _____
	☐	☒	Amendment Needed? _____
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? _____
	☒	☐	Non-Irr. Uses <u>STOCK / 150 Horses & Cattle</u>
	☐	☒	Special Overlap Condition
	☐	☒	Other _____
CONDITIONS	☐	☒	Measuring Device
	<u>RO4</u>	☐	W/Master Control
	☐	☒	Overlap
	☐	☒	Water Quality
			DATES/MISC
			<u>65A</u> _____ Water Dist.
			_____ App Rec'd
			_____ Exam Made

COMMENTS: Database shows 150 cattle applied for - Proof filed shows
150 Head - Allow 150 STOCK

LICENSE ☒ AMEND _____ SPECIAL PARAGRAPH _____

WR0749NP
No. L65-13133

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 02/02/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	LOURABELLE M ODERMOTT	01/10/1990	STOCKWATER	01-01 12-31	0.03 CFS	2.0 AFA
C	WALTER L ODERMOTT					
	HC 78 BOX 3815					
	OLA ID 83657					
	(208) 584-3543					
				TOTAL DIVERSION:	0.03 CFS	2.0 AFA

Water Source: SPRING

Tributary to: SQUAW CREEK

Stage: LICENSE

Point(s) of Diversion Capacity: 0.03 CFS

Point(s) of Diversion: T10N R01E S27 SE SW SE

Place of use Legal Description for: STOCKWATER

NE				NW				SW				SE							
T	R	S	: Lt Ac Lt Ac Lt Ac Lt Ac	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:
---	---	---	: -----	:	---	---	---	---	:	---	---	---	---	:	---	---	---	---	:
10N	01E	27	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:

Pou County: GEM

Non-Irrigation Uses: S/150 HD CATTLE

Other Water Rights Listing Overlapping Place(s) of use:
65-03017

Conditions of Approval:

- R04 - Use of water under this water right will be regulated by the
- watermaster of State Water District No. 65A.

Remarks: Stockwater use is for 150 horses and range cattle.

Dates: App. Received: 01/10/1990 Priority Date: 01/10/1990
Proof Due Date: 07/01/1991 Proof Made Date: 06/15/1990
Exam Made Date: 06/03/1992 Exam Sent to S.O.: 01/22/1993
Licensed Date:

Misc: Water District Number: 65A Field Exam Fee: N (Not Required)

Audit: 02/02/93 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 27 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: WALTER L. & LOURABELLE M. ODERMOTT Permit No. 65-13133
Phone No. 584-3543
Current Address: HC 78 BOX 3815, OLA, ID 83657
2. Accompanied by: WALTER ODERMOTT EXAM. DATE: 6/3/92
Address: (Same) Phone No. 584-3543
Relationship to Permit Holder: _____
3. Source: Spring tributary to SQUAW CREEK

B. OVERLAP REVIEW

1. Other water rights with same place of use NONE
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: NONE
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

RECEIVED

FEB 18 1993

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Spring water piped through 1" dia. steel pipe to 4" dia. steel cattle trough below spring (Appx. 200-300 ft pipe). Only located 5 or 6 head of cattle, but Mr. Edemott claimed this trough served appx. 200 head of cattle and 10 head horses.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SW	SE	27	10N	1E	Gem	Quad map.

6. **Place(s) of Use:**

Indicate Method of Determination Same as P/O

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
10N	1E	27																5	

103181993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

5 gallon bucket - 1/2 gal/min

$R = \frac{2 \text{ in}}{12} \div 2$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

5 gallon bucket - 1/2 gal min.
 $0.5 \frac{\text{gal}}{\text{min}} \left(\frac{1 \text{ ft}^3}{7.48 \text{ gal}} \right) \left(\frac{1 \text{ min}}{60 \text{ sec}} \right) = 0.001 \text{ cfs}$

$$Q = 5 \pi R^2$$

1" pipe = .03 cfs
at 5'/sec

2. Alternate Method for Checking Purposes:

(.04 cfs over limit in excess of 1" pipe flow capacity)
(.001 cfs not accurate due to drought)

F. PUMP EFFICIENCY DATA (Optional)

N/A

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses.

FEB 18 1993

$$V_R = \frac{210 \times 243 \text{ ft}^2 \times 365 \text{ days}}{325,850 \frac{\text{g}}{\text{s}}} = 0.8 \text{ AF}$$

2.8

$V_R < V_D$, use 0.8 AF
2.8

$$V_D = (0.04) (365) (1.9835) = 29.0 \text{ AF}$$

21.7

[illegible]

1 Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Stockwater	1/1	12/31	0.04, 03	~~2.8~~ 0.8 2.8
Totals:			04.03	~~2.8~~ 0.8 2.8

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

Field Examiner's Name Rick Collingwood
Signature Rick Collingwood
Certification Date _____
Field Report Preparation Date 6/4/92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.


100-443887-1

FEB 18 1993

9



View SW of 4' diameter water trough. Spring is located in background in brushy draw and pipe through 1" pipe to water trough.



View north of trough and drainage. Overflow is piped to drainage.

APPROVED
FEB 18 1993

August 21, 1990

Lourabelle M. and Walter L. Obermott
HC 78 Box 3815
Ola, ID 83657

Dear Mr. and Mrs. Obermott:

Re: Permit Nos. 65-13132 and 65-13133

Enclosed is a copy of an order which removes the condition of approval requiring a lockable device.

If I can be of further assistance, please contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

SEP 10 1990

RECEIVED
AUG 10 1990

Department of Water Resources

August 7, 1990

Dept. of Water Resources
Statehouse Mail
Boise, ID 83720

RE: Permit No. 65-13133 and 65-13132

Please remove the condition of approval requiring a lockable device be installed on the diverting works.

The water appropriated under these permits is for stockwater use. One of the springs is tiled and piped into a stock tank. The other spring is diverted into a stock tank through an underground pipe. There is no possible way to install lockable devices.

Sincerely,

Walter L. Odermott

Walter L. Odermott

RECORDED

SEP 18 1990

August 2, 1990

LOURABELLE M. ODERMOTT
WALTER L. ODERMOTT
HC 78 BOX 3815
OLA, ID 83657

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13133

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a lockable device to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

/

The installation of the lockable device must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED

SEP 12 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 65-13133

Date: 7-18-90

General Considerations:

y Name same as permit
y Signature the same as permit holder
No-y Address change _____ If yes, prepare a data entry
y Proof received timely
NA Reinstated

Source of Water:

y Surface water
NA Groundwater
 NA 1. well log in file
 NA 2. drilling permit
 _____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses
 y Is rate or volume and fee appropriate?
y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

y Is a measuring device or access port required?
y Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks: *Needs lockable device*
Proof acceptable

NA Priority Calculation:
Date proof received _____
Date proof due _____
No. of days late _____
Priority date _____
NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED
JUN 15 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department

Permit No. 65-13133 Telephone No. 584-3543

Name(s) of Permit Holder(s): Lourabelle M. and Walter L. Odermott ✓

Post Office Address: HC 78, Box 3815, Ola, ID 83657 ✓

Source of Water: spring ✓

If ground water, well driller's name: _____ Date drilled: _____

Extent of Use:
Domestic _____ (No. of households) Irrigation _____ (No. of acres)
Stockwater 150 ✓ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 0.04 ✓ cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 1979 ✓

One of the following may be a condition of approval of your permit.

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes No

Fee Enclosed: \$ 0 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

same as above
Name Telephone No

Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED
SEP 18 1990

June 15, 1990
Date

X W. L. Odermott owner ✓
Signature (and title if on behalf of a company or organization)

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 11, 1990

LOURABELLE M. ODERMOTT
WALTER L. ODERMOTT
HC 78 BOX 3815
OLA, ID 83657

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P65-13133

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a lockable device that will provide the watermaster control on your diversion.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED
SEP 18 1990

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: RW DATE: 2-16-90 APPLICATION: 65-13133

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume) Gov't. Lots:
☒ Period of use: N P/D
☒ Nature of proposed use: (Include description of use) N P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

- ☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion:
☒ Field check required: Field check by: _____
☒ Field report attached:
☒ Critical groundwater area:
☒ Groundwater management area:
☒ Send dam safety information:
☒ Send power requirement letter:
☒ Send fish farm requirement letter:
☒ Power residency affidavit:
☒ Power efficiency form:
☒ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side: _____

MAY 18 1990
Department of Water Resources

65-13133

PROCESSING

YES NO

☒ ☐
☐ ☒
☒ ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # _____

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☒
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☒
☐ ☒
☐ ☒
☒ ☒
☒ ☒
☒ ☒

Publication dates and paper recorded on application:

Protests received. Final date for protest April 2, 1990

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, DnrMeasuring device required: (Lockable only)

Measuring port required:

Water delivered by water master? District # 65-A, Squaw Creek

Special conditions of approval or cover letter:

05 (65-A, Squaw Creek), OIH

See below for additional information

Recommended Date or Priority 1/10/1990Recommended by: Dnr Date 5/16/1990STATE OFFICE REVIEWPOI, P1605 (65A) OIHSee below for additional information. By KW Date 6-1-90ADDITIONAL INFORMATION

65-13133

ODERMOTT, WALTER L.
ODERMOTT, LOURABELLE M.
HC 78 BOX 3815
OLA, ID 83657

Source: SPRING

Tributary: SQUAW CREEK

Diversion Pt: SESWSE Sec 27 T 10N R 01E

Use: STOCKWATER (.040 CFS)
 Total Diversion: (.040 CFS)

Date Filed: 1/10/1990

In: T10N R01E S27 SESE

MICROFILMED

SEP 18 1990