


65-13132

Stockw. TION, RIE, Sec 27, SW, NE, SW



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 27 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Walter L. & Lourabelle M. Odermott Permit No. 65-13132
Current Address: HC 78 Box 3815, OLA, ID 83657 Phone No. 584-3543
2. Accompanied by: Walter Odermott EXAM. DATE: 6/3/92
Address: (Same) Phone No. 584-3543
Relationship to Permit Holder: _____
3. Source: Spring tributary to Squaw Creek

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

FEB 18 1993

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).



PERMIT 65-13132 INIT EC
T. R. S. Q/Q
P/D 10N IE 27 NESW
SCALE
PHOTO ID. V-8 OLA

p/d

p/u

RECEIVED
FEB 18 1993

N

488

489

490

10'

491

492



View to the east of water trough. Spring is located appx. 300' west of ~~spring~~ trough.



View northerly of 7' diameter water trough. Overflow is piped to brushy area in background.

RECORDED
FEB 18 1993

Odermott

65-13132 (6/3/92)



View North of overflow drainage area.

ARCHIVED
FEB 18 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13132

Priority: January 10, 1990

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

2.0 AF

This is to certify, that LOURABELLE M ODERMOTT
WALTER L ODERMOTT

HC 78 BOX 3815

OLA ID 83657

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 10, 1990; and has submitted Proof of Beneficial Use on June 15, 1990. An examination indicates that the works have a diversion capacity of .030 cfs of water from:

SPRING

tributary to **SQUAW CREEK**

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.03 CFS	2.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNESW , Sec. 27, Township 10N, Range 01E
GEM County

PLACE OF USE: STOCKWATER

TWN RGE SEC

10N 01E 27

NESW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 65A.
6. Stockwater use is for 150 horses and range cattle.


PRODUCED


FEB 18 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 65-13132

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 4TH
day of FEBRUARY, 1993.

Acting for  R. Keith Higginson, Director


FEB 18 1993

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NOS. 65-13132)
AND 65-13133 IN THE NAME OF)
LOURABELLE M. &/OR WALTER OBERMOTT) ORDER

WHEREAS, on June 11, 1990, the Department of Water Resources issued Permit Nos. 65-13132 and 65-13133 with a condition of approval which states:


A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this permit.

and,

WHEREAS, the Department of Water Resources has determined that the installation of a lockable device is not required at this time;

NOW, THEREFORE, IT IS ORDERED that this condition of approval on Permit Nos. 65-13132 and 65-13133 be REMOVED.

Dated this 20th day of August, 1990.


L. GLEN SAXTON
Chief, Water Allocation Bureau

MICROFILMED

SEP 18 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13132

Proposed Priority: January 10, 1990 Maximum Diversion Rate: 0.04 CFS
This is to certify, that LOURABELLE M. ODERMOTT

WALTER L. ODERMOTT
HC 78 BOX 3815
OLA, ID 83657

has applied for a permit to appropriate water from:

SPRING tributary of SQUAW CREEK

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: SWNESW Sec. 27, Township 10N, Range 01E
GEM County

PLACE OF USE: STOCKWATER

TWN RGE SEC

10N 01E 27 NESW

CONDITIONS/REMARKS:


1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1991.
2. Subject to all prior water rights.
3. A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this permit.
4. Use of water under this permit is subject to control by the watermaster of State Water District No. 65A.
5. Stockwater use is for 150 head.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

11th day of June, 1990.

MICROFILMED

SEP 18 1990

for 
R. Keith Higginson, Director

Ident. No. 65-13132

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: WALTER L. ODERMOTT 208-584-3543
Address: HC 78, BOX 3815
OLA, ID 83657
OR
Name: LOURABELLE M. ODERMOTT 208-584-3543
Address: HC 78, BOX 3815
OLA, ID 83657

2. Source: SPRING Trib. to: SQUAW CREEK

3. Location of Point of Diversion: SWNESW Sec. 27, Township 10N, Range 01E
GEM County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
STOCKWATER	01/01	12/31	0.040		

5. Total quantity appropriated is:
0.040 CFS (and/or) AF

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc.

PIPELINE TO STOCK TANK

b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.

c. Proposed well diameter is inches; proposed depth of well is
feet.

d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:
STOCKWATER

9. Place of Use: STOCKWATER

TWN RGE SEC
10N 01E 27

NESW

MICROFILMED

SEP 18 1990

10. Describe any other water rights used for the same purposes.
NONE

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? [X]

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

W. L. Obermeyer
Applicant

Received by L. Werner Date 1-10-90 Time 10:50 Preliminary check by rw

Fee \$ 30.00 Receipted by L. Werner # 175482 Date 1-10-90


Publication prepared by GG Date 3-7-90 Published in Messenger-Index
3/15 & 3/22/90

Publication approved st Date 4-25-90

MICROFILMED

SEP 18 1990

Stocks. F10N, R1E, Sec 2a, SW, NE, SW



AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
 ss.
 COUNTY OF GEM,

Esma Reyes, being first
 duly sworn, on his oath deposes and
 says that she is the ^{her} printer of Mes-
 senger-Index, a legal weekly news-
 paper published at Emmett, in Gem
 County, Idaho; that said newspaper
 is in general circulation in said
 county and has been published unin-
 terruptedly and continuously for
 more than 78 weeks prior to the
 first publication of the annexed
 document; and that the document
 notice, process, or advertisement
 hereunto annexed was published in
 the regular edition of Messenger-
 Index for Two (2)

consecutive weekly issues thereof,
 beginning with the issue of
MARCH 14, 1990,
 and ending with the issue of
MARCH 21, 1990

Esma Reyes

Subscribed and sworn to before me
 this 21st day of

MARCH, 1990

Mary Ann Hanson

Notary Public,

Residing at Emmett, Idaho.

RECEIVED
 My Commission Expires SEP 18 1990

MAR 23 1990

Department of Water Resources
 Western Regional Office

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s)
 have been filed to appropriate
 the public waters of the State of
 Idaho:

63-11112
 HELZER, EUNICE M.
 HELZER, GERALD H.
 5901 S SLOPE RD.
 EMMETT, ID 83617
 Source: GROUNDWATER
 Diversion Pt: NESW Sec 17 T
 06N R 02W
 Use: COMMERCIAL (.040
 CFS)
 IRRIGATION (.020 CFS)
 Total Diversion (.040 CFS)
 Date Filed: 1/30/1990
 In: T06N R02W S17 NESW
 0.5 ACRES TOTAL

65-13132
 ODERMOTT, LOURABELLE
 M.
 ODERMOTT, WALTER L.
 HC 78 BOX 3815
 OLA, ID 83657
 Source: SPRING
 Tributary: SQUAW CREEK
 Diversion Pt: SWNESW Sec 27
 T 10N R 01E
 Use: STOCKWATER (.040 CFS)
 Total Diversion (.040 CFS)
 Date Filed: 1/10/1990
 In: T10N R01E S27 NESW
 65-13133

65-13144
 ODERMOTT, WALTER L.
 ODERMOTT, LOURABELLE
 M.
 HC 78 BOX 3815
 OLA, ID 83657
 Source: SPRING
 Tributary: SQUAW CREEK
 Diversion Pt: SESWSE Sec 27
 T 10N R 01E
 Use: STOCKWATER (.040 CFS)
 Total Diversion (.040 CFS)
 Date Filed: 1/10/1990
 In: T10N R01E S27 SESE

65-13144
 NESBITT, HOMER
 NESBITT, LOUISE E.
 HC 78 BOX 3761
 OLA, ID 83657
 Source: SQUAW CREEK, SE-
 COND FORK, Tributary:
 SQUAW CREEK
 Diversion Pt: SESE Sec 2 T
 11N R 01E
 Use: IRRIGATION (.160 CFS)
 Total Diversion (.160 CFS)
 Date Filed: 2/14/1990
 In: T11N R01E S11 NWNW
 SWNW
 8.0 ACRES TOTAL

65-13152
 GILLIHAN, CATHERINE
 LANHAM, HAZEL
 850 JACKSON AVE.
 EMMETT, ID 83617
 Source: PAYETTE RIVER
 Tributary: SNAKE RIVER
 Diversion Pt: SWSW Sec 6 T
 06N R 01W
 Use: IRRIGATION (.200 CFS)
 Total Diversion (.200 CFS)
 Date Filed: 2/05/1990
 In: T06N R02W S11 NWNE
 10.0 ACRES TOTAL

65-13166
 LITTLE LAND & LIVESTOCK
 CO.
 P.O. BOX 205
 EMMETT, ID 83617
 Source: SPRINGS
 Tributary: SAND HOLLOW
 CREEK
 Diversion Pt: NESENE Sec 7
 T 06N R 01E
 Use: STOCKWATER (.190 CFS)
 Total Diversion (.190 CFS)
 Date Filed: 2/14/1990
 In: T06N R01E S07 SENW
 R01W S13 SWNW

65-13167
 LITTLE LAND & LIVESTOCK
 CO.
 P.O. BOX 205
 EMMETT, ID 83617
 Source: UNNAMED STREAM
 Tributary: JAKES CREEK
 Diversion Pt: LOT 1 (SWNE)
 Sec 1 T 08N R 01W
 Use: STOCKWATER STORAGE
 (7.00 AF)
 STOCKWATER FROM
 STORAGE (7.00 AF)
 STOCKWATER (.200 CFS)
 Total Diversion (.200 CFS) (7.00
 AF)
 Date Filed: 2/14/1990
 In: T08N R01W S01 Lot 1
 (NENE)

65-13173
 LITTLE LAND & LIVESTOCK
 CO.
 P.O. BOX 205
 EMMETT, ID 83617
 Source: SPRINGS
 Tributary: LITTLE COTTON-
 WOOD CREEK
 Source: SPRING
 Tributary: BIG COTTONWOOD
 CREEK
 Source: BOX SPRING
 Tributary: BIG COTTONWOOD
 CREEK
 Diversion Pt: NESWSE Sec 7
 T 08N R 01E
 Use: STOCKWATER (.120 CFS)
 Total Diversion (.120 CFS)
 Date Filed: 2/14/1990
 In: T08N R01E S07 SWSE
 S08 SWSE
 S10 NWNW

65-13174
 LITTLE LAND & LIVESTOCK
 CO.
 P.O. BOX 205
 EMMETT, ID 83617
 Source: SPRING
 Tributary: BRUSH CREEK
 Source: SPRINGS
 Tributary: DYES GULCH
 Diversion Pt: NWNWNE Sec 17
 T 08N R 01E
 Use: STOCKWATER (.120 CFS)
 Total Diversion (.120 CFS)
 Date Filed: 2/14/1990
 In: T08N R01E S17 NWNE
 S18 NESW Lot 2 (SWSW)
 SESW

65-13175
 LITTLE LAND & LIVESTOCK
 CO.
 P.O. BOX 205
 EMMETT, ID 83617
 Source: SPRING
 Tributary: JAKES CREEK
 Diversion Pt: NESENE Sec 24
 T 09N R 01W
 Use: STOCKWATER (.050 CFS)
 Total Diversion (.050 CFS)
 Date Filed: 2/14/1990
 In: T09N R01W S24 SESE

65-13176
 JONES, TERRY A.
 JONES, KERMIT Q.
 5888 SANDY AVE.
 EMMETT, ID 83617
 Source: GROUNDWATER
 Diversion Pt: SWSW Sec 12 T
 07N R 03W
 Use: STOCKWATER (.130 CFS)
 Total Diversion (.130 CFS)
 Date Filed: 2/14/1990
 In: T07N R03W, S11 NESE
 SESE
 S12 NWSW SWSW
 S13 NWNW

65-13192
 SMITH FINANCIAL GROUP
 INC.
 P.O. BOX 27
 BOISE, ID 83707
 Source: BISSEL CREEK
 Tributary: PAYETTE RIVER
 Diversion Pt: SWSW Sec 15 T
 07N R 02W
 Use: IRRIGATION (1.600 CFS)
 Total Diversion: (1.600 CFS)
 Date Filed: 2/14/1990
 In: T07N R02W S15 SWSW
 S22 NWNW SWNW
 800 ACRES TOTAL

65-13193
 SMITH FINANCIAL GROUP
 INC.
 P.O. BOX 27
 BOISE, ID 83707
 Source: UNNAMED SPRINGS
 Tributary: BISSEL CREEK
 Diversion Pt: NESWSW Sec 15
 T 07N R 02W
 Use: STOCKWATER (.550 CFS)
 Total Diversion: (.550 CFS)
 Date Filed: 2/14/1990
 In: T07N R02W S15 SWSW

65-13194
 BURKHARD, FREDERICK
 P.O. BOX 156
 SWEET, ID 83670
 Source: SPRING
 Tributary: SQUAW CREEK
 Diversion Pt: NWSW Sec 34
 T 08N R 01E
 Use: DOMESTIC (.020 CFS)
 Total Diversion (.020 CFS)
 Date Filed: 2/02/1990
 In: T08N R01E S34 SENW

65-13195
 WRIGHT, ERNEST
 610 E. 3RD
 EMMETT, ID 83617
 Source: GROUNDWATER
 Diversion Pt: NENESW Sec 8
 T 06N R 02W
 Use: IRRIGATION (.090 CFS)
 Total Diversion (.090 CFS)
 Date Filed: 1/11/1990
 In: T06N R02W S8 NESW
 3.0 ACRES TOTAL

65-13196
 BARRETT, HAROLD
 1466 W. 12TH ST.
 EMMETT, ID 83617
 Source: GROUNDWATER
 Diversion Pt: SWSE Sec 12 T
 06N R 02W
 Use: COMMERCIAL (.040
 CFS)
 Total Diversion (.040 CFS)
 Date Filed: 1/12/1990
 In: T06N R02W S12 SWSE

65-13197
 B & W FUELS INC.
 BILLY G. OR G. KAY WEBB
 P.O. BOX 747
 EMMETT, ID 83617
 Source: GROUNDWATER
 Diversion Pt: LOT 2
 (NWNWNE) Sec 6 T 06N R
 01W
 Use: COMMERCIAL (.040
 CFS)
 Total Diversion (.040 CFS)
 Date Filed: 1/12/1990
 In: T06N R01W S06 Lot 2
 (NWNWNE)

The permit(s) will be subject
 to all prior water rights. Protests
 must be filed with the Director,
 Dept. of Water Resources,
 Western Region, 2735 Airport
 Way, Boise, Idaho 83705 on or
 before APRIL 2, 1990.
 R. KEITH HIGGINSON,
 Director
 Pub. 3-14,21-90
 Legal Notice No. 727
 Pub. in the Messenger Index

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with Conditions of Approval
- ☒ Well Inspection Form (If Needed)
- N/A Aerial Photo Required? yes ☒ no If yes: copy attached
- N/A SRBA Attachment A Submitted to Adjudication Section
- SRBA Claim Check Received (initial & date)
- ☒ N/A Applicable, See Attachment A
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of government plat
- ☒ Check of P/D index RC 7/22/92 (initial & date)
- Overlap ☒ yes no If yes: copy of exam(s) attached?
- Type of Overlap? Add acres or uses to existing system
- Increase rate of flow or volume
- Other:
- ☒ Check of P/U index RC 7/22/92 (initial & date)
- Overlap? ☒ yes no If yes: copy of water right(s) attached?
- Type of Overlap? Increase rate of flow or volume
- Add P/D's
- Increase number of acres within tracts
- Other:
- ☒ Scheduling Letter Sent? RC 7/17/92 (initial & date)
- ☒ Appointment Made and Telephone Conversation Memo Attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully Completed and Signed Field Report Form
- N/A Photographs of Point of Diversion and Place of Use
- N/A Copy of SRBA Claim Verification Sheet / Original Returned to Adjudication Section

Exam Sent to S.O. 3-28-94 VR
initial & date

C. Review and Processing:

- Exam Completed Steve Latta 1/4/94 (signature of examiner & date)
- Exam Reviewed by Senior Water Resource Agent N/A (initial & date)

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

10/15/93 TEKEW with R. MALIN - never developed
 irrigation beyond yard use. HAS house & yard use
 with this well.
 Well log - 1984 Well 6", 53'. No drilling permit applies.
 Assessors Office - visited 10/21/93, confirmed that house is on
 site.

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	N/A				

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	—	NE	SE		10	17N	3E	Valley	See Narrative

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
17N	3E	10													0				

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

allow .02 cfs as in permit

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

allow 1.2 cfs

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Delete irrig. from permit.

Domestic is for 1 home.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	.02	1.2
Totals:			.02	1.2

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Steve Lester

Signature

Steve Lester

Certification Date

10/21/93

Field Report Preparation Date

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 5, 1993

LOURABELLE M ODERMOTT
WALTER L ODERMOTT
HC 78 BOX 3815
OLA ID 83657

RE: WATER RIGHT NO. 65-13132

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED

FEB 18 1993

LICENSE REVIEW CHECKLIST

Permit # 65-13132

Date 02-02-93 38

NAME	<u>Yes</u>	<u>No</u>	Address Change?
PRIORITY DATE	<u>Yes</u>	<u>No</u>	Advance? _____
	<u>Yes</u>	<u>No</u>	Memo to Advance _____
	<u>Yes</u>	<u>No</u>	Order to Reinstate Needed? _____
TOTAL CFS	<u>Yes</u>	<u>No</u>	No Fee Paid _____
	<u>Yes</u>	<u>No</u>	Incorrect Fee for rate recommended? _____
	<u>Yes</u>	<u>No</u>	Disagree with Actual Measurement? _____
	<u>Yes</u>	<u>No</u>	<u>.03 cfs (STOCK)</u> <u>150 x .00022 = .033</u>
	<u>Yes</u>	<u>No</u>	Disagree with Theoretical? _____
	<u>Yes</u>	<u>No</u>	Limited by Capacity? <u>.03 cfs</u>
TOTAL VOLUME	<u>Yes</u>	<u>No</u>	Rate/ac _____ AFA Irr. Season _____
	<u>Yes</u>	<u>No</u>	Standard Irr. Season _____
	<u>Yes</u>	<u>No</u>	Season Recommended _____
	<u>Yes</u>	<u>No</u>	Disagree with Examiner's Calculations? _____
	<u>Yes</u>	<u>No</u>	<u>2.0 afu (STOCK)</u> <u>150 x .0134 = 2.01</u>
	<u>Yes</u>	<u>No</u>	Limited by Flow? <u>.03 x 365 x 1.9835 = 21.7220</u>
SOURCE	<u>Yes</u>	<u>No</u>	Changes? Clarification of <u>Originally</u>
	<u>Yes</u>	<u>No</u>	<u>Intended</u> source _____
	<u>Yes</u>	<u>No</u>	Notice of Intent to Void. _____
P/D	<u>Yes</u>	<u>No</u>	Verify with Map _____
	<u>Yes</u>	<u>No</u>	Amendment Needed? _____
	<u>Yes</u>	<u>No</u>	Is Overlap Analysis a Consideration? _____
P/U	<u>Yes</u>	<u>No</u>	Verify with Map _____
	<u>Yes</u>	<u>No</u>	Amendment Needed? _____
	<u>Yes</u>	<u>No</u>	Is Overlap Analysis a Consideration? _____
USES	<u>Yes</u>	<u>No</u>	Change(s) in Nature of Use? _____
	<u>Yes</u>	<u>No</u>	Amendment Needed? _____
REMARKS	<u>Yes</u>	<u>No</u>	Multiple P/Ds in 1/4 1/4? _____
	<u>Yes</u>	<u>No</u>	Non-Irr. Uses <u>STOCK / 150 Cattle & Horses</u>
	<u>Yes</u>	<u>No</u>	Special Overlap Condition _____
	<u>Yes</u>	<u>No</u>	Other _____
CONDITIONS	<u>Yes</u>	<u>No</u>	Measuring Device _____ DATES/MISC _____
	<u>Yes</u>	<u>No</u>	<u>RD4</u> W/Master Control <u>65A</u> Water Dist. _____
	<u>Yes</u>	<u>No</u>	Overlap <u>✓</u> App Rec'd _____
	<u>Yes</u>	<u>No</u>	Water Quality <u>✓</u> Exam Made _____

COMMENTS: Permit limits stock 150/Proof confirms 150

LICENSE ✓ AMEND _____ SPECIAL PARAGRAPH _____

WR0749NP
No. L65-13132

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 02/02/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	LOURABELLE M ODERMOTT	01/10/1990	STOCKWATER	01-01 12-31	0.03 CFS	2.0 AFA
C	WALTER L ODERMOTT					
	HC 78 BOX 3815					
	OLA ID 83657			TOTAL DIVERSION:	0.03 CFS	2.0 AFA
	(208) 584-3543					

Water Source: SPRING

Tributary to: SQUAW CREEK

Stage: LICENSE

Point(s) of Diversion Capacity: 0.03 CFS

Point(s) of Diversion: T10N R01E S27 SW NE SW

Place of use Legal Description for: STOCKWATER

NE				NW				SW				SE							
T	R	S	: Lt Ac Lt Ac Lt Ac Lt Ac	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:
---	---	---	: -----	:	Lt Ac	Lt Ac	Lt Ac	Lt Ac	:	Lt Ac	Lt Ac	Lt Ac	Lt Ac	:	Lt Ac	Lt Ac	Lt Ac	Lt Ac	:
10N	01E	27	:	:					:	S				:					:

Pou County: GEM

Non-Irrigation Uses: ~~6/150 HD CATTLE~~

Conditions of Approval:

- R04 - Use of water under this water right will be regulated by the
- watermaster of State Water District No. 65A.

Remarks: Stockwater use is for 150 horses and range cattle.

Dates:	App. Received:	01/10/1990	Priority Date:	01/10/1990
	Proof Due Date:	07/01/1991	Proof Made Date:	06/15/1990
	Exam Made Date:	06/03/1992	Exam Sent to S.O.:	01/22/1993
	Licensed Date:			

Misc: Water District Number: 65A Field Exam Fee: N (Not Required)

Audit: 02/02/93 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 27 1993

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 65-13132
Phone No. 584-3543
1. Owner: Walter L. & Loupabelle M. Odermott
Current Address: HC 78 Box 3815, OLA, ID 83657
2. Accompanied by: Walter Odermott EXAM. DATE: 6/3/92
Address: (Same) Phone No. 584-3543
Relationship to Permit Holder. _____
3. Source: Spring tributary to Squaw Creek

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: None
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

RECEIVED

FEB 18 1993

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Spring water delivered to 7' diameter steel trough through 1" steel pipe. (Trough is used to water 200 head of cattle and 10 horses, appx. as per Mr. Odehott)

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	NE	SW	27	10N	1E	Gem	Quad map.

6. **Place(s) of Use:**

Indicate Method of Determination SAME AS P/O

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
10N	1E	27									S								

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

5 gallon bucket (1 gpm)

$Q = 5\pi R^2$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

5 gallon bucket

$$1 \frac{\text{gal}}{\text{min}} \left(\frac{1 \text{ ft}^3}{7.48 \text{ gal}} \right) \left(\frac{1 \text{ min}}{60 \text{ sec}} \right) = 0.002 \text{ CFS}$$

2. Alternate Method for Checking Purposes

1" pipe = .03 cfs capacity
at 2 ft/sec

(.04 cfs on permit in excess
of 1" pipe flow capacity)
(.002 cfs not accurate due
to draught)

F. PUMP EFFICIENCY DATA (Optional)

N/A

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

$V_R = \frac{200 \times 12}{210 \times 6.75 \times 365 \text{ days}} = \frac{2400}{278625} = 0.0086 \text{ AF}$
 2.8

$V_D = \left(\frac{0.04}{.03} \right) (365 \text{ days}) (1.9835) = 29.0 \text{ AF}$
 21.7

$V_R < V_D$, use 2.8 AF

FEB 18 1993

(This area contains horizontal ruling lines.)

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
STOCK WATER	1/1	12/31	~~0.04.03~~	~~2.8~~ 1.7
				2.8
Totals:			~~0.04.03~~	~~2.8~~ 1.7
				2.8

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None☐ Other

Field Examiner's Name Rick Collingwood
Signature Rick Collingwood
Certification Date _____
Field Report Preparation Date 6/4/92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

FEB 18 1993

FEB 18 1993

PERMIT 65-13132 INIT PC
T. R. S. Q/Q
P/D 10N 1E 27 NESW
SCALE
PHOTO ID. V-8 OLA

WASHINGTON CO
GEN. OFF.

Spring

P/D

Q/Q

V

10'


4890

4891

4892

4893

4894



View to the east of water trough. Spring is located
appx. 300' west of ~~spring~~ trough.



View north of 7' diameter water trough.
Overflow is piped to brushy area in background.

FEB 18 1993



View NORTH OF OVERFLOW DRAINAGE AREA.

FEB 18 1993

August 21, 1990

Lourabelle M. and Walter L. Obermott
HC 78 Box 3815
Ola, ID 83657

Dear Mr. and Mrs. Obermott:

Re: Permit Nos. 65-13132 and 65-13133

Enclosed is a copy of an order which removes the condition of approval requiring a lockable device.

If I can be of further assistance, please contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

SEP 18 1990

SEP 11 1990

Department of Water Resources

August 7, 1990

Dept. of Water Resources
Statehouse Mail
Boise, ID 83720

RE: Permit No. 65-13133 and 65-13132

Please remove the condition of approval requiring a lockable device be installed on the diverting works.

The water appropriated under these permits is for stockwater use. One of the springs is tiled and piped into a stock tank. The other spring is diverted into a stock tank through an underground pipe. There is no possible way to install lockable devices.

Sincerely,

Walter L. Odermott

Walter L. Odermott

MICROFILMED

SEP 18 1990

August 2, 1990

LOURABELLE M. ODERMOTT
WALTER L. ODERMOTT
HC 78 BOX 3815
OLA, ID 83657

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13132

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a lockable device to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

/

The installation of the lockable device must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

SEP 18 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 65-12132

Date: 7-18-1990

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change If yes, prepare a data entry
Y Proof received timely
Reinstated

Source of Water:

Y Surface water
Y Groundwater
N/A 1. well log in file
2. drilling permit
A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
Has one been installed?
Waiver or modification of measuring device requested

Remarks: - Needs lockable device

~~Proven and approved~~
Proof acceptable

N/A Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	-
No. of days late	_____	=
Priority date	_____	+
NEW PRIORITY DATE	_____	=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED
JUN 15 1990

For Office Use Only
Amt. of Fee \$ _____
Date _____
Receipt No _____
Received by _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 65-13132 Telephone No. 584-3543

Name(s) of Permit Holder(s): Lourabelle M. and Walter L. Obermott ✓

Post Office Address: HC 78, Box 3815, Ola, ID 83657 ✓

Source of Water: spring ✓

If ground water, well driller's name: _____ Date drilled: _____

Extent of Use:
Domestic _____ (No. of households) Irrigation _____ (No. of acres)
Stockwater 150 ~~No~~ and type of stock) Other _____

Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit. 1989 ✓

One of the following may be a condition of approval of your permit

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes No

Fee Enclosed: \$ 0 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination

same as above
Name Telephone No

Address

The above information is my true statement of the extent to which the above numbered permit holder has developed and is relinquish any undeveloped portion of the permit to the state of Idaho

MICROFILMED

SEP 18 1990

June 15, 1990
Date

W.L. Obermott owner
Signature (and title if on behalf of a company or organization)

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 11, 1990

LOURABELLE M. ODERMOTT
WALTER L. ODERMOTT
HC 78 BOX 3815
OLA, ID 83657

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P65-13132

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a lockable device that will provide the watermaster control on your diversion.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECORDED FILMED

SEP 10 1990

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: fw DATE: 2-15-90 APPLICATION: 65-13132

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: 20 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:
- Gov't. Lots:
N P/D
N P/U

ADDITIONAL INFORMATION

YES NO

- ☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion:
☒ Field check required: Field check by: _____
☒ Field report attached:
☒ Critical groundwater area:
☒ Groundwater management area:
☒ Send dam safety information:
☒ Send power requirement letter:
☒ Send fish farm requirement letter:
☒ Power residency affidavit:
☒ Power efficiency form:
☒ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side: _____

RECEIVED
MAY 18 1990

Department of Water Resources

65-13132

ODERMOTT, LOURABELLE M.
ODERMOTT, WALTER L.
HC 78 BOX 3815
OLA, ID 83657

Source: SPRING

Tributary: SQUAW CREEK

Diversion Pt: SWNESW Sec 27 T 10N R 01E

Use: STOCKWATER (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 1/10/1990

In: T10N R01E S27 NESW

MICROFILMED

SEP 18 1990