




11/89
APPLICATION
FOR WELL
AND 8 ACRES

Amended
p/o 5/14

T18N
R3E

8 ACRES

WELL
LOCATION

MAP FOR AMENDED APPLICATION
65-13119
Well in NENW S.10
8 acres irrigation in S.10 NENW


MICROFILMED

JUL 26 1990

MAP 3 of 3



T. 19 N.
T. 18 N.



PAYETTE LAKE

P.O.U.

P.O.D.


MICROFILMED

JUL 26 1990

MAP 1 of 3
Original/ p14, p15
in S. 9,
amended p14, p15 in
S. 10

SRBA


32x1




25x1

Claim MAP FOR
AGS-02923D
and
AGS-02923E

BC

$$E \quad d \quad D \quad c \quad C \quad b \quad B$$


3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible	Franklin	10	ser. # 070080 model # LS150L6	Sta Rite	2" no serial # available

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

MICROFILMED

NOV 14 1995


65-13119

Location Sketch

McCall Municipal Golf Course Well

11/11/93

1" = 135'



NOV 14 1995

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____


How far away from the well is this source? _____

9. REMARKS: _____

Grand Homeowner WR Agent
Signature of Dept. Representative & Title

8/11/95
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



65-13119
8/11/95 S.H.



P/D:

8" casing
2' above ground

2" discharge
PVC

Sta Rite 10 HP
submersible pump

Franklin motor
serial # 070080
model # LS150L6



P/u:

8 acres

2" PVC buried main
to 1 1/4" PVC laterals

Hunter 125 nozzles

24 zones

6 nozzles run @
1 time

MICROFILMED
NOV 14 1995

Publisher's Affidavit of Publication

STATE OF IDAHO }
 }.SS
County of Valley

I, Bobette S. Steffler, being duly sworn and say, I am the receptionist of The Central Idaho Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the NOTICE OF AMENDED APPLICATION FOR PERMIT, a copy of which is enclosed hereto and is a part hereof, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number there of during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began May 17, 1990 and ended May 24, 1990

Bobette Steffler
Subscribed and sworn before me this the 24th day of May, 1990.

STATE OF IDAHO }
COUNTY OF VALLEY }

On this 24th day of May, in the year of 1990, before me, a Notary Public, personally appeared Bobette S. Steffler, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Tom Grote
Tom Grote
Notary Public for Idaho
Residing at McCall, Idaho
Commission Expires: 1993

NOTICE OF AMENDED APPLICATION FOR PERMIT

Notice is hereby given that application No. 65-13119 in the name of McCall Golf Course Foundation was filed on 11/18/1989 for the diversion of 0.28 cfs from Groundwater with a point of diversion within T18N R03E S09 NENW, B.M. to be used for Irrigation purposes from 4/15 to 10/15 within portions of T18N R03E S09 NENE, B.M.

The applicant now proposes to amend the application by changing the Point of Diversion to T18N R03 E S10 NENW, B.M. and Place of Use to T18N R03E S10 NENW. Any protest against the approval of the proposed amendment must be filed with the Department of Water Resources, 2735 Airport Way, Boise, ID 83705 on before June 4, 1990.
R. Keith Higginson, Director 2t5/24

RECEIVED
MAY 25 1990

Department of Water Resources

RECEIVED
MAY 30 1990

Department of Water Resources
Western Regional Office

RECEIVED
JUL 26 1990

NO JUST INT




T18N
R3E

MICROFILMED
JUL 26 1990



No 18 North, Range No 3 East of the Boise Meridian



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13119

Priority: November 17, 1989

Maximum Diversion Rate:

0.28 CFS

Maximum Diversion Volume:

24.0 AF

This is to certify, that MC CALL GOLF COURSE FOUNDATION
PO BOX 187

MC CALL ID 83638 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 8, 1989; and has submitted Proof of Beneficial Use on August 12, 1992. An examination indicates that the works have a diversion capacity of 0.300 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.28 CFS	24.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 10, Township 18N, Range 03E
VALLEY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
18N	03E	10	NENW	8		8

Total number of acres irrigated: 8

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .04 cfs per acre nor more than 3.0 afa per acre for the lands above.

NOV 14 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13119

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 8TH
day of NOVEMBER, 1995.


Acting for KARL J. DREHER, Director

RECEIVED
NOV 14 1995

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 65-13119)
IN THE NAME OF MCCALL GOLF COURSE FOUNDATION) ORDER OF
REINSTATEMENT)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before August 1, 1992; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit had lapsed for failure to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on August 12, 1992;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 65-13119 be REINSTATED with an advance in priority to November 17, 1989.

Dated this 18th day of August, 1992.


L. GLEN SAXTON
Chief, Water Allocation Bureau

MICROFILMED

SEP 15 1992

RECEIVED

AUG 12 1992

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-13119 Telephone No. (208) 634-2084

2. Name(s) of Permit Holder(s). M^cCALL GOLF COURSE FOUNDATION

3. Mailing Address: P.O. BOX 187 M^cCALL, ID 83638

4. Source of Water: WELL

If **GROUNDWATER**, Well Driller's Name: BOB GESTRIN Date Drilled: 4/90 12/89

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 8 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 0.28 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes X No Installed? _____ Yes X No

OR

Flow Measurement Port: Required? _____ Yes X No Installed? _____ Yes X No

8. Fee Enclosed: \$ 100.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

DAN HORMACHEA 634-0732
Name Telephone No.

P.O. BOX 187 M^cCALL, ID 83638
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed, and I relinquish any undeveloped portion of the permit to the state of Idaho.

5/10/92 [Signature]
Date Signature (and title, if on behalf of a company or organization)
SECRETARY/Treasurer
M^cCALL GOLF COURSE FOUNDATION

SEP 15 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13119

Proposed Priority: November 8, 1989 Maximum Diversion Rate: 0.28 CFS
This is to certify, that MC CALL GOLF COURSE FOUNDATION
P.O. BOX 187
MC CALL, ID 83638
has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/15 to 10/15	0.28 CFS

LOCATION OF POINT(S) OF DIVERSION: NENW Sec. 10, Township 18N, Range 03E
VALLEY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
18N	03E	10	NENW	8		8


Total number of acres irrigated: 8

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 1992.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.04 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

9th day of July, 1990.

for 
R. Keith Higginson, Director
MICROFILMED

JUL 26 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

AMENDED

Dan Hornacher
SIGNATURE

12/22/89
DATE

1. Name of applicant McCall Golf Course Foundation Phone 343-2545
(DEVELOP. HILLSIDE APTS, 2350 HILL Rd. Boise 83702)
Post office address Box 187, McCall Id. 83438

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NE 1/4 of NE 1/4 of NW 1/4, Govt Lot _____
Sec 10 ~~09~~ Township 18 N Range 03 E BM VALLEY County; additional
points of diversion if any _____

4. Water will be used for the following purposes.

Amount .28 ~~#6~~ for IRRIGATION purposes from 4/15 to 10/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) #6 .28 cubic feet per second and/or (b) _____ acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Drilled well w/ pump & SPRINKLER
system. Drilling Permit 65-89-W-025 approved 11/8/89.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet, period of year when water will be diverted to storage
_____ to _____ inclusive.

c. Proposed well diameter is 8" inches, proposed depth of well is 150 Ft. feet

d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

* point of diversion amended per MPA received 12/18/89 from Dan Hornacher,
Sec/Treas. of Foundation.

SL 12/19/89

8 Description of proposed uses (if irrigation only, go to item 9)

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering, list number and kind of livestock. _____
- Municipal; show name of municipality _____
- Domestic; show number of households. _____
- Other; describe fully _____

9. Description of place of use

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example. *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
18N	03E	10 ~~09~~	8	8			8												8

Total number of acres to be irrigated 8

10. Describe any other water rights used for the same purposes as described above. _____

- Who owns the property at the point of diversion? APPLICANT Daniel H. Hanks
- Who owns the land to be irrigated or place of use? APPLICANT Daniel H. Hanks
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. Application is FILED BY HILLSIDE NURSERY, THE PROJECT DEVELOPER.

12. Remarks: EXCESSIVE FLOW rate, GOLF COURSE DRIVING RANGE, irrigated in evenings for 8 hours ONLY.


RECORDED

* Place of use changed per correspondence received 12/27/89, JUL 26 1990, 82.



MAP FOR AMENDED APPLICATION
65-13119
Well in NENW 5-10
8 acres irrigation in S-10 NENW

FILMED



T. 19 N.
T. 18 N.

PAYETTE LAKE

P.O.U.

AHO

3000 FEET
500 METERS

PHOTO FILMED

JUL 26 1990

Payette River

McCALL AIRPORT

55

MAP 1 of 3

Original/ p14, p15
in 5.9,
amended p14, p15 in
5.10

See attached maps

MICROFILMED
JUL 26 1990

JUL 26 1990

↑ No govt lots 6 1/2 6 1/2 5.9

{Applicant

Hillside Nursery - President

Received by JW 715. Date 12/27/89 Time 10:00 AM Preliminary check by SL
Fee \$ 45.00 Receipted by JW # W006643 Date Nov. 8, 1989
amendment 20.00 SL W007259 Dec. 27, 1989
Publication prepared by GG Date 11-29-89 Published in Star News
Publication approved SL Date 6-4-90 12/6 & 12/13/89
AMENDED 4/17 & 1/24/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a SUBJECT TO ALL PRIOR WATER RIGHTS.
- b Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land
- d The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other

RECEIVED

JUL 26 1990

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name McCall Golf Course Foundation
Address Box 187 McCall, IDAHO
Owner's Permit No. 65-89-12-025-000

2. NATURE OF WORK

WR-65-1319

- ☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

- ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

- ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>1.250</u> inches	<u>8</u> inches	<u>1</u> feet	<u>89</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☒ Yes ☐ No
Perforated? ☒ Yes ☐ No
How perforated? ☐ Factory ☒ Knife ☐ Torch ☐ Gun
Size of perforation 5/32 inches by 1 inches

Number	From	To
<u>125</u> perforations	<u>76</u> feet	<u>83</u> feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 19 Material used in seal: ☐ Cement grout

☒ Bentonite ☐ Pudding clay ☐ _____

Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing

☐ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

Weld

☐ Cemented between strata

Describe access port SANITARY Well Seal

7. WATER LEVEL

Static water level 7 feet below land surface.

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature 43 of Quality Good

Describe artesian or temperature zones below

8. WELL TEST DATA

☐ Pump ☐ Bailer ☒ Air ☐ Other _____

Discharge G.P.M.

Pumping Level

Hours Pumped

150

85

4

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
10	0	2	Top Soil		X
10	2	10	Brown Sandy Clay		X
10	10	16	Fine Brown Sand	X	
10	16	19	Fine Brown Sand + some gravel	X	
8	19	22	Fine Brown Sand + some gravel	X	
8	22	30	Blue Clay		X
8	30	35	Fine Gray Sand	X	
8	35	47	Blue Clay		X
8	47	51	Gray Sand + gravel	X	
8	51	65	Fine Gray Sand	X	
8	65	75	Fine Gray Sand + some gravel	X	
8	75	88	Gray Sand + gravel	X	
8	88	90	Fine Gray Sand	X	

A 3' CEMENT SEAL WAS USED
AT BOTTOM OF CASING TO
PREVENT SAND FROM ENTERING
THE BOTTOM OF THE CASING

RECEIVED
DEC 5 1989

RECEIVED
DEC 05 1989


Department of Water Resources
Western Regional Office

DEC 6 1989

Department of Water Resources

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name McCall

OWN 21 1991

Lot No. _____ Block No. _____

County VALLEY

NE 1/4 NE 1/4 Sec 9, T. 18 N, R. 3 W

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.

Firm Name GESTRICK INC. Well Firm No. 408

Address HC 38 Box 10 Donnelly Date 12-1-89

Signed by (Firm Official) Robert W. Estrom

and
(Operator) Robert W. Estrom

9/89

Drilling Permit No. 5-89-W-025-000Water Right Permit No. 65-13119

Injection Permit No. _____

State of Idaho
Department of Water Resources
D R I L L I N G P E R M I T

RECEIVED
NOV 9 1989

Department of Water Resources

1. Applicant McCall Golf Course Foundation2. Mailing Address Box 187 McCall Id. 83638Telephone 343-2545() Well Owner () Well Operator (X) Other, specify DEVELOPER3. Proposed well location NE 1/4 NE 1/4, or Gov't lot No. _____,Sec. 09, Twp. 18 N, Rge. 03 E, County VALLEY,Street Address of Well Site Redy Lane, McCall Id.,Lot, block and subdivision Redy Lane, McCall Id.

4. Proposed use of well:

() Single family or stockwater use (less than 13,000 gallons per day)

(X) Irrigation (more than 1/2 acre)

() Monitoring - A well bore schematic and map is required for each well.

No. of proposed wells: _____

() Other (describe fully) _____

5. Well construction information:

A. (X) New well () Deepen () Replace - See Condition 9.

B. Proposed surface diameter 8" Maximum depth 150 Ft.

C. Anticipated bottom hole temperature:

(X) 85°F or less (Cold water well)

() 85°F to 212°F (Low temp. geothermal well)

() 212°F or more (Geothermal well)

6. Construction Start Date 12-1-897. Anticipated Well Driller Bob Gesteria #408 HC 38, Box 10, Donnelly Id.
NOTE: The actual well driller must be identified prior to drilling.8. Applicant's signature [Signature] Date 11/8/89Title Hillside Nursery - President
(Owner, Firm Representative, Other)

ACTION OF DEPARTMENT OF WATER RESOURCES

This Permit is Approved Date 11/8/89

If approved, this permit authorizes the construction of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

David R. Tuttle
Signature of Authorized Department Representative

Mgr, Western Reg Off
Title

Receipt No. W006643 Received by JW Fee 100 Date Nov. 8 1989

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 8, 1995

MC CALL GOLF COURSE FOUNDATION
PO BOX 187
MC CALL ID 83638

RE: WATER RIGHT NO. 65-13119

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.


Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

NOV 14 1995



32x10

25x10

CLAIM MAP FOR
A65-02923D
and
A65-02923E

MEMO TO FILES: A65-02923B, 02923C
A65-02923D, 02923E

FROM: Helen Harrington-Thornton

DATE: August 3, 1990

Original decreed rt. 65-02923A has been split into
A65-02923B - Ostermiller
A65-02923D - Whiteman/Neff

Original decreed rt. 65-02923X has been split into
A65-02923C - Ostermiller
A65-02923E - Whiteman/Neff

It appears that the original owner, Stringer, lost the property to the banks. Ostermiller purchased the property from Farm Credit Service. That Sales Agreement, attached to the Ostermiller claims, identifies the specific decreed rt. numbers and lists the total diversion rate as part of the sale; the sales agreement is dated September 9, 1987.

The Whiteman/Neff purchase was recorded on July 7, 1987; copy of warranty deed of the transfer from Stringer to Idaho Bank and Trust Co., and the follow-up transfer from Idaho Bank and Trust Co. to Whiteman/Neff are attached to Whiteman/Neff claims. This initial deed includes the standard phrase that the purchase includes water rights without any specific identification.

Therefore, I believe that the Farm Credit Service did not hold title to the entire diversion rate which they referred to in the Ostermiller sales agreement. Since the Whiteman/Neff purchase occurred first, that decreed right would have split at the time of this first purchase.

Unless other information comes forward, it would appear that the Ostermillers have a 91/168 portion of each right and Whiteman/Neff have a 77/168 portion. Whiteman/Neff have claim these proportions.

IN FILE FOR
CLAIMS (SRBA)
A65-02923D
and
A65-0293E

25x10

(BC)

DATE: 11/02/95
PAGE: 1

Audit: 08/03/90 HARRINGT 03/30/95 POST-STD

WR5809NP
No. 65-02923A

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 11/02/95
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	C. JOHN STRINGER RT. 3, BOX 720 ONTARIO OR 97914	07/01/1929	IRRIGATION	04-15 10-15	0.400 CFS	
TOTAL DIVERSION:					0.400 CFS	

Water Source: SPLIT CREEK

Tributary to: FALL CREEK

Stage: DECREED

Point(s) of Diversion: T19N R03E S26 SESE VALLEY County

Place of use Legal Description for: IRRIGATION

NE												NW				SW				SE																																										
T	R	S	NENE		NWNE		SWNE		SENE		:	NENW		NWNW		SWNW		SENW		:	NESW		NWSW		SWSW		SESW		:	NESE		NWSE		SWSE		SESE		:	SUM																							
---	---	---	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	:	---																									
18N	03E	2	:								:									:									:								:	11.0																								
18N	03E	3	:								:									:									:								:	80.0																								
18N	03E	10	:	10		29					:	38								:									:								:	77.0																								
																														TOTAL ACRES																																168.0

Pou County: VALLEY

Other Water Rights Listing Overlapping Place(s) of use:
65-02923X 65-13119 65-13597 L65-13119

Remarks: DECREE GIVEN LICENSE NUMBER.

Dates:	App. Received:	Priority Date:	07/01/1929
	Proof Due Date:	Proof Made Date:	
	Exam Made Date:	Exam Sent to S.O.:	
	Licensed Date:	05/19/1937	

Misc: Water District Number: 65 Field Exam Fee:

Audit: 04/10/86 04/30/88 CONVERT 11/01/95 BCHAPMAN

AJ5809NP
No. A65-02923E

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 11/02/95
PAGE: 2

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	MARVIN E WHITEMAN JR	07/01/1929	IRRIGATION	04-15 10-15	1.28 CFS	
C	BRYCE H NEFF		IRRIGATION FROM STORAGE	04-15 10-15		81.60 AFA
	2254 BRANIFF ST					
	BOISE ID 83706					
	(208) 336-7650					
				TOTAL DIVERSION:	1.28 CFS	

Water Source: FALL CREEK

Tributary to: BIG PAYETTE LAKE

Stage: DECREED

Point(s) of Diversion: T19N R04E S20

SWNW

VALLEY County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
18N	03E	10	:	10		29				38										:	77.0
																				TOTAL ACRES	77.0

Place of use location for IRRIGATION FROM STORAGE is the same location as described for: IRRIGATION

POU County: VALLEY

Other Rights: A65-02923D (A PORTION OF 65-02923A)

Other Water Rights Listing Overlapping Place(s) of Use:
A65-02923A A65-02923D A65-02923X

Remarks: THIS CLAIM IS FOR IRRIGATION WATER FOR 77 ACRES OF THE ORIGINAL
168 ACRES COVERED UNDER WATER RT. 65-02923X.
POINT OF REDIVERSION IN THE SE1/4, SE1/4, SEC. 26, T19N, R3E.

Dates: Exam Made Date: Verified Date:

Misc: Water District Number: Field Inspection Flag:
Presumption Flag:

Audit: 08/03/90 HARRINGT 03/30/95 POST-STD

WR5809NP
No. 65-02923X

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 11/02/95
PAGE: 2

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	C. JOHN STRINGER RT. 3, BOX 720 ONTARIO OR 97914	07/01/1929	IRRIGATION IRRIGATION FROM STORAGE	04-15 10-15 04-15 10-15	2.800 CFS	178.00 AFA
TOTAL DIVERSION:					2.800 CFS	

Water Source: FALL CREEK

Tributary to: BIG PAYETTE LAKE

Stage: DECREED

Point(s) of Diversion: T19N R04E S20 SWNW VALLEY County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
18N	03E	2	:											11						:	11.0
18N	03E	3	:															40	40	:	80.0
18N	03E	10	:	10		29				38										:	77.0
TOTAL ACRES																			:	168.0	

Place of use location for IRRIGATION FROM STORAGE is the same location as described for: IRRIGATION

Pou County: VALLEY

Other Water Rights Listing Overlapping Place(s) of use:
65-02923A 65-13119 65-13597 L65-13119

Remarks: POINT OF RE-DIVERSION IN SESE, S.26, T.19N, R.3E.
DECREE GIVEN LICENSE NUMBER.

Dates:	App. Received:	Priority Date:	07/01/1929
	Proof Due Date:	Proof Made Date:	
	Exam Made Date:	Exam Sent to S.O.:	
	Licensed Date:	05/19/1937	

Misc: Water District Number: 65 Field Exam Fee:

Audit: 04/10/86 04/30/88 CONVERT 11/01/95 BCHAPMAN

LICENSE REVIEW CHECKLIST

PERMIT NO. 65-13119 DATE 11-1-95



(NAME) ☒ Change OK ☐ Or (Address) Change? But no assignments

PRIORITY DATE ☒ Advance? YES Advanced to: 11-17-89
 Order to reinstate needed? Done
 Incorrect fee for rate recommended?

SOURCE ☐ ☒ Changes or just clarification of originally intended source?
 Notice of Intent to Void necessary?

POINT OF DIV ☒ ☒ Amendment needed?
 Overlaps? PERMIT 65-13476 N/A

PLACE OF USE ☐ ☒ Amendment needed?
 ☒ Overlaps? N/A

DIV RATE ☐ ☒ Permit/fee limits: .28 CFS / 8 acres
 Meas Q = Theo Q = .30 Recommend: .28

 Combined rates exceed capacity

ANNUAL VOLUME ☐ ☒ Volume Limit: Season: B/3.0 (4-15 to 10-15)
 Calculations: 8 x 3 = 24 gcf
 Flow limit: cfs x x 1.9835 =
 Combined volumes exceed capacity/allowable

USES ☐ ☒ Change in Nature of Use or additional uses?
 Amendment necessary?

ADDITIONAL INFO Supplemental Groundwater PPU Scenario
 Irr/Dom Combination Shared G/W System


NEW REMARKS Multiple p/d(s) in 1/4 1/4?
W34 Other Edit .04 CFS per acre / 3.0 AF per acre

NEW CONDITIONS ☐ Watermaster control - District
☐ Measuring/Locking Devices
☐ Irrigation Overlap
☐ Other
☐ Water Quality Heat/Cool/Fish verified

COMMENTS: 1) No Grow dots in Section 10
2) Discuss overlap with Sandy

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	<u>NO</u>
<u>Irrigation</u>	<u>.28</u>	<u>24.0</u>	Adjustment Memo Needed	<u>NO</u>
<u> </u>	<u> </u>	<u> </u>	LICENSE	☒
<u> </u>	<u> </u>	<u> </u>	1ST AMEND LETTER	<u> </u>
<u> </u>	<u> </u>	<u> </u>	2ND AMEND LETTER	<u> </u>

Range No 3 East of the Boise Meridian



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

OCT 17 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-13119

1. Owner: McCall Golf Course Foundation Phone No. (208) 634-7200

Current Address: Box 1065 McCall, Id 83638

2. Accompanied by: Charlie Denham EXAM DATE: 8/11/95

Address: McCall Golf Course
Box 1065 McCall, Id 83638 Phone No. (208) 634-7160

Relationship to Permit Holder: head greensman

3. Source: groundwater tributary to -

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 65-02923A, 65-02923X,

2. Other water rights with the same point of diversion: 65-13476

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NW	10	18N	3E	Valley	Exam + USGS Topo.


2. Place(s) of Use:

Indicate Method of Determination Exam, + USGS Topo.

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
18N	3E	10					I											8 acres	

NOV 4 1995

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required)

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible	Franklin	10	ser. # 070080	Sta Rite	2"
			model # LS150L6		no serial # available

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

NOV 14 1974

E. NARRATIVE/REMARKS/COMMENTS

- No govt. lots were found.
- Overlaps for P/U are other land +/- other uses; overlap for P/D is another water right used by McCall Golf Course (65-13476).
- Drilling Permit # 65-89-W-025, Gestin Well Drilling # 408, drilled 12/1/89. theoretical
calculated
.30 cfs
- Use is for irrigation of 8 acres.
- The system consists of a groundwater source, 8" casing, submersible 10HP Sta. Rite pump w/ Franklin motor, going to a 2" PVC main to 1 1/4" PVC laterals w/ Hunter 125 nozzles, 24 zones w/ 6 nozzles run @ 1 time, to irrigate 8 acres of the driving range.
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- New owners is City of McCall/McCall Golf Course Box 1065 McCall, Id 83638. Left "Assignment of Application of Permit" form w/ Charlie Denham/Head Greenman.
- No other water sources available.
- Recommend .28 cfs as on permit, since 8 acres x .04 cfs (excessive rate for golf course of .04 cfs/acre) would exceed the capacity of the system.

Have conditions of permit approval been met? ☒ yes ☐ no

NOV 14 1989

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

Theoretical Pump Efficiency Calculation (see attachment)
= .30 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 8 \times 3.0 = 24.0$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .28 \times 184 \text{ days} \times 1.9835 = 102.2$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 24.0$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4/15	60/15	.28	24.0
Totals:			.28	24.0

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name

Sandy Hemminger Date *9/7/95*

Reviewer

Date

SEAL

65-13119

① Permit: 4/15 - 10/15 Irrigation .28 cfs
8 acres

② B/u fee: \$100.00 pd. 8/12/92 .21 - 1.0 cfs
irrigation 8 acres.

③ Max. allowable:

$$.04 \text{ ~~_____~~ cfs} \times 8 \text{ acres} = \text{~~_____~~} .32 \text{ cfs}$$

④ Measurement:

Theoretical pump efficiency calculation
(see attachment) = .30 cfs

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 65-13119

DATE: 7-SEP-95

COMPLETE BY: SANDY HEMENWAY

HORSEPOWER = 10 per Caron Pump 939-9198/shelly

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 17 FEET 7' static + 10' = 17

SYSTEM PRESSURE = 80 PSI per Charlie Denham/Head Greensman,

QUANTITY = 0.30 CFS since unable to gauge pressure on
Hunter nozzles, + no pressure gauge.
(Charlie Denham said it was
gauged @ 80 psi + 200 gpm)

NOV 14 1995



Permit No. 65-13119

P/O: T18N R3E S10 N10W

ID: S-10


65-13119

Location Sketch

McCall Municipal Golf Course Well

11/11/93

N
1" = 135'



NOV 14 1995

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 65-89-W-025 OTHER APPLICABLE NO: 65-13119
2. OWNER: McCall Golf Course Foundation Phone: (208) 634-7200
Address: Box 1065 McCall, Id 83638
3. WELL LOCATION: Twp 18N, Rge. 3E, Sec. 10, NE 1/4 NW 1,
County Valley (Provide sketch map and photo on reverse.)
4. DRILLER: Gestrin Well Drilling Lic. No. 408
When Drilled? 12/1/89
5. WELL CONSTRUCTION:
Casing Diameter 8 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 83 ft. Method Drilled Rotary - air
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☒ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving good
Auger to a depth of _____ ft. Evidence of Annular Seal ☒ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 7 ft. Water Temperature cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: ~~100~~ 60 (psi) gauged @ 80 psi
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose 200gpm
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☒ Irrigation ☐ Stock 11/14/95
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____


How far away from the well is this source? _____

9. REMARKS: _____

Grand Hemminger WR Agent
Signature of Dept. Representative & Title

8/11/95
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



NOV 14 1995

65-13119

9/2/95


The legal description for this
~~set~~ should be NENW
per exam. Gave to Denise
to change on computer.
— Sandy

325-8637
(208)

*Main law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

WELL OWNER - Red sandal - Name McCall Golf Course Foundation Address Box 182 McCall, Idaho Owner's Permit No 65-89-10-025		7. WATER LEVEL Static water level <u>7</u> feet below land surface. Flowing? ☐ Yes ☒ No GPM flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>41.0F</u> Quality <u>clear</u> Describe artesian or temperature flows below																																																																												
NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8 WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other Discharge GPM <u>150</u> Pumping Level <u>85</u> Hours Pumped <u>4</u>																																																																												
PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection (specify type) _____ ☐ Other _____		9. LITHOLOGIC LOG <table border="1"><thead><tr><th>Bore Diam.</th><th>Depth From</th><th>To</th><th>Material</th><th>Water Yes/No</th></tr></thead><tbody><tr><td>10</td><td>0</td><td>2</td><td>Top Soil</td><td>X</td></tr><tr><td>10</td><td>2</td><td>10</td><td>Black sandy clay</td><td>X</td></tr><tr><td>10</td><td>10</td><td>14</td><td>Blue Brown sand</td><td>X</td></tr><tr><td>10</td><td>14</td><td>17</td><td>Blue Brown sand some yellow</td><td>X</td></tr><tr><td>10</td><td>17</td><td>22</td><td>Blue Brown sand some yellow</td><td>X</td></tr><tr><td>8</td><td>22</td><td>30</td><td>Blue clay</td><td>X</td></tr><tr><td>8</td><td>30</td><td>35</td><td>Blue gray sand</td><td>X</td></tr><tr><td>8</td><td>35</td><td>47</td><td>Blue gray sand</td><td>X</td></tr><tr><td>8</td><td>47</td><td>51</td><td>Blue gray sand</td><td>X</td></tr><tr><td>8</td><td>51</td><td>60</td><td>Blue gray sand</td><td>X</td></tr><tr><td>8</td><td>60</td><td>75</td><td>Blue gray sand</td><td>X</td></tr><tr><td>8</td><td>75</td><td>80</td><td>Blue gray sand</td><td>X</td></tr><tr><td>8</td><td>80</td><td>90</td><td>Blue gray sand</td><td>X</td></tr><tr><td></td><td></td><td></td><td>17' Cement seal was used at bottom of casing to cement sand from outside the bottom of the casing</td><td></td></tr></tbody></table>		Bore Diam.	Depth From	To	Material	Water Yes/No	10	0	2	Top Soil	X	10	2	10	Black sandy clay	X	10	10	14	Blue Brown sand	X	10	14	17	Blue Brown sand some yellow	X	10	17	22	Blue Brown sand some yellow	X	8	22	30	Blue clay	X	8	30	35	Blue gray sand	X	8	35	47	Blue gray sand	X	8	47	51	Blue gray sand	X	8	51	60	Blue gray sand	X	8	60	75	Blue gray sand	X	8	75	80	Blue gray sand	X	8	80	90	Blue gray sand	X				17' Cement seal was used at bottom of casing to cement sand from outside the bottom of the casing	
Bore Diam.	Depth From	To	Material	Water Yes/No																																																																										
10	0	2	Top Soil	X																																																																										
10	2	10	Black sandy clay	X																																																																										
10	10	14	Blue Brown sand	X																																																																										
10	14	17	Blue Brown sand some yellow	X																																																																										
10	17	22	Blue Brown sand some yellow	X																																																																										
8	22	30	Blue clay	X																																																																										
8	30	35	Blue gray sand	X																																																																										
8	35	47	Blue gray sand	X																																																																										
8	47	51	Blue gray sand	X																																																																										
8	51	60	Blue gray sand	X																																																																										
8	60	75	Blue gray sand	X																																																																										
8	75	80	Blue gray sand	X																																																																										
8	80	90	Blue gray sand	X																																																																										
			17' Cement seal was used at bottom of casing to cement sand from outside the bottom of the casing																																																																											
METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____		WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ Thickness <u>1.250</u> inches Diameter <u>8</u> inches From <u>1</u> feet To <u>80</u> feet Inches <u>8</u> inches <u>8</u> inches <u>8</u> inches <u>8</u> inches Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☒ Yes ☐ No low perforated? ☐ Factory ☒ Knife ☐ Torch ☐ Gun Size of perforation <u>5/16</u> inches by <u>1</u> inches Number <u>125</u> perforations From <u>26</u> feet To <u>83</u> feet perforations <u>26</u> feet <u>83</u> feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____																																																																												
Describe access port ☐ Cemented between string ☒ SANITARY WELL SEAL		10. DRILLERS CERTIFICATION Work started <u>11-22-82</u> Finished <u>12-1-82</u> Firm Name <u>Creston/Power Well Firm No. 408</u> Address <u>4038 Box 10, Opal, Idaho 83426</u> Signed by (Firm Official) <u>Robert M. Martin</u> and (Operator) <u>Carl E. Martin</u>																																																																												

RECEIVED
DEC 5 1989
Department of Water Resources



65-13119
8/11/95 S.H.



P/D:

8" casing
2' above ground

2" discharge
PVC

Sta Rite 10 HP
submersible pump

Franklin motor
serial # 070080
model # LS150L6



P/u:

8 acres

2" PVC buried main
to 1 1/4" PVC laterals

Hunter 125 nozzles

24 zones

6 nozzles run @
1 time

NOV 14 1995

August 21, 1992

MC CALL GOLF COURSE FOUNDATION
P.O. BOX 187
MC CALL ID 83638

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13119

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

Enclosure

1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 65-13119

Reviewed by Klg

Date 8/12/92

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
no Proof timely received?
If not, complete calculation below.

irrigate-8
yes Correct Uses?

SOURCE OF WATER

 Surface water source
✓ Ground water source

yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 65-89-W-0025
100 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
100 Amount Submitted
yes Correct?

MEASURING DEVICE

NA Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received 8/12/92 224
Date proof due 8/1/92 - 213
No. of days late = 9
Priority Date 11/8/89 + 312
New Priority Date 11/17/89 321

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address _____

needs an order

Proof Made 8/12/92

8/21/92 klg

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE BALLPOINT WRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well

1. WELL OWNER Name <u>YOUNG & LARSEN CONSULTANTS</u> Address <u>Box 157 McCall, IDAHO</u> Owner's Permit No. <u>65-81-10-025</u>		7. WATER LEVEL Static water level <u>7</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ psi Controlled by ☐ Valve ☐ Cap ☐ Plug Temperature <u>43</u> °F. Quality <u>Good</u> Describe artesian or temperature zones below																																																																									
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement Well diameter increase _____ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>150</u></td><td><u>85</u></td><td><u>4</u></td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	<u>150</u>	<u>85</u>	<u>4</u>																																																																		
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																									
<u>150</u>	<u>85</u>	<u>4</u>																																																																									
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th rowspan="2">Water Yes No</th></tr><tr><th>From</th><th>To</th></tr></thead><tbody><tr><td>10</td><td>0</td><td>2</td><td>Top Soil</td><td>X</td></tr><tr><td>10</td><td>2</td><td>10</td><td>Brown silty clay</td><td>X</td></tr><tr><td>10</td><td>10</td><td>16</td><td>Fine Brown Sand</td><td>X</td></tr><tr><td>10</td><td>16</td><td>19</td><td>Fine Brown Sand + some gravel</td><td>X</td></tr><tr><td>8</td><td>19</td><td>22</td><td>Fine Brown Sand + some gravel</td><td>X</td></tr><tr><td>8</td><td>22</td><td>30</td><td>Blue clay</td><td>X</td></tr><tr><td>8</td><td>30</td><td>35</td><td>Fine gray sand</td><td>X</td></tr><tr><td>8</td><td>35</td><td>47</td><td>Blue clay</td><td>X</td></tr><tr><td>8</td><td>47</td><td>51</td><td>Gray sand + gravel</td><td>X</td></tr><tr><td>8</td><td>51</td><td>60</td><td>Fine gray sand</td><td>X</td></tr><tr><td>8</td><td>60</td><td>75</td><td>Fine gray sand + some gravel</td><td>X</td></tr><tr><td>8</td><td>75</td><td>88</td><td>Gray sand + gravel</td><td>X</td></tr><tr><td>8</td><td>88</td><td>90</td><td>Fine gray sand</td><td>X</td></tr></tbody></table> <u>A 3' cement seal was used at bottom of casing to prevent sand from entering the bottom of the casing.</u>		Bore Diam.	Depth		Material	Water Yes No	From	To	10	0	2	Top Soil	X	10	2	10	Brown silty clay	X	10	10	16	Fine Brown Sand	X	10	16	19	Fine Brown Sand + some gravel	X	8	19	22	Fine Brown Sand + some gravel	X	8	22	30	Blue clay	X	8	30	35	Fine gray sand	X	8	35	47	Blue clay	X	8	47	51	Gray sand + gravel	X	8	51	60	Fine gray sand	X	8	60	75	Fine gray sand + some gravel	X	8	75	88	Gray sand + gravel	X	8	88	90	Fine gray sand	X
Bore Diam.	Depth		Material		Water Yes No																																																																						
	From	To																																																																									
10	0	2	Top Soil	X																																																																							
10	2	10	Brown silty clay	X																																																																							
10	10	16	Fine Brown Sand	X																																																																							
10	16	19	Fine Brown Sand + some gravel	X																																																																							
8	19	22	Fine Brown Sand + some gravel	X																																																																							
8	22	30	Blue clay	X																																																																							
8	30	35	Fine gray sand	X																																																																							
8	35	47	Blue clay	X																																																																							
8	47	51	Gray sand + gravel	X																																																																							
8	51	60	Fine gray sand	X																																																																							
8	60	75	Fine gray sand + some gravel	X																																																																							
8	75	88	Gray sand + gravel	X																																																																							
8	88	90	Fine gray sand	X																																																																							
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____		RECEIVED DEC 5 1989 RECEIVED DEC 6 1989 Department of Water Resources Western Regional Office																																																																									
5. WELL CONSTRUCTION Casing schedule ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>2.5 inches</td><td>8 inches</td><td>1 foot</td><td>87 feet</td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☒ Yes ☐ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☒ Knife ☐ Torch ☐ Gun Size of perforation <u>5/32</u> inches by <u>1</u> inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>125 perforations</td><td>76 feet</td><td>83 feet</td></tr><tr><td>perforations</td><td>feet</td><td>feet</td></tr><tr><td>perforations</td><td>feet</td><td>feet</td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>19</u> Material used in seal, ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ Sealing procedure used ☐ Slurry pit ☒ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>SANITARY well seal</u>				Thickness	Diameter	From	To	2.5 inches	8 inches	1 foot	87 feet	Number	From	To	125 perforations	76 feet	83 feet	perforations	feet	feet	perforations	feet	feet																																																				
Thickness	Diameter	From	To																																																																								
2.5 inches	8 inches	1 foot	87 feet																																																																								
Number	From	To																																																																									
125 perforations	76 feet	83 feet																																																																									
perforations	feet	feet																																																																									
perforations	feet	feet																																																																									
6. LOCATION OF WELL Sketch map location must agree with written location <table border="1"><tr><td>N</td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td>W</td><td></td><td>9</td><td></td><td>E</td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td>S</td><td></td><td></td><td></td><td></td></tr></table> Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Valley</u> <u>NE 1/4 NE 1/4 Sec 9 T 18 N 3 R 3 E</u>		N										W		9		E											S					11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Geotek, Inc.</u> Well Firm No. <u>408</u> Address <u>HC 38 Box 10 Pocatello</u> (Date <u>12-1-89</u>) Signed by (Firm Official) <u>Robert L. Johnson</u> and (Operator) <u>Robert L. Johnson</u>																																											
N																																																																											
W		9		E																																																																							
S																																																																											

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 12, 1992

Mr. Bob Gestrin
Gestrin Well Drilling
HC 38 Box 10
Donnelly, ID 83615

Re: Permit No. 65-13119 - McCall Golf Course Foundation
Drilling Permit No. 65-89-W-0025
Drilling Date: November of 1990
Proposed Location: 18N, 03E, Section 10, NE $\frac{1}{4}$ NW $\frac{1}{4}$

In the department's review of the proof of beneficial use submitted in connection with the above referenced permit, the department was not able to locate a well log which should have been submitted 30 days after completion of the construction of this well.

While it is possible that you have submitted the log, we have been unable to locate it. Please supply me with another copy. Please address any correspondence directly to me. Your response should be received within 20 days of the date of this mailing.

This information is needed before the department can proceed further with the examination of the permit holders system and the eventual issuance of a license of water right.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads 'Karen L. Gustafson'.

Karen L. Gustafson
Secretary/Records Manager

C: Permit Holder

RECEIVED
SEP 15 1992

SEP 15 1992

MC CALL GOLF COURSE FOUNDATION
P.O. BOX 187
MC CALL ID 83638

August 5, 1992

LAPSE NOTICE

RE: PERMIT NO. 65-13119

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated May 31, 1992. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 8/5/92
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

Klg
RECEIVED

SEP 15 1992

May 31, 1992

MC CALL GOLF COURSE FOUNDATION
P.O. BOX 187
MC CALL ID 83638

PROOF DUE NOTICE

RE: PERMIT NO. 65-13119

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



RECORDED

SEP 15 1992

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
July 11, 1990

MC CALL GOLF COURSE FOUNDATION
P.O. BOX 187
MC CALL, ID 83638

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P65-13119

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the

MICROFILMED

JUL 26 1990

permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

Enclosure 5/12/76

JUL 28 1976

Publisher's Affidavit of Publication

STATE OF IDAHO }

.SS

County of Valley

I, Bobette S. Steffler, being duly sworn and say, ~~I am the receptionist~~ of The Central Idaho Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the NOTICE OF AMENDED APPLICATION FOR PERMIT, a copy of which is enclosed hereto and is a part hereof, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number there of during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began May 17, 1990 and ended May 24, 1990

Bobette Steffler
Subscribed and sworn before me this the 24th day of May, 1990.

STATE OF IDAHO

COUNTY OF VALLEY }

On this 24th day of May, in the year of 1990, before me, a Notary Public, personally appeared Bobette S. Steffler, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Tom Grote
Tom Grote
Notary Public for Idaho
Residing at McCall, Idaho
Commission Expires: 1993

NOTICE OF AMENDED APPLICATION FOR PERMIT

Notice is hereby given that application No. 65-13119 in the name of McCall Golf Course Foundation was filed on 11/18/1989 for the diversion of 0.28 cfs from Groundwater with a point of diversion within T18N R03E S09 NENW, B.M. to be used for Irrigation purposes from 4/15 to 10/15 within portions of T18N R03E S09 NENE, B.M.

The applicant now proposes to amend the application by changing the Point of Diversion to T18N R03 E S10 NENW, B.M. and Place of Use to T18N R03E S10 NENW. Any protest against the approval of the proposed amendment must be filed with the Department of Water Resources, 2735 Airport Way, Boise, ID 83705 on before June 4, 1990.
R. Keith Higginson, Director 2/5/24

RECEIVED
MAY 25 1990

Department of Water Resources

RECEIVED
MAY 30 1990

Department of Water Resources
Western Regional Office

RECEIVED
JUL 25 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

April 12, 1990

Central Idaho Star News
P.O. Box 985
McCall, ID 83638

RE: Water Right Affidavits

Dear Legal Dept:

We have not received the affidavit for the advertising of the amended water right no. 65-13119 in the name of McCall Golf Course Foundation.


These were advertised January 17 and 24, 1990, in the Star News. We would appreciate it if you would send us these affidavits so we can continue processing the applications.

Thank you.

Sincerely,

Sue Taylor
Secretary, Office Coordinator

*Re-submitted to
Star news for
adv. -
5-16+23
protest - 6-4-90*



NOTICE OF AMENDED APPLICATION FOR PERMIT

Notice is hereby given that application No. 65-13119 in the name of McCall Golf Course Foundation was filed on 11/8/1989 for the diversion of 0.28 cfs from Groundwater with a point of diversion within T18N R03E S09 NENW, B.M. to be used for Irrigation purposes from 4/15 to 10/15 within portions of T18N R03E S09 NENE, B.M.

The applicant now proposes to amend the application by changing the Point of Diversion to T18N R03E S10 NENW, B.M. and Place of Use to T18N R03E S10 NENW.

Any protest against the approval of the proposed amendment must be filed with the Department of Water Resources, 2735 Airport Way, Boise, ID 83705 on before February 5, 1990.

R. Keith Higginson, Director

Published in the The Star News 01/17 & 01/24/90.



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

December 19, 1989

McCall Golf Course Foundation
Box 187
McCall, ID. 83638

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

Re: Application for Permit 65-13119

Dear Applicant:

The above application was amended based on a telephone conversation with Dan Hormaechea on 12/14/89. I received a map from Dan on 12/18/89 that showed the actual well location in the NENW Sec. 10. This map is included as map 3 of 3 in the enclosed original application.

Because the application was advertised on 12/6/89 and 12/13/89, a second advertising process is required to formally amend the application as required by Idaho statute. A \$20 amendment fee is needed before the correction will occur. Also, is the place of use (the eight acres in NENE Sec. 9) correct or should it be changed? One amendment with a single \$20 fee can correct any items in the application. *CHANGED TO: NE 1/4 OF NW 1/4 SEC. 10*

To be acceptable, the amended application should be signed by any officer of the foundation. Please sign and date at the top of the front page in the space provided next to the highlighted "amended". Return the application and fee to me as soon as possible for prompt processing. I believe that I mistakenly told Dan that the telephone call would accomplish the change(s), but I did not realize that advertising had already occurred. Please excuse my error and contact me (334-2190) if additional help may be provided.

Sincerely,

Steve Lester
Sr. Water Resource Agent

SL: sl

Enclosure: original application

RECEIVED
DEC 27 1989

Department of Water Resources
Western Regional Office



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

November 27, 1989

McCall Golf Course Foundation
Box 187
McCall, ID. 83638

Re: Irrigation Water Rights

Dear Dan:

Thank you for the recent telephone call concerning the new water right application for the well and driving range for the McCall golf course. That application will continue towards approval.

In reviewing the application, I noticed that no other irrigation rights are found for the golf course. Perhaps the remainder of the course is not irrigated and, if not, no problem exists. However, if the golf course has been and will be irrigated, irrigation water rights are required for the use of the public resource as described in Idaho Code 42-351.

Please refer to the enclosed map that shows the course. Under the following legal locations, no recorded irrigation water rights are found:

T18N, R3E, S.3 S1/2 SW1/4, S.4 SE1/4 SE1/4, S.9 NE1/4 NE1/4, S. 10 W1/2 NW1/4.

The above land is outlined in yellow on the map. The red area denotes the proposed well and eight acres of irrigation for the driving range (the new application). Please let me know within 30 days if irrigation occurs at the McCall golf course, and I will pursue the appropriate water right alternative. Additional information is available at this office.

Sincerely,

Steve Lester
Steve Lester
Sr. Water Resource Agent

SL:sl
Enclosure

FILED

1990

Reply

Letter 12/14/89

*golf course irrigation in city water system to W.R.
not a problem*


*However, they may be drilling wells & getting own water for
golf course? Appl. etc will be submitted at some point.
also, delivery pld is 8 ac. appl. is wrong. Will mark map & mail to
me.*



36

no gut lats

18 North, Range No 3 East of the Boise Meri





State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

Board members

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

November 20, 1989

McCall Golf Course Foundation
Box 187
McCall, ID. 83638

Re: Application for Permit

Dear Applicant:

An application for permit for an irrigation well was recently filed on your behalf by the developer, Steve Ryals of Hillside Nursery. The application is entirely in order and will be processed. However, we cannot approve the filing until the names, titles, and addresses of the officers or directors of the foundation are submitted.

Please respond within 30 days by writing or calling me with the information. Thank you for a prompt response.

Sincerely,

Steve Lester
Sr. Water Resource Agent

SL: sl

per letter with Dan Hormaachen 11/21/89

*Chairman of Board - Sam Allacano
Vice-Chairman " - BOB Miskew
Sec/Treas. " - Dan Hormaachen
members of Bd " - Rich "
Don Sabala
Don Medley
Phil Soulen*

address as on application **FILED**

NOV 23 1989

9/89

Drilling Permit No. 45-89-W-025

Water Right Permit No. _____

Injection Permit No. _____

State of Idaho
Department of Water Resources

D R I L L I N G P E R M I T

1. Applicant McCall Golf Course Foundation
2. Mailing Address Box 187 McCall Id. 83638
Telephone 343-2545
- () Well Owner () Well Operator (X) Other, specify DEVELOPER
3. Proposed well location NE 1/4 NE 1/4, or Gov't lot No. _____,
Sec. 09, Twp. 18 N, Rge. 03 E, County VALLEY,
Street Address of Well Site Redy Lane, McCall Id.,
Lot, block and subdivision Redy Lane, McCall Id.
4. Proposed use of well:
- () Single family or stockwater use (less than 13,000 gallons per day)
- (X) Irrigation (more than 1/2 acre)
- () Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
- () Other (describe fully) _____
5. Well construction information:
- A. (X) New well () Deepen () Replace - See Condition 9.
- B. Proposed surface diameter 8" Maximum depth 150'
- C. Anticipated bottom hole temperature:
(X) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
6. Construction Start Date 12-1-89
7. Anticipated Well Driller Bob Gesteria #408 HC 38, Box 10, Donnelly Id.
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature [Signature] Date 11/8/89
Title Hillside Nursery - President
(Owner, Firm Representative, Other)

COPY FOR FILE

ACT OF DEPARTMENT OF WATER RESOURCES

This Permit is Approved. Date 11/8/89.

If approved, this permit authorizes the construction of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

MICROFILMED

JUL 26 1990

David R. Tuttle
Signature of Authorized Department Representative

Mgr. Western Reg. Off.
Title

Receipt No. W006643 Received by JW Fee 100 Date Nov. 8 1989

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

Publisher's Affidavit of Publication

STATE OF IDAHO }
 } .SS
County of Valley

I, Maggie Aganew, being duly sworn and say, I am the receptionist of The Central Idaho Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the NOTICE OF APPLICATION FOR WATER RIGHT, a copy of which is enclosed hereto and is a part hereof, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number there of during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began December 7, 1989, and ended December 14, 1989.

M. Aganew
Subscribed and sworn before me this the 18th day of December, 1989.

STATE OF IDAHO }
COUNTY OF VALLEY }

On this 18th day of December, in the year of 1989, before me, a Notary Public, personally appeared Maggie Aganew, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Tom Grote
Tom Grote
Notary Public for Idaho
Residing at McCall, Idaho
Commission Expires 1993

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho.

65-13103

ROBINSON, JERRY, ROBINSON, CINDY, RT. 1 BOX 80E MC CALL, ID 83638

Source: SPRING

Tributary: SINKS

Diversion Pt. NENENW Sec 18 T 17N R 04E

Use: IRRIGATION (.030 CFS)

STOCKWATER (.020 CFS)

Total Diversion: (.050 CFS)

Date Filed: 10/24/1989

In: T17N R04E S18 NENW

1.0 ACRES TOTAL

65-13117

EASTERBROOK, PAUL W., 1061 LILAC LN., EMMETT, ID 83617

Source: SPRING

Tributary: LAKE FORK CREEK

Diversion Pt. SESWSE Sec 22 T 17N R 03E

Use: IRRIGATION (.020 CFS)

Total Diversion: (.020 CFS)

Date Filed: 11/09/1989

In: T17N R03E S22 SWSE

0.5 ACRES TOTAL

65-13118

U.S. DEPT. OF AGR. FOREST SERVICE
FEDERAL BLDG., 324 25TH ST., OGDEN,
UT 84401

Source: GROUNDWATER

Diversion Pt. SWNE Sec 29 T 17N R 05E

Use: RECREATIONAL (.020 CFS)

Total Diversion: (.020 CFS)

Date Filed: 11/13/1989

In: T17N R05E S29 SWNE

65-13119

MC CALL GOLF COURSE FOUNDATION
BOX 187, MC CALL, ID 83638

Source: GROUNDWATER

Diversion Pt. NENE Sec 9 T 18N R 03E

Use: IRRIGATION (.280 CFS)

Total Diversion: (.280 CFS)

Date Filed: 11/08/1989

In: T18N R03E S09 NENE

8.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before DECEMBER 26, 1989.

R KEITH HIGGINSON, Director
2/12/14

65-13119

MC CALL GOLF COURSE FOUNDATION
BOX 187
MC CALL, ID 83638

Source: GROUNDWATER

Diversion Pt: NENE Sec 9 T 18N R 03E

Use: IRRIGATION (.280 CFS)
Total Diversion: (.280 CFS)

Date Filed: 11/08/1989

In: T18N R03E S09 NENE

8.0 ACRES TOTAL

MICROFILMED

JUL 26 1990

Original application