




25 MI. (NYSSA) 2671 IV NW
LE 1:24 000
0 3000 4000 5000 6000 7000 FEET
0 1 KILOMETER
INTERVAL 10 FEET
PRESENT 5-FOOT CONTOURS
VERTICAL DATUM OF 1929

MICROFILMED 8N
R 5W
JUN 06 1990

65-13108

ROAD CLASSIFICATION
Heavy-duty ——— 4 LANE 6 LANE Light-duty ———
Medium-duty ——— 4 LANE 6 LANE Unimproved dirt = = =

U. S. Route State Route
Interstate Route

QUADRANGLE LOCATION
IDAHO

PAYETTE, IDAHO-OREGON
N4400-W11652.5/7.5

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 23 1993

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 65-13108
1. Owner: Church of Jesus Christ Latter Day Saints Phone No. 801-240-2929
Current Address: 500 N. Temple St. Salt Lake UT. 84150
2. Accompanied by: Dee Wemegus EXAM. DATE: 7-29-91
Address: Ontario Phone No. NA
Relationship to Permit Holder: employee
3. Source: groundwater tributary to -NA-

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = Not to scale.

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more)
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater.)

MICROFILMED
JUL 22 1993



PERMIT 65-13108 INIT

T. R. S. Q/Q

P/D 8n 5w 23 nwsnw


SCALE 1:24,000

PHOTO ID. _____

Pld & Plu
P.D. & P.U.

25 MI. (NYSSA) 2671 IV NW

LE 1:24 000



INTERVAL 10 FEET
PRESENT 5-FOOT CONTOURS
VERTICAL DATUM OF 1929

65-13108

R. 5 W. INTERIOR-GEOLOGICAL SURVEY, RESTON, VIRGINIA-1977 2950 000 FEET (OREG.)
NEW PLYMOUTH 6.8 MI. CALDWELL 31 MI. 1:24 000 E

T 8 N
R 5 W



QUADRANGLE LOCATION

ROAD CLASSIFICATION

Heavy-duty 4 LANE 16 LANE Light-duty _____
Medium-duty 4 LANE 16 LANE Unimproved dirt _____

U. S. Route State Route
Interstate Route

JUL 02 1993

PAYETTE, IDAHO-ORE
N4400-W11652.5/7.5

NATIONAL MAP ACCURACY STANDARDS
OVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

Revisions shown in purple compiled from aerial photographs
taken 1974. This information not field checked

1951
PHOTO REVISION 1974

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.**1. WELL OWNER**Name J. D. S. Church
Address Fruitland, Idaho
Owner's Permit No. _____**7. WATER LEVEL**Static water level 15 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 58 °F. Quality Good**2. NATURE OF WORK**☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning) _____**PROPOSED USE**☒ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)**4. METHOD DRILLED**☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ _____**5. WELL CONSTRUCTION**Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____Thickness 4 inches Diameter 8 inches + 1 feet 5 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feetWas casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inchesNumber _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feetWell screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feetGravel packed? ☐ Yes ☒ No ☐ Size _____ gravel
Placed from _____ feet to _____ feetSurface seal depth 20 Material used in seal: ☐ Cement grout
☒ Puddling clay ☐ Well cuttingsSealing procedure used: ☐ Slurry pit ☐ Temporary surface casing
☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent
Weld☐ Cemented between strata
Describe access port _____**8. WELL TEST DATA**☒ Pump ☐ Bailor ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>32</u>	<u>30</u>	<u>7</u>

9. LITHOLOGIC LOG

Hole Diam.	Depth From	To	Material	Water Yes No
<u>10</u>	<u>0</u>	<u>3</u>	<u>FILL</u>	<u>✓</u>
<u>10</u>	<u>3</u>	<u>5</u>	<u>GRAVEL CEMENTED</u>	<u>✓</u>
<u>10</u>	<u>5</u>	<u>30</u>	<u>CLAY BROWN</u>	<u>✓</u>
<u>8</u>	<u>30</u>	<u>30</u>	<u>GRAVEL + SAND</u>	<u>✓</u>
<u>8</u>	<u>30</u>	<u>51</u>	<u>GRAVEL WATER</u>	<u>✓</u>

RECEIVED
JUN 20 1979Department of Water Resources
Western Regional OfficeRECEIVED
JUN 20 1979

Department of Water Resources

10.Work started 8-15-78 finished 8-17-78**6. LOCATION OF WELL**

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County PAIETTESW 1/4 Sec. 22, T. 8 N. R. 5 E. W.**11. DRILLERS CERTIFICATION**I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name HALLWAY DRILLING COAddress ONTARIO CRE Date 2-2-79Signed by (Firm Official) Max Hallwayand
(Operator) Joey Belisle

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT



65-13108

front (west) view
of church.



view of well
@ the Sprud section
of property.



view of the softball
field. @ at the
west side of the
property.

MICROFILMED
JUL 02 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13108

Priority: December 11, 1989

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

4.5 AF

This is to certify, that CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E N TEMPLE ST
SALT LAKE CITY UT 84150

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 27, 1989; and has submitted Proof of Beneficial Use on June 11, 1990. An examination indicates that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	4.5 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSWSW , Sec. 23, Township 08N, Range 05W
PAYETTE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
08N	05W	23	SWSW	1		1

Total number of acres irrigated: 1

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED

JUL 02 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13108

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 26th
day of MAY, 1993.

Acting for

R. Keith Higginson
R. Keith Higginson, Director

JUN 12 1993

RECEIVED
JUN 11 1990

For Office Use Only
Amt. of Fee \$ _____
Date _____
Receipt No. _____
Received by _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

#514-3063 Fruitland

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department

Permit No. P65-13108 Telephone No. 801-240-4074

Name(s) of Permit Holder(s): Church of Jesus Christ of Latter-day Saints

Post Office Address: Natural Resources, R.E. Div., 12th Fl., 50 E. No. Temple, Salt Lake City, UT 84150

Source of Water: Ground water

If ground water, well driller's name not available Date drilled: 1980 or 1981

Extent of Use:
Domestic _____ (No. of households) Irrigation 1 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 0.03 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: about 1980-1981

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes X No Installed? Yes X No

OR

Flow Measurement Port: Required? Yes X No Installed? Yes X No

Fee Enclosed: \$ none (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Dee Winegar
Name

503-889-6946

Telephone No.

524 Railroad Ave., Ontario, Oregon 97914

Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Corporation of the Presiding Bishop of the Church of Jesus Christ of Latter-day Saints, a Utah Corporation sole

Date _____

Signature (and title if on behalf of a company or organization)

AUTHORIZED AGENT

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13108

Proposed Priority: December 11, 1989 Maximum Diversion Rate: 0.03 CFS

This is to certify, that **CHURCH OF JESUS CHRIST LATTER DAY SAINTS**
REAL ESTATE DIVISION
12TH FLOOR
50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.03 CFS

LOCATION OF POINT(S) OF DIVERSION: NWSWSW Sec. 23, Township 08N, Range 05W
PAYETTE County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
08N 05W 23	SWSW 1			1

Total number of acres irrigated: 1

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

24th day of May, 1990

R. Keith Higginson
for R. Keith Higginson, Director

RECORDED

JUN 06 1990

RECEIVED

DEC 11 1989

Ident. No. 65-13108

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: CHURCH OF JESUS CHRIST LATTER DAY SAINTS 801-240-2929
Address: REAL ESTATE DIVISION
12TH FLOOR
50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150
2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: NWSWSW Sec. 23, Township 08N, Range 05W
PAYETTE County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.030		
5. Total quantity appropriated is:
0.030 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
WELL, 8" CASING, 45' DEEP, SUBMERSIBLE PUMP
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is 8 inches; proposed depth of well is 45
feet.
 - d. Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.
8. Description of proposed uses:
LAWN IRRIGATION FOR FRUITLAND WARDS 1 AND 2
9. Place of Use: IRRIGATION

TWN RGE SEC
08N 05W 23

ACRES
SWSW

ACRES

ACRES

TOTAL

Total number of acres irrigated:

1
1

JUN 12 1990

Ident. No. 65-13108
Page 2

10. Describe any other water rights used for the same purposes.
65-12659, IRR. OF ATHLETIC FIELD; CITY WATER, IN-CHURCH USE
11. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? [X]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Corporation of the Presiding Bishop of the Church of
Jesus Christ of Latter-day Saints, a Utah Corporation

John A. Baker
AUTHORIZED AGENT Applicant


Received by C. Wong Date 12/15/89 Time 2:55pm Preliminary check by fw
Fee \$ 30.00 Receipted by C Wong # C013437 Date 12/11/89
Publication prepared by GG Date 1-24-90 Published in Independent Enterprise
2/1 & 2/8/90
Publication approved st Date 4-4-90

MICROFILMED

JUN 06 1990



LE 124 000




INTERVAL 10 FEET
PRESENT 5-FOOT CONTOURS
VERTICAL DATUM OF 1929

65-13108

JUN 14 1990

T 8 N
R 5 W



QUADRANGLE LOCATION

ROAD CLASSIFICATION

Heavy-duty 4 LANE 16 LANE Light duty
Med um duty 4 LANE 16 LANE Unimproved dirt

U S Route State Route
Interstate Route

PAYETTE, IDAHO-OREG

N4400-W11650 5/7 5

NATIONAL MAP ACCURACY STANDARDS
SILVER, COLORADO 80225 OR RESTON VIRGINIA 22092
MAPS AND SYMBOLS IS AVAILABLE FOR REQUEST

Revisions shown in purple compiled from aerial photographs
taken 1974 This information not field checked

1951

EDITION 1951



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 26, 1993

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E N TEMPLE ST
SALT LAKE CITY UT 84150

RE: WATER RIGHT NO. 65-13108

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script, appearing to read 'Jim Johnson', written over the typed name and title.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

JUL 02 1993

20749NP
o. L65-13108

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 05/19/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CHURCH OF JESUS CHRIST LATTER DAY SAINTS REAL ESTATE DIVISION 12TH FLOOR 50 E N TEMPLE ST SALT LAKE CITY UT 84150 (801) 240-2929	12/11/1989	IRRIGATION	03-15 11-15	0.03 CFS	4.5 AFA
TOTAL DIVERSION:					0.03 CFS	4.5 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.04 CFS

Point(s) of Diversion: T08N R05W S23 NW SW SW

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE									
NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM	
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	:
08N	05W	23	:						:					:						:	1.0
TOTAL ACRES																					1.0

Pou County: PAYETTE

Other Rights: 65-12659, IRR. OF ATHLETIC FIELD; CITY WATER, IN-CHURCH USE

Other Water Rights with Same Point(s) of Diversion and Source:

65-04637 65-04641 65-05895 65-06792 65-06909 65-08522 65-11095 65-12659 65-13108

Other Water Rights Listing Overlapping Place(s) of use:

65-00066 65-12659 65-13108

Conditions of Approval:

R52 - This right when combined with all other rights shall provide no
- more than .03 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Dates: App. Received: 10/27/1989 Priority Date: 12/11/1989
Proof Due Date: 06/01/1991 Proof Made Date: 06/11/1990
Exam Made Date: 07/29/1991 Exam Sent to S.O.: 03/19/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 05/19/93 CHAPMAN

2

LICENSE REVIEW CHECKLIST

Permit # 65-131CS

Date 5-19-93

	<u>Yes</u>	<u>No</u>	
NAME	—	✓	Address Change?
PRIORITY DATE	—	✓	Advance? _____
	—	✓	Memo to Advance _____
	—	✓	Order to Reinstate Needed? _____
TOTAL CFS	(NA) ✓		Incorrect Fee for rate recommended?
	(WA)		Disagree/Measurement <u>NONE DONE</u>
	—	✓	Pumping Theoretical $\frac{(8.8) \times (.7) \times (1)}{(45 + [2.31 \times 40])} = .04 \text{ cfs}$
	—	✓	System Capacity <u>.04</u>
	—		Allowable Amount: <u>Permit Limited .03 cfs</u>
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Standard</u> Season Recommended
	—	✓	Disagree with Examiner's Calculations?
	—	✓	<u>1 x 4.5 AFA</u>
	—		Flow limit: <u>.63</u> x 240 x 1.9835 = <u>14.67</u> 4.5
SOURCE	—	✓	Changes? Clarification of <u>Originally Intended</u> source _____
	—	✓	Notice of Intent to Void. _____
P/D	—	✓	Amendment Needed? _____
	—	✓	Is Overlap Analysis a Consideration? _____
P/U	—	✓	Amendment Needed? _____
	—	✓	Is Overlap Analysis a Consideration? _____
USES	—	✓	Change(s) in Nature of Use? _____
	—	✓	Amendment Needed? _____
REMARKS	—	✓	Multiple P/Ds in 1/4 1/4? _____
	—	✓	Non-Irr. Uses _____
	—	✓	Special Overlap Condition _____
	—	✓	Other _____
CONDITIONS	—	✓	Measuring Devices
	—	✓	W/Master Control
	<u>RS2</u>		Overlap
	—	✓	Water Quality
			Dates/Misc
		✓	Water Dist
		✓	App Rec'd
		✓	Exam Made
COMMENTS:	_____		
LICENSE	✓	AMEND	SPECIAL PARAGRAPH

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 23 1993

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 65-13108
1. Owner Church of Jesus Christ Latter Day Saints Phone No. 801-240-2929
Current Address: 500 N. Temple St Salt Lake UT 84150
2. Accompanied by: Doc Wemegus EXAM. DATE: 7-29-91
Address: Ontario Phone No. NA
Relationship to Permit Holder: employee
3. Source: groundwater tributary to -NA-

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = Not to scale.

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more)
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater.)

RECEIVED
JUL 02 1993

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

This system covers the irrigation & domestic uses of the church. The well is 51' deep & has a 8" casing. The static level is 15' for the area & the 1 hp motor pushes water through a 1½" discharge to irrigate with no more than 8 or 50 sprinkler heads at a time

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Sub	NA	1	NA	NA	1½"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	SW	SW	23	8n	SW	PAYETTE	Quads / Verification

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
8n	SW	23											1						1 AC

Do not use this space

RECORDED

JUL 02 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Theoretical ; $\frac{1 \text{ hp} \times 8.8 \times .7 \text{ eff}}{45 \text{ (} 2.3 \times 30 \text{ psi)}} = \frac{6.16}{114} = .054 \text{ cfs}$
well $\nearrow$
kgs

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Theoretical = .054 cfs

Permit - .03 limiter (CFS)

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) $\div$ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1 \times 4.5 = 4.5 \text{ AFA}$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03 \times 245 \times 1.9835 = 14.59 \text{ AFA}$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 4.5 \text{ AFA}$

2. Volume Calculations for Other Uses:

MICROFILMED
JUL 02 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

* Note: I calculated 71,007 sq ft of ground which is 1 1/2 acres.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	03-15	11-15	.03 cfs	or 4.5 afa
Totals:			.03 cfs	or 4.5 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name


SEW 4/7/92

Signature

Certification Date

Field Report Preparation Date


Dave T. GRAY
T-29-91
8-06-91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JUL 02 1993



PERMIT 65-13108 INIT


T. R. S. Q/Q

P/D on SW 23 NW 20 SW

SCALE 1:24,000

PHOTO ID.

T 8 N
R 5 W



INTERVAL 10 FEET
 RESENT 5-FOOT CONTOURS
 VERTICAL DATUM OF 1929

65-13108

QUADRANGLE LOCATION

JUL 02 1993

ROAD CLASSIFICATION

Heavy duty 4 LANE 16 LANE Light duty
 Medium-duty 4 LANE 16 LANE Unimproved dirt
 U S Route State Route
 Interstate Route

PAYETTE, IDAHO-ORE

N4400-W11652 5/7 5

NATIONAL MAP ACCURACY STANDARDS
 EVER, COLORADO 80225 OR RESTON VIRGINIA 22092
 MAPS AND SYMBOLS IS AVAILABLE UPON REQUEST

Revisions shown in purple compiled from aerial photographs
 taken 1974 This information not field checked

1951
 PHOTOGRAPH

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 65-13108

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP EN, Rge SW, Sec. 23, SW 1/4 SW 1/4
or Lot _____.

2. Owner: Church of Jesus Christ L.D.S.
Address Real Estate Division 500 E. n temple, city: Salt Lake, st UT

3. Casing $\geq$ 12 inches above ground: Yes X No _____

Access Port:	Yes _____ No <u>X</u>	Static Water Level:	<u>13'</u>
Pressure Gauge:	Yes _____ No <u>X</u>	Casing Diameter:	<u>8"</u>
Flowing:	Yes _____ No <u>X</u>	Temperature:	<u>58°</u>

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No X

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: Well is in fine condition

RECEIVED
JUL 02 1993

65-13108

front (west) view
of ranch.



view of well

@ the Spruce section
of property.



view of the softball
field @ at the
west side of the
property



JUL 02 1993

August 1, 1990

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13108

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the STATE Regional Office in Boise at (208)327-7900.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECORDED

AUG 11 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 65-13108

Date: 7-23-90

General Considerations:

4 Name same as permit
4 Signature the same as permit holder
2 Address change _____ If yes, prepare a data entry
9 Proof received timely
_____ Reinstated

Source of Water:

9 Surface water
9 Groundwater
 1 well log in file
 2 drilling permit
 2 A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

5 Rate of diversion appropriate for uses
2 Is rate or volume and fee appropriate?
3 Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

1/10 Is a measuring device or access port required?
1/10 Has one been installed?
1/10 Waiver or modification of measuring device requested

Remarks:

Prof acceptable

1/10 Priority Calculation:
Date proof received _____

Date proof due _____

No. of days late _____

Priority date _____

NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

THE CHURCH OF
JESUS CHRIST
OF LATTER-DAY
SAINTS

REAL ESTATE DIVISION
Twelfth Floor, RM-1242
50 East North Temple Street
Salt Lake City, Utah 84150
Phone (801) 240-4074

Reference reply to:
Proof of Beneficial Use

June 7, 1990

RECEIVED
JUN 11 1990

Department of Water Resources

Ms. Reta Fleck
Secretary/Records Manager
Idaho Dept. of Water Resources
1301 North Orchard St.
Boise ID 83720

Dear Ms. Fleck,

Enclosed are completed Proof of Beneficial Use forms and our check in the sum of \$200.00 to cover the cost of the license examination fee for the following properties.

Permit #	Prop. #	Property Name	Amt. of Water	Fee
P65-13102	507-5106	New Plymouth Wd Rec Prop	0.12	\$50.00
P29-07861	515-8990	Chubback 5,6,7	0.15	25.00
	515-8982	Chubback ID Stk Rec-Philbin		25.00
✓ P65-13108	514-3063	Fruitland 1,2	0.03	none
	515-3069	Fruitland 1,2 Wds Rec-Rt#1		none
P29-07865	513-3696	Ft Hall Indian, Pocatello 37,44	0.20	25.00
	513-3718	Ft Hall Indian, Pocatello 37,44 Rec Prop		25.00
P29-07862	506-9408	Virginia	0.04	none
P29-07863	507-5785	Arimo Sem. (Marsh Valley High)	0.04	none
P29-07864	518-7982	Downey 1,2	0.17	25.00
	518-7990	Downey 1,2 Wds Rec Prop		\$ 25.00
TOTAL				\$200.00

Handwritten notes: 50.00, 50.00, 50.00, 50.00

Thank you for your help. Sincerely,

Ronald C. Johnson
Ronald C. Johnson
Water Analyst

RCJ:ja
encs.

cc: Terry F. Roylance
M. Glade Pincock

FILED

AUG 31 1990

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
May 24, 1990

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P65-13108

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Instructions for Proof of Beneficial Use".

RECORDED
JUN 06 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED

JUN 06 1990

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: RW DATE: 1-18-90 APPLICATION: 65-13108

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use: Gov't. Lots: N P/D
☒ Nature of proposed use: (Include description of use) N P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES	NO	
☐	☒	Overlapping place of use: (Describe source & relationship to present application on the back.)
☐	☒	Overlapping point of diversion:
☐	☒	Field check required: Field check by: _____
☐	☒	Field report attached:
☐	☒	Critical groundwater area:
☐	☒	Groundwater management area:
☐	☒	Send dam safety information:
☐	☒	Send power requirement letter:
☐	☒	Send fish farm requirement letter:
☐	☒	Power residency affidavit:
☐	☒	Power efficiency form:
☐	☒	Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐	☒	Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☐	☒	*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side: _____

RECEIVED
MAY 14 1990

Department of Water Resources

PROCESSING

YES NO




Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

I.D. Fish and Game

Adjudication Bureau

YES NO

U.S. Forest Svc.

Other _____

Other

FINAL REGIONAL PROCESSING REVIEW

~~YES~~ NO

Application published correctly: If not, record action taken.

Protests received. Final date for protest

Protest dates, resolution of protest recorded on application:

Recommendations attached:

✓Measuring device required:

Measuring port required:

Water delivered by water master? District # 65-1

Special conditions of approval or cover letter:

See below for additional information

Recommended Date or Priority

Recommended by:

Date 5/6/1990

STATE OFFICE REVIEW

P05, P23

P/60

46

See below for additional information. By

ku

Date 5-21-90

ADDITIONAL INFORMATION

ADJUDICATION FILING FEES FOR IDAHO

RECEIVED

DEC 11 1989

Department of Water Resources

PROPERTY IDENTIFICATION

Idaho State Water Right Permit # 65-13108
LDS Church Property # 5143063

FEE CALCULATIONS

Domestic, stockwatering, fire protection, etc. \$ _____
Flat fee for irrigation. \$ _____

VARIABLE FEE SCHEDULE


Irrigation (\$1.00 per acre). \$ _____
Power Generation (\$3.00 per kilowatt) \$ _____
Aquaculture (\$10.00 per cfs) \$ _____
All other uses (\$100.00 per cfs) \$ _____

Other charges. \$ 30.00 App. for Permit

TOTAL

\$ 30.00

DATE 10-27-89



Carter Fritschle
Idaho Dept. of Water Resources



Glen Nielson
Field Representative
Church of Jesus Christ
of Latter-day Saints

FILED

JUN 06 1990

Affidavit of Publication

STATE OF IDAHO,
COUNTY OF PAYETTE

SS.

Copy of Notice

Application for Water Right
TITLE OF PUBLICATION

SPONSOR OR PLAINTIFF

Dept. of Water Resources
PLAINTIFF OR LEGAL AGENT

I, Dorothy Mason, being

duly sworn, deposes and says:

That she is the principal clerk of
THE INDEPENDENT-ENTERPRISE, a weekly newspaper published at
Payette, in the County of Payette and State of Idaho; that said paper
has been and is in general circulation in the county aforesaid, and in
the vicinity of Payette; that the advertisement, a copy of which is
attached hereto, was published in said newspaper once a week for
two consecutive weeks in the regular and entire issue of said
paper during the period and time of publication, and was published
in the newspaper proper and not a supplement; that said paper has
been established and regularly published for more than seventy-eight
consecutive weeks prior to the date of first publication of said adver-
tisement.

Such notice was published in the issue beginning with Jan. 31, 1990, and ending with the issue
of Feb. 7, 1990.

Subscribed and sworn to before me this 8th day
of Feb., 1990.

Marilyn Rhineland
Notary Public, Residing at Payette, Idaho.

My Commission Expires Nov. 28, 1992

NOTICE OF APPLICATION FOR WATER RIGHT
The Following application(s) have been filed to
appropriate the public waters of the State of Idaho:

65-13102

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150

Source: GROUNDWATER
Diversion Pt: SENWNE Sec 9 T 07N R 04W
Use: IRRIGATION (.120 CFS)
Total Diversion: (.120 CFS)
Date Filed: 12/11/1989
In: T07N R04W S09 NWNE
4.0 ACRES TOTAL

65-13108

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150

Source: GROUNDWATER
Diversion Pt.: NWSWSW Sec 23 T 08N R 05W
Use: IRRIGATION (.030 CFS)
Total Diversion: (.030 CFS)
Date Filed: 12/11/1989
In: T08N R05W S23 SWSW
1.0 ACRES TOTAL

The permit(s) will be subject to all prior water
rights. Protests must be filed with the Director,
Dept. of Water Resources, Western Region, 2735
Airport Way, Boise, Idaho 83705 on or before
FEBRUARY 20, 1990.

No. 1380 R. KEITH HIGGINSON, Director
Jan. 31, Feb. 7

STATEMENT

Independent-Enterprise
PAYETTE, IDAHO

Number of Lines 36

Number of Insertions two

36 Lines @ 91 ... 32.76

36 Lines @ 72 ... 25.92

TOTAL COST
WILL BE 58.68

MICROFILMED

JUN 06 1990

No. 1380

65-13108

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150

Source: GROUNDWATER

Diversion Pt: NWSWSW Sec 23 T 08N R 05W

Use: IRRIGATION (.030 CFS)

Total Diversion: (.030 CFS)

Date Filed: 12/11/1989

In: T08N R05W S23 SWSW

1.0 ACRES TOTAL

FILED

DEC 11 1989