





SE 1/4 SE 1/4 SW 1/4 *
T9N R4E Sec 23

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

FEB 27 1990

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Arthur A. Longstreet
(Applicant)

per office visit
by A. Longstreet

See attached
map for
correct p/u
of 10/13/89,

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 27 1993

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 65-13107
1. Owner: Arthur & Carolyn Longstreet Phone No. 462-3871
Current Address: P.O. Box 49 Garden Valley, ID 83622
2. Accompanied by: Same EXAM. DATE: 6-22-92
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Springs tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: 65-13104 ☒ Copies Attached ☒ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).

RECEIVED
FEB 18 1993



MICROFILM

PERMIT 65-1307 INIT m
T. R. S. Q/Q
P/D 9N 4E 23 SE 10
SCALE _____
PHOTO ID. _____

FEB 18




PHOTO ONE-

Spring box #1 with a 1/3 h.p. pump.
The hose on the right runs directly
to the p.u. The hose on the left
splits to the p.u. for 65-13104 also.



PHOTO TWO-

Spring box #3, which is
connected underground to springbox #1.

PERMITTED
FEB 18 1993



PHOTO THREE-

The hose splits into usage for
this permit and for 65-13104.



PHOTO FOUR-

P/U. The area located in
the drainage that is watered
under this permit.

MICROFILMED
FEB 18 1993



PHOTO FIVE-

The upper lawn that is watered.
Facing South-east From the North-
west corner of the property.



PHOTO SIX-

P/U. Facing South From the
North-West corner of the
property.

RECORDED
FEB 18 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13107

Priority: August 9, 1989

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

6.7 AF

This is to certify, that CAROLYN LONGSTREET
ARTHUR LONGSTREET

PO BOX 49

GARDEN VALLEY ID 83622

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 9, 1989; and has submitted Proof of Beneficial Use on December 23, 1991. An examination indicates that the works have a diversion capacity of .030 cfs of water from:

SPRINGS

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.03 CFS	6.7 AF

LOCATION OF POINT(S) OF DIVERSION:

NESESW , Sec. 23, Township 09N, Range 04E
SESESW , Sec. 23, Township 09N, Range 04E
BOISE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09N	04E	23	SES	1.9		1.9

Total number of acres irrigated: 1.9

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.5 afa per acre for the lands above.

APPROVED

FEB 18 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 65-13107

CONDITIONS/REMARKS:

6. The total combined rate of diversion under this right and Right 65-13104 shall not exceed 0.03 cfs nor a combined volume of 10.9 afa.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 4TH day of FEBRUARY, 1993.

Acting for


R. Keith Higginson, Director

FEB 18 1993

STATE OF IDAHO

For Office Use Only
\$15 FEE Received by 12/5/90
Date 12/5/90
Receipt # 6019050

DEPARTMENT OF WATER RESOURCES

RECEIVED
DEC 05 1990

REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 65-13107

Name(s) of Permit Holder: Arthur & Carolyn Longstreet

Post Office Address: P.O. Box 49, Garden Valley 83622

Telephone No. 462-3871
wk 888-7510

Date Proof is Due: Jan 1, 1991

Describe what work has been completed toward the development of this water right: Collection
(This must be filled out! If no work has been completed, show "none".)

box installed, purchased a pump and
some piping.

Costing \$ _____

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:
We had only one year to complete this
project, need another year

Permit holder(s) request an extension to Jan 1, 1992 (1 yr. minimum)
Arthur Longstreet (Signature)
FEB 17 1991

FEE: \$15.00
*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to January 1, 1992.

Signed this 25th day of January, 19 91.

A. Glen Saylor
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13107

Proposed Priority: August 9, 1989

Maximum Diversion Rate:

0.06 CFS

This is to certify, that **ARTHUR LONGSTREET**
CAROLYN LONGSTREET
P.O. BOX 49
GARDEN VALLEY, ID 83622

has applied for a permit to appropriate water from:

SPRINGS

tributary of **SINKS**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.04 CFS
DOMESTIC	01/01 to 12/31	0.02 CFS
	Totals	0.06 CFS

LOCATION OF POINT(S) OF DIVERSION:

SESESW Sec. 23, Township 09N, Range 04E
NESESW Sec. 23, Township 09N, Range 04E
BOISE County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09N 04E 23	SESW 2			2

Total number of acres irrigated: 2


PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1991.
2. Subject to all prior water rights.
3. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

28th day of December, 1989

for 
R. Keith Higginson, Director

MICROFILMED

FEB 27 1990

30

RECEIVED

AUG 09 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

65-13107

RECEIVED

Department of Water Resources

APPLICATION FOR PERMIT

OCT 13 1989

To appropriate the public waters of the State of Idaho

Department of Water Resources
Regional Office

1. Name of applicant Longstreet, Arthur and/or Carolyn Phone 208-462-3871
Post office address P.O. Box 49 Sardin Valley Idaho 83622
2. Source of water supply groundwater springs which is a tributary of ~~the~~ sink *
3. Location of point of diversion is SE 1/4 of SE 1/4 of SW 1/4 Govt Lot _____
Sec 23 Township 9N Range 4E B.M. BOISE County; additional
points of diversion if any. NE SE SW S. 23 T9N R4E *
4. Water will be used for the following purposes:
Amount 0.04 for Irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.06 and/or (b) ~~6.0~~
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Springs into holding tanks plumbed via pump & pipeline to house, yard and pasture.
b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet, total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage. _____ to _____ inclusive.
c. Proposed well diameter is 8' x 6' N/A inches, proposed depth of well is 5-7' feet N/A *
d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use
1 years (minimum 1 year).

MICROFILMED

* per office visit by A. Longstreet on 10/13/89, FEB 27 1990
SL

8. Description of proposed uses (if irrigation only, go to item 9)

- a Hydropower; show total feet of head and proposed capacity in KW _____
- b Stockwatering, list number and kind of livestock _____
- c. Municipal, show name of municipality. _____
- d. Domestic; show number of households. One household
- e Other; describe fully _____

9. Description of place of use

- a If water is for irrigation, indicate acreage in each subdivision in the tabulation below
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below See instructions for standard symbols

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
9N	4E	23												2					2
														D					

Total number of acres to be irrigated 2

10 Describe any other water rights used for the same purposes as described above. None

11 a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12 Remarks. Permit was applied for under Applic #65-12444 but system was not completed and permits lapsed. Applicant now resides at the location and wants to develop the resource


MICROFILMED

FEB 27 1960



SE 1/4 SE 1/4 SW 1/4 *
T9N R4E Sec 23

13. Map of proposed project. show clearly the proposed point of diversion, place of use, section number, township and range number



Scale 2 inches equal 1 mile

FEB 27 1990

per office visit
by A. Longstreet

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)

Received by B. Schold Date 8/9/89 Time 1:52pm Preliminary check by JS
Fee \$ 30.00 Receipted by B. Schold # C009217 Date 8-9-1989
Publication prepared by GG Date 10-25-89 Published in ID World
Publication approved JS Date 11-16-89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No _____, and said application is hereby _____.

1 Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other

MICROFILMED

FEB 27 1990

STATE OF IDAHO }

County of Boise

Peter A. Wierenga, being duly sworn, deposes and says: that he is the manager and principal clerk of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and State of Idaho; the said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for two (2) consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy-eight weeks past previous to the first publication of this notice. Such notice was published in the issue beginning with 11/2, 1989 and ending with the issue of 11/9, 1989.

Peter A. Wierenga

STATE OF IDAHO }

County of Boise

On this 9th day of November
in the year of 1989, before me, a
Notary Public, personally appeared
Peter A. Wierenga

known or identified to me to be the person
whose name subscribed to the within
instrument, and being by me first duly sworn,
declared that the statements therein are
true, and acknowledged to me that he
executed the same.

Peter A. Wierenga
Notary Public for Idaho

Boise Idaho
Residing at

My commission expires: 9/14/94

**NOTICE OF APPLICATION FOR WATER
RIGHT**

The Following application(s) have been filed
to appropriate the public waters of the State of
Idaho

65-13099

MC GOWAN, EDDIE P
425 W 5TH
EMMETT, ID 83617

Source PAYETTE RIVER, MIDDLE FORK,
Tributary PAYETTE RIVER, Diversion Pt
SESESE Sec 14 T 10N R 04E, Use IRRIGA-
TION (010 CFS), Date Filed. 9/06/1989, In
T10N R04E S14 SESE 0.5 ACRES TOTAL

65-13101

MAHER, ALICE
2227 PLUM ST
EMMETT, ID 83617

Source SPRING, Tributary SINKS; Diversion
Pt. NWSWSE Sec 7 T 08N R 02E, Use.
STOCKWATER (020 CFS), STOCKWATER

RECEIVED

FEB 27 1990

STORAGE (2.75 AF), STOCKWATER FROM
STORAGE (2.75 AF); Date Filed 10/13/1989,
In: T08N R02E S07 SWSE

65-13104

LONGSTREET, KAREN
5643 OREANA CT
BOISE, ID 83705

Source SPRING, Tributary PAYETTE RIVER
Diversion Pt SESESW Sec 23 T 09N R 04E,
Use. IRRIGATION (.030 CFS), DOMESTIC (.
.020 CFS), Date Filed 8/24/1989, In: T09N
R04E S23 SESW 1.5 ACRES TOTAL

65-13105

BRIGGS, ARDIS M
BRIGGS, ROLLA E.
HC 76, BOX 2403
GARDEN VALLEY, ID 83622

Source GROUNDWATER, Diversion Pt: SENW
Sec 26 T 09N R 04E; Use COMMERCIAL (.
.040 CFS), Date Filed. 10/20/1989, In: T09N
R04E S26 SENW

65-13107

LONGSTREET, ARTHUR
LONGSTREET, CAROLYN
P O BOX 49
GARDEN VALLEY, ID 83622

Source SPRINGS, Tributary SINKS, Diversion
Pt NESESW Sec 23 T 09N R 04E, SESESW
Sec 23 T 09N R 04E, Use IRRIGATION (.040
CFS), DOMESTIC (.020 CFS), Date Filed 8/09/
1989, In: T09N R04E S23 SESW 2.0 ACRES
TOTAL

The permit(s) will be subject to all prior
water rights. Protests must be filed with the
Director, Dept. of Water Resources, Western
Region, 2735 Airport Way, Boise, Idaho 83705
on or before NOVEMBER 20, 1989

R KEITH HIGGINSON, Director

Published in the Idaho World, Idaho City, Idaho,
November 2 & 9, 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 5, 1993

CAROLYN LONGSTREET
ARTHUR LONGSTREET
PO BOX 49
GARDEN VALLEY ID 83622

RE: WATER RIGHT NO. 65-13107

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

FEB 18 1993

LICENSE REVIEW CHECKLIST

Permit # 65-13107

Date 01-29-93 28

	<u>Yes</u>	<u>No</u>	
NAME	_____	<u>✓</u>	Address Change? _____
PRIORITY DATE	_____	<u>✓</u>	Advance? _____
	_____	<u>✓</u>	Memo to Advance _____
	_____	<u>✓</u>	Order to Reinstate Needed? _____
TOTAL CFS	_____	<u>✓</u>	Incorrect Fee for rate recommended? _____
	_____	<u>✓</u>	Disagree with Actual Measurement? _____
	_____	<u>✓</u>	$1.9 \times .03 = .06 / .03 \text{ cfs (IRR)}$
	_____	<u>✓</u>	Disagree with Theoretical? _____
	_____	<u>✓</u>	Limited by Capacity? $.03 \text{ cfs}$ (measured)
TOTAL VOLUME			Rate/ac <u>3.5</u> AFA Irr. Season <u>B</u>
			<u>4-15 to 10-15</u> Standard Irr. Season
			<u>Same / Reduced</u> Season Recommended
	_____	<u>✓</u>	Disagree with Examiner's Calculations? _____
	_____	<u>✓</u>	$1.9 \times 3.5 = 6.7 \text{ ata (IRR)}$
	_____	<u>✓</u>	Limited by Flow? $.63 \times 184 \times 1.9835 = 10.9 > 6.7$
SOURCE	_____	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	_____	<u>✓</u>	<u>Intended</u> source _____
	_____	<u>✓</u>	Notice of Intent to Void. _____
P/D			Verify with Map _____
	_____	<u>✓</u>	Amendment Needed? _____
	_____	<u>✓</u>	Is Overlap Analysis a Consideration? _____
P/U			Verify with Map _____
	_____	<u>✓</u>	Amendment Needed? _____
	_____	<u>✓</u>	Is Overlap Analysis a Consideration? _____
USES	_____	<u>✓</u>	Change(s) in Nature of Use? <u>Drop DOM</u>
	_____	<u>✓</u>	Amendment Needed? _____
REMARKS	_____	<u>✓</u>	Multiple P/Ds in 1/4 1/4? _____
	_____	<u>✓</u>	Non-Irr. Uses _____
	<u>WB1</u>	<u>✓</u>	Special Overlap Condition <u>P/D 65-13104</u>
	_____	<u>✓</u>	Other <u>Not Vol 10.9 ata</u>
CONDITIONS	_____	<u>✓</u>	Measuring Device _____
	_____	<u>✓</u>	W/Master Control _____
	<u>R50</u>	<u>✓</u>	Overlap _____
	_____	<u>✓</u>	Water Quality _____
			DATES/MISC _____
			_____ <u>✓</u> Water Dist.
			_____ <u>✓</u> App Rec'd
			_____ <u>✓</u> Exam Made

COMMENTS: Reduced season, uses

LICENSE ✓ **AMEND** **SPECIAL PARAGRAPH**

WR0749NP
No. L65-13107

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 01/29/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CAROLYN LONGSTREET	08/09/1989	IRRIGATION	04-15 10-15	0.03 CFS	6.7 AFA
C	ARTHUR LONGSTREET PO BOX 49 GARDEN VALLEY ID 83622 (208) 462-3871					
TOTAL DIVERSION:					0.03 CFS	6.7 AFA

Water Source: SPRINGS

Tributary to: SINKS

Stage: LICENSE

Point(s) of Diversion Capacity: 0.03 CFS

Point(s) of Diversion: T09N R04E S23 NE SE SW SE SE SW

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE														
T	R	S		NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM		
---	---	---		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	---
09N	04E	23	:					:					:				01	:							:	1.9
TOTAL ACRES																							1.9			

Pou County: BOISE

Other Water Rights with Same Point(s) of Diversion and Source:
65-13107

Other Water Rights Listing Overlapping Place(s) of Use:
65-06614 65-13104 65-13107 65-13294

Conditions of Approval:

- R50 - This right when combined with all other rights shall provide no-
- more than .03 cfs per acre nor more than 3.5 afa per acre for the
- lands above.

Remarks: The total combined rate of diversion under this right and
Right 65-13104 shall not exceed 0.03 cfs nor a combined volume
of 10.9 afa.

Dates: App. Received: 08/09/1989 Priority Date: 08/09/1989
Proof Due Date: 01/01/1992 Proof Made Date: 12/23/1991
Exam Made Date: 06/22/1992 Exam Sent to S.O.: 01/22/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee:

Comments: Date: 12/24/1991 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Audit: 01/29/93 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 27 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Hunter & Carolyn Longstreet Permit No. 65-13107
Current Address 20 Box 419 Garden Valley, ID 83622 Phone No. 462-3871
2. Accompanied by: Same EXAM. DATE: 6-22-92
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Springs tributary to Snake

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion 65-13104
☒ Copies Attached ☒ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

FEB 18 1993

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Three spring boxes were located approx. 160' apart in an area of natural drainage. The three boxes were all connected underground with various sized galvanized pipes, although the entire was unsure of the system. Tank #1 was a 4' x 5' x 4' box with a water table approx. 36" below the top of the tank. It is a 1/2" pipe pump is located on top of the tank, and two 3/4" hoses discharge from the pump. One hose was approx. 10' off to the side of use,

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
112					

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SE	SW	23	9N	4E	Boise	USGS Photo Grid. The springs
		NE	SE	SW	23	9N	4E	Boise	are located on the section line
									between SE 1/4 SW 1/4 & NE 1/4 SW 1/4

6. Place(s) of Use:

Indicate Method of Determination USGS Photo Grid

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9N	4E	23												1.9					1.9

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 gal bucket						

2. Measurements:

5 gal / 2.5
Assume 30 psi & correct for losses

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{5 \text{ gal}}{2.5 \text{ s}} \times \frac{60 \text{ s}}{1 \text{ min}} \times \frac{1 \text{ min}}{60 \text{ s}} = .03 \text{ cfs}$$

2. Alternate Method for Checking Purposes

$$\frac{1.3 \text{ ft} \times 8.8 \times 5}{(2.31 \times 30) + 60} = .02 \text{ cfs}$$

$$\frac{1.3 \text{ ft} \times 8.8 \times 20\%}{(2.31 \times 30) + 60} = .03 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1), Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.9 \times 3.5 = 6.7 \text{ af}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03 \text{ cfs} \times 183 \text{ days} \times 1.9835 = 10.9 \text{ af}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 6.7 \text{ af}$$

2. Volume Calculations for Other Uses

$$1.9 \text{ acres} \times 3.5 \text{ ft} = 6.7 \text{ af}$$

FEB 18 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

and the other base has a 60' dia.
The lower base separates into one base for this
portion and another one runs to the south of the drainage
area & supplies water for pond # 65-13124

The property is 1000 sq. ft. more than records, and
all of the property appears to be watered, less the 1000 sq. ft. driveway,
which makes approx. 19 acres. No water was found

The combined diversion from this property would be 65-13124
shall not exceed the gross capacity of .03 cfs

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4-15	10-15	.03 cfs	6.2 afa
Totals:			.03 cfs	6.2 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other


J. AUTHENTICATION

Field Examiner's Name Mark S. Jones

Signature Mark S. Jones

Certification Date 12/30/92

Field Report Preparation Date 7-2-95



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

FEB 18 1993

PERMIT 65-1307 INIT W
T. R. S. Q/Q FEB 18
P/D 9N 4E 23 SE 1/2
SCALE 1" = 100'
PHOTO ID. MO

Garden Valley

schoolhouse

BM 3099

Garden Valley



PHOTO ONE-

Spring box #1 with a $\frac{1}{3}$ h.p. pump
The hose on the right runs directly
to the P.U. The hose on the left
splits to the P.U. for 65-13104 also




PHOTO TWO-

Spring box #3, which is
connected underground to springbox #1.

FEB 18 1993




PHOTO THREE-

The hose splits into usage for this permit and for 65-13104.



PHOTO FOUR-

P/U. The area located in the drainage that is watered under this permit.

FEB 18 1993




PHOTO FIVE-

The upper lawn that is watered.
Facing south-east from the north-
west corner of the property.



PHOTO SIX-

Plt. Facing South From the
North-West corner of the
property.

FEB 18 1993

CAROLYN LONGSTREET
ARTHUR LONGSTREET
P.O. BOX 49
GARDEN VALLEY ID 83622

RE: PERMIT NO. 65-13107

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Sincerely,

c: IDWR - Region

100

RECEIVED
DEC 23 1991

STATE OF IDAHO

For Office Use Only

Amt. of Fee \$50

Date 12-23-91

Receipt No. 082766

Received by [Signature]

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-13107 Telephone No. 462-3871

2. Name(s) of Permit Holder(s): Arthur + Carolyn Kongstuet

3. Post Office Address: P.O. Box 49 Garden Valley, ID 83622

4. Source of Water: Spring

a. If ground water, well driller's name: _____ Date drilled: _____

b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic 1 (No. of households)

Irrigation 2 (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

6. Total rate and/or volume for which proof is submitted .06 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Post: Required? Yes No Installed? Yes No

8. Fee Enclosed \$ 50.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Arthur or Carolyn Kongstuet
Name

462-3871 home
Telephone No.

888-7310 work
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

12/23/91
Date

Arthur F. Kongstuet
Signature (and title if on behalf of a company or organization)

JAN 24 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 65-13107

Reviewed by Klg

Date 12/26/91

GENERAL CONSIDERATIONS

yes Name same as permit?

yes Address same as permit?

yes Proof timely received? If not, complete calculation below.

SOURCE OF WATER

✓ Surface water source

 Ground water source

NA Drilling permit required?

 Copy in the file? Drilling Permit No.

 Amount paid for permit Correct?

 Well log in the file?

LICENSE EXAMINATION FEE

yes Required?

50 Amount Submitted

yes Correct?

MEASURING DEVICE

NA Required?

 Installed?

 Waiver requested?

PRIORITY CALCULATION

Date proof received NA

Date proof due -

No. of days late =

Priority Date +

New Priority Date

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address

Proof Made 12/23/91 -
12/31/91 Klg

138212
October 31, 1991

CAROLYN LONGSTREET
ARTHUR LONGSTREET
P.O. BOX 49
GARDEN VALLEY ID 83622

PROOF DUE NOTICE
RE: PERMIT NO. 65-13107

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Nina Shields
Secretary/Records Manager

Enclosures

138212
JAN 24 1992

January 29, 1991

ARTHUR & CAROLYN LONGSTREET
P O BOX 49
GARDEN VALLEY ID 83622

Dear Mr. and Mrs. Longsreet:

Re: Permit No. 65-13107

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to January 1, 1992.

Note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

If you have questions, please contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MAILED

FEB 07 1991

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 65-13107

Reviewed by [Signature]

Date 1-24-91

BASIC INFORMATION

- 4 Date stamp received
- 4 Extension received timely (not too early not too late)
- 4 Fee received and receipted
- 4 Name and signature same as permit
- 2 Address change

BASIS FOR EXTENSION REQUEST

- 4 Has adequate work been completed to demonstrate due diligence?
- 4 Has the cost incurred been adequate to demonstrate an intent to complete the project?
- Has the permit been involved in litigation?
 - a. Swan Falls _____ Dismissed from Swan Falls _____
 - Other _____ Identify _____
 - b. Is supporting documentation needed to complete the file? _____
 - Requested _____
 - c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

- Is delay by a government agency? _____
- Is supporting documentation needed to complete the file? _____
- Requested? _____

ACTION TAKEN

Recommend approval based on due diligence for one year

Reinstate	Date extension received	=	_____
	Proof due date	=	_____
	No. of days late	=	_____
	Priority date	=	_____
	ADJUSTED PRIORITY DATE	=	_____

DATE ENTRY

- [Signature] Change proof due date _____ Address change
- Priority date change

October 31, 1990

ARTHUR LONGSTREET
CAROLYN LONGSTREET
P.O. BOX 49
GARDEN VALLEY, ID 83622

PROOF DUE NOTICE

RE: PERMIT NO. 65-13107

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

FEB 02 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
December 29, 1989

ARTHUR LONGSTREET
CAROLYN LONGSTREET
P.O. BOX 49
GARDEN VALLEY, ID 83622

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P65-13107

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED

FEB 27 1990

PD - 9N 4E 5. 23 NESESW
SESESW
pu - " SE5W

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: SA DATE: _____ APPLICATION: 65-13107

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use: Gov't. Lots: N P/D
☒ Nature of proposed use: (Include description of use) N P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes _____ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO
☒ ☐ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ ☐ Overlapping point of diversion:
☐ ☐ Field check required: Field check by: _____
☐ ☐ Field report attached:
☐ ☐ Critical groundwater area:
☐ ☐ Groundwater management area:
☐ ☐ Diversion within interim protected river area
☐ ☐ Send dam safety information:
☐ ☐ Send power requirement letter:
☐ ☐ Send fish farm requirement letter:
☐ ☐ Power residency affidavit:
☐ ☐ Power efficiency form:
☐ ☐ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐ ☐ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)

☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

Source and location, signature
DATE REQUESTED: Letter of 3/18/89, reply rec'd 10/13/89
☒ Additional information on reverse side:

PROCESSING

APPLICATION NO. 65-13107

YES NO

☒ ☐
☒ ☐
☒ ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☒
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒
☒

Publication dates and paper recorded on application:

Protests received. Final date for protest November 20, 1988

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, Dnr

Measuring device required:

Measuring port required:

Water delivered by water master? District # 65-13107

Special conditions of approval or cover letter:

See below for additional information

Recommended Date or Priority 8/9/1989Recommended by: DnrDate 11/20/1989

STATE OFFICE REVIEW

P16

See below for additional information. By KWDate 12-18-89

ADDITIONAL INFORMATION

Appl. replaces Logand Permit 65-12444

Overlap

Pld - 65-11025 + 65-11403 are other springs.

Pln 65-06614 Amelisen Ck., irrig. 30 other areas.



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

September 18, 1989

Arthur and Carolyn Longstreet
P.O. Box 49
Garden Valley, ID. 83622

RECEIVED
OCT 13 1989

Department of Water Resources
Western Regional Office

Re: Application for Permit

Dear Arthur and Carolyn:

Your recent application for irrigation and domestic use needs to be clarified before processing may continue. From your comments and department records, it appears that the current application replaces the lapsed Permit 65-12444.

First, the application needs to be signed by either or both of you. Second, the application mentions that the water source is ground water but also describes springs and a holding tank. Ground water and springs are considered as different sources. If a natural spring will be or has been developed for use, the application should be corrected. If spring water is involved, is one spring the source or are several springs involved?

Finally, whatever the source, is the point of diversion in the SESESW or NESESW? The enclosed map shows the source in SESESW, but the hand-drawn map on the application shows the NESESW. Please confirm the location by marking the source location on the enclosed map.

Please return the signed application and attached map within 30 days to expedite the water right process. Let me know if additional help may be provided.

Sincerely,

Steve Lester
Sr. Water Resource Agent

SL: sl
Enclosure

Hi-Micro
Tool Corporation

Arthur Longstreet

Office visit 10/13/89

- 1) Several springs with collection system
- 2) located on map
- 3) signature

RECORDED

FEB 27 1990

65-13107

LONGSTREET, ARTHUR
LONGSTREET, CAROLYN
P.O. BOX 49
GARDEN VALLEY, ID 83622

Source: SPRINGS

Tributary: SINKS

Diversion Pt: NESESW Sec 23 T 09N R 04E
 SESESW Sec 23 T 09N R 04E

Use: IRRIGATION (.040 CFS)
 DOMESTIC (.020 CFS)

Date Filed: 8/09/1989

In: T09N R04E S23 SESW

2.0 ACRES TOTAL

MICHAEL

FEB 27 1989