




SE 1/4 SE 1/4 SW 1/4
T9N R4E Sec 23

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Karen Bongalreut
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 27 1993

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 65-13104
1. Owner: Karen Longstreet Phone No. 322-0592
Current Address: 5643 Oceana Ct. Boise, ID 83705
2. Accompanied by: Arthur Longstreet EXAM. DATE: 6-22-92
Address: P.O. Box 49 Garden Valley, ID 83622 Phone No. 462-3871
Relationship to Permit Holder: Father
3. Source: Springs tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: 65-13107 ☒ Copies Attached ☒ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED
FEB 18 1993

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).



PERMIT 65-13104 INIT ms
T. R. S. Q/Q
P/D 7/11/41 23 SE/SW
SCALE
PHOTO ID. V-61 Garden Valley

REPROFILMED

FEB 18 1993

BM 3099

CONSTRUCTION

EM 3021

Garden Valley

Schoolhouse

Garden Valley

Creek

MOUNTAIN

Little Anderson

SCOTT

tion




PHOTO ONE-

Spring box #1 with a 1/3 h.p. pump.
The hose on the left leads to the
property under this permit. The hose on the
right leads to P.U. for 65-13107



PHOTO TWO-

MINI-MED

FEB 18 1993

Spring box #1 and the
drainage area with spring box #2
located in the background (not
visible)



PHOTO THREE-

The hose splits & provides water for this permit (on right), it also provides water for the lower portion of the P.U. under 65-1307.



PHOTO FOUR-

RECEIVED

FEB 18 1993

P/U with a hose leading to a sprinkler.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 65-13104

Priority: August 24, 1989

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

5.3 AF

This is to certify, that KAREN LONGSTREET
5643 OREANA
BOISE ID 83705

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated August 24, 1989; and
has submitted Proof of Beneficial Use on December 23, 1991. An examination indicates
that the works have a diversion capacity of .030 cfs of water from:

SPRINGS

tributary to **SINKS**

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.03 CFS	5.3 AF

LOCATION OF POINT(S) OF DIVERSION:

NESESW , Sec. 23, Township 09N, Range 04E
SESESW , Sec. 23, Township 09N, Range 04E
BOISE County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09N 04E 23	SESW 1.5			1.5

Total number of acres irrigated: 1.5

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.

RECEIVED

FEB 18 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 65-13104

CONDITIONS/REMARKS:

6. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.5 afa per acre for the lands above.
7. The total combined rate of diversion under this right and Right 65-13107 shall not exceed 0.03 cfs nor a combined volume of 10.9 afa.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 4TH day of FEBRUARY, 1993.

Acting for


R. Keith Higginson, Director

FEB 16 1993

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Received by 27
Date 12/6/90
Receipt # 0349028

RECEIVED
DEC 06 1990

REQUEST FOR EXTENSION OF TIME

Department of Water Resources **TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT**

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 65-13104

Name(s) of Permit Holder: Karen Longstreet

Post Office Address: 5643 Oregana, Boise 83705

Telephone No. 322-0592
386-2238

Date Proof is Due: Jan 1, 1991

Describe what work has been completed toward the development of this water right: _____
(This must be filled out! If no work has been completed, show "none".)

Collection box installed, purchased a pump &
some piping

Costing \$ _____

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

I've had only one year to complete the project
need another year

Permit holder(s) request an extension to Jan 1, 1992 (1 yr. minimum) Karen Longstreet (Signature)*

FEE: \$15.00

MICROFILMED
OTHER THAN PERMIT HOLDER,
MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to January 1, 1992.

Signed this 25th day of January, 19 91.

J. Glen Saxton
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13104

Proposed Priority: August 24, 1989 Maximum Diversion Rate: 0.05 CFS

This is to certify, that **KAREN LONGSTREET**
5643 OREANA CT.
BOISE, ID 83705

has applied for a permit to appropriate water from:

SPRING tributary of **PAYETTE RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.03 CFS
DOMESTIC	01/01 to 12/31	0.02 CFS
	Totals	0.05 CFS

LOCATION OF POINT(S) OF DIVERSION: SESESW Sec. 23, Township 09N, Range 04E
BOISE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09N	04E	23	SESW	1.5		1.5

Total number of acres irrigated: 1.5

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **January 1, 1991**.
2. Subject to all prior water rights.
3. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
4. Use of water under this permit is subject to control by the watermaster of State Water District No. 65.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
6. Domestic use is for one home.

MICROFILMED

FEB 27 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13104

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

27th day of December, 1989.

J. Glen Saxton
for R. Keith Higginson, Director

MICROFILMED

FEB 27 1990

REC

AUG 24 1989

2010216

Form 202
6/85

Ident No. 65-13104

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

- Name of applicant Longstreet, Karen Phone 208-322-0592
Post office address 5643 OREANA CT. Boise ID. Zip # 83705
- Source of water supply spring which is a tributary of Payette River
- Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of SW $\frac{1}{4}$ Govt. Lot _____
Sec 23 Township 9N Range 4E B M Boise County; additional
points of diversion if any _____
- Water will be used for the following purposes:
Amount 0.03 for Irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Total quantity to be appropriated is (a) 0.05 cubic feet per second and/or (b) 4.5 acre feet per annum
- Proposed diverting works.
 - Description of ditches, flumes, pumps, headgates, etc Springs into holding tanks plumbed via pump & pipeline to house, yard, and pasture
 - Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage _____ to _____ inclusive
 - Proposed well diameter is 8' x 6' inches, proposed depth of well is 5'-7' feet.
 - Is ground water with a temperature of greater than 90°F being sought? no
- Time required for the completion of the works and application of the water to the proposed beneficial use is _____ years (minimum 1 year).

MICROFILMED

FEB 27 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- a Hydropower, show total feet of head and proposed capacity in KW. _____
- b Stockwatering; list number and kind of livestock. _____
- c Municipal; show name of municipality. _____
- d Domestic, show number of households. One household
- e Other, describe fully. _____

9 Description of place of use:

- a If water is for irrigation, indicate acreage in each subdivision in the tabulation below
- b If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols

TWP	RANGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
9N	4E	23											1.5						1.5

Total number of acres to be irrigated 1.5

10 Describe any other water rights used for the same purposes as described above

None

- 11 a Who owns the property at the point of diversion? Arthur and/or Carolyn Longstreet
- b Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing N/A


12 Remarks: Permit was applied for under application #65-12444 but system was not completed and permit lapsed. Applicant now resides at the location and wants to develop the resource

FEB 21 1960



SE 1/4 SE 1/4 SW 1/4
T9N R4E Sec 23

13. Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth

Karen Bongalant
(Applicant)

Received by Ms. C. Wong Date 8/29/89 Time 2:20pm Preliminary check by RW
Fee \$ 30.00 Receipted by P. Smith # C010216 Date 8-24-89
Publication prepared by CG Date 10-25-89 Published in ID World
Publication approved at Date 11-16-89 11/2 & 11/9/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1 Approval of said application is subject to the following limitations and conditions.

a. SUBJECT TO ALL PRIOR WATER RIGHTS

b Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land

d The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e Other

MICROFILMED

FEB 27 1990

STATE OF IDAHO }

County of Boise

Peter A. Wierenga, being duly sworn, deposes and says: that he is the manager and principal clerk of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and State of Idaho; the said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for two (2) consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy-eight weeks past previous to the first publication of this notice. Such notice was published in the issue beginning with 11/2, 1989 and ending with the issue of 11/9, 1989.

Peter A. Wierenga

STATE OF IDAHO }

County of Boise

On this 9th day of November
in the year of 1989, before me, a
Notary Public, personally appeared
Peter A. Wierenga

known or identified to me to be the person
whose name subscribed to the within
instrument, and being by me first duly sworn,
declared that the statements therein are
true, and acknowledged to me that he
executed the same.

Peter A. Wierenga
Notary Public for Idaho

Boise Idaho

Residing at

My commission expires: 9/14/94

NOTICE OF APPLICATION FOR WATER
RIGHT

The Following application(s) have been filed
to appropriate the public waters of the State of
Idaho

65-13099

MC GOWAN, EDDIE P
425 W 5TH
EMMETT, ID 83617

Source PAYETTE RIVER, MIDDLE FORK,
Tributary PAYETTE RIVER, Diversion Pt.
SESESE Sec 14 T 10N R 04E; Use IRRIGA-
TION (010 CFS), Date Filed 9/06/1989; In
T10N R04E S14 SESE 0.5 ACRES TOTAL

65-13101

MAHER, ALICE
2227 PLUM ST
EMMETT, ID 83617

Source SPRING, Tributary SINKS, Diversion
Pt. NWSWSE Sec. 7 T 08N R 02E; Use
STOCKWATER (020 CFS), STOCKWATER

STORAGE (2.75 AF), STOCKWATER FROM
STORAGE (2.75 AF), Date Filed 10/13/1989.
In T08N R02E S07 SWSE

65-13104

LONGSTREET, KAREN
5643 OREANA CT
BOISE, ID 83705

Source: SPRING, Tributary PAYETTE RIVER
Diversion Pt SESESW Sec 23 T 09N R 04E,
Use IRRIGATION (030 CFS), DOMESTIC (.
020 CFS), Date Filed 8/24/1989; In T09N
R04E S23 SESW 1.5 ACRES TOTAL

65-13105

BRIGGS, ARDIS M
BRIGGS, ROLLA E
HC 76, BOX 2403
GARDEN VALLEY, ID 83622

Source, GROUNDWATER, Diversion Pt: SENW
Sec. 26 T 09N R 04E, Use COMMERCIAL (.
040 CFS), Date Filed 10/20/1989; In T09N
R04E S26 SENW

65-13107

LONGSTREET, ARTHUR
LONGSTREET, CAROLYN
P O BOX 49
GARDEN VALLEY, ID 83622

Source SPRINGS, Tributary SINKS, Diversion
Pt NESESW Sec 23 T 09N R 04E, SESESW
Sec 23 T 09N R 04E; Use IRRIGATION (040
CFS), DOMESTIC (020 CFS), Date Filed 8/09/
1989; In T09N R04E S23 SESW 2.0 ACRES
TOTAL

The permit(s) will be subject to all prior
water rights. Protests must be filled with the
Director, Dept of Water Resources, Western
Region, 2735 Airport Way, Boise, Idaho 83705
on or before NOVEMBER 20, 1989.

R. KEITH HIGGINSON, Director

Published in the Idaho World, Idaho City, Idaho
November 2 & 9, 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 5, 1993

KAREN LONGSTREET
5643 OREANA
BOISE ID 83705

RE: WATER RIGHT NO. 65-13104

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

FEB 18 1993

LICENSE REVIEW CHECKLIST

Permit # 65-13104

Date 01-29-93
28

	<u>Yes</u>	<u>No</u>	
NAME	<u> </u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance?
	<u> </u>	<u>✓</u>	Memo to Advance
	<u> </u>	<u>✓</u>	Order to Reinstate Needed?
TOTAL CFS	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u> </u>	<u>✓</u>	Disagree with Actual Measurement?
	<u> </u>	<u> </u>	<u>1.5 x .03 = .05 / .030 cfs (IRR)</u>
	<u>✓</u>	<u> </u>	Disagree with Theoretical? <u>@ 20 psi = .02</u>
	<u> </u>	<u>✓</u>	Limited by Capacity? <u>.03 cfs</u> (measured)
TOTAL VOLUME	<u> </u>	<u> </u>	Rate/ac <u>3.5</u> AFA Irr. Season <u>B</u>
	<u> </u>	<u> </u>	<u>4-15 to 10-15</u> Standard Irr. Season
	<u> </u>	<u> </u>	<u>Same / Reduced</u> Season Recommended
	<u> </u>	<u>✓</u>	Disagree with Examiner's Calculations?
	<u> </u>	<u> </u>	<u>1.5 x 3.5 = 5.3 afa (IRR)</u>
	<u> </u>	<u>✓</u>	Limited by Flow? <u>.03 x 184 x 1.9835 = 10.9 > 5.3</u>
SOURCE	<u> </u>	<u>✓</u>	Changes? <u>Clarification</u> of <u>Originally</u>
	<u> </u>	<u> </u>	<u>Intended source</u> <u>Trih to Sinks</u>
	<u> </u>	<u>✓</u>	Notice of Intent to Void.
P/D	<u> </u>	<u> </u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed?
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U	<u> </u>	<u> </u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed?
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use? <u>Drop DOM</u>
	<u> </u>	<u>✓</u>	Amendment Needed?
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4?
	<u> </u>	<u>✓</u>	Non-Irr. Uses
	<u>WBL</u>	<u> </u>	Special Overlap Condition <u>P/D 65-13107</u>
	<u> </u>	<u>✓</u>	Other <u>Not Vol 10.9 afa</u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device
	<u>- No - Sinks</u>	<u>✓</u>	W/Master Control
	<u>RSO</u>	<u> </u>	Overlap
	<u> </u>	<u>✓</u>	Water Quality
	<u> </u>	<u> </u>	DATES/MISC
	<u> </u>	<u>✓</u>	Water Dist.
	<u> </u>	<u> </u>	App Rec'd
	<u> </u>	<u>✓</u>	Exam Made

COMMENTS: Reduced season, uses
Used 20 psi - sm. IRR estimate - hose & sprinkler

LICENSE ✓ AMEND SPECIAL PARAGRAPH

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	KAREN LONGSTREET 5643 OREANA BOISE ID 83705 (208) 322-0592	08/24/1989	IRRIGATION	04-15 10-15	0.03 CFS	5.3 AFA
TOTAL DIVERSION:					0.03 CFS	5.3 AFA

Water Source: SPRINGS

Tributary to: SINKS

Stage: LICENSE

Point(s) of Diversion Capacity: 0.03 CFS

Point(s) of Diversion: T09N R04E S23 NE SE SW SE SE SW

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE				
T	R	S		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUM
09N	04E	23	:																	1.5
TOTAL ACRES																				1.5

Pou County: BOISE

Other Water Rights with Same Point(s) of Diversion and Source:
65-13107

Other Water Rights Listing Overlapping Place(s) of use:
65-06614 65-13104 65-13107 65-13294

Conditions of Approval:

- 004 - The issuance of this right in no way grants any right-of-way or easement across the land of another.
- R50 - This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.5 afa per acre for the lands above.

Remarks: The total combined rate of diversion under this right and Right 65-13107 shall not exceed 0.03 cfs nor a combined volume of 10.9 afa.

Dates: App. Received: 08/24/1989 Priority Date: 08/24/1989
Proof Due Date: 01/01/1992 Proof Made Date: 12/23/1991
Exam Made Date: 06/22/1992 Exam Sent to S.O.: 01/22/1993
Licensed Date:

Misc: Water District Number: 65 Field Exam Fee:

Comments: Date: 12/24/1991 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Audit: 01/29/93 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 27 1993

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 65-1314
1. Owner: Karen Longstreet Phone No. 322-0592
Current Address: 5613 Orena Ct. Boise, ID 83705
2. Accompanied by Arthur Longstreet EXAM. DATE: 6-22-92
Address P.O. Box 47 Garden Valley, ID 83622 Phone No 462-3871
Relationship to Permit Holder. Father
3. Source: Spring tributary to Snake

B. OVERLAP REVIEW

1. Other water rights with same place of use None ☐ Copies Attached
2. Other water rights with same point of diversion: 65-13107 ☒ Copies Attached ☒ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1 **Diversion System Diagram:** Indicate all major components and distances between components Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



RECEIVED
FEB 18 1993

Scale: 1" = _____

2. ☒ Copy of U.S G S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater)

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Three spring boxes are located within a natural drainage and connected underground in a natural way. The spring boxes collect water in the drainage and direct it to box # Box # is a 4' x 5' x 4' concrete tank with a water line approx 3' above the top of the tank. The ground level is 13' up from the drainage. The north and east for point # 51131-7 and the south for this box point # 3. Box supplies water to a 3/4" line for

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
V/A					

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SE	SW	23	7N	4E	Baile	1:5-5 Photo Quad. The springs are located on the corner line that divides SE SE SW & NE SE SW.
		NE	NE	SW					

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9N	4E	23												1.5 1.6					1.5 1.6

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 gallon bucket						

2. Measurements:

5 gal / 30 sec

Pressure 30 psi used to operate sprinklers

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{5 \text{ gal}}{30 \text{ sec}} \times \frac{60 \text{ sec}}{1 \text{ min}} = \frac{1}{10} \text{ cfs} = .10 \text{ cfs}$$

2. Alternate Method for Checking Purposes

$$\frac{1}{3} \text{ min} \times 60 \text{ sec} = 20 \text{ sec}$$

$$\frac{5 \text{ gal}}{20 \text{ sec}} \times \frac{60 \text{ sec}}{1 \text{ min}} = .15 \text{ cfs}$$

$$.10 \text{ cfs} \quad .01 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure _____ psi x 2.31 = _____ ft (1), Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) , Flow rate _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.5 \text{ acres} \times 3.5 = 5.3 \text{ afa}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03 \text{ cfs} \times 183 \times 1.9835 = 10.9 \text{ afa}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 5.3 \text{ afa}$$

2. Volume Calculations for Other Uses:

RECEIVED

FEB 18 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

irrigation usage only. The planning is listed as 1.6 acres by the records. (limited to 1.5 per proof + permit)

The combined diversion from this point + 5 permit + # 65-131-7 shall not exceed the system capacity of .03 cfs

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
irrigation	4-1-82	11-1-82	.03 cfs	5.3 5.6 afa
Totals:			.03 cfs	5.3 afa

2 Recommended Amendments


- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☒ Add P.D. as reflected above *See C. #6*
☐ Add P.U. as reflected above

- ☐ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name Mark S. Jones
Signature [Signature]
Certification Date _____
Field Report Preparation Date 7-2-92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

FEB 18 1993

PERMIT 65-13104 INIT mw-3
T. R. S. Q/Q
P/D 7/14/41 23 SE/SW
SCALE
PHOTO ID. V-61 Garden Valley

BM
3099

Garden Valley

Gulch

MOUNTAIN

Garden Valley

Sagocomiconee

30

25

26

27

19

24

2



PHOTO ONE-

Spring box #1 with a 1/3 h.p. pump.
The hose on the left leads to the
property under this permit. The hose on the
right leads to P.U. for 65-13107




PHOTO TWO-

FEB 18 1993

Spring box #1 and the
drainage area with spring box #2
located in the background (not
visible)




PHOTO THREE-

The hose splits & provides water for this permit (on right), & it also provides water for the lower portion of the P.U. under 65-1307.



PHOTO FOUR-

P/U with a hose leading to a sprinkler.

FEB 18 1993

May 19, 1992

KAREN LONGSTREET
5643 OREANA
BOISE ID 83705

RE: Water Right No. 65-13104

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement purposes. This type of coordination could minimize the impact on

RECEIVED
FEB 18 1993

existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

11 5 18 1993

December 31, 1991

KAREN LONGSTREET
5643 OREANA
BOISE ID 83705

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13104

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED

JAN 24 1992

RECEIVED
DEC 23 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1 Permit No. 65-13104 Telephone No. 208 322-05922 Name(s) of Permit Holder(s): KAREN LONGSTREET3 Post Office Address: 5643 Creana Ct Boise, Id.4 Source of Water: Spring - tributary of the Payette River

a If ground water, well driller's name: _____ Date drilled: _____

b Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5 Extent of Use:

Domestic 1 (No. of households) Irrigation 1.5 (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

6 Total rate and/or volume for which proof is submitted .05 cfs _____ acre/feet

7 Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes No8 Fee Enclosed. \$ 50.00 (See License Examination Fee Schedule)

9 Person to contact to accompany the Department representative during the field examination:

Name Arthur or Carolyn Longstreet Telephone No. 462-3871 homeAddress 888-7310 work

10 The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho

Date 12/23/91Signature (and title if on behalf of a company or organization) Karen Longstreet JAN 24 1992

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 65-13104 Reviewed by klg Date 12/26/91

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? If not, complete calculation below.

SOURCE OF WATER

2 Surface water source
Ground water source
NA Drilling permit required?
/ Copy in the file? Drilling Permit No. _____
/ Amount paid for permit _____ Correct?
/ Well log in the file?

LICENSE EXAMINATION FEE

Yes Required?
50 Amount Submitted
Yes Correct?

MEASURING DEVICE

NA Required?
 / Installed?
 / Waiver requested?

PRIORITY CALCULATION

Date proof received NA

Date proof due -

No. of days late =

Priority Date +

New Priority Date

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address

Proof Made 12/23/91
12/31/91 Kly

135210
October 31, 1991

KAREN LONGSTREET
5643 OREANA
BOISE ID 83705

PROOF DUE NOTICE
RE: PERMIT NO. 65-13104

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Nina Shields
Secretary/Records Manager

Enclosures

JAN 24 1992

January 29, 1991

KAREN LONGSTREET
5643 OREANA
BOISE ID 83705

Dear Ms. Longstreet:

Re: Permit No. 65-13104

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to January 1, 1992.

Note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

Sincerely,

RITA I FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

FEB 07 1991

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 65-13104

Reviewed by [Signature]

Date 1-24-91

BASIC INFORMATION

4 Date stamp received
4 Extension received timely (not too early not too late)
3 Fee received and receipted
4 Name and signature same as permit
N Address change

BASIS FOR EXTENSION REQUEST

4 Has adequate work been completed to demonstrate due diligence?
4 Has the cost incurred been adequate to demonstrate an intent to complete the project?
 Has the permit been involved in litigation?
 a. Swan Falls _____ Dismissed from Swan Falls _____
 Other _____ Identify _____
 b. Is supporting documentation needed to complete the file? _____
 Requested _____
 c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

Is delay by a government agency?
 Is supporting documentation needed to complete the file? _____
 Requested? _____

ACTION TAKEN - *Recommend approval based on due diligence for one year*

u/a Reinstate Date extension received _____ = _____
 Proof due date _____ = -
 No. of days late _____ = _____
 Priority date _____ = +
 ADJUSTED PRIORITY DATE _____ = _____

DATE ENTRY

[Signature] Change proof due date _____ Address change
 Priority date change _____

October 31, 1990

KAREN LONGSTREET
5643 OREANA CT.
BOISE, ID 83705

PROOF DUE NOTICE

RE: PERMIT NO. 65-13104

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED
OCT 31 1990

OCT 31 1990

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
December 28, 1989

KAREN LONGSTREET
5643 OREANA CT.
BOISE, ID 83705

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P65-13104

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

FEB 27 1990

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: RW DATE: 10-16-80 APPLICATION: 65-13104

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map:
- ☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
- ☒ Fee:
- ☒ Yes ___ No* In form to receipt:

Gov't. Lots:

N P/D
N P/U

ADDITIONAL INFORMATION

YES NO

- ☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
- ☒ Overlapping point of diversion:
- ☐ Field check required: Field check by: _____
- ☐ Field report attached:
- ☐ Critical groundwater area:
- ☐ Groundwater management area:
- ☐ Send dam safety information:
- ☐ Send power requirement letter:
- ☐ Send fish farm requirement letter:
- ☐ Power residency affidavit:
- ☐ Power efficiency form:
- ☐ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
- ☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
- ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED:

☒ Additional information on reverse side:

NOV 21 1980
Department of Water Resources

PROCESSING

YES NO

α α
α α

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

α α
α α
α α
α α

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

α α
α α
α α
α α

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

✓ ✓
✓ ✓

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received. Final date for protest November 20, 1989

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, One

Measuring device required:

Measuring port required:

Water delivered by water master? District # 65, Payette R.

Special conditions of approval or cover letter:

05(65, Payette R # tribs)

See below for additional information

Recommended Date or Priority 8/24/1989

Recommended by: AW

Date 11/20/89

STATE OFFICE REVIEW

P116 05(65) 04

See below for additional information. By KW

Date 12-18-89

ADDITIONAL INFORMATION

Other Spring Sources listed in same 40AC.

65-11025

65-11403

Original Appl. 65-12444 (Lapsed)

Referred to 65-12446 (used For Irrigation)
(Also Lapsed)

65-13104

LONGSTREET, KAREN
5643 OREANA CT.
BOISE, ID 83705

Source: SPRING

Tributary: PAYETTE RIVER

Diversion Pt: SESESW Sec 23 T 09N R 04E

Use: IRRIGATION (.030 CFS)
DOMESTIC (.020 CFS)

Date Filed: 8/24/1989

In: T09N R04E S23 SESW

1.5 ACRES TOTAL

MICROFILMED

FEB 27 1980