

10. Describe any other water rights used for the same purposes.
NONE

11. a. Who owns the property at the point of diversion?
~~APPLICANT~~ UPSTREAM NEIGHBOR AND APPLICANT

b. Who owns the land to be irrigated or place of use?
APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.
VERBAL AGREEMENT.

12. Remarks:

ONE POINT OF DIVERSION FROM EACH OF TWO UNNAMED STREAMS.

P/U is CR-6 Subdivision, Lot 6A-24.

13. Map of proposed point of diversion and place of use attached? [X]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Carolyn Sheets
Applicant

Received by Dor Date 8/7/1989 Time 11:00 Preliminary check by RB

Fee \$ 30.00 Receipted by Dor # W004072 Date 8/7/1989

Publication prepared by GG Date 8-30-89 Published in The Advocate
9/6 & 9/13/89

Publication approved st Date 9-25-89



MICROFILMED

NOV 21 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
APR 15 1992
Department of Water Resources

A. GENERAL INFORMATION


Permit No. 65-13082
Phone No. 454-3858
1. Owner: David Sheets & Carolyn Sheets
Current Address: P.O. Box 116 Greenleaf, ID 83626
2. Accompanied by: Carolyn Sheets EXAM. DATE: 6-19-91
Address: Sark Phone No. _____
Relationship to Permit Holder: _____
3. Source: Unnamed Streams tributary to Cascade Reservoir

B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-07044, 65-08899, 65-12233, 65-06897 ☐ Copies Attached
2. Other water rights with same point of diversion: 65-07044, 65-08899
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 100'

JUL 30 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater.

SCALE 1:24,000

SCALE 7-9
PHOTO ID. 15N 3E 18 SE NE
PERMIT 65-13082 INIT ms
T. R. S. 0/0

P10
P14
P10

RECORDED
JUL 30 1992

44° 37' 30"
116° 7' 30"

● # 65-13082 ●



#1 Tab #2.
Overflow on
upper, left
and returns
to downstream
Flow.



#2
Faucet #3.
Black pipe leads From
tab #2. Green hose
returns Flow to stream.

MICHAEL
JUL 30 1992

MICROFILMED
JUL 30 1992

Division of
Water from
Stream. Pipe
leads to
Lb #1, about
5' away.

#4



Collection
Lb #1

#3



65-13082

6513082



5
Faucet #1.



#6.
Faucet #2.

MICROFILMED
JUL 30 1992

#65-13082



#7

Location of
Stream #1 as
it flows behind
house.

Faucet #1 in
left, center of
picture.

Facing west.



#8

Place of use,
facing north.

Faucet #2 on
right side.

MICROFILMED

JUL 30 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13082

Priority: August 7, 1989

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that DAVID G SHEETS
CAROLYN SHEETS

PO BOX 116

GREENLEAF ID 83626

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 7, 1989; and has submitted Proof of Beneficial Use on November 28, 1990. An examination indicates that the works have a diversion capacity of .040 cfs of water from:

UNNAMED STREAMS

tributary to CASCADE RESERVOIR

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 18, Township 15N, Range 03E
SENE , Sec. 18, Township 15N, Range 03E
VALLEY County

PLACE OF USE: DOMESTIC

TWN RGE SEC

15N 03E 18

SENE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.

RECORDED

JUL 30 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13082

CONDITIONS/REMARKS:

7. Domestic use is for 1 home.
8. Place of use is also known as Lot 6A-24, CR-6 Subdivision.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 14th
day of July, 1992.

Acting for R. Keith Higginson, Director

14 JUL 1992

State of Idaho
Department of Water Resources

RECEIVED
JUN 30 1992

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-13082

Department of Water Resources

APPROVED
0.04 CFS
1.2 AF

Date of Priority: August 7, 1989

Maximum Diversion Rate:

Maximum Diversion Volume:

Comes now

DAVID G SHEETS
CAROLYN SHEETS

PO BOX 116
GREENLEAF ID 83626

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 65-13082, and requests that the permit be changed as follows:

Source: UNNAMED STREAMS

tributary to CASCADE RESERVOIR

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 18, Township 15N, Range 03E
SENE , Sec. 18, Township 15N, Range 03E
VALLEY County

PLACE OF USE: DOMESTIC
TWN RGE SEC

15N 03E 18 SENE

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Greenleaf, this 29 day of June, 1992.

Carolyn Sheets
(Signature)

JUL 30 1992

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-13082

FOR DEPARTMENT USE ONLY

#C024751

Preliminary check by CS Fee = \$20.00✓

Received by [Signature] Date 6-30-92

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 65-13082 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
6. Domestic use is for 1 home.
7. Place of use is also known as Lot 6A-24, CR-6 Subdivision.

Witness my hand this 14th day of July, 1992.

[Signature]
Acting for R. Keith Higginson, Director

JUL 30 1992

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13082

Proposed Priority: August 7, 1989

Maximum Diversion Rate:

0.04 CFS

This is to certify, that **DAVID G. SHEETS**
CAROLYN SHEETS
P.O. BOX 116
GREENLEAF, ID 83626

has applied for a permit to appropriate water from:

UNNAMED STREAMS

tributary of **CASCADE RESERVOIR**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

DOMESTIC	01/01 to 12/31	0.04 CFS
----------	----------------	----------

<u>LOCATION OF POINT(S) OF DIVERSION:</u>	SENE	Sec. 18, Township 15N, Range 03E VALLEY County
---	------	---

PLACE OF USE: DOMESTIC

TWN RGE SEC

15N 03E 18 SENE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **December 1, 1990.**
2. Subject to all prior water rights.
3. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
4. Use of water under this permit is subject to control by the watermaster of State Water District No. 65.
5. 2 points of diversion located in SENE, S18, T15N, R3E.
6. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

7th day of November, 19 89

for R. Keith Higginson, Director
MICROFILMED

NOV 21 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: DAVID G. SHEETS 208-459-9303
Address: P.O. BOX 116
GREENLEAF, ID 83626
AND/OR
Name: CAROLYN SHEETS 208-459-9303
Address: P.O. BOX 116
GREENLEAF, ID 83626

2. Source: UNNAMED STREAMS Trib. to: CASCADE RESERVOIR
3. Location of Point of Diversion: SENE Sec. 18, Township 15N, Range 03E
VALLEY County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	01/01	12/31	0.040		

5. Total quantity appropriated is:
0.040 CFS (and/or) AF

6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc.
GRAVITY FLOW SYSTEM.
b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
c. Proposed well diameter is inches; proposed depth of well is
feet.
d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:
DOMESTIC USE FOR 1 HOUSEHOLD.

9. Place of Use: DOMESTIC

TWN RGE SEC
15N 03E 18

SENE

RECORDED

NOV 21 1989

10. Describe any other water rights used for the same purposes.
NONE

11. a. Who owns the property at the point of diversion?
~~APPLICANT~~ UPSTREAM NEIGHBOR AND APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.
VERBAL AGREEMENT.

12. Remarks:

ONE POINT OF DIVERSION FROM EACH OF TWO UNNAMED STREAMS.


P/U is CR-6 Subdivision, Lot 6A-24.

13. Map of proposed point of diversion and place of use attached? [X]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Carolyn Sheets
Applicant

Received by Dor Date 8/7/1989 Time 11:00 Preliminary check by JP
Fee \$ 30.00 Received by Dor # W004072 Date 8/7/1989
Publication prepared by GG Date 8-30-89 Published in The Advocate
9/6 & 9/13/89
Publication approved ST Date 9-25-89



MICROFILMED

NOV 21 1989

PUBLIC NOTICES

NOTICE OF APPLICATION FOR
WATER RIGHT

The following application(s) have been
filed to appropriate the public waters of
the State of Idaho: ✓ *st*

65-13082
SHEETS, DAVID G.
SHEETS, CAROLYN
P.O. BOX 116
GREENLEAF, ID 83626

Source: UNNAMED STREAMS
Tributary: CASCADE

RESERVOIR

Diversion Pt: SENE Sec 18 T 15N R
03E

Use: DOMESTIC (.040 CFS)
Date Filed: 8/07/1989
In: T15N R03E S18 SENE

The permit(s) will be subject to all
prior water rights. Protests must be filed
with the Director, Dept. of Water
Resources, Western Region, 2735 Airport
Way, Boise, Idaho 83705 on or before
SEPTEMBER 25, 1989.

R KEITH HIGGINSON, Director
Published 9/06/1989 & 9/13/1989

Affidavit of publication

STATE OF IDAHO

COUNTY OF VALLEY

I, Fred K. O'Brien, being duly sworn deposes and says,
I am the Publisher of *The Advocate*, a weekly newspaper
published at Cascade, in Valley County, Idaho; and having
a general circulation therein and of legal status in said
county.

The *Appl. & Water Right*, a
copy of which is attached hereto; was published in said
newspaper once a week for *22* consecutive
weeks in the regular and entire issue of every number
thereof during the period and time of publication, and was
published in the newspaper proper and not in a
supplement; and that publication of such notice began:

9-6, 19 *89*

and ended *9-13*, 19 *89*

Fred K. O'Brien
Subscribed and sworn before me, this the
21 day of *Sept*, 19 *89*

On this *21* day of *Sept*, 19 *89*
I, a Notary Public in and for the State of Idaho, state that said
person, Fred O'Brien, did in fact present me with this document and I
did witness his signature on the document.

Rayola J. Jarvis
Rayola Jarvis, Notary Public residing at Cascade, Idaho

MICROFILMED
NOV 21 1989

MICROFILMED
NOV 21 1989

July 20, 1992

DAVID G SHEETS
CAROLYN SHEETS
PO BOX 116
GREENLEAF ID 83626

RE: WATER RIGHT NO. 65-13082

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
JUL 30 1992

June 23, 1992

DAVID G SHEETS
CAROLYN SHEETS
PO BOX 116
GREENLEAF ID 83626

RE: WATER RIGHT NO. 65-13082

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MAILED
JUL 30 1992

LICENSE REVIEW CHECKLIST

Permit # 65-13082

Date 6-17-92
28

	<u>Yes</u>	<u>No</u>	
NAME	<u> </u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance? <u> </u>
	<u> </u>	<u>✓</u>	Memo to Advance
	<u> </u>	<u>✓</u>	Order to Reinstate Needed?
TOTAL CFS	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u> </u>	<u>✓</u>	Disagree with Actual Measurement?
	<u> </u>	<u> </u>	<u>.04 cfs (DOM)</u>
	<u> </u>	<u>✓</u>	Disagree with Theoretical? <u> </u>
	<u> </u>	<u>✓</u>	Limited by Capacity? <u>.04 cfs</u>
TOTAL VOLUME			Rate/ac <u> </u> AFA Irr. Season <u> </u>
			<u> </u> Standard Irr. Season
			<u> </u> Season Recommended
	<u> </u>	<u>✓</u>	Disagree with Examiner's Calculations?
	<u> </u>	<u> </u>	<u>1.2 afa (DOM)</u>
	<u> </u>	<u>✓</u>	Limited by Flow? <u> </u>
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	<u> </u>	<u>✓</u>	<u>Intended</u> source
	<u> </u>	<u>✓</u>	Notice of Intent to Void.
P/D	<u>✓</u>	<u> </u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u>Add SWNE</u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U	<u> </u>	<u>✓</u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use? <u> </u>
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u>✓</u>	<u> </u>	Non-Irr. Uses <u>DOM / 1 Home</u>
	<u> </u>	<u>✓</u>	Special Overlap Condition <u> </u>
	<u>✓</u>	<u> </u>	Other <u>P/U</u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device
	<u>R04</u>	<u> </u>	W/Master Control
	<u> </u>	<u>✓</u>	Overlap
	<u> </u>	<u>✓</u>	Water Quality
			DATES/MISC
			<u>65</u> <u> </u> Water Dist.
			<u> </u> <u> </u> App Rec'd
			<u> </u> <u> </u> Exam Made

COMMENTS/MEMOS NEEDED: Amend P/D / No lots per Plat

License 10-Day 15-Day ✓ Special Correspondence

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
APR 15 1992
Department of Water Resources

A. GENERAL INFORMATION


Permit No. 65-13082
Phone No. 454-3858
1. Owner: David Sheets & Carolyn Sheets
Current Address: P.O. Box 116 Greenleaf ID 83626
2. Accompanied by: Carolyn Sheets EXAM. DATE: 6-19-91
Address: Sark Phone No. _____
Relationship to Permit Holder. _____
3. Source Unnamed Streams tributary to Cascade Reservoir

B. OVERLAP REVIEW

1 Other water rights with same place of use: 65-07244, 65-08939, 65-12273, 65-6577 ☐ Copies Attached
2 Other water rights with same point of diversion 65-07244, 65-08939 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1 **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 100'

MICROFILMED

JUL 30 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater)

System Description (continued)

3 Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Stream no. 2 supplies a backup water supply. Water is diverted from the stream into a tub. A 3/4" pipe runs out of the tub and across 50' downhill to faucet #3. When not in use, water flows out of the faucet & back into the creek. Stream no. 1 supplies water to faucets #1 & #2. Although the stream runs 20' north of the house, the point of diversion is 400' to the west. This places the pt. in T15N, R3E, S18, SW1/4. A 3/4" pipe follows stream #1 until it reaches faucet #1, at which point it branches off to faucet #2 as well. The point of diversion from stream #1 is also via a tub. The water is

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	None			None	

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	NE	18	15N	3E	Valley	USGS, topo map, Pacing Tub #2
			SW	NE	18	15N	3E	Valley	" " Tub #1

6. Place(s) of Use:

Indicate Method of Determination USGS topo map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
15N	3E	18				0													

JUL 30 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 gallon Bucket						
Stopwatch						

2. Measurements:

Faucet #1 Filled 5 gallon in 36s, 35s avg = 35.5s
#2 in 32s, 34s avg = 33s
#3 127s

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$5 \text{ gal} / 35.5 \text{ s} \times \frac{60 \text{ s}}{1 \text{ min}} \times \frac{5 \text{ gal}}{33 \text{ s}} \times \frac{60 \text{ s}}{1 \text{ min}} \times \frac{5 \text{ gal}}{127 \text{ s}} \times \frac{60 \text{ s}}{1 \text{ min}} = 199 \text{ GPM} / 448 \text{ G} = .04 \text{ cfs} -$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

12 cfs for domestic with pump

MAINTAINED
JUL 30 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

used in the three outside faucets for domestic uses and watering of a small portion of the lot.

With faucets #1 & #2 operating simultaneously, the system was capable of handling the diversions as asked for.

Tub #1 is on the property of Harrison in re case and property for it. No other water rights affect this parcel.

Change P.U. of tub #1 to 0.04 cfs
Change P.D. of tub #2 to 0.04 cfs

I. RECOMMENDATIONS

1 Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	0.04	1.2
Totals:			0.04	1.2


2. Recommended Amendments

- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☐ None

J. AUTHENTICATION

Field Examiner's Name Mark S. Jones
Signature [Signature]
Certification Date 3/6/92
Field Report Preparation Date 2-20-91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED
JUL 30 1992

SCALE T-9
PHOTO ID. 101 35 18 SENE
PERMIT 65-13082 INIT ms
T. R. S. Q/Q

P/O → P/O

JUL 30 1992

● 65-13082 ●



#1
Tab #2
OverFlow on
upper left
and returns
to downstream
Flow.



#2
Faucet #3.
Black pipe leads from
tab #2 Over hose
returns Flow to stream

MIC.
JUL 30 1992

#65-13082



#3

Collection
tub #1




#4

Diversion of
water from
stickers pipe
leads to
tub #1, about
5' away.

UNRECORDED

JUL 30 1992

#6513222



#5
Faucet #1



#6.
Faucet #2.

MIDCOTLAND
JUL 30 1992

#65-13082



#7

Location of
Stream #1 as
it flows behind
house.
Faucet #1 is
left center of
picture.
Facing west



#8

Place of use,
Facing north
Faucet #2 on
right side

RECEIVED

JUL 30 1992

December 27, 1990

DAVID G. SHEETS
CAROLYN SHEETS
P.O. BOX 116
GREENLEAF, ID 83626

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13082

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED

JAN 29 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 65-13082

Date 12-24-90

GENERAL CONSIDERATIONS

Y Name same as permit?
Y Address same as permit? If no, prepare data entry form.
Y Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

✓ Surface water source
 Ground water source
 Drill permit req'd?
 Copy in file? Drill permit no.
 Well log in file?
 Amt paid for drilling permit? Correct?

LICENSE EXAMINATION FEE

N Required?
 Amount submitted?
 Correct amount?

MEASURING DEVICE

✓ Measuring device or access port required?
 Installed?
 Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

proof acceptable

PRIORITY CALCULATION

Date proof received
Date proof due -
No. of days late =
Priority date +
NEW PRIORITY DATE =

RECEIVED
NOV 28 1990

STATE OF IDAHO

For Office Use Only
Amt. of Fee \$
Date
Receipt No
Received by S/A

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No 65-13082 Telephone No. 454-3858

2 Name(s) of Permit Holder(s): David G. & Carolyn Sheets

3 Post Office Address: P.O. Box 116 Greenleaf, ID 83626

4 Source of Water: Cascade Reservoir

a If ground water, well driller's name: _____ Date drilled: _____

b Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5 Extent of Use:

Domestic X (No. of households) Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

6 Total rate and/or volume for which proof is submitted .04 cfs _____ acre/feet

7 Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes X No Installed? Yes No

OR

Flow Measurement Port: Required? Yes X No Installed? Yes No

8 Fee Enclosed \$ n/a (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

same
Name

Telephone No

Address

10 The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho

11-28-90
Date

Carolyn Sheets
Signature (and title if on behalf of a company or organization)

MicroFILMED

JAN 29 1991

September 30, 1990

DAVID G. SHEETS
CAROLYN SHEETS
P.O. BOX 116
GREENLEAF, ID 83626

PROOF DUE NOTICE

RE: PERMIT NO. 65-13082

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

JAN 29 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
November 7, 1989

DAVID G. SHEETS
CAROLYN SHEETS
P.O. BOX 116
GREENLEAF, ID 83626

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P65-13082

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

NOV 21 1989

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: SS DATE: 8-16-89 APPLICATION: 65-13082

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use: Gov't, Lots:
☒ Nature of proposed use: (Include description of use) N/A P/D
☒ Description of diverting works: N/A P/U
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES	NO	
☒	☐	Overlapping place of use: (Describe source & relationship to present application on the back.)
☒	☐	Overlapping point of diversion:
☐	☐	Field check required: Field check by: _____
☐	☐	Field report attached:
☐	☒	Critical groundwater area:
☐	☒	Groundwater management area:
☐	☒	Diversion within interim protected river area
☐	☒	Send dam safety information:
☐	☒	Send power requirement letter:
☐	☒	Send fish farm requirement letter:
☐	☒	Power residency affidavit:
☐	☒	Power efficiency form:
☐	☒	Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐	☒	Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☐	☒	*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____
Additional information on reverse side:

PROCESSING

APPLICATION NO. 65-13082

YES NO

/ / In form for advertising:
/ / Statewide advertising:
/ / Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

/ / I.D. Health and Welfare
/ / I.D. Fish and Game
/ / I.D. Lands
/ / Adjudication Bureau

YES NO

/ / U.S. BLM
/ / U.S. Forest Svc.
/ / Water Dist. #
/ / Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

/ / Affidavit of publication received:
/ / Application published correctly: If not, record action taken.

/ / Publication dates and paper recorded on application:
/ / Protests received. Final date for protest September 25, 1989
/ / Protest dates, resolution of protest recorded on application:
/ / Recommendations attached: Approve, One
/ / Measuring device required:
/ / Measuring port required:
0 / Water delivered by water master? District # 65
/ / Special conditions of approval or cover letter:

/ See below for additional information

Recommended Date or Priority 8/7/1989

Recommended by: One Date 7/26/89

STATE OFFICE REVIEW

 See below for additional information. By P/10 04 05(65) Date EW 10-27-89

ADDITIONAL INFORMATION

POD & POH both have other water rights claiming the same legal land description, source, purpose but are for different lots in the subdivision and not related to this application.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

AUGUST 30, 1989

The Advocate
P.O. Box 1079
Cascade, ID 83611

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 25, 1989.

Yours truly,

GAIL GARRETT
Secretary

Encl.

MICROFILMED

NOV 21 1989

65-13082

SHEETS, DAVID G.
SHEETS, CAROLYN
P.O. BOX 116
GREENLEAF, ID 83626

Source: UNNAMED STREAMS

Tributary: CASCADE RESERVOIR

Diversion Pt: SENE Sec 18 T 15N R 03E

Use: DOMESTIC (.040 CFS)

Date Filed: 8/07/1989

In: T15N R03E S18 SENE

MICROFILMED

NOV 21 1989