

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----



NOV 21 1989

x Bon Southard
(Applicant)

(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

NOV 22 1993

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 65-13081
1. Owner: Don Southard Phone No. 585-2735
Current Address: 24109 Emmet Rd. Caldwell Id 83605
2. Accompanied by: NO-ONE EXAM. DATE: 8-05-93
Address: — Phone No. —
Relationship to Permit Holder: —
3. Source: groundwater tributary to -NA-

B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-12332 * neighbors in same 1/4 1/4; DIFFERENT USES: P/d's ☐ Copies Attached
2. Other water rights with same point of diversion: 65-12332, 65-67240
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
☐ -NA- Aerial Photo Attached
(required for irrigation of 10 acres or more).

JAN 18 1994



VIEW OF THE DOMESTIC LOOKING
WEST. VERY LITTLE LAWN HAS
BEEN IRRIGATED, BUT THERE IS
EVIDENCE OF EXTERNAL USE FROM
FLOWER DOTS & PATCHES OF LAWN.

PHOTO ONE-



VIEW OF WELL CASING. WELL IS LOCATED ON THE
EAST SIDE OF THE PROPERTY. AS THE PICTURE
INDICATES, THE WELL IS IN FINE SHAPE.

PHOTO TWO-

MICROFILMED

JAN 18 1994

Moct

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13081

Priority: July 20, 1989

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 1.2 AF

This is to certify, that DON SOUTHARD
24109 EMMETT RD
CALDWELL ID 83605

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated July 20, 1989; and
has submitted Proof of Beneficial Use on October 11, 1990. An examination indicates
that the works have a diversion capacity of .050 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: NWNWSE , Sec. 14, Township 14N, Range 03E
VALLEY County

PLACE OF USE: DOMESTIC


TWN RGE SEC

14N 03E 14 NWSE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for one home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 14TH
day of DECEMBER, 1993.

Acting for  Director

JAN 18 1994

RECEIVED
OCT 11 1990
NOV 2 1990

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 65-13081 Telephone No. 208 585-2735Name(s) of Permit Holder(s): DON SOUTHARDPost Office Address: 24109 EMMETT RD CALDWELL ID. 83605Source of Water: GROUND WATERIf ground water, well driller's name: GESTRIN Date drilled: 8-89

Extent of Use:

Domestic 1 (No. of households)

Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

Total rate and/or volume for which proof is submitted .04 cfs _____ acre/feetShow date water was first diverted and beneficially used under this permit: 9-89

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes No

Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

DON SOUTHARD
Name(208) 585-2735
Telephone No24109 EMMETT RD CALDWELL ID. 83605
Address**RECORDED**

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

FEB 07 1991

9-20-90
DateDon Southard
Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13081

Proposed Priority: July 20, 1989

Maximum Diversion Rate:

0.04 CFS

This is to certify, that **DON SOUTHARD**
24109 EMMETT RD.
CALDWELL, ID 83605

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

01/01 to 12/31

0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWNWSE

Sec. 14, Township 14N, Range 03E
VALLEY County

PLACE OF USE: DOMESTIC

TWN RGE SEC

14N 03E 14

NWSE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 1990.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Domestic use is for one home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

5th day of October, 1989

R. Keith Higginson

R. Keith Higginson, Director

MICROFILMED

NOV 21 1989

RECEIVED

JUL 21 1989

Form 202
6/85

Department of Water Resources
Western Regional Office

STATE OF IDAHO

Ident No 65-13081

DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant DON SOUTHARD Phone 585-2735
Post office address 24109 EMMETT RD CALDWELL ID. 83605
2. Source of water supply GROUND WATER which is a tributary of _____
3. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec 14 Township 14N Range 3E B.M. Valley County, additional
points of diversion if any. _____
4. Water will be used for the following purposes.
Amount 0.04 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well, pump & pipeline.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet, period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 6" inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

NOV 21 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering, list number and kind of livestock. _____
- c. Municipal, show name of municipality. _____
- d. Domestic, show number of households. 1 home.
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
14N	3E	14														D			

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. none


11. a. Who owns the property at the point of diversion? Don Southard

b. Who owns the land to be irrigated or place of use? DON SOUTHARD

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

12. Remarks. Drilling Permit # 65-89-7-074.

13 Map of proposed project. show clearly the proposed point of diversion, place of use, section number, township and range number



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Don Southard
(Applicant)

Received by MS. EW Date 7/21/89 Time 2:00 PM Preliminary check by RL
Fee \$ 30.00 Receipted by EW # 0008411 Date 7/20/89
Publication prepared by GG Date 7-26-89 Published in Advocate
Publication approved st Date 8-25-89 8/2 & 8/9/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions.

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 _____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

NOV 21 1989

Affidavit of publication

STATE OF IDAHO

COUNTY OF VALLEY

I, Fred K. O'Brien, being duly sworn deposes and says, I am the Publisher of *The Advocate*, a weekly newspaper published at Cascade, in Valley County, Idaho; and having a general circulation therein and of legal status in said county.

The *Nature of Idaho Water Rights* a copy of which is attached hereto; was published in said newspaper once a week for *two (2)* consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began:

8-2, 19 *89*

and ended *8-9*, 19 *89*

F. K. O'Brien
Subscribed and sworn before me, this the

17 day of *Aug*, 19 *89*

On this *17th* day of *Aug*, 19 *89*
I, a Notary Public in and for the State of Idaho, state that said person, Fred O'Brien, did in fact present me with this document and I did witness his signature on the document.

Rayola J. Jarvis
Rayola Jarvis, Notary Public residing at Cascade, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho.

65-13081 ✓
SOUTHARD, DON
24109 EMMETT RD.
CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: NWNWSE Sec 14 T 14N
R 03E

Use: DOMESTIC (.040 CFS)

DATE FILED: 7/20/1989

IN: T14N R03E S14 NWSE

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before AUGUST 21, 1989.

R. KEITH HIGGINSON, Director

Published 8/02/ & 8/09/1989

MICROFIL

NOV 21 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 16, 1993

DON SOUTHARD
24109 EMMETT RD
CALDWELL ID 83605

RE: WATER RIGHT NO. 65-13081

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced water permit.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

JAN 18 1994

LICENSE REVIEW CHECKLIST

Permit # 65-13081

Date 12/7/93

Cindy Zimmerman
Brenda Chapman

NAME	Yes	No	Or Address Change?
	___	☒	
PRIORITY DATE	___	☒	Advance? _____ Memo to Advance _____
<u>7/20/89</u>	___	☒	Order to Reinstate Needed?
	___	☒	Incorrect Fee for rate recommended?
SOURCE	___	☒	Changes? Clarification of Originally
<u>GW</u>	___	☒	Intended source _____
	___	☒	Notice of Intent to Void - Source change.
P/D	___	☒	Amendment Needed? _____
	___	☒	Overlap(s) _____
P/U	___	☒	Amendment Needed? _____
	___	☒	Overlap(s) _____
TOTAL CFS	___	☒	Disagree/Measurement _____
<u>.04</u>	___	☒	
	☒	___	Theoretical $8.8 \times .70 \times 2$
		___	$240 + (2.31 \times 40) = \frac{12.32}{249.24} = .05$
	___	___	Capacity <u>.05</u>
	___	___	Allowable Amount: <u>.04</u>
TOTAL VOLUME	___	☒	Season _____
<u>1.2</u>	___	☒	Measurement done? _____
	___	___	Flow limit: _____ x _____ x 1.9835 = _____
USES	___	☒	Change(s) in Nature of Use? _____
<u>Dom/1</u>	___	☒	Amendment Needed? _____
REMARKS	___	☒	Multiple P/Ds in 1/4 1/4? _____
	___	☒	Special Overlap _____
	☒	___	Other <u>DOM/1 HOME</u>
CONDITIONS	___	☒	Measuring/Locking Devices
	___	☒	W/Master Control
	___	☒	Irrigation Overlap <u>65</u> Water Dist
	___	☒	Water Quality <u>7/20/89</u> App. Rec'd
			<u>8/15/93</u> Exam Made

COMMENTS: _____

RECOMMENDED

Dom/1

CFS

.04

DIV VOL

1.2

LICENSE

AMEND

2ND AMEND

☒

DATE: 12/09/93
PAGE: 1

Audit: 12/09/93 ZIMMERMA

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

NOV 22 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-13081

1. Owner. DON SOUTHERD Phone No. 585-2735
Current Address: 24109 Emmet Rd. CARWEN ID 83605

2. Accompanied by: NO-ONE EXAM DATE: 8-05-93
Address: — Phone No. —

Relationship to Permit Holder: —

3. Source. GROUNDWATER tributary to -NA-


B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-12332 * NEIGHBORS IN SAME 1/4 1/4; DIFFERENT USES: PIDS ☐ Copies Attached

2. Other water rights with same point of diversion: 65-12332, 65-07240
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

JAN 18 1994

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

* THIS SYSTEM USES A 242' 6" WELL WITH A 2hp motor to bring water to ONE DOMESTIC. The well has a static water level of 97' & a pumping level of 240'. The unit has lines DIRECTLY TO THE HOME, BUT IS ALSO HOOKED TO 2 SPOTS, SO THE SMALL LAWN COULD BE IRRIGATED.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
SUBMERSIBLE	—	2	—	—	3/4"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	NW	SE	14	4n	3e	VALLEY	GURPS - Field Exam

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
14n	3e	14																	0

Do not use this space

MICROFILMED

JAN 18 1994

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Theoretical ; Dynamic 240', 2 HP, 40 psi

$$\frac{2 \times 8.8 \times .70}{240 + (2.3 \times 40)} = \frac{12.32}{332} = .04 \text{ cfs.}$$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Theoretical .04 cfs Allow .04 cfs for Domestic

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (8)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

N/A

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ *N/A*

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____


2. Volume Calculations for Other Uses:

VAF = Domestic / 1.2 = Allow 1.2 AFA

JAN 18 1994

[illegible]

JAN 18 1994



VIEW OF THE DOMESTIC LOOKING
WEST. VERY LITTLE LAWN HAS
BEEN IRRIGATED, BUT THERE IS
EVIDENCE OF EXTERNAL USE FROM
FLOWER POTS & PATCHES OF LAWN.

PHOTO ONE-



VIEW OF WELL CASING. WELL IS LOCATED ON THE
EAST SIDE OF THE PROPERTY AS THE PICTURE
INDICATES. THE WELL IS IN FINE SHAPE.

PHOTO TWO-

RESERVOIR

Grandmas

Growth Point

Creek

PHOTO ID. Cascade T-60

PERMIT 65-13031 INIT 115

T. R. S. O/O

P/D 14N 3E 14 area No 1 SE
SCAFF

9 N O 1

Creek

JAN 18 1994

-- Fork

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 65-13081

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 4n, Rge 3E, Sec. 14, NW 1/4 SE 1/4 or Lot _____.

2. Owner: Don Sullivan

Address 2409 Emmet Rd., City Lawrence, St Idaho

3. Casing $\geq$ 12 inches above ground: Yes No

4. Access Port:	Yes <u> </u> No <u>✓</u>	Static Water Level:	<u>97'</u>
Pressure Gauge:	Yes <u> </u> No <u>✓</u>	Casing Diameter:	<u>6"</u>
Flowing:	Yes <u> </u> No <u>✓</u>	Temperature:	<u>55</u>

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes No ✓

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

JAN 18 1994

January 15, 1991

DON SOUTHARD
24109 EMMETT RD.
CALDWELL, ID 83605

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13081

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

FEB 07 1991

3/89

Drilling Permit No. 65-89-Z-074

Water Permit No. _____

Injection Permit No. _____

State of Idaho
Department of Water Resources

D R I L L I N G P E R M I T

1. Applicant DON SOUTHARD2. Address 24109 EMMETT RDCALDWELL ID. 83605 Telephone 585-2735☒ Well Owner ☐ Well Operator ☐ Other, specify _____3. Proposed well location NW 1/4 ~~NE~~ ^{SE} 1/4, or Gov't lot No. _____,Sec. 14, Twp. 14N, Rge. 3E, County VALLEY,Lot, block and subdivision LOT 7 BLOCK 4 CROWN POINT SUBDIVISION NO. 7

4. Proposed use of well: (Check all that apply)

☒ Domestic ☐ Stockwater ☐ Monitoring
No. of households 1 No. of livestock _____☐ Irrigation ☐ Industrial ☐ Municipal☐ Injection ☐ Other, Specify _____

5. Well construction information:

☒ New well ☐ Deepen ☐ ReplaceProposed surface diameter 6" Maximum depth 100 - 200'

Anticipated bottom hole temperature:

☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)6. Anticipated construction start date JULY-AUG 19897. Well Driller (if known) ROBERT GESTRINAddress HC 38 BOX 10 DONNELLY ID 836158. Applicant's signature Don SouthardTitle OwnerDate 7-20-89

MICROFILMED

FEB 07 1991

ACTION OF DEPARTMENT OF WATER RESOURCES

This Permit is **APPROVED**.

If approved, this permit authorizes the construction of a well subject to the following conditions:


GENERAL CONDITIONS

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

SPECIFIC CONDITIONS

Dated this 20 day of July, 1989.

Signed



Title

Groundwater Protection SectionReceipt ^{by} KewReceipted [#] C008411Fee \$10.Date 7/20/89

EXTENSION OF DRILLING PERMIT

Approval Date _____ Extension approved by _____

This extension is good for 60 days beyond the above extension approval date.

August 31, 1990

DON SOUTHARD
24109 EMMETT RD.
CALDWELL, ID 83605

PROOF DUE NOTICE

RE: PERMIT NO. 65-13081

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MAILED

FEB 27 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
October 6, 1989

DON SOUTHARD
24109 EMMETT RD.
CALDWELL, ID 83605

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P65-13081

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

RECEIVED

NOV 21 1989

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

11/21/89

NOV 21 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

JULY 26, 1989

The Advocate
P.O. Box 1079
Cascade, ID 83611

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before AUGUST 21, 1989.

Yours truly,

GAIL GARRETT
Secretary

Encl.

MICROFILMED

NOV 21 1989



65-13081

SOUTHARD, DON
24109 EMMETT RD.
CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: NWNWSE Sec 14 T 14N R 03E

Use: DOMESTIC (.040 CFS)

Date Filed: 7/20/1989

In: T14N R03E S14 NWSE

MICROFILMED

NOV 21 1989