




P.O.D.
80.4.
A65-18114
②


T7N R2E

Thornton

MICROFILMED

SEP 08 1963

T7N R2E SECTION 2



SEC. 3
SEC. 3

30

(32)

50

LOT 4

STATE

LOT 3

HWY.

51

LOT 5

PAYETTE

LOT 10

well

45

(33)

36

LOT 9

RIVER

48

LOT

6

NO. 15

MICROFILMED

AUG 21 1992

(41)

104261

104261

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 65-13057
1. Owner: Rodney E. & Ava M. Thornton Phone No. 793-2546
Current Address: Rt. 1, Horseshoe Bend, ID 83629
2. Accompanied by: Ava Thornton EXAM. DATE: 6-25-91
Address: Same Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: Numerous other rights, 65-11000 overlaps
_____ ☒ Copies Attached
2. Other water rights with same point of diversion: Numerous other rights, no overlaps
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




MICROFILMED

AUG 21 1992

Scale: 1" = 150'

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).



P/4
P/10 →



PERMIT 65-13057 INIT MWS
T. R. S. Q/Q
P/D mt 2E 2 SWNW
SCALE _____
PHOTO ID. _____

MICROFILMED
AUG 21 1992

65-13057



#1

Well casing &
pressure tank.



#2

Place of use
and irrigation system.
Facing north west
From well.

RECEIVED

AUG 21 1992

65-13057



#3 Place of use.



#4 Place of use,
Facing north
From house.

MICROFILMED

AUG 21 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13057

Priority: May 9, 1989

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 18.7 AF

This is to certify, that AVA M THORNTON
RODNEY E THORNTON

RT 1 BOX 104

HORSESHOE BEND ID 83629

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 9, 1989; and has submitted Proof of Beneficial Use on October 4, 1990. An examination indicates that the works have a diversion capacity of .050 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.04 CFS	18.0 AF
STOCKWATER	01/01 to 12/31	0.01 CFS	0.1 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.04 CFS	18.7 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 10(SWNW), Sec. 2, Township 07N, Range 02E
BOISE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07N	02E	2	Lot 10(SWNW)	4		4

Total number of acres irrigated: 4

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

AUG 21 1992

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 65-13057

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. Domestic use is for 1 home.
7. Stockwater use is for 3 horses.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 30TH day of JULY, 1992.


Acting for R. Keith Higginson, Director

MICROFILMED

AUG 21 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13057

Proposed Priority: May 9, 1989

Maximum Diversion Rate:

0.16 CFS

This is to certify, that **RODNEY E. THORNTON**
AVA M. THORNTON
RT. 1

HORSESHOE BEND, ID 83629

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.12 CFS
STOCKWATER	01/01 to 12/31	0.02 CFS
DOMESTIC	01/01 to 12/31	0.02 CFS
Totals		0.16 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 10(SWNW), Sec. 2, Township 07N, Range 02E
BOISE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07N	02E	2	LOT 10(SWNW)	4		4
Total number of acres irrigated:						4

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **September 1, 1990**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
5. Domestic use is for one home.

This permit is issued pursuant to the provisions of Section 42-204,
Witness the seal and signature of the Director, affixed at Boise, this

31st day of August, 1989

SEP 08 1989

[Signature]
for R. Keith Higginson, Director

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant RODNEY E. or AUA M. THORNTON Phone 793-2546
Post office address ROUTE 1 HORSESHOE BEND, ID. 83629

2. Source of water supply GROUNDWATER which is a tributary of _____

3. Location of point of diversion is _____ $\frac{1}{4}$ of SW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot 10
Sec. 2 Township 07N Range 02E B.M. BOISE County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .12 for IRRIGATION purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .02 for STOCKWATER purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .02 for DOMESTIC purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .16 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL, Pump, P. PIPELINE, SPRINKLERS,
STOCKTANK

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet, total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 6" inches; proposed depth of well is 142' feet

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
Allow 1 yr.
Completed 1978 years (minimum 1 year).

MicroFILMED

SEP 08 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering, list number and kind of livestock. 10 HEAD HORSES, 15 HEAD BEEF CATTLE
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. ONE Household
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
07N	02E	2							Lot 10 4										4
07N	02E	2							Lot 10 D										

Total number of acres to be irrigated 4

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____


MICROFILMED

12. Remarks: _____

SEP 08 1989



T72 R2E SECTION 2



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.


SEE ATTACHED MAP

MICROFILMED

Scale 2 inches equal 1 mile

SEP 08 1989

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

Received by RW Date 5-9-89 Time 9:00 Am Preliminary check by RL
Fee \$ 30.00 Receipted by RW # W002726 Date 5/9/89
Publication prepared by GG Date 5/31/89 Published in Idaho World
6/7 & 6/14/89
Publication approved _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

SEP 08 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Bill Doty</u> Address <u>Chubbuck</u> Owner's Permit No. _____		7. WATER LEVEL Static water level _____ feet below land surface. Flowing? ☐ Yes ☐ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
2. NATURE OF WORK ☐ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		8. WELL TEST DATA ☐ Pump ☐ Bailor ☐ Air ☐ Other _____																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		<table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Hole Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th rowspan="2">Water Yes No</th></tr><tr><th>From</th><th>To</th></tr></thead><tbody><tr><td>1"</td><td>0</td><td>10</td><td> </td><td> </td></tr><tr><td>2"</td><td>10</td><td>20</td><td> </td><td> </td></tr><tr><td>3"</td><td>20</td><td>30</td><td> </td><td> </td></tr><tr><td>4"</td><td>30</td><td>40</td><td> </td><td> </td></tr><tr><td>5"</td><td>40</td><td>50</td><td> </td><td> </td></tr><tr><td>6"</td><td>50</td><td>60</td><td> </td><td> </td></tr><tr><td>8"</td><td>60</td><td>70</td><td> </td><td> </td></tr><tr><td>10"</td><td>70</td><td>80</td><td> </td><td> </td></tr><tr><td>12"</td><td>80</td><td>90</td><td> </td><td> </td></tr><tr><td>14"</td><td>90</td><td>100</td><td> </td><td> </td></tr><tr><td>16"</td><td>100</td><td>110</td><td> </td><td> </td></tr><tr><td>18"</td><td>110</td><td>120</td><td> </td><td> </td></tr><tr><td>20"</td><td>120</td><td>130</td><td> </td><td> </td></tr><tr><td>22"</td><td>130</td><td>140</td><td> </td><td> </td></tr><tr><td>24"</td><td>140</td><td>150</td><td> </td><td> </td></tr><tr><td>26"</td><td>150</td><td>160</td><td> </td><td> </td></tr><tr><td>28"</td><td>160</td><td>170</td><td> </td><td> </td></tr><tr><td>30"</td><td>170</td><td>180</td><td> </td><td> </td></tr><tr><td>32"</td><td>180</td><td>190</td><td> </td><td> </td></tr><tr><td>34"</td><td>190</td><td>200</td><td> </td><td> </td></tr><tr><td>36"</td><td>200</td><td>210</td><td> </td><td> </td></tr><tr><td>38"</td><td>210</td><td>220</td><td> </td><td> </td></tr><tr><td>40"</td><td>220</td><td>230</td><td> </td><td> </td></tr><tr><td>42"</td><td>230</td><td>240</td><td> </td><td> </td></tr><tr><td>44"</td><td>240</td><td>250</td><td> </td><td> </td></tr><tr><td>46"</td><td>250</td><td>260</td><td> </td><td> </td></tr><tr><td>48"</td><td>260</td><td>270</td><td> </td><td> </td></tr><tr><td>50"</td><td>270</td><td>280</td><td> </td><td> </td></tr><tr><td>52"</td><td>280</td><td>290</td><td> </td><td> </td></tr><tr><td>54"</td><td>290</td><td>300</td><td> </td><td> </td></tr><tr><td>56"</td><td>300</td><td>310</td><td> </td><td> </td></tr><tr><td>58"</td><td>310</td><td>320</td><td> </td><td> </td></tr><tr><td>60"</td><td>320</td><td>330</td><td> </td><td> </td></tr><tr><td>62"</td><td>330</td><td>340</td><td> </td><td> </td></tr><tr><td>64"</td><td>340</td><td>350</td><td> </td><td> </td></tr><tr><td>66"</td><td>350</td><td>360</td><td> </td><td> </td></tr><tr><td>68"</td><td>360</td><td>370</td><td> </td><td> </td></tr><tr><td>70"</td><td>370</td><td>380</td><td> </td><td> </td></tr><tr><td>72"</td><td>380</td><td>390</td><td> </td><td> </td></tr><tr><td>74"</td><td>390</td><td>400</td><td> </td><td> </td></tr><tr><td>76"</td><td>400</td><td>410</td><td> </td><td> </td></tr><tr><td>78"</td><td>410</td><td>420</td><td> </td><td> </td></tr><tr><td>80"</td><td>420</td><td>430</td><td> </td><td> </td></tr><tr><td>82"</td><td>430</td><td>440</td><td> </td><td> </td></tr><tr><td>84"</td><td>440</td><td>450</td><td> </td><td> </td></tr><tr><td>86"</td><td>450</td><td>460</td><td> </td><td> </td></tr><tr><td>88"</td><td>460</td><td>470</td><td> </td><td> </td></tr><tr><td>90"</td><td>470</td><td>480</td><td> </td><td> </td></tr><tr><td>92"</td><td>480</td><td>490</td><td> </td><td> </td></tr><tr><td>94"</td><td>490</td><td>500</td><td> </td><td> </td></tr><tr><td>96"</td><td>500</td><td>510</td><td> </td><td> </td></tr><tr><td>98"</td><td>510</td><td>520</td><td> </td><td> </td></tr><tr><td>100"</td><td>520</td><td>530</td><td> </td><td> </td></tr><tr><td>102"</td><td>530</td><td>540</td><td> </td><td> </td></tr><tr><td>104"</td><td>540</td><td>550</td><td> </td><td> </td></tr><tr><td>106"</td><td>550</td><td>560</td><td> </td><td> </td></tr><tr><td>108"</td><td>560</td><td>570</td><td> </td><td> </td></tr><tr><td>110"</td><td>570</td><td>580</td><td> </td><td> </td></tr><tr><td>112"</td><td>580</td><td>590</td><td> </td><td> </td></tr><tr><td>114"</td><td>590</td><td>600</td><td> </td><td> </td></tr><tr><td>116"</td><td>600</td><td>610</td><td> </td><td> </td></tr><tr><td>118"</td><td>610</td><td>620</td><td> </td><td> </td></tr><tr><td>120"</td><td>620</td><td>630</td><td> </td><td> </td></tr><tr><td>122"</td><td>630</td><td>640</td><td> </td><td> </td></tr><tr><td>124"</td><td>640</td><td>650</td><td> </td><td> </td></tr><tr><td>126"</td><td>650</td><td>660</td><td> </td><td> </td></tr><tr><td>128"</td><td>660</td><td>670</td><td> </td><td> </td></tr><tr><td>130"</td><td>670</td><td>680</td><td> </td><td> </td></tr><tr><td>132"</td><td>680</td><td>690</td><td> </td><td> </td></tr><tr><td>134"</td><td>690</td><td>700</td><td> </td><td> </td></tr><tr><td>136"</td><td>700</td><td>710</td><td> </td><td> </td></tr><tr><td>138"</td><td>710</td><td>720</td><td> </td><td> </td></tr><tr><td>140"</td><td>720</td><td>730</td><td> </td><td> </td></tr><tr><td>142"</td><td>730</td><td>740</td><td> </td><td> </td></tr><tr><td>144"</td><td>740</td><td>750</td><td> </td><td> </td></tr><tr><td>146"</td><td>750</td><td>760</td><td> </td><td> </td></tr><tr><td>148"</td><td>760</td><td>770</td><td> </td><td> </td></tr><tr><td>150"</td><td>770</td><td>780</td><td> </td><td> </td></tr><tr><td>152"</td><td>780</td><td>790</td><td> </td><td> </td></tr><tr><td>154"</td><td>790</td><td>800</td><td> </td><td> </td></tr><tr><td>156"</td><td>800</td><td>810</td><td> </td><td> </td></tr><tr><td>158"</td><td>810</td><td>820</td><td> </td><td> </td></tr><tr><td>160"</td><td>820</td><td>830</td><td> </td><td> </td></tr><tr><td>162"</td><td>830</td><td>840</td><td> </td><td> </td></tr><tr><td>164"</td><td>840</td><td>850</td><td> </td><td> </td></tr><tr><td>166"</td><td>850</td><td>860</td><td> </td><td> </td></tr><tr><td>168"</td><td>860</td><td>870</td><td> </td><td> </td></tr><tr><td>170"</td><td>870</td><td>880</td><td> </td><td> </td></tr><tr><td>172"</td><td>880</td><td>890</td><td> </td><td> </td></tr><tr><td>174"</td><td>890</td><td>900</td><td> </td><td> </td></tr><tr><td>176"</td><td>900</td><td>910</td><td> </td><td> </td></tr><tr><td>178"</td><td>910</td><td>920</td><td> </td><td> </td></tr><tr><td>180"</td><td>920</td><td>930</td><td> </td><td> </td></tr><tr><td>182"</td><td>930</td><td>940</td><td> </td><td> </td></tr><tr><td>184"</td><td>940</td><td>950</td><td> </td><td> </td></tr><tr><td>186"</td><td>950</td><td>960</td><td> </td><td> </td></tr><tr><td>188"</td><td>960</td><td>970</td><td> </td><td> </td></tr><tr><td>190"</td><td>970</td><td>980</td><td> </td><td> </td></tr><tr><td>192"</td><td>980</td><td>990</td><td> </td><td> </td></tr><tr><td>194"</td><td>990</td><td>1000</td><td> </td><td> </td></tr></tbody></table>		Hole Diam.	Depth		Material	Water Yes No	From	To	1"	0	10			2"	10	20			3"	20	30			4"	30	40			5"	40	50			6"	50	60			8"	60	70			10"	70	80			12"	80	90			14"	90	100			16"	100	110			18"	110	120			20"	120	130			22"	130	140			24"	140	150			26"	150	160			28"	160	170			30"	170	180			32"	180	190			34"	190	200			36"	200	210			38"	210	220			40"	220	230			42"	230	240			44"	240	250			46"	250	260			48"	260	270			50"	270	280			52"	280	290			54"	290	300			56"	300	310			58"	310	320			60"	320	330			62"	330	340			64"	340	350			66"	350	360			68"	360	370			70"	370	380			72"	380	390			74"	390	400			76"	400	410			78"	410	420			80"	420	430			82"	430	440			84"	440	450			86"	450	460			88"	460	470			90"	470	480			92"	480	490			94"	490	500			96"	500	510			98"	510	520			100"	520	530			102"	530	540			104"	540	550			106"	550	560			108"	560	570			110"	570	580			112"	580	590			114"	590	600			116"	600	610			118"	610	620			120"	620	630			122"	630	640			124"	640	650			126"	650	660			128"	660	670			130"	670	680			132"	680	690			134"	690	700			136"	700	710			138"	710	720			140"	720	730			142"	730	740			144"	740	750			146"	750	760			148"	760	770			150"	770	780			152"	780	790			154"	790	800			156"	800	810			158"	810	820			160"	820	830			162"	830	840			164"	840	850			166"	850	860			168"	860	870			170"	870	880			172"	880	890			174"	890	900			176"	900	910			178"	910	920			180"	920	930			182"	930	940			184"	940	950			186"	950	960			188"	960	970			190"	970	980			192"	980	990			194"	990	1000		
Hole Diam.	Depth		Material		Water Yes No																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	From	To																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
1"	0	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
2"	10	20																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
3"	20	30																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
4"	30	40																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
5"	40	50																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
6"	50	60																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
8"	60	70																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
10"	70	80																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
12"	80	90																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
14"	90	100																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
16"	100	110																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
18"	110	120																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
20"	120	130																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
22"	130	140																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
24"	140	150																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
26"	150	160																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
28"	160	170																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
30"	170	180																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
32"	180	190																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
34"	190	200																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
36"	200	210																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
38"	210	220																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
40"	220	230																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
42"	230	240																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
44"	240	250																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
46"	250	260																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
48"	260	270																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
50"	270	280																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
52"	280	290																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
54"	290	300																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
56"	300	310																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
58"	310	320																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
60"	320	330																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
62"	330	340																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
64"	340	350																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
66"	350	360																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
68"	360	370																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
70"	370	380																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
72"	380	390																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
74"	390	400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
76"	400	410																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
78"	410	420																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
80"	420	430																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
82"	430	440																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
84"	440	450																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
86"	450	460																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
88"	460	470																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
90"	470	480																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
92"	480	490																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
94"	490	500																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
96"	500	510																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
98"	510	520																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
100"	520	530																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
102"	530	540																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
104"	540	550																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
106"	550	560																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
108"	560	570																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
110"	570	580																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
112"	580	590																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
114"	590	600																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
116"	600	610																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
118"	610	620																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
120"	620	630																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
122"	630	640																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
124"	640	650																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
126"	650	660																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
128"	660	670																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
130"	670	680																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
132"	680	690																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
134"	690	700																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
136"	700	710																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
138"	710	720																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
140"	720	730																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
142"	730	740																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
144"	740	750																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
146"	750	760																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
148"	760	770																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
150"	770	780																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
152"	780	790																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
154"	790	800																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
156"	800	810																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
158"	810	820																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
160"	820	830																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
162"	830	840																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
164"	840	850																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
166"	850	860																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
168"	860	870																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
170"	870	880																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
172"	880	890																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
174"	890	900																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
176"	900	910																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
178"	910	920																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
180"	920	930																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
182"	930	940																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
184"	940	950																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
186"	950	960																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
188"	960	970																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
190"	970	980																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
192"	980	990																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
194"	990	1000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
5. WELL CONSTRUCTION Casing schedule: ☐ Steel ☐ Concrete ☐ Other _____ Thickness _____ Diameter _____ From _____ To _____ Inches _____ inches _____ feet _____ feet Inches _____ inches _____ feet _____ feet Inches _____ inches _____ feet _____ feet Inches _____ inches _____ feet _____ feet Was casing drive shoe used? ☐ Yes ☐ No Was a packer or seal used? ☐ Yes ☐ No Perforated? ☐ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth _____ Material used in seal: ☐ Cement grout ☒ Pudding clay ☒ Well cuttings Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____		10. Work started _____ finished <u>7/25/77</u>																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
6. LOCATION OF WELL Sketch map location must agree with written location. N W E S County _____ Subdivision Name _____ Lot No. _____ Block No. _____ T. _____ N/S, R. _____ E/W.		11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were compiled with at the time the rig was removed. Firm Name <u>Doty</u> Firm No. _____ Address <u>3570 N. 2nd St.</u> Date <u>7/27/77</u> Signed by (Firm Official) <u>Bill Doty</u> and (Operator) <u>Fred Bay</u>																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												

Legal Notices Legal Notices Legal Notices Legal Notices

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho

63-10796

BOISE HOLCOMB WATER ASSN
C/O STEVE H EYCHISON
HC 33, BOX 4095
BOISE, ID 83706

Source GROUNDWATER, Diversion Pt: NWSW Sec 29 T05N R04E, Use DOMESTIC (.250 CFS); Date Filed: 5/12/1989; In T05N R04E S29 NWNW, S30 NENE

63-10797

MORES CREEK RIM RANCHES
HC 33, BOX 1157
BOISE, ID 83706

Source GROUNDWATER, Diversion Pt: NWSW Sec 27 T04N R04E, Use DOMESTIC (.300 CFS), IRRIGATION (.300 CFS); Date Filed: 5/23/1989; In: T04N R04E S27 SWNW NWSW, S28 LOT 2 (SENE) NESE, 15.0 ACRES TOTAL

63-10799

AUCOIN, JOE L
10999 ARCH ST
BOISE, ID 83704

Source SPRING, Tributary, SINKS, Diversion Pt: SESESE Sec 8 T 04N R 04E; Use DOMESTIC (.040 CFS); Date Filed: 5/17/1989, In T04N R04E S08 SESE

63-10800

GERMAN, RUBY
2080 STEWART RD
KUNA, ID 83634

Source GROUNDWATER; Diversion Pt: NESE Sec 28 T 04N R 04E, Use DOMESTIC (.020 CFS), IRRIGATION (.090 CFS); Date Filed: 5/19/1989, In T04N R04E S28 NESE, 3.0 ACRES TOTAL

PAHLA, VRY C.
PAHLAS, KAREN K.
P.O. BOX 1774
BOISE, ID 83701

Source SPRING; Tributary SINKS; Diversion Pt: SWNESW Sec 30 T 04N R 04E, Use DOMESTIC (.020 CFS); Date Filed: 5/16/1989, In T04N R04E S30 NESW

63-12940

GODBOUNT, NORMAN
GODBOUNT, CAROL
HC 76, BOX 1096
RIVERS POINT
BANKS, ID 83602

Source PAYETTE RIVER, SOUTH FORK, Tributary PAYETTE RIVER, Diversion Pt: LOT 4 (SWNW) Sec 21 T09N R04E, Use IRRIGATION (.020 CFS); Date Filed: 12/21/1988, In T09N R04E S21 Lot 4 (NWNW) 0.5 ACRES TOTAL

63-12997

LA LANDE, EUGENE P
LA LANDE, LA VELLE
HC 76, BOX 2371
GARDEN VALLEY, ID 83622

Source: SKID ROAD CREEK, Tributary PAYETTE RIVER, MIDDLE FORK, Diversion Pt: NENW Sec 13 T10N R04E, Use IRRIGATION (.030 CFS); Date Filed: 4/04/1989, In T10N R04E S13 NENW, 1.0 ACRES TOTAL

63-13015

POWELL, JAMES D.
POWELL, OPAL B
914 N MIDLAND BLVD #27
NAMPA, ID 83651

Source SPRING, Tributary SINKS, Diversion Pt: SWSWSE Sec 14 T 10N R 04E; Use DOMESTIC (.020 CFS), IRRIGATION (.030 CFS); Date Filed: 4/18/1989, In T10N R04E S14 SWSE, 1.0 ACRES TOTAL

63-13016

KRAMER, DORRIS L
LUBERN, HARRY

HC 76, BOX 2153
GARDEN VALLEY, ID 8362

Source GROUNDWATER, Diversion Pt: LOT 2 (NWNW) Sec 3 T 09N R 04E, Use DOMESTIC (.040 CFS); Date Filed: 4/18/1989, In T09N R04E S03 (NWNW)

63-13020

HUNNICUTT, MARGARET
ROE, EMMAJEAN
6717 ASHLAND DR
BOISE, ID 83705

Source GROUNDWATER, Diversion Pt: SESE Sec 14 T 10N R 04E, Use DOMESTIC (.040 CFS); Date Filed: 5/01/1989, In T10N R04E S14 SESE

63-13025

SCENIC PROPERTIES WATER ASSN.
6143 DENTON ST
BOISE, ID 83704

Source SPRINGS, Tributary PAYETTE RIVER, SOUTH FORK; Diversion Pt: SWNWNW Sec 18 T 09N R 09E, SENWNE Sec 18 T 09N R 09E, NESWNE Sec 18 T 09N R 09E, NWSWNE Sec 18 T 09N R 09E, Use DOMESTIC (.400 CFS); Date Filed: 5/10/1989, In T09N R09E S18 SENE Lot 3 (NESE) NWSE Lot 6 (SWSE, Lot 3 (SESE)

63-13027

PINE TREE RANCH INC
C/O LARRY THRONGARD
PINE TREE RANCH
GARDEN VALLEY, ID 83622

Source: GROUNDWATER, Diversion Pt: NWNE Sec 34 T 10N R 04E, Use DOMESTIC (.240 CFS), IRRIGATION (.320 CFS); Date Filed: 5/10/1989, In T10N R04E S27 SWSE SESE, S34 NENE NWNE, 16.0 ACRES TOTAL

63-13033

FRISBIE, GENEVIEVE
FRISBIE, ROBERT
HC 76, BOX 3130
LOWMAN, ID 83637

Source SPRING, Tributary SINKS, Diversion Pt: NESENE Sec 18 T 09N R 09E, Use DOMESTIC (.020 CFS); Date Filed: 5/15/1989, In T09N R09E S18 SENE

63-13036

TUCKER, JOHN T
TUCKER, PILAR E
P.O. BOX 87
GARDEN CITY, ID 83622

Source SPRING, Tributary SINKS, Diversion Pt: NESWNW Sec 26 T 09N R 04E, Use STOCKWATER (.030 CFS); Date Filed: 5/15/1989, In T09N R04E S26 SWNW

63-13037

MARSTON, VIRGINIA
TUCKER, JOHN T
TUCKER, JAMES W
C/O JOHN T TUCKER
GARDEN VALLEY, ID 83622

Source SPRING, Tributary SINKS, Source POND, Tributary SINKS; Diversion Pt: SWSWNW Sec 28 T 09N R 04E, SWNESE Sec 27 T 09N R 04E, Use IRRIGATION (.200 CFS), IRRIGATION STORAGE (.50 AF), IRRIGATION FROM STORAGE (.50 AF), STOCKWATER (.030 CFS), STOCKWATER STORAGE (.50 AF); Date Filed: 5/15/1989; In T09N R04E S26 SWNW, S27 NESE, 10.0 ACRES TOTAL

63-13043

BIGGERS, GARY C.
RT. 1, BOX 91
SWEET, ID 83670
Source: SPRING; Tributary BROWNLEE CREEK; Diversion Pt: NWSWSW Sec 4 T 07N R 02E, SWSWSW Sec 4 T 07N R 02E; Use: STOCKWATER (.020 CFS); Date Filed: 5/17/1989; In T07N R02E S04 SWSW

63-13044

ALLISON, RICHARD
1040 E PINE
MERIDIAN, ID 83642

Source: SPRING; Tributary SINKS; Diversion Pt: NWSWNW Sec 15 T 09N R 04E; Use DOMESTIC (.030 CFS), STOCKWATER (.020 CFS); Date Filed: 5/17/1989; In T09N R04E S15 SENW

63-13047

LLLR, DAVEN
LLER, PAM
HC 76, BOX 2155
GARDEN VALLEY, ID 83622

Source UNNAMED STREAM, Tributary PAYETTE RIVER, MIDDLE FORK, Diversion Pt: NWSW Sec 15 T 09N R 04E, Use DOMESTIC (.040 CFS); Date Filed: 5/23/1989, In T09N R04E S15 NWSW

63-13048

OLSON, THORIS L
OLSON, JR, INGVE H
2531 MARLETTE LN
BOISE, ID 83706

Source GROUNDWATER, Diversion Pt: SWSW Sec 23 T 09N R 04E, Use IRRIGATION (.160 CFS), STOCKWATER (.020 CFS), DOMESTIC (.040 CFS); Date Filed: 4/18/1989, In T09N R04E S23 SWSW, 8.0 ACRES TOTAL

63-13049

LEEZER LOUIS R
HC 76, BOX 2546
GARDEN VALLEY, ID 83622

Source WARM SPRINGS CREEK, Tributary PAYETTE RIVER, MIDDLE FORK, Diversion Pt: NWSE Sec 33 T 10N R 04E, Use IRRIGATION (.200 CFS); Date Filed: 4/10/1989, In T10N R04E S34 SWSW, 10.0 ACRES TOTAL

63-13050

JARVIS, LON
JARVIS, RENEE
HC 76, BOX 4213
GARDEN VALLEY, ID 83622

Source SPRINGS, Tributary WARMSPRINGS CREEK; Diversion Pt: SENWSW Sec 33 T 10N R 04E Use HETTING (.060 CFS), DOMESTIC (.040 CFS); Date Filed: 2/07/1989, In T10N R04E S33 NWSW

63-13055

BEHRMAN, RAY
BEHRMAN, CAROLL
10485 W ROCKWOOD ST
BOISE, ID 83704

Source PAYETTE RIVER, SOUTH FORK, Tributary PAYETTE RIVER, Diversion Pt: LOT 3 (NWNWNE) Sec 34 T 09N R 07E, Use DOMESTIC (.040 CFS); Date Filed: 5/18/1989, In T09N R07E S34, Lot 3 (NWNW)

63-13056

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
TWELFTH FLOOR
50 EAST NORTH TEMPLE ST
SALT LAKE CITY, UT 84150

Source GROUNDWATER, Diversion Pt: SWNENW Sec 22 T09N R04E, Use IRRIGATION (.040 CFS), DOMESTIC (.040 CFS); Date Filed: 5/17/1989, In T09N R04E S22 NENW SENW, 2.5 ACRES TOTAL

63-13057

THORNTON, RODNEY E.
THORNTON, AVA M
RT 1
HORSESHOE BEND, ID 83629

Source: GROUNDWATER, Diversion Pt: LOT 10 (SWNW) Sec 2 T 07N R 02E; Use: IRRIGATION (.120 CFS), STOCKWATER (.020 CFS), DOMESTIC (.020 CFS); Date Filed: 5/09/1989, In T07N R02E S02, Lot 10 (SWNW), 4.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before JUNE 26, 1989.

R. KEITH HIGGINSON, Director
Published in the Idaho World, Idaho City, Idaho, June 7 & 14, 1989.

STATE OF IDAHO

County of Boise

Peter A. Wierenga, being duly sworn, deposes and says that he is the manager and principal clerk of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and State of Idaho; the said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for four (4) consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy-eight weeks past previous to the first publication of this notice. Such notice was published in the issue beginning with 6/7, 1989 and ending with the issue of 6/14, 1989.

Peter A Wierenga

STATE OF IDAHO

County of Boise

On this 14th day of June in the year of 1989, before me, a Notary Public, personally appeared Peter A Wierenga known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Peter A Wierenga
Notary Public for Idaho
Boise, Idaho
Residing at

My commission expires: 9/14/94

MICROFILMED

SEP 08 1989

August 4, 1992

AVA M THORNTON
RODNEY E THORNTON
RT 1 BOX 104
HORSESHOE BEND ID 83629

RE: WATER RIGHT NO. 65-13057

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED

AUG 21 1992

RECEIVED
JUL 23 1992

July 20, 1992

Department of Water Resources

RE: Permit 65-13057 correspondence letter dated 7/17/92

Dear Ms. Skaggs:

In further examination of the draft license, it appears that it will be satisfactory for us. As our original deed showed us only owning section 3, I guess I panicked with the water license which really shows accurately the land we irrigate in section 2.

The land in section 3 is mainly a "rock pile" and not irrigated, so the original draft license will be sufficient.

Thank you for your time in this "needless" (on my part) matter.

Sincerely,



Ava Thornton
Rt. 1 Box 104
Horseshoe Bend, ID. 83629

MICROFILMED

AUG 21 1992

July 14, 1992

Ava M. & Rodney E. Thornton
Rt. 1 Box 104
Horseshoe Bend, ID 83629

RE: Permit 65-13057

Dear Permit Holders:

I am writing in response to your comments on the returned draft license, attached corrected warranty deed and map.

According to the deed and your comments, it would appear a small portion of your property does cross over the line and into section 3. I need further information in order to include the land in section 3 on your license.

(1) Is the land located in section 3 irrigated? Is it part of the 4 acres of irrigation the examiner found during the field examination?

(2) If the land is irrigated, what are the dimensions of the piece of land in section 3?

In order to add the land in section 3 to your license, an amendment will be needed. There is a \$20.00 fee required to amend the permit. I will use the information you provide to either prepare an amendment including the land in section 3 or allow the permit to be licensed as shown on the original draft.

Please provide the most complete information you can, so that an accurate license can be issued. I will allow 15 days for you to respond before taking further action on this right. Thank you for your prompt response.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

MICROFILMED

AUG 21 1992

RECEIVED
JUL 13 1992

Department of Water Resources

WATER RIGHT NO. 65-13057

Priority: May 9, 1989

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 18.7 AF

This is to certify, that **AVA M THORNTON**
RODNEY E THORNTON

RT 1 BOX 104

HORSESHOE BEND ID 83629

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 9, 1989; and has submitted Proof of Beneficial Use on October 4, 1990. An examination indicates that the works have a diversion capacity of .050 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.04 CFS	18.0 AF
STOCKWATER	01/01 to 12/31	0.01 CFS	0.1 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
Totals		0.04 CFS	18.7 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 10(SWNW), Sec. 2, Township 07N, Range 02E
BOISE County

PLACE OF USE: IRRIGATION
TWN RGE SEC

ACRES

ACRES

ACRES

TOTAL

07N 02E 2 Lot 10(SWNW) 4

Total number of acres irrigated:

4

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MODIFIED

AUG 21 1992

*Sins:
As we had a little search
recently done - it was
discovered our deed was in
error. I assume this affects
our water right.*

CORRECTION

WARRANTY DEED

CORRECTION OF INSTRUMENT #93187 AND IN BOOK 78 OF DEEDS PAGE 313

THIS INDENTURE, made this 2nd day of June, 1992 between LORNE W. WATSON and DEBRA A. WATSON, husband and wife, herein referred to as Grantors, and RODNEY E. THORNTON and AVA THORNTON, husband and wife, of Horseshoe Bend, County of Boise, State of Idaho, herein referred to as Grantees, witnesseth:

THAT GRANTORS, for value received, the receipt whereof is hereby acknowledged, have granted, bargained, and sold, and do, by these presents, grant, bargain, sell, convey, and confirm unto Grantees and their heirs and assigns forever, all the following described real estate situated in the County of Boise, State of Idaho:

A parcel of real property located in the NE $\frac{1}{4}$ of Sections 2 and 3, T. 7 N., R. 2 E., B.M., Boise County, Idaho, more particularly described below:

★
added

Commencing at the Section corner common to Sections 2, 3, 10, and 11 of T. 7 N., R. 2 E., B.M., Boise County, Idaho; thence N. 0°19'30" W. 3,369.44 feet to a point; thence N. 61°21'14" W. (formerly N. 61°20'51" W.) 240.54 feet to an iron pin, which point is the real point of beginning;

thence N. 60°20'59" E. 528.84 feet to an iron pin;

thence S. 29°23'22" E. (formerly S. 29°29'30" E.)

579.29 feet to an iron pipe;

thence S. 81°33'37" W. 237.56 feet (formerly S. 81°32'46" W. 238.08 feet) to an iron pin;

thence N. 61°21'14" W. (formerly N. 61°20'51" W.) 579.87 feet to an iron pin, which point is the real point of beginning, containing 4.47 acres more or less.

TOGETHER with all water and water rights and easements for the conveyance of such water which are appurtenant thereto.

SUBJECT to the taxes and assessments for the year 1992 and thereafter, and all easements, rights-of-way, restrictions, and reservations apparent or of record.

TOGETHER WITH ALL AND SINGULAR the tenements, hereditaments, and appurtenances thereunto belonging or in anywise appertaining, the reversion and reversions, remainder and reminders, rents, issues, and profits thereof; and all estate, right, title, and interest in and to the property, as well in law as in equity.

TO HAVE AND TO HOLD, all and singular the abovedescribed premises together with the appurtenances unto Grantees and their heirs and assigns forever.

AND Grantors and their heirs shall and will warrant and by these presents forever defend the premises in the quiet and peaceable possession of Grantees, their heirs, and assigns against Grantors and their heirs and against all and every person and persons whosoever lawfully claiming the same.

AUG 21 1992

BOISE COUNTY IDAHO SS
REQUEST OF

Ava Thornton
DATE TIME M.

SEC. 3

30

32

50

LOT 4

STATE

LOT 3

47

46

well

LOT 10

PAYETTE

HWY.

51

LOT 5

45

33

36

LOT 9

RIVER

48 LOT

6

NO. 15

AUG 21 1992

104261

41

104261

June 30, 1992

AVA M THORNTON
RODNEY E THORNTON
RT 1 BOX 104
HORSESHOE BEND ID 83629

RE: WATER RIGHT NO. 65-13057

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED

AUG 21 1992

LICENSE REVIEW CHECKLIST

Permit # 65-13057

Date 6-17-92
CS

	<u>Yes</u>	<u>No</u>	
NAME	<u> </u>	<u>✓</u>	Address Change? Box 104
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance?
	<u> </u>	<u>✓</u>	Memo to Advance
	<u> </u>	<u>✓</u>	Order to Reinstate Needed?
TOTAL CFS	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u>NA</u>	<u> </u>	Disagree with Actual Measurement? limited to .04 per proof 4x.03=.12 allowable/.04 cfs (IRR) .82 cfs (DOM) .01 cfs (STOCK)
	<u>✓</u>	<u> </u>	Disagree with Theoretical? 1.5 x 8.8 x .7 = .053
	<u> </u>	<u>✓</u>	Limited by Capacity? .05 cfs 80' @ .31 x 40
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u> <u>3-15 to 11-15</u> Standard Irr. Season <u>Same Per Permit</u> Season Recommended
	<u>✓</u>	<u> </u>	Disagree with Examiner's Calculations? 4x4.5=18 afa (IRR) .6 afa (DOM) 3x.0134=.04 afa (STOCK)
	<u> </u>	<u>✓</u>	Limited by Flow? .04 x 245 x 1.9835 = 19.4 > 18
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally</u> <u>Intended</u> source
	<u> </u>	<u>✓</u>	Notice of Intent to Void.
P/D			Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed?
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed?
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use?
	<u> </u>	<u>✓</u>	Amendment Needed?
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4?
	<u>✓</u>	<u> </u>	Non-Irr. Uses <u>DOM/1 Home STOCK/3 Horses</u>
	<u> </u>	<u>✓</u>	Special Overlap Condition
	<u> </u>	<u>✓</u>	Other
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device
	<u> </u>	<u>✓</u>	W/Master Control
	<u>RS2</u>	<u> </u>	Overlap
	<u> </u>	<u>✓</u>	Water Quality
			DATES/MISC
		<u>✓</u>	Water Dist.
		<u>✓</u>	App Rec'd
		<u>✓</u>	Exam Made

COMMENTS/MEMOS NEEDED: Reduced Rates
Used 40 psi as low end DOM estimate

License 10-Day ✓ 15-Day Special Correspondence

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER
Name BOB THO. WTON
Address Gardena
Owner's Permit No. _____

2. NATURE OF WORK
☒ New well
☐ Deepened
☐ Replacement
☐ Abandoned (describe method of abandoning) _____

3. PROPOSED USE
☒ Domestic
☐ Irrigation
☐ Test
☐ Municipal
☐ Industrial
☐ Stock
☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED
☒ Rotary
☒ Air
☐ Hydraulic
☐ Reverse rotary
☐ Cable
☐ Aug
☐ Other _____

5. WELL CONSTRUCTION
Casing schedule: ☐ Steel ☐ Concrete ☐ Other _____
Thickness Diameter From To
.250 inches 6 inches + 2.2 feet 117.4 feet
Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number From To
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter Slot size Set from _____ feet to _____ feet
Diameter Slot size Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 19.1 Material used in seal: ☐ Cement grout
☒ Pudding clay ☐ Well outtings
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld
☐ Cemented between strata
Describe access port _____

6. LOCATION OF WELL
Sketch map location must agree with written location.
N
W E
S
County Boise
Subdivision Name _____
Lot No. _____ Block No. _____
NE 1/4 Sec. 3, T. 7 N., R. 2 E/W.

7. WATER LEVEL
Static water level 63 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____

8. WELL TEST DATA
☐ Pump ☐ Sailer ☒ Air ☐ Other _____
Discharge G.P.M. Pumping Level Hours Pumped
50 _____ 2

9. LITHOLOGIC LOG

Hole Diam.	Depth From	To	Material	Water Yes/No
8"	0'	19'	Sand & boulders	X
6"	19'	44'	Seams of hard sand	
6"	44'	98'	Gravel cemented	
6"	98'	112'	Granite concrete sand	
6"	112'	142'	Fractured granite	X

10. Work started _____ Finished 7/26/78

11. DRILLERS CERTIFICATION
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.
Firm Name BILL DOTY WELL DRILLING No. 42
Address Rt # 7 Caldwell Date 8/9/78
Signed by (Firm Official) Bill Doty
and (Operator) Fred Berg

USE ADDITIONAL SHEETS IF NECESSARY -- FORWARD THE WHITE COPY TO THE DEPARTMENT

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 65-13057

1. Owner: Rodney E. & Ava M. Thornton

Phone No. 793-2546

Current Address: Rt. 1, Horseshoe Bend, ID 83629

2. Accompanied by: Ava Thornton

EXAM. DATE: 6-25-91

Address: Same

Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: Numerous other rights, 65-11000 overlaps

☒ Copies Attached


2. Other water rights with same point of diversion: Numerous other rights, no overlaps

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

AUG 21 1992

Scale: 1" = 150'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater)

☐ Aerial Photo Attached

(required for irrigation of 10 acres or more).

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 6" well with a 1 1/2 hp submersible, domestic pump, installed
water to the house and approx 4 acres of irrigation. Three horses were also
housed. A surveyor's plot listed the land at 4.47 acres. A trailer already
exists on the property, and a new house is proposed to be built. Later
for the home is supplemented by a spring from W.R. #11000. The
spring is used only for the domestic use. The 18' round sprinkler is 45 psi.
were being used to water the pastures.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1 1/2		Jacuzzi	IS4/H11-52/B

***Code to correspond with No. on map and aerial photo**

5. Point(s) of Diversion:

[illegible]

Indicate Method of Determination.

6. Place(s) of Use:

[illegible]

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

1 1/2 hp pump, 20 psi est. 80' dynamic level - estimate from other well logs
in area.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$1.5 \text{ HP} \times 8.8 \times 70\% / (2.31 \times 20 \text{ psi}) + 80' = .07 \text{ cfs}$$

permit limit to
.04 cfs, see
remarks
(No fees pa)

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 4 \times 4.5 = 18 \text{ afa}$$
$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .07 \text{ cfs} \times 246 \times 1.9835 = 34.1 \text{ afa}$$
$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 18 \text{ afa}$$

2. Volume Calculations for Other Uses:

.6 afa for domestic
+ .2 afa for stock
+ 18 afa for irrigation
18.8 afa

MICROFILMED

AUG 21 1992

.04 x 246 x 1.9835 = 19.5
System capacity

H. REMARKS AND OVERLAP REVIEW ANALYSIS

No other water rights affect this permit

No fees paid, limit to .04 cfs

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Domestic</i>	<i>1/1</i>	<i>12/31</i>	<i>.02</i>	<i>.6</i>
<i>Irrigation</i>	<i>3/15</i>	<i>11/15</i>	<i>.07.04</i>	<i>18</i>
<i>Stock water</i>	<i>1/1</i>	<i>12/31</i>	<i>.02</i>	<i>.2</i>
Totals:			<i>.07.04 cfs</i>	<i>18.8 afa</i>

2. Recommended Amendments


- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name *Mark Sogias*
Signature *Mark Sogias*
Certification Date _____
Field Report Preparation Date *6-26-91*



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

AUG 21 1992

014
010

PERMIT 5 INIT 1/15
T. R. S. Q/Q
P/D 1 2 3
SCALE _____
PHOTO ID. _____

MICROFILMED

AUG 21 1992

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 6513057

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP N, Rge 2E, Sec. 2, SW 1/4 NW 1/4 or Lot 10.

2. Owner: Redney & Hua Thornton
Address RT 1, City Horseshoe Bend, St ID 83629

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port: Yes ☒ No ☐ Static Water Level: —
Pressure Gauge: Yes ☐ No ☒ Casing Diameter: 6"
Flowing: Yes ☒ No ☐ Temperature: —


5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

APPROVED
AUG 21 1992

65-13057



#1

Well casing &
pressure tank



#2

Place of use
and irrigation system.
Facing north west
From well.

MAED

AUG 21 1992

65-13057



#3 Place of use



#4 Place of use.
Facing north
from house.

10/21/92

AUG 21 1992

November 1, 1990

RODNEY E. THORNTON
AVA M. THORNTON
RT. 1
HORSESHOE BEND, ID 83629

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13057

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a lockable device to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the lockable device must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

FILED
NOV 2 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 65-13057

Date: 10-24-90

General Considerations:

g Name same as permit
g Signature the same as permit holder
g Address change _____ If yes, prepare a data entry
g Proof received timely _____
_____ Reinstated

Source of Water:

g Surface water
g Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

g Rate of diversion appropriate for uses
g Is rate or volume and fee appropriate?
g Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

g Is a measuring device or access port required?
g Has one been installed?
g Waiver or modification of measuring device requested

Remarks: *Sept 1 - Saturday, just working day was Sept. 4, Proof acceptable - Show div. rate at 0.04 for dom.*

alt Priority Calculation:
Date proof received _____

Date proof due _____

No. of days late _____

Priority date _____

NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

SEP 4 1990

no v enclosed

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 65-13057 Telephone No. 7932546

Name(s) of Permit Holder(s): Rodney and Ava Thornton

Post Office Address: Rt 1 Box 104 Horseshoe Bend Id 83629

Source of Water: well

If ground water, well driller's name: Bill Doty Date drilled: 7-27-1978

Extent of Use:
Domestic 1 (No. of households) Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 0.02 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 7-27-90

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes No

Fee Enclosed: \$ 0.00 (See License Examination Fee Schedule) none due

Person to contact to accompany the Department representative during the field examination:

Ava or Rod Thornton 793-2546
Name Telephone No

Rt 1 Box 104 Horseshoe Bend Id 83629
Address

The above information is my true statement of the extent to which the above numbered permit holder(s) intend to develop the permit and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED


NOV 2 1990

8/30/90
Date

Ava M Thornton
Signature (and title if on behalf of a company or organization)

Rod & Ava Thornton
Rt 1 Box 104
HS Bend
Id 83629

State of Idaho
Dept of Water Resources
1301 North Orchard Street
Boise
Id, 83706-2237



138058
June 30, 1990

RODNEY E. THORNTON
AVA M. THORNTON
RT. 1
HORSESHOE BEND, ID 83629

PROOF DUE NOTICE

RE: PERMIT NO. 65-13057

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

NOV 27 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
September 1, 1989

RODNEY E. THORNTON
AVA M. THORNTON
RT. 1
HORSESHOE BEND, ID 83629

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P65-13057

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

SEP 08 1989

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

SEP 08 1989

→ S PH 7N 2E 2 SWNW L. 10

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: SL DATE: 5/26/89 APPLICATION: 65-13057

REQUIRED INFORMATION

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
Address:
Source: (See USGS Quad for names of water sources)
Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
County:
Quantity: (flow and/or volume)
Period of use: *could interpret chart as 3/15-11/15 or 4/1-11/1, allow longer period because of this* Gov't. Lots: 4 P/D
Nature of proposed use: (Include description of use) 4 P/U
Description of diverting works:
Time required for beneficial use of water:
Place of use or acres irrigated:
Map:
Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
Fee:
Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES	NO	
☒	☐	Overlapping place of use: (Describe source & relationship to present application on the back.)
☒	☐	Overlapping point of diversion:
☐	☒	Field check required: Field check by: _____
☐	☒	Field report attached:
☐	☒	Critical groundwater area:
☐	☒	Groundwater management area:
☐	☒	Diversion within interim protected river area
☐	☒	Send dam safety information:
☐	☒	Send power requirement letter:
☐	☒	Send fish farm requirement letter: _____
☐	☒	Power residency affidavit:
☐	☒	Power efficiency form:
☐	☒	Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐	☒	Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☐	☒	*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: JUL 24 1989
Additional information on reverse side:

Department of Water Resources

PROCESSING

APPLICATION NO. 65-13057

YES NO

☒ ☐
☐ ☒
☒ ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☐
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☒ ☐
☐ ☒

Publication dates and paper recorded on application:

Protests received. Final date for protest

Protest dates, resolution of protest recorded on application:

Recommendations attached:

Measuring device required:

Measuring port required:

Water delivered by water master? District #

Special conditions of approval or cover letter:

See below for additional information

Recommended Date or Priority

5/9/1989

Recommended by:

DET

Date

7/20/89

STATE OFFICE REVIEW

P05, P23P1646 D3A

See below for additional information. By

KW

Date

8/22/89

ADDITIONAL INFORMATION

OVERALL:

A65-18114 spring for d/i use (same domestic as in application). Spring and use in A. 10 SWNW S. 2.P10 other wells: 65-09006, 09542, 10733, 10830, 10855.DIVERSIONS surface water: 65-02899, 07490, 0750765-11000 spring (for therapeutic purposes)P16 19 other rights all for use on other property except for 65-11000, spring for domestic use, same home as in application; also A65-18114 as above.

65-13057

THORNTON, RODNEY E.
THORNTON, AVA M.
RT. 1
HORSESHOE BEND, ID 83629

Source: GROUNDWATER

Diversion Pt: LOT 10 (SWNW) Sec 2 T 07N R 02E

Use: IRRIGATION	(.120 CFS)
STOCKWATER	(.020 CFS)
DOMESTIC	(.020 CFS)

Date Filed: 5/09/1989

In: T07N R02E S02 Lot 10 (SWNW)

4.0 ACRES TOTAL

MICROFILMED
SEP 08 1989