



G5-13044
T9N, R4E, Sec. 15

P/D NW, SE, NW
 P/U SE, NW
 585



65-13044
T9N, R4E, Sec. 15



N
↓

1/2 AC

MICROFILMED

SEP 08 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAR 23 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Richard Allison Permit No. 65-13044
Current Address: 1040 E. Pine Meridian, ID 83642 Phone No. 888-6728
2. Accompanied by: Richard Allison EXAM. DATE: 7-25-91
Address: _____ Phone No. _____
Relationship to Permit Holder: Same
3. Source: Springs tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = None


2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

WATER RESOURCES

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



65-13094



65-13044



#1.

The 200' underground pipe begins at the north end of the home site pad. Facing north.



#2.

Underground line follows driveway to the faucet.

RECEIVED
JUL 02 1993



#3.

Place of use
and source of
measurement.

RECEIVED
JUL 02 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13044

Priority: June 12, 1989

Maximum Diversion Rate:

0.01 CFS

Maximum Diversion Volume:

0.1 AF

This is to certify, that RICHARD ALLISON

1040 E PINE

MERIDIAN ID 83642

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 17, 1989; and has submitted Proof of Beneficial Use on September 27, 1990. An examination indicates that the works have a diversion capacity of .010 cfs of water from:

SPRING

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.01 CFS	0.1 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSEW , Sec. 15, Township 09N, Range 04E
BOISE County

PLACE OF USE: STOCKWATER

TWN RGE SEC

09N 04E 15

SEW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Stockwater use is for 2 horses.

NOTIFIED

JUL 02 1993

PAGE 2

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13044

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 4th
day of June, 1993.

Acting for


R. Keith Higginson, Director

RECEIVED

JUL 02 1993

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 65-13044 IN THE)
NAME OF RICHARD ALLISON) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before September 1, 1990; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,


WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on September 27, 1990;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 65-13044 be REINSTATED and the priority advanced to June 12, 1989.

Dated this 11th day of January, 1991.

MICROFILMED

FEB 07 1991


L. GLEN SAXTON, Chief
Water Allocation Bureau

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13044

Proposed Priority: May 17, 1989

Maximum Diversion Rate:

0.05 CFS

This is to certify, that **RICHARD ALLISON**
1040 E. PINE
MERIDIAN, ID 83642
has applied for a permit to appropriate water from:

SPRING

tributary of **SINKS**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	0.02 CFS
DOMESTIC	01/01 to 12/31	0.03 CFS
	Totals	0.05 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWSEW

Sec. 15, Township 09N, Range 04E
BOISE County

PLACE OF USE: STOCKWATER

TWN RGE SEC

09N 04E 15

SEW

PLACE OF USE: DOMESTIC, same as STOCKWATER use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 1990.
2. Subject to all prior water rights.
3. Domestic use is for 1/2 acre irrigation.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

22 day of August, 1989

J. Glen Saxton
for R. Keith Higginson, Director

MICROFILMED

SEP 08 1989

Ident. No. 65-13044

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: RICHARD ALLISON 208-888-6728
Address: 1040 E. PINE
MERIDIAN, ID 83642

2. Source: SPRING Trib. to: SINKS

3. Location of point of diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
09N	04E	15	NW	SE	NW		BOISE

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	APA
DOMESTIC	01/01	12/31		0.030	
STOCKWATER	01/01	12/31		0.020	

5. Total quantity appropriated is:
0.050 CFS (and/or) APA

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
3 PIPELINES, GRAVITY FLOW TO POU,
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is inches; proposed depth of well is
feet.
- Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:
1/2 ACRE IRRIGATION, S/10 HD HORSES

MICROFILMED

SEP 08 1989

9. Description of place of use:

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
09N	04E	15	SE NW		STOCK	
			~~SE NW~~		~~DOMEST~~ *	

10. Describe any other water rights used for the same purposes.
NONE

11. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:
SPRING IRRIGATES BY PERCOLATION YEAR AROUND. STOCK TANK FOR
STOCKWATERING

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.


Applicant

Received by L. Werner Date 5-17-89 Time 1600 Preliminary check by SL

Fee \$ 30.00 Receipted by L. Werner # W2838 Date 5-17-89

Publication prepared by GG Date 5/31/89 Published in Idaho World

Publication approved ST Date 7-3-89 ^{6/7 & 6/14/89}

MICROFILMED


SEP 08 1989

* delete from database since domestic occurs ^{in tract} per coders handbook. 5/24/89 SL

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

G5-13044
TAN. RYE, Sec. 15


PLD NW, SE, NW
PLU SE, NW



MICROFILMED

SEP 08 1959

65-13044
T9N, R4E, Sec. 15



MICROFILMED

SEP 08 1989

Legal Notices Legal Notices Legal Notices Legal Notices

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho

63-10716

BOISE HOLCOMB WATER ASSN
C/O STEVE H. EYCHISON
HC 33, BOX 4095
BOISE, ID 83706

Source: GROUNDWATER, Diversion Pt. NWNW Sec 23 T05N R04E, Use: DOMESTIC (250 CFS), Date Filed: 5/12/1989, In: T05N R04E S28 NWNW, S30 NENE

63-10797

MORES CREEK RIM RANCHES
HC 33, BOX 1157
BOISE, ID 83706

Source: GROUNDWATER, Diversion Pt. NWSW Sec 27 T04N R04E, Use: DOMESTIC (330 CFS), IRRIGATION (300 CFS), Date Filed: 5/23/1989, In: T04N R04E S27 SWNW NWSW, S28 Lot 2 (SENE) NESE, 15.0 ACRES TOTAL

63-10798

AUCOIN, JOE L.
10999 ARCH ST
BOISE, ID 83704

Source: SPRING, Tributary SINKS, Diversion Pt. SESESE Sec 8 T 04N R 04E, Use: DOMESTIC (040 CFS), Date Filed: 5/17/1989, In: T04N R04E S08 SESE

63-10800

GERMAN, RUBY
2060 STEWART RD
KUNA, ID 83834

Source: GROUNDWATER, Diversion Pt. NESE Sec 28 T04N R04E, Use: DOMESTIC (020 CFS), IRRIGATION (090 CFS), Date Filed: 6/19/1989, In: T04N R04E S28 NESE, 3.0 ACRES TOTAL

PAHLAS, KAREN K.
P.O. BOX 1774
BOISE, ID 83701

Source: SPRING, Tributary SINKS, Diversion Pt. SWNESW Sec. 30 T 04N R 04E, Use: DOMESTIC (020 CFS), Date Filed: 5/16/1989, In: T04N R04E S30 NESW

65-12940

GODBOUT, NORMAN
GODBOUT, CAROL
HC 76, BOX 1096
RIVERS POINT
BANKS, ID 83602

Source: PAYETTE RIVER, SOUTH FORK, Tributary PAYETTE RIVER, Diversion Pt. LOT 4 (SWNW) Sec 21 T09N R04E, Use: IRRIGATION (020 CFS), Date Filed: 12/21/1988, In: T09N R04E S21 Lot 4 (NWNW) 0.5 ACRES TOTAL

65-12997

LA LANDE, EUGENE P.
LA LANDE, LA VELLE
HC 78, BOX 2371
GARDEN VALLEY, ID 83622

Source: SKID ROAD CREEK, Tributary PAYETTE RIVER, MIDDLE FORK, Diversion Pt. NENW Sec 13 T10N R04E, Use: IRRIGATION (030 CFS), Date Filed: 4/04/1989, In: T10N R04E S13 NENW, 1.0 ACRES TOTAL

65-13015

POWELL, JAMES D.
POWELL, OPAL B.
914 N. MIDLAND BLVD #27
NAMPA, ID 83651

Source: SPRING, Tributary: SINKS, Diversion Pt. SWSWSE Sec 14 T 10N R 04E, Use: DOMESTIC (020 CFS), IRRIGATION (030 CFS), Date Filed: 4/18/1989, In: T10N R04E S14 SWSE, 1.0 ACRES TOTAL

65-13016

KRAMER, DORRIS L.
LUBERN, HARRY

IC 6, BOX 2153
GARDEN VALLEY D 83622

Source: GROUNDWATER, Diversion Pt. LO (NWNW) Sec 3 T 09N R 04E, Use: DOMESTIC (040 CFS), Date Filed: 4/18/1989, In: T09N R04E S03 (NWNW)

65-13020

HUNNICUTT, MARGARET
ROE, EMMAJEAN
6717 ASHLAND DR
BOISE, ID 83705

Source: GROUNDWATER, Diversion Pt. SESE Sec 14 T 10N R 04E, Use: DOMESTIC (040 CFS), Date Filed: 5/01/1989, In: T10N R04E S14 SESE

63-13025

SCENIC PROPERTIES WATER ASSN
6143 DENTON ST.
BOISE, ID 83704

Source: SPRINGS, Tributary PAYETTE RIVER, SOUTH FORK, Diversion Pt. SWNWNW Sec 18 T 09N R 09E, SENWNE Sec 18 T 09N R 09E, NESWNE Sec 18 T 09N R 09E, Use: DOMESTIC (400 CFS), Date Filed: 5/10/1989, In: T09N R09E S18 SENE Lot 3 (NESE) NWSE Lot 6 (SWSE, Lot 3 (SESE)

65-13027

PINE TREE RANCH INC
C/O LARRY THORNGARD
PINE TREE RANCH
GARDEN VALLEY, ID 83622

Source: GROUNDWATER, Diversion Pt. NWNE Sec 34 T 10N R 04E, Use: DOMESTIC (240 CFS), IRRIGATION (320 CFS), Date Filed: 5/10/1989, In: T10N R04E S27 SWSE SESE, S34 NENE NWNE, 16.0 ACRES TOTAL

65-13033

FRISBIE, GENEVIEVE
FRISBIE, ROBERT
HC 76, BOX 3130
LOWMAN, ID 83637

Source: SPRING, Tributary SINKS, Diversion Pt. NESENE Sec 18 T 09N R 09E, Use: DOMESTIC (020 CFS), Date Filed: 5/15/1989, In: T09N R09E S18 SENE

65-13036

TUCKER, JOHN T.
TUCKER, PILAR E.
P.O. BOX 87
GARDEN CITY, ID 83622

Source: SPRING, Tributary SINKS, Diversion Pt. NESWNW Sec 26 T 09N R 04E, Use: STOCKWATER (030 CFS), Date Filed: 5/15/1989, In: T09N R04E S26 SWNW

65-13037

MARSTON, VIRGINIA
TUCKER, JOHN T.
TUCKER, JAMES W.
C/O JOHN T. TUCKER
GARDEN VALLEY, ID 83622

Source: SPRING, Tributary: SINKS, Source POND, Tributary: SINKS, Diversion Pt. SWSWNW Sec 26 T 09N R 04E, SWNESE Sec 27 T 09N R 04E, Use: IRRIGATION (200 CFS), IRRIGATION STORAGE (50 AF), IRRIGATION FROM STORAGE (50 AF), STOCKWATER (030 CFS), STOCKWATER STORAGE (50 AF), Date Filed: 5/15/1989, In: T09N R04E S26 SWNW, S27 NESE, 10.0 ACRES TOTAL

65-13043

BIGGERS, GARY C.
RT 1, BOX 91
SWEET, ID 83670

Source: SPRING, Tributary BROWNLEE CREEK, Diversion Pt. NWSWSW Sec 4 T 07N R 02E, SWSWSW Sec 4 T 07N R 02E, Use: STOCKWATER (020 CFS), Date Filed: 5/17/1989, In: T07N R02E S04 SWSW

65-13044

ALLISON, RICHARD
1040 E. PINE
MERIDIAN, ID 83642

Source: SPRING, Tributary SINKS, Diversion Pt. NWSWNW Sec 15 T 09N R 04E, Use: DOMESTIC (030 CFS), STOCKWATER (020 CFS), Date Filed: 5/17/1989, In: T09N R04E S15 SENW

65-13047

ILLER, DAVEN
ILLER, PAM
HC 6, BOX 2155
GARDEN VALLEY, ID 83622

Source: UNNAMED STREAM, Tributary PAYETTE RIVER, MIDDLE FORK, Diversion Pt. NWSW Sec 15 T 09N R 04E, Use: DOMESTIC (040 CFS), Date Filed: 5/23/1989, In: T09N R04E S15 NWSW

65-13048

OLSON, THORIS L.
OLSON, JR., INGVE H.
2531 MARLETTE LN
BOISE, ID 83706

Source: GROUNDWATER, Diversion Pt. SWSW Sec 23 T 09N R 04E, Use: IRRIGATION (160 CFS), STOCKWATER (020 CFS), DOMESTIC (040 CFS), Date Filed: 4/18/1989, In: T09N R04E S23 SWSW, 8.0 ACRES TOTAL

65-13049

LEEZER, LOUIS R.
HC 76, BOX 2546
GARDEN VALLEY, ID 83622

Source: WARM SPRINGS CREEK, Tributary PAYETTE RIVER, MIDDLE FORK, Diversion Pt. NWSE Sec 33 T 10N R 04E, Use: IRRIGATION (200 CFS), Date Filed: 4/10/1989, In: T10N R04E S34 SWSW, 10.0 ACRES TOTAL

65-13050

JARVIS, LON
JARVIS, RENEE
HC 76, BOX 4213
GARDEN VALLEY, ID 83622

Source: SPRINGS, Tributary WARMSPRINGS CREEK, Diversion Pt. SENWSW Sec 33 T 10N R 04E, Use: HETING (060 CFS), DOMESTIC (040 CFS), Date Filed: 2/07/1989, In: T10N R04E S33 NWSW

65-13055

BEHRMAN, RAY
BEHRMAN, CAROL
10485 W ROCKWOOD ST.
BOISE, ID 83704

Source: PAYETTE RIVER, SOUTH FORK, Tributary PAYETTE RIVER, Diversion Pt. LOT 3 (NWNWNE) Sec 34 T 09N R 07E, Use: DOMESTIC (040 CFS), Date Filed: 5/18/1989, In: T09N R07E S34, Lot 3 (NWNW)

65-13056

CHURCH OF JESUS CHRIST, LATTER DAY SAINTS
REAL ESTATE DIVISION
TWELFTH FLOOR
50 EAST NORTH TEMPLE ST.
SALT LAKE CITY, UT 84150

Source: GROUNDWATER, Diversion Pt. SWNENW Sec 22 T 09N R 04E, Use: IRRIGATION (040 CFS), DOMESTIC (040 CFS), Date Filed: 5/17/1989, In: T09N R04E S22 NENW SENW, 2.5 ACRES TOTAL

65-13057

THORNTON, RODNEY E.
THORNTON, AVA M.
RT 1
HORSESHOE BEND, ID 83629

Source: GROUNDWATER, Diversion Pt. LOT 10 (SWNW) Sec 2 T 07N R 02E, Use: IRRIGATION (120 CFS), STOCKWATER (020 CFS), DOMESTIC (020 CFS), Date Filed: 5/09/1989, In: T07N R02E S02, Lot 10 (SWNW), 4.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before JUNE 26, 1989.

R. KEITH HIGGINSON, Director
Published in the Idaho World, Idaho City, Idaho, June 7 & 14, 1989.

STATE OF IDAHO

County of Boise

Peter A. Wierenga, being duly sworn, deposes and says: that he is the manager and principal clerk of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and State of Idaho; the said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for four (4) consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy-eight weeks past previous to the first publication of this notice. Such notice was published in the issue beginning with 6/7, 19 89 and ending with the issue of 6/14, 19 89

Peter A. Wierenga

STATE OF IDAHO

County of Boise

On this 14th day of June
in the year of 1989, before me, a
Notary Public, personally appeared
Peter A. Wierenga

known or identified to me to be the person
whose name subscribed to the within
instrument, and being by me first duly sworn,
declared that the statements therein are
true, and acknowledged to me that he
executed the same.

Peter A. Wierenga
Notary Public for Idaho
Boise, Idaho
Residing at

My commission expires 9/14/94

MICROFILMED
SEP 08 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 7, 1993

RICHARD ALLISON
1040 E PINE
MERIDIAN ID 83642

RE: WATER RIGHT NO. 65-13044

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECORDED

JUL 02 1993

LICENSE REVIEW CHECKLIST

Permit # 65-13044

Date 5-10-93 BC

NAME Yes No
 ✓ Address Change?

PRIORITY DATE ✓ Advance? Already Done
 ✓ Memo to Advance
 ✓ Order to Reinstate Needed?

TOTAL CFS -NA- Incorrect Fee for rate recommended?
 ✓ Disagree/Measurement 50 x 50 = 2.5/448.8 = .005 or .01
-NA- Pumping Theoretical (8.8) x () x ()
 ✓ System Capacity .01
 Allowable Amount: .01 (2 hours)

TOTAL VOLUME Rate/ac AFA Irr. Season
 ✓ Standard Irr. Season
 ✓ Season Recommended
 ✓ Disagree with Examiner's Calculations?
 2 hours = .1 GF
 ✓ Flow limit: .01 x 365 x 1.9835 = 7.27.1

SOURCE ✓ Changes? Clarification of Originally
 ✓ Intended source
 ✓ Notice of Intent to Void.

P/D ✓ Amendment Needed?
 ✓ Is Overlap Analysis a Consideration?

P/U ✓ Amendment Needed?
 ✓ Is Overlap Analysis a Consideration?

USES ✓ Change(s) in Nature of Use?
 ✓ Amendment Needed?

REMARKS ✓ Multiple P/Ds in 1/4 1/4?
 ✓ Non-Irr. Uses Stockwater
 ✓ Special Overlap Condition
 ✓ Other

CONDITIONS (SINKS) ✓ Measuring Devices
 ✓ W/Master Control ✓ Dates/Misc
 ✓ Overlap ✓ Water Dist
 ✓ Water Quality ✓ App Rec'd
 ✓ Exam Made

COMMENTS: Reduce Amount and remove domestic use.

LICENSE ✓ AMEND SPECIAL PARAGRAPH

(L)

DATE: 05/10/93
PAGE: 1

Audit: 05/10/93 CHAPMAN

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAR 23 1993

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 65-13044
Phone No. 888-6728
1. Owner: Richard Allison
Current Address: 1040 E. Pine Meridian, ID 83642
2. Accompanied by: Richard Allison EXAM. DATE: 7-25-91
Address: _____ Phone No. _____
Relationship to Permit Holder: Same
3. Source: Springs tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____ ☐ Copies Attached
2. Other water rights with same point of diversion: _____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = None

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

RECEIVED
JUL 02 1993

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

The source of the spring is covered by a gravel pad that will serve as the foundation for the Allens house. A 1" perforated pipe has been placed 5' below the surface to collect spring water in the gravel. The pipe extends 300' downhill with approx. 30' of drop. A faucet is attached to the end of the spring pipe. The faucet stands 2' high and has a $\frac{1}{2}$ " opening. Water flows continuously from the faucet into a small trough of about 1 cu. ft. Over the runs off into a run-off creek. Two horses use the trough.

☒ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	N/A	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

5. Point(s) of Diversion:

***Code to correspond with No. on map and aerial photo**

[illegible]

6. Place(s) of Use:

Indicate Method of Determination *14565 Q.4d*

[illegible]

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 gal. bucket,						
stopwatch						

2. Measurements:

5 gallons in 2 minutes

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{5 \text{ gal}}{2 \text{ min}} \times \frac{1 \text{ cfs}}{448.8 \text{ GPM}} = .01 \text{ cfs}$$

Stock Permit - .02 cfs

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (8)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

$$\frac{126 \text{ GPD}}{\text{head}} \times 2 \text{ head} \times \frac{365 \text{ days}}{\text{year}} \times \frac{1 \text{ aF}}{325,350 \text{ gal}} = .03 \text{ aF} = .1 \text{ aF}$$

MAILED
JUL 02 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

The owner has agreed to drop the domestic use since the flow is so small & no system of conveyance has been developed. A well will be drilled. This agreement was made in a phone conversation on 8-02-91.

No other water rights affect this permit.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Stockwater	1/1	12/31	.01	.1
Totals:			.01	.1

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☒ Other *Drop W/A Domestic*

J. AUTHENTICATION

Field Examiner's Name
JFW 3/30/92

Signature

Certification Date

Field Report Preparation Date


Mark Sorius

Mark Sorius

8-02-91

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



JUL 02 1993

CONVERSATION MEMORANDUM

DATE 8-02-91FILE 65-13044NAME OF PARTY Richard AllisonEMPLOYEE Mark Series

RE: After talking to his contractor, Mr. Allison has
decided that a conveyance system for domestic purposes
is not feasible. He is willing to drop the domestic
portion of the permit since no proof of B/u is in
place. A well will be drilled and Filled w.

M.S.

JUL 02 1993

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

581000 E

592

583

57' 30"

584

595

31/0

COVER

BM 4302

PERMIT 65-13054 IN

T. R. S. Q/O

W/D 9N 4E 15^{NW} SE / NW

SCIENCE


FROM

UNCLASSIFIED

JUL 02 1993

Golden Valley

65-13044




65-13044



#1

The 200'
underground pipe
begins at the
north end of the
home site pad.
Facing north



#2

Underground line
follows driveway
to the faucet.

SEARCHED

JUL 02 1993



#3.

Place of use
and source of
measurement.

JUL 02 1993

January 15, 1991

RICHARD ALLISON
1040 E. PINE
MERIDIAN, ID 83642

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13044

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

Enclosure

RECORDED

FEB 17 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 65-13044

Date 12-21-90

GENERAL CONSIDERATIONS

Y Name same as permit?
Y Address same as permit? If no, prepare data entry form.
No Proof timely received? If no, complete priority
advancement below.

SOURCE OF WATER

Y Surface water source
Y Ground water source
Y Drill permit req'd?
Y Copy in file? Drill permit no. _____
Y A Well log in file?
Y Amt paid for drilling permit? _____ Correct?

LICENSE EXAMINATION FEE

No Required?
Y Amount submitted?
Y Correct amount?

MEASURING DEVICE

No Measuring device or access port required?
Y Installed?
Y Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

PRIORITY CALCULATION

LB
Date proof received Sept. 27
Date proof due Sept 1 -
No. of days late = 26
Priority date May 17, 89 + 137
NEW PRIORITY DATE June 12, '89 = 163

RECEIVED
SEP 27 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 65-13044 Telephone No. 888-6728
Name(s) of Permit Holder(s): Richard Allison
Post Office Address: 1040 E. PINE MERIDIAN, ID 83642
Source of Water: Spring
If ground water, well driller's name: N/A Date drilled: N/A
Extent of Use:
Domestic _____ (No. of households) Irrigation 1/2 AC (No. of acres)
Stockwater X (No. and type of stock) Other _____
2-5 HORSES
Total rate and/or volume for which proof is submitted 0.04 cfs N/A acre/feet
Show date water was first diverted and beneficially used under this permit: 4-1-85

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No

Fee Enclosed: \$ N/A (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Richard Allison 888-6728 or 888-7300
Name Telephone No.
1040 E. PINE MERIDIAN 83642
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Sept 26 '90 Richard Allison OWNER
Date Signature (and title if on behalf of a company or organization)

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

September 21, 1990

RICHARD ALLISON
1040 E. PINE
MERIDIAN, ID 83642

LAPSE NOTICE

RE: PERMIT NO. 65-13044

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated June 30, 1990. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau


LGS:RF
Enclosures

RECEIVED

FEB 07 1991

CERTIFICATION OF MAILING

I hereby certify that on 7-24-90
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.



138986
June 30, 1990

RICHARD ALLISON
1040 E. PINE
MERIDIAN, ID 83642

PROOF DUE NOTICE

RE: PERMIT NO. 65-13044

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

FEB 17 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
August 23, 1989

RICHARD ALLISON
1040 E. PINE
MERIDIAN, ID 83642

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P65-13044

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

SEP 08 1989

3/0 9N 4E S. 1 NWSE NW
a/n " SENW

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: 82 DATE: 5/24/89 APPLICATION: 65-13044

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume) Gov't. Lots:
☒ Period of use: N P/D
☒ Nature of proposed use: (Include description of use) N P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES	NO	
☒	☐	Overlapping place of use: (Describe source & relationship to present application on the back.)
☒	☐	Overlapping point of diversion:
☒	☐	Field check required: Field check by: _____
☒	☐	Field report attached:
☒	☐	Critical groundwater area:
☒	☐	Groundwater management area:
☒	☐	Send dam safety information:
☒	☐	Send power requirement letter:
☒	☐	Send fish farm requirement letter:
☒	☐	Power residency affidavit: _____
☒	☐	Power efficiency form: _____
☒	☐	Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☒	☐	Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☒	☐	*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

☒ Additional information on reverse side:

RECEIVED
JUL 11 1989

Department of Water Resources

APPLICATION: 65-13044

✓ ✓

Statewide advertising:

Fee amount, receipt number and date recorded on application:

YES NO

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

~~YES~~ NO

✓✓✓

Affidavit of publication received:

Application published correctly: If not, record action taken.

✓
✓
✓
✓
✓
0

Publication dates and paper recorded on application:

Protests received. Final date for protest June 26 1985

Protest dates, resolution of protest recorded on application:

Recommendations attached: *Approve, per*

Measuring device required:

Measuring port required:

Water delivered by water master? District # 65-150 sinks

Special conditions of approval or cover letter:

See below for additional information

Recommended Date or Priority 5/17/1989

Recommended by: *DR*

Date 7/12/89

P/60

See below for additional information. By

Date 8/14/89

ADDITIONAL INFORMATION

NOTE: Appl. lists Domestic in item 4 and irrig. $\pm \frac{1}{2}$ ac. in item 8.
The irrig. is associated with a domestic site and could be interpreted as
either domestic or irrigation use. OK to leave as is. SL 5/24/89

5/24/89

Overleaf

10

16N other Rights, all are ground water.

P/4

G/evan 11

4

4

4

1

10

For use on other land.

65-13044

ALLISON, RICHARD
1040 E. PINE
MERIDIAN, ID 83642

Source: SPRING

Tributary: SINKS

Diversion Pt: NWSNW Sec 15 T 09N R 04E

Use: DOMESTIC (.030 CFS)
STOCKWATER (.020 CFS)

Date Filed: 5/17/1989

In: T09N R04E S15 SENW

MICROFILMED

SEP 08 1989