

5.4 200 ft Lake
N 1/2 N 1/2 only

4270

4269

4268

4267


57' 30"



MICROFILMED

SEP 08 1989

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached
(required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

NOV 08 1995



PERMIT 65-13043 INIT S.H.
T. R. S. Q/Q
P/D 7N 2E 4 SW SW
SCALE 7.5 USGS Topo.
PHOTO ID. _____

RECEIVED
NOV 10 8 1965

65-13043
10/26/94 S.H.



P/U:

1/4" steel
pipe

6'x1'6" tire
(watering container)
stockwater



P/D:

graveled area,
covered with top
soil, with 1/4" PVC
leading to watering
container (stockwater)

NOV 08 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13043

Priority: July 16, 1989

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

2.7 AF

This is to certify, that GARY C BIGGERS

RT 1 BOX 91

SWEET ID 83670

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 17, 1989; and has submitted Proof of Beneficial Use on October 31, 1990. An examination indicates that the works have a diversion capacity of 0.020 cfs of water from:

SPRING

tributary to BROWNLEE CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	2.7 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSWSW , Sec. 4, Township 07N, Range 02E
BOISE County

PLACE OF USE: STOCKWATER

TWN RGE SEC

07N 02E 4

SWSW

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
6. Stockwater use is for 200 range cattle.


NOV 08 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13043

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 3rd
day of NOVEMBER, 1975.


Acting for KARL J. DREHER, Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 65-13043 IN THE
NAME OF GARY C. BIGGERS

)
) ORDER OF REINSTATEMENT
)
)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before September 1, 1990; and,

WHEREAS, the Department has notified the permit holders by certified mail that proof was due and instructed the permit holders as to the steps to be taken to make said proof; and,

WHEREAS, on September 1, 1990 the permit lapsed for failure of the permit holders to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of lapsing; and,

WHEREAS, the permit holders have provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on October 31, 1990;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 65-13043 be REINSTATED and the priority advanced to July 16, 1989.

Dated this 24th day of December, 1990.

MicroFILMED

JAN 29 1991


L. GLEN SAXTON, Chief
Water Allocation Bureau

RECEIVED

OCT 31 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 65-13043

Telephone No. 208-584-3448

Name(s) of Permit Holder(s): BIGGERS, GARY C.

Post Office Address: RT 1, Box 91, SWEET, ID 83670

Source of Water: SPRING TRAIL TO BROWNLEE CK.

If ground water, well driller's name: _____ Date drilled: _____

Extent of Use:

Domestic _____ (No. of households)

Irrigation _____ (No. of acres)

Stockwater 200HD/RGE (No. and type of stock)

Other _____

Total rate and/or volume for which proof is submitted 0.02 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: ACTUALLY USED IN FALL 1983. NOT FILED
ON UNTIL MAY 17, 1989

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No ☐ Installed? Yes ☐ No ☐

OR

Flow Measurement Port: Required? Yes ☒ No ☐ Installed? Yes ☐ No ☐

Fee Enclosed: \$ NOT APPL. (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

BIGGERS, GARY C. 208-584-3448
Name Telephone No.

RT 1, Box 91, SWEET, ID, 83670
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

FILED

JAN 29 1991

10/31/1990
Date

Dave C B Biggers
Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13043

Proposed Priority: May 17, 1989

Maximum Diversion Rate:

0.02 CFS

This is to certify, that **GARY C. BIGGERS**
RT. 1 BOX 91
SWEET, ID 83670

has applied for a permit to appropriate water from:

SPRING

tributary of **BROWNLEE CREEK**

and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

STOCKWATER

01/01 to 12/31

0.02 CFS

LOCATION OF POINT(S) OF DIVERSION:

SWSWSW

Sec. 4, Township 07N, Range 02E

NWSWSW

Sec. 4, Township 07N, Range 02E

BOISE County

PLACE OF USE: STOCKWATER

TWN RGE SEC

07N 02E 4


SWSW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 1990.
2. Subject to all prior water rights.
3. Use of water under this permit is subject to control by the watermaster of State Water District No. 65.
4. Point of diversion located on the line between the NWSWSW & the SWSWSW, S4, T7N, R2E.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

31st day of August, 1989.

for 
R. Keith Higginson, Director

MICROFILMED

SEP 08 1989

Ident. No. 65-13043

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: GARY C. BIGGERS 208-584-3448
Address: RT. 1 BOX 91
SWEET, ID 83670

2. Source: SPRING Trib. to: BROWNLEE CREEK

3. Location of point of diversion:

Township	Range	Section	1/4 of	1/4 of	1/4 of	Lot	County
07N	02E	4	NW	SW	SW		BOISE
			SW	SW	SW		BOISE

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AFA
STOCKWATER	01/01	12/31	0.020		

5. Total quantity appropriated is:
0.020 CFS (and/or) AFA

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
GRAVEL PACKED SPRING W/PERFORATED PIPE TO TROUGH.
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is inches; proposed depth of well is
feet.
- Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:

(Stock, 200hd. shown in database.
SL 5/24/89)

MICROFILMED

SEP 08 1989

9. Description of place of use:

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
07N	02E	4	SW SW		STOCK	

10. Describe any other water rights used for the same purposes.
NONE.

11. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

POINT OF DIVERSION LOCATED ON THE LINE BETWEEN THE N45W5W, SEC.
04 AND THE S45W5W, SEC. 04, TWP. 07N, RGE. 02E.

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

Daryl C. Biggers
Applicant

Received by [Signature] Date 5-17-89 Time 4:00 Preliminary check by [Signature]
Fee \$ 30 Receipted by [Signature] # W002839 Date 5-17-89
Publication prepared by GG Date 5/31/89 Published in Idaho World
6/7 & 6/14/89
Publication approved [Signature] Date 7-7-89

MICROFILMED

SEP 08 1989

497100m N

4970

4969

4968

4967

57' 30"

(5.4 - 2057 Lohs
N 1/2 N 1/2 0.00)





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 6, 1995

GARY C BIGGERS
RT 1 BOX 91
SWEET ID 83670

RE: WATER RIGHT NO. 65-13043

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

NOV 08 1995

LICENSE REVIEW CHECKLIST

PERMIT NO. 65-13043 DATE 10-31-95



NAME	Change	OK	Or Address Change?
PRIORITY DATE	☒	☐	Advance? <u>YES</u> Advanced to: <u>7-16-89</u> Order to reinstate needed? <u>Done</u> Incorrect fee for rate recommended? <u>NA</u>
SOURCE	☐	☒	Changes or just clarification of originally intended source? _____ Notice of Intent to Void necessary? _____
POINT OF DIV	☐	☒	Amendment needed? <u>Delete NWSESW description</u> Overlaps? _____
PLACE OF USE	☐	☒	Amendment needed? _____ Overlaps? _____
DIV RATE	☐	☒	Permit/fee limits: <u>.02 CFS / 200 cattle</u> <u>Pipe flow estimate</u> Meas Q = <u>.02</u> Theo Q = _____ Recommend: <u>.02</u>
			Combined rates exceed capacity _____
ANNUAL VOLUME	☐	☒	Volume Limit: _____ Season: <u>1-1 to 12-31</u> Calculations: <u>200 Cattle = 2.7 af</u> Flow limit: _____ cfs x _____ x 1.9835 = _____ Combined volumes exceed capacity/allowable _____
USES	☐	☒	Change in Nature of Use or additional uses? _____ Amendment necessary? _____
ADDITIONAL INFO			Supplemental Groundwater _____ PPU Scenario _____ Irr/Dom Combination _____ Shared G/W System _____
NEW REMARKS	☐	☒	Multiple p/d(s) in ¼ ¼? _____ <u>002</u> Other <u>200 Cattle</u>
NEW CONDITIONS	☐	☒	<u>R04</u> Watermaster control - District <u>65</u> Measuring/Locking Devices _____ Irrigation Overlap _____ Other _____ Water Quality _____ Heat/Cool/Fish verified _____
COMMENTS:			

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	
<u>Stockwater</u>	<u>.02</u>	<u>2.7</u>	Adjustment Memo Needed	<u>NO</u>
			LICENSE	<u>✓</u>
			1ST AMEND LETTER	
			2ND AMEND LETTER	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

OCT 13 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-13043

1. Owner: Gary C. Biggers Phone No. (208) 584-3448

Current Address: Rt 1 Box 91 Sweet, Id 83670

2. Accompanied by: Gary C. Biggers EXAM DATE: _____

Address: Rt 1 Box 91 Sweet, Id. 83670 Phone No. (208) 584-3448

Relationship to Permit Holder: self

3. Source: Spring tributary to Brownlee Creek

B. OVERLAP REVIEW

1. Other water rights with the same place of use: none

2. Other water rights with the same point of diversion: none

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	SW	SW	04	07N	02E	Bonne	USGS Topo. & exam


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
07N	02E	04																	

MINNESOTA
NOV 10 1995

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____
 ✓ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required)
 ✓ Aerial Photo Attached (required for irrigation of 10+ acres)
 ✓ Photo of Diversion and System Attached

4.

Well or Diversion No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

NOV 08 1995

E. NARRATIVE/REMARKS/COMMENTS

Other WR #'s: 65-10896, 65-10897, 65-10898, 65-10899, 65-10900, 65-10901, 65-10902, 65-10903, 65-10904, 65-10905, 65-10906, 65-10907, 65-10908, ~~to~~ all of these are decreed. A65-10907 & A65-10908.

~~Amend~~ P/D: NWSWSW, Gary Briggers said he never had a P/D there, said he only had SWSWSW. (P/D should read only: T07N R02E S04 SWSWSW)

No grit. lots were found.

Use is for stockwater for 200 head cattle.

No Overlaps for P/D &/or P/U.

System involves graveled area w/ collector pipe (132.5' of 1 1/4" PVC) going to a 6' x 1'6" ~~trough~~ watering container (tire).

No other water sources.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

NOV 08 1995

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

Pipeflow Computation spreadsheet (see attachment) = .02 cfs

Table 1 Recommended Diversion Rates for
Stockwater = .05 cfs

Unable to take bucket measurement. Flow was only
running down the pipe at time of exam.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

(applicant said possible broken pipe, +
will get it repaired).

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

2. Volume Calculations for Other Uses: (see attachment)

$$V_{I.R.} = 2.7 \text{ Afa}$$

$$\cancel{V_{D.R.}} = 14.5$$

$$V = \underline{2.7 \text{ Afa}}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Stockwater	1/1	12/31	.02	2.7
Totals:			.02	2.7

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Paul Hemenway Date 12/15/94

Reviewer _____ Date _____

SEAL

MICROFILMED

NOV 08 1995

Measured Method in

65-13043

Pipeflow Computation Spreadsheet

(see attachment) = .019 = .02 cfs

Table 1 Recommended Diversion Rates
for Stockwater

head 101-200 = .05 cfs

- ① Permit stockwater 1/1 - 12/31 .02 cfs
② BU fee - pd. 10/31/90 0 - 0.04 cfs
(prior 11/1/91)

③ max. allowable:
$$\frac{200 \text{ head} \times 12 \text{ gpd}}{54000} = .44 \text{ cfs}$$

④
$$V_{IR} = \frac{200 \text{ head} \times 12 \text{ gpd} \times 365 \text{ days}}{325,850} = 2.68 = 2.7 \text{ Afa}$$

$$V_{DR} = .02 \text{ cfs} \times 365 \times 1.9835 = 14.47 = 14.5$$

$$V = \underline{2.7 \text{ Afa}}$$

UNREVIEWED
NOV 08 1995

Pipeflow Computation Spreadsheet (DRT 12/31/1992)

Data Entered By: Sandy Hemenway
12/14/94
Project: Flow Computation for PERMIT NO. 65-13043
GARY C. BIGGERS
Given: See Data Table

Compute head losses with the Williams and Hazen Formula:

$$f = 0.2083 * (100 / \text{roughness})^{1.85} * ((\text{cfs} * 448.8)^{1.852} / \text{ID}^4.8655 * \text{Length} / 100)$$

To Find: Compute Rate of Flow

Data Table

Total Head: 30.00 feet
 Pressure Req'd: 10.00 psi
 Available Head: 6.90 feet
 Pipe Roughness: 150.00 Note: pvc = 150, smooth and straight pipe = 140
 aluminum - joint length 20' = 125, joint length
 30' = 130, joint length 40' = 132, joint length
 50' = 134, new riveted steel = 100
 old riveted steel = 100, old cast iron = 95,
 old pipes in poor condition = 60 to 80

Inside Diameter in Inches	Equivalent Length in Feet	Unit Head Loss	Total Head Loss from Pipe Friction
1.00	132.50	6.90	
13.50	0.00	0.00	
11.50	0.00	0.00	
9.50	0.00	0.00	6.90

Rate of Flow: 0.019 CFS = .02 cfs

NOV 08 1995

PERMIT 65-13043 INIT S.H.
T. R. S. Q/Q
P/D 7N 2E 4 SW SW
SCALE 7.5 USGS Topo.
PHOTO ID. _____

65-13043
10/26/94 S.H.

P/U:

1 1/4" steel
pipe

6' x 1'6" tire
(watering container)
stockwater

P/D:

graveled area,
covered with top
soil, with 1 1/4" PVC
leading to watering
container (stockwater)

NOV 08 1995

December 27, 1990

GARY C. BIGGERS
RT. 1 BOX 91
SWEET, ID 83670

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13043

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

Enclosure

RECEIVED

JAN 29 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 65-13043

Date 12-21-90

GENERAL CONSIDERATIONS

Y Name same as permit?
Y Address same as permit? If no, prepare data entry form.
No Proof timely received? If no, complete priority
advancement below.

SOURCE OF WATER

Y Surface water source
Y Ground water source
Y Drill permit req'd?
Y Copy in file? Drill permit no. _____
Y Well log in file?
Y Amt paid for drilling permit? _____ Correct?

LICENSE EXAMINATION FEE

No Required?
Y Amount submitted?
Y Correct amount?

MEASURING DEVICE

No Measuring device or access port required?
Y Installed?
Y Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable
Reinstated

PRIORITY CALCULATION

SB

Date proof received	<u>Oct. 31</u>	<u>304</u>
Date proof due	<u>Sept 1</u>	- <u>244</u>
No. of days late		= <u>60</u>
Priority date	<u>May 17, 89</u>	+ <u>137</u>
NEW PRIORITY DATE	<u>July 16, 89</u>	= <u>197</u>

138047
June 30, 1990

GARY C. BIGGERS
RT. 1 BOX 91
SWEET, ID 83670

PROOF DUE NOTICE
RE: PERMIT NO. 65-13043

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MAILED

JAN 29 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
September 1, 1989

GARY C. BIGGERS
RT. 1 BOX 91
SWEET, ID 83670

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P65-13043

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

SEP 08 1989

Legal Notices Legal Notices

NOTICE OF APPLICATION FOR WATER RIGHT

63-10804

The following application(s) have been filed to appropriate the public waters of the State of Idaho

63-107-6

BOISE HOLCOMB WATER ASSN
C/O STEVE H. EITCHISON
HC 33, BOX 4095
BOISE, ID 83706

Source: GROUNDWATER, Diversion Pt. NWNW Sec 29 T05N R04E, Use DOMESTIC (250 CFS), Date Filed: 5/12/1989, In T05N 404E S29 NWNW, S30 NENE

63-10797

MORES CREEK RIM RANCHES
HC 33, BOX 1157
BOISE, ID 83706

Source: GROUNDWATER, Diversion Pt. NWSW Sec 27 T04N R04E, Use DOMESTIC (330 CFS), IRRIGATION (300 CFS), Date Filed: 5/23/1989, In T04N R04E S27 SWNW, S28 LOT 2 (SENE) NESE, 15.0 ACRES TOTAL

63-10799

AUCOIN, JOE L
10999 ARCH ST
BOISE, ID 83704

Source: SPRING, Tributary SINKS, Diversion Pt. SESE Sec 8 T04N R04E, Use DOMESTIC (040 CFS), Date Filed: 5/17/1989, In T04N R04E S08 SESE

63-10800

GERMAN, RUBY
2060 STEWART RD
KUNA, ID 83634

Source: GROUNDWATER, Diversion Pt. NESE Sec 28 T04N R04E, Use DOMESTIC (020 CFS), IRRIGATION (090 CFS), Date Filed: 5/19/1989, In T04N R04E S28 NESE, 3.0 ACRES TOTAL

FAHLAS, KAREN K
P.O. BOX 1774
BOISE, ID 83700

Source: SPRING, Tributary SINKS, Diversion Pt. SWNE Sec 30 T04N R04E, Use DOMESTIC (020 CFS), Date Filed: 5/16/1989, In T04N R04E S30 NESW

65-12940

GODBOUT, NORMAN
GODBOUT, CAROL
HC 76, BOX 1096
RIVERS POINT
BANKS, ID 83602

Source: PAYETTE RIVER, SOUTH FORK, Tributary PAYETTE RIVER, Diversion Pt. LOT 4 (SWNW) Sec 21 T09N R04E, Use IRRIGATION (020 CFS), Date Filed: 12/21/1988, In T09N R04E S21 Lot 4 (NWNW) 0.5 ACRES TOTAL

65-12997

LA LANDE, EUGENE P
LA LANDE, LA VELLE
HC 76, BOX 2371
GARDEN VALLEY, ID 83622

Source: SKID ROAD CREEK, Tributary PAYETTE RIVER, MIDDLE FORK, Diversion Pt. NENW Sec 13 T10N R04E, Use IRRIGATION (030 CFS), Date Filed: 4/04/1989, In T10N R04E S13 NENW, 1.0 ACRES TOTAL

65-13015

POWELL, JAMES D
POWELL, OPAL B
914 N MIDLAND BLVD #27
NAMPA, ID 83651

Source: SPRING, Tributary SINKS, Diversion Pt. SWSW Sec 14 T10N R04E, Use DOMESTIC (020 CFS), IRRIGATION (030 CFS), Date Filed: 4/18/1989, In T10N R04E S14 SWSE, 1.0 ACRES TOTAL

65-13016

KRAMER, DORRIS L
LUBERN, HARRY

STATE OF IDAHO

County of Boise

Peter A. Wierenga, being duly sworn, deposes and says: that he is the manager and principal clerk of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and State of Idaho, the said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for two (2) consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy-eight weeks past previous to the first publication of this notice. Such notice was published in the issue beginning with 6/7, 1989 and ending with the issue of 6/14, 1989.

Peter A. Wierenga

STATE OF IDAHO

County of Boise

On this 14th day of June in the year of 1989, before me, a Notary Public, personally appeared Peter A. Wierenga

known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same

Peter A. Wierenga
Notary Public for Idaho
Boise, Idaho
Residing at

My commission expires: 9/14/94

Legal Notices Legal Notices

HC 76, BOX 2153
GARDEN VALLEY, ID 83622

Source: GROUNDWATER, Diversion Pt. LOT 1 (NWNW) Sec 3 T09N R04E, Use DOMESTIC (040 CFS), Date Filed: 4/18/1989, In T09N R04E S03 (NWNW)

65-13020

HUNNICUTT, MARGARET
ROE, EMMAJEAN
6717 ASHLAND DR
BOISE, ID 83705

Source: GROUNDWATER, Diversion Pt. SESE Sec 14 T10N R04E, Use DOMESTIC (040 CFS), Date Filed: 5/01/1989, In T10N R04E S14 SESE

63-13025

SCENIC PROPERTIES WATER ASSN
6143 DENTON ST
BOISE, ID 83704

Source: SPRINGS, Tributary PAYETTE RIVER, SOUTH FORK, Diversion Pt. SWNWNW Sec 18 T09N R09E, SENWNE Sec 18 T09N R09E, NESWNE Sec 18 T09N R09E, NWSWNE Sec 18 T09N R09E, Use DOMESTIC (400 CFS), Date Filed: 5/10/1989, In T09N R09E S18 SENE Lot 3 (NESE) NWSE Lot 6 (SWSE, Lot 3 (SESE)

65-13027

PINE TREE RANCH INC
C/O LARRY THORNGARD
PINE TREE RANCH
GARDEN VALLEY, ID 83622

Source: GROUNDWATER, Diversion Pt. NWNE Sec 34 T10N R04E, Use DOMESTIC (240 CFS), IRRIGATION (320 CFS), Date Filed: 5/10/1989, In T10N R04E S27 SWSE SESE, S34 NENE NWNE, 16.0 ACRES TOTAL

65-13033

FRISBIE, GENEVIEVE
FRISBIE, ROBERT
HC 76, BOX 3130
LOWMAN, ID 83637

Source: SPRING, Tributary SINKS, Diversion Pt. NESENE Sec 18 T09N R09E, Use DOMESTIC (020 CFS), Date Filed: 5/15/1989, In T09N R09E S18 SENE

65-13036

TUCKER, JOHN T
TUCKER, PILAR E
P.O. BOX 87
GARDEN CITY, ID 83622

Source: SPRING, Tributary SINKS, Diversion Pt. NESWNW Sec 26 T09N R04E, Use STOCKWATER (030 CFS), Date Filed: 5/15/1989, In T09N R04E S26 SWNW

65-13037

MARSTON, VIRGINIA
TUCKER, JOHN T
TUCKER, JAMES W
C/O JOHN T TUCKER
GARDEN VALLEY, ID 83622

Source: SPRING, Tributary SINKS, Source POND, Tributary SINKS; Diversion Pt. SWSWNW Sec 26 T09N R04E, SWNESE Sec 27 T09N R04E; Use IRRIGATION (200 CFS), IRRIGATION STORAGE (50 AF), IRRIGATION FROM STORAGE (50 AF), STOCKWATER (030 CFS), STOCKWATER STORAGE (50 AF), Date Filed: 5/15/1989, In T09N R04E S26 SWNW, S27 NESE, 10.0 ACRES TOTAL

65-13043

BIGGERS, GARY C.
RT 1, BOX 91
SWEET, ID 83670

Source: SPRING, Tributary BROWNLEE CREEK, Diversion Pt. NWSWSW Sec. 4 T07N R02E, SWSWSW Sec. 4 T07N R02E, Use STOCKWATER (020 CFS), Date Filed: 5/17/1989, In T07N R02E S04 SWSW

65-13044

ALLISON, RICHARD
1040 E PINE
MERIDIAN, ID 83642

Source: SPRING, Tributary SINKS, Diversion Pt. NWSW Sec 15 T09N R04E, Use DOMESTIC (030 CFS), STOCKWATER (020 CFS), Date Filed: 5/17/1989, In T09N R04E S15 SENW

65-13047

ELLER, DAVEN
ELLER, PAM
HC 76, BOX 2155
GARDEN VALLEY, ID 83622

Source: UNNAMED STREAM, Tributary PAYETTE RIVER, MIDDLE FORK, Diversion Pt. NWSW Sec 15 T09N R04E, Use DOMESTIC (040 CFS), Date Filed: 5/23/1989, In T09N R04E S15 NWSW

65-13048

OLSON, THORIS L
OLSON, JR., INGVE H
2531 MARLETTE LN
BOISE, ID 83708

Source: GROUNDWATER, Diversion Pt. SWSW Sec 23 T09N R04E, Use IRRIGATION (160 CFS), STOCKWATER (020 CFS), DOMESTIC (040 CFS), Date Filed: 4/18/1989, In T09N R04E S23 SWSW, 8.0 ACRES TOTAL

65-13049

LEEZER, LOUIS R
HC 76, BOX 2546
GARDEN VALLEY, ID 83622

Source: WARM SPRINGS CREEK, Tributary PAYETTE RIVER, MIDDLE FORK, Diversion Pt. NWSW Sec 33 T10N R04E, Use IRRIGATION (200 CFS), Date Filed: 4/10/1989, In T10N R04E S34 SWSW, 10.0 ACRES TOTAL

65-13050

JARVIS, LON
JARVIS, RENEE
HC 76, BOX 4213
GARDEN VALLEY, ID 83622

Source: SPRINGS, Tributary WARM SPRINGS CREEK, Diversion Pt. SENWSW Sec 33 T10N R04E Use HETING (060 CFS), DOMESTIC (040 CFS), Date Filed: 2/07/1989, In T10N R04E S33 NWSW

65-13055

BEHRMAN, RAY
BEHRMAN, CAROLL
10485 W ROCKWOOD ST
BOISE, ID 83704

Source: PAYETTE RIVER, SOUTH FORK, Tributary PAYETTE RIVER, Diversion Pt. LOT 3 (NWNWNE) Sec 34 T09N R07E, Use DOMESTIC (040 CFS), Date Filed: 5/18/1989, In T09N R07E S34, Lot 3 (NWNWNE)

65-13056

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
TWELFTH FLOOR
50 EAST NORTH TEMPLE ST
SALT LAKE CITY, UT 84150

Source: GROUNDWATER, Diversion Pt. SWNENW Sec 22 T09N R04E, Use IRRIGATION (040 CFS), DOMESTIC (040 CFS), Date Filed: 5/17/1989, In T09N R04E S22 NENW SENW, 2.5 ACRES TOTAL

65-13057

THORNTON, RODNEY E.
THORNTON, AVA M
RT 1
HORSESHOE BEND, ID 83629

Source: GROUNDWATER, Diversion Pt. LOT 10 (SWNW) Sec 2 T07N R02E, Use IRRIGATION (120 CFS), STOCKWATER (020 CFS), DOMESTIC (020 CFS), Date Filed: 5/09/1989, In T07N R02E S02, Lot 10 (SWNW), 4.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before JUNE 26, 1989.

R. KEITH HIGGINSON, Director

Published in the Idaho World, Idaho City, Idaho, June 7 & 14, 1989

MICROFILMED

SEP 08 1989

65-13043

BIGGERS, GARY C.
RT. 1 BOX 91
SWEET, ID 83670

Source: SPRING

Tributary: BROWNLEE CREEK

Diversion Pt: NWSWSW Sec 4 T 07N R 02E
 SWSWSW Sec 4 T 07N R 02E

Use: STOCKWATER (.020 CFS)

Date Filed: 5/17/1989

In: T07N R02E S04 SWSW

MICROFILMED

SEP 08 1989