

FOREST

3

Sc

Middle
Fork
Project

P/O & P/O

Scrive
7/10

on bridg

BK 309

asley

Creek

T. 10 N.
R. 4 E.
S. 27
-13018

BME

Smith

MAN OF FLESH


FEB 27 1980

65-13018

PINE TREE RANCH
SUBDIVISION No 4
A PORTION OF SECTION 27, AND THE W 1/2
OF SECTION 26, T 10 N, R 4 E, B.M.
BOISE COUNTY, IDAHO


Safeco Title Insurance Company of Idaho
300 North Sixth Street
Box 2528
Boise, Idaho 83701


While this map is a photographic reproduction of
that on file in either the recorder's or surveyor's
office, the Company assumes no liability for
variation, if any, with another or re-survey.



Idaho Dept. of Water Resources
Place of Use Comparison Report

Type	WR #	Owner	Source	TRS	NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	Total
Permit	65 13027	PINE TREE RANCH INC.	GROUND WATER	10N04E27															4	4	.8
Permit	65 13541	TRUDI J BIRD, FLOYD BIRD,	GROUND WATER	10N04E27				6													.6
Rec	65 12103	SCRIVER WOODS HOMEOWNERS ASSOC INC.	GROUND WATER	10N04E27	X	X	X	X	X	X		X					X				.0
Rec	65 12347	SCRIVER WOODS HOMEOWNERS ASSOC INC.	GROUND WATER	10N04E27	X	X	X	X	X	X		X					X				.0
Rec	65 21465	RICHARD H HEYER, GLENNYTH HEYER,	GROUND WATER	10N04E27														X			.0
Right	65 12103	SCRIVER WOODS HOMEOWNERS ASSN,	GROUND WATER	10N04E27	X	X	X	X	X	X		X					X				.0
Right	65 12347	SCRIVER WOODS HOMEOWNERS ASSN,	GROUND WATER	10N04E27	X	X	X	X	X	X		X					X				.0
Right	65 13536	WALTER N HAMM, SHIRLEY D HAMM,	GROUND WATER	10N04E27					3.5												3.5
Right	65 21492	BRUCE HOLLAND, SANDRA HOLLAND,	GROUND WATER	10N04E27							X										.0
Right	65 9603	JOHN T MEADERS, RAYNE M MEADERS,	GROUND WATER	10N04E27							X										.0
Right	65 9859	STEVEN E ENDECOTT, MARIE A ENDECOTT,	GROUND WATER	10N04E27							X										.0
Permit	65 13806	NORMAN C BLEMLER,	PAYETTE RIVER	10N04E27																1	1
Permit	65 13818	DICK SIMON,	PAYETTE RIVER	10N04E27																1	1
Permit	65 13819	FREDRICK J SCHUMAN,	PAYETTE RIVER	10N04E27																1	1
Permit	65 13820	STEVE HERRON,	PAYETTE RIVER	10N04E27																1	1
Permit	65 13975	WILLIAM ALDEN,	PAYETTE RIVER	10N04E27																1	1
Rec	65 12735	ALLAN SCHARF, CAROLE J SCHARF,	PAYETTE RIVER	10N04E27																0.5	0.5
Right	65 12735	LORETTA KIRK, KENT KIRK,	PAYETTE RIVER	10N04E27																1.3	1.3
Right	65 13717	BONNIE M FEDDERSOHN, RICHARD C FEDDERSOHN,	PAYETTE RIVER	10N04E27																0.5	0.5
Permit	65 13018	CECIL D INGRAM, LOIS ANN INGRAM,	SCRIVER CREEK	10N04E27				2.5													2.5
Permit	65 13388	THOMAS PATRICK MC GRATH,	SCRIVER CREEK	10N04E27		X		X													.0
Permit	65 13388	THOMAS PATRICK MC GRATH,	SCRIVER CREEK	10N04E27	X																.0
Permit	65 13808	RALPH L RICHCREEK, TERESA A RICHCREEK,	SCRIVER CREEK	10N04E27			0.3	0.3													0.6
Rec	65 3221	PINE TREE RANCH INC,	SCRIVER CREEK	10N04E27		7	14	20	6								18				65
Rec	65 3222	PINE TREE RANCH INC,	SCRIVER CREEK	10N04E27	22	2															24
Rec	65 3223	PINE TREE RANCH INC,	SCRIVER CREEK	10N04E27	8	10		12													30
Rec	65 3224	PINE TREE RANCH INC,	SCRIVER CREEK	10N04E27			22		20			8					10	7			67
Rec	65 3225	PINE TREE RANCH INC,	SCRIVER CREEK	10N04E27														15	32	15	62
Rec	65 8290	PINE TREE RANCH INC,	SCRIVER CREEK	10N04E27	22	2															24
Right	65 13018	CECIL D INGRAM, LOIS ANN INGRAM,	SCRIVER CREEK	10N04E27				2.5													2.5
Right	65 13802	JERRY NILSSON,	SCRIVER CREEK	10N04E27				X													.0
Right	65 3221	PINE TREE RANCH INC,	SCRIVER CREEK	10N04E27		7	14	20	6								18				65
Right	65 3222	PINE TREE RANCH INC,	SCRIVER CREEK	10N04E27	22	2															24
Right	65 3223	PINE TREE RANCH INC,	SCRIVER CREEK	10N04E27	8	10		12													30
Right	65 3224	PINE TREE RANCH INC,	SCRIVER CREEK	10N04E27			22		20			8					10	7			67
Right	65 3225	PINE TREE RANCH INC,	SCRIVER CREEK	10N04E27														15	32	15	62
Right	65 8290	PINE TREE RANCH INC,	SCRIVER CREEK	10N04E27	22	2															24
Right	65 13440	THOMAS PATRICK MC GRATH,	SPRING	10N04E27	X																.0
Right	65 8283	PINE TREE RANCH INC,	SPRING	10N04E27																X	.0
Right	65 8287	PINE TREE RANCH INC,	SPRING	10N04E27																X	.0
Permit	65 13679	CYNTHIA A GASKELL, TIMOTHY D GASKELL,	SPRINGS	10N04E27									0.5					0.5			.1
Right	65 12446	NANCY E DENTON, LEE E DENTON,		10N04E27													0.5				0.5






MICROFILMED
SEP 19 2001

65-13018



Model DB1-1/2 Performance for 3500 RPM

1-1/2" Discharge x 2" Suction



Performance Chart - 3500RPM

DB1-1/2 1-1/2" Discharge x 2" Suction			CAPACITIES GPM																	Shut Off Head (Feet)
			Total Head in Feet																	
Model	HP	Imp. Dia.	25	30	35	40	45	50	60	70	80	90	100	110	120	130	140	150	160	
1DB1-1/2	1	3-15/16"	125	105	95	86	75	63											60	
15DB1-1/2	1-1/2	4-5/16"		123	118	112	106	95	78	50									75	
2DB1-1/2	2	4-5/8"			130	126	120	115	100	82	52								87	
3DB1-1/2	3	5-1/8"						144	132	118	103	88	62						110	
5DB1-1/2	5	5-3/4"									163	153	141	126	107	78			140	
75DB1-1/2	7-1/2	6-7/16"														170	165	135	130	170

Note: All performance data based on rated nameplate voltage.

Ordering Information - DB1-1/2

Order No.	Model No.	HP	Mtr. Phase	Volt.	Amps	Svc. Fact.	Weight	Price
9312-0467	1DB1-1/2-S	1	1	115/230	17.0/8.5	1.50	50	\$ 718.00
9312-0475	15DB1-1/2-S	1-1/2	1	115/230	19.8/9.9	1.33	54	779.00
9312-0483	2DB1-1/2-S	2	1	115/230	22.6/11.3	1.25	58	884.00
9312-0491	3DB1-1/2-S	3	1	230	14.4	1.15	74	985.00
9312-0509	5DB1-1/2S	5	1	230	26	1.15	122	1332.00
9312-0517	75DB1-1/2-S	7-1/2	1	230	39	1.15	184	1595.00
9312-0525	1DB1-1/2-T	1	3	208/230/460	4.7/4.4/2.2	1.50	47	746.00
9312-0533	15DB1-1/2-T	1-1/2	3	208/230/460	6.2/5.7/2.9	1.33	52	765.00
9312-0541	2DB1-1/2-T	2	3	208/230/460	7.2/6.5/3.2	1.25	55	808.00
9312-0558	3DB1-1/2-T	3	3	230/460	5.0/2.5	1.15	63	892.00
9312-0566	5DB1-1/2-T	5	3	230/460	13.4/5.7	1.15	102	1139.00
9312-0574	75DB1-1/2-T	7-1/2	3	230/460	19.6/9.8	1.15	110	1211.00


MICROFILMED
SEP 19 2001



"The Most Trusted Name In Water."™

Model DB1 Performance for 3500 RPM

1" Discharge x 1-1/2" Suction



Performance Chart - 3500RPM

DB1 1" Discharge x 1-1/2" Suction			CAPACITIES GPM																	Shut Off Head (Feet)
			Total Head in Feet																	
Model	HP	Imp. Dia.	25	30	35	40	45	50	60	70	80	90	100	110	120	130	140	150	160	
7DB1	3/4	4-1/4"	61	58	54	49	46	41	29										72	
1DB1	1	4-3/4"			67	63	59	56	46	36	20								84	
15DB1	1-1/2	5-3/16"						72	65	58	50	39	28						109	
2DB1	2	5-1/2"							74	68	61	53	45	33					122	
3DB1	3	6-1/8"									78	73	67	61	54	46	37		151	
5DB1	5	6-7/16"												80	74	68	62	53	42	174

Note: All performance data based on rated nameplate voltage.

Ordering Information - DB1

Order No.	Model No.	HP	Mtr. Phase	Volt.	Amps	Svc. Fact.	Weight	Price
9312-0285	7DB1-S	3/4	1	115/230	14.8/7.4	1.50	42	\$655.00
9312-0293	1DB1-S	1	1	115/230	17.0/8.5	1.50	45	686.00
9312-0301	15DB1-S	1-1/2	1	115/230	19.8/9.9	1.33	55	747.00
9312-0319	2DB1-S	2	1	115/230	22.6/11.3	1.25	53	839.00
9312-0327	3DB1-S	3	1	230	14.4	1.15	74	932.00
9312-0335	5DB1-S	5	1	230	26	1.15	122	1212.00
9312-0376	2DB1-T	2	3	208/230/460	7.2/6.5/3.2	1.25	54	747.00
9312-0384	3DB1-T	3	3	230/460	5.0/2.5	1.15	64	843.00
9312-0392	5DB1-T	5	3	230/460	13.4/5.7	1.15	82	1057.00

MICROFILMED
SEP 19 2001

Power Box capable of being locked

P/D



MICROFILMED
SEP 19 2001

65-13018

P/u



↓ To the pump

P/u



MICROFILMED
SEP 19 2001

65-13018

P/u



P/u



MICROFILMED
SEP 19 2001

65-13018

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 65-13018

Priority: April 20, 1989

Maximum Diversion Rate: 0.08 CFS
Maximum Diversion Volume: 8.8 AF

It is hereby certified that CECIL D INGRAM And/Or LOIS ANN INGRAM
7025 EL CABALLO
BOISE ID 83704 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated April 20, 1989; and has
submitted Proof of Beneficial Use on October 28, 1992. An examination indicates that the works have a
diversion capacity of 0.09 cfs of water from:

SOURCE

SCRIVER CREEK

Tributary: MIDDLE FORK PAYETTE RIVER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
IRRIGATION	03/18 to 10/31	0.08 CFS	8.8 AF

LOCATION OF POINT(S) OF DIVERSION:

SCRIVER CREEK NW $\frac{1}{4}$ SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 27, Twp 10N, Rge 04E, B.M. BOISE County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
10N 04E 27				2.5													2.5

Total Acres: 2.5

CONDITIONS OF APPROVAL

- 1 Use of water under this water right will be regulated by the watermaster of State Water District No. 65M.
2. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.
- 3 This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.
- 4 Place of use is located within Lot 1, Pine Tree Ranch Subdivision No. 4.

MICROFILMED

SEP 19 2001

State of Idaho
Department of Water Resources
Water Right License


WATER RIGHT NO. 65-13018

5. When ordered by the Director, the right holder shall provide mitigation acceptable to the Director to offset depletion of lower Snake River flows needed for migrating anadromous fish. The amount of water required for mitigation, which is to be released into the Snake River or a tributary for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this right. Any order of the Director issued in accordance with this paragraph shall be in conformance with applicable rules allowing the right holder due process as the need for mitigation and the amount of mitigation are determined.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 21st day of June, 2001.

Acting for


KARL J. DREHER
Director

MICROFILMED

SEP 19 2001

RECEIVED
OCT 28 1992

Department of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

OFFICE USE ONLY
Amt. of Fee \$ 50-
Date 10/28/92
Receipt No. W015592
Receipt by CAF

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-13018 Telephone No. 208-375-8876
2. Name(s) of Permit Holder(s): CECIL D. & LOIS ANN INGRAM
3. Mailing Address: 7025 EL CABALLO DR BOISE ID. 83704
4. Source of Water: SCHRIEVERS CREEK

If **GROUNDWATER**, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: 5 Pressure (psi): _____ Dynamic pumping level (ft.): N/A

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 2.5 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .08 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Lockable
Measuring device: Required? Yes ☒ Yes ☐ No Installed? ☐ Yes ☐ No

OR
Flow Measurement Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

8. Fee Enclosed: \$ 50- (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name Same

Telephone No. _____

Address _____

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

10-28-92
Date

Cecil D. Ingram
Signature (and title, if on behalf of a company or organization)

NOV 19 1992

STATE OF IDAHO

For Office Use Only

\$15 FEE Received by 82Date 9-16-91Receipt # W013681

DEPARTMENT OF WATER RESOURCES

SEP 17 1991

REQUEST FOR EXTENSION OF TIME

TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 65-13018Name(s) of Permit Holder: CECIL D. / LOIS ANN INGRAMPost Office Address: 7025 EL CABALLO DRIVE BOISE IDAHO
83704 Telephone No. 208-375-8876Date Proof is Due: 11-1-91Describe what work has been completed toward the development of this water right: CLEARED OF WILD
(This must be filled out! If no work has been completed, show "none".)

BRUSH, DUG PIT AND INSTALLED PIPE FOR PUMP SYSTEM,
PURCHASED 2HP, 230VOLT PUMP AND COMPLETED DESIGN FOR
ELEC SUPPLY AND SPRINKLER PIPE SYSTEM

Costing \$ APPROX 700⁰⁰

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

GROUND TOO HARD TO DIG FOR ELEC SYSTEM AND
UNEXPECTED MEDICAL EXPENSE

Permit holder(s) request an extension to 6-30, 19 92.
(1 yr. minimum)

(Signature)*

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

FEE: \$15.00

ACTION OF THE DEPARTMENT OF WATER RESOURCES

NOV 20 1991

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED
and the time within which to submit proof of beneficial use is extended to
November 1, 1992.

Signed this 30th day of October, 19 91.

J. Shw Saylor
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13018

Proposed Priority: April 20, 1989

Maximum Diversion Rate:

0.08 CFS

This is to certify, that **CECIL D. INGRAM**
LOIS ANN INGRAM
7025 EL CABBALLO
BOISE, ID 83704

has applied for a permit to appropriate water from:

SCRIVER CREEK

tributary of **PAYETTE RIVER, MIDDLE FORK**

and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

IRRIGATION

04/01 to 11/01

0.08 CFS

LOCATION OF POINT(S) OF DIVERSION:

SENE Sec. 27, Township 10N, Range 04E
BOISE County

PLACE OF USE: IRRIGATION

TWN RGE SEC

ACRES

ACRES

ACRES

TOTAL

10N 04E 27

SENE 2.5

2.5

Total number of acres irrigated:

2.5

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
4. A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this permit.
5. Use of water under this permit is subject to control by the watermaster of State Water District No. 65M.
6. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
7. The Director retains jurisdiction of this permit to require purchase or lease of storage water to compensate for diversion of the streamflow authorized by this right.
8. Place of use also known as Lot 1, Pine Tree Ranch

MICROFILMED

FEB 27 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13018

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

17 day of January, 19 90.

for J. Keith Saxon
R. Keith Higginson, Director

MICROFILMED

FEB 27 1990

Ident. No. 65-13018

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: CECIL D. INGRAM 208-375-8876
Address: 7025 EL CABBALLO
BOISE, ID 83704

AND/OR
Name: LOIS ANN INGRAM 208-375-8876
Address: 7025 EL CABBALLO
BOISE, ID 83704

2. Source: SCRIVER CREEK Trib. to: PAYETTE RIVER, MIDDLE FORK

3. Location of point of diversion:

Township	Range	Section	1/4 of 1/4 of 1/4	Lot	County
10N	04E	27	SE NE		BOISE

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AFA
IRRIGATION	04/01	11/01		0.080	

5. Total quantity appropriated is:
0.080 CFS (and/or) AFA

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
5 HP. PUMP AND PIPELINE FOR SPRINKLER IRRIGATION
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is inches; proposed depth of well is
feet.
- Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 2 years.

MICROFILMED

FEB 27 1990

8. Description of proposed uses:
IRRIGATION OF 2.5 ACRES

9. Description of place of use:

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
10N	04E	27	SE NE		IRR	2.5
Total Section Acres						2.5
Total Acres						2.5

10. Describe any other water rights used for the same purposes.
NONE

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

POD AND POU PINE TREE RANCH SUBD. NO. 4, LOT 1.

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Applicant

RECORDED


FEB 27 1990

Ident. No. 65-13018
Page 3

Received by SL Date 4/20/89 Time 11:40 Preliminary check by RW
Fee \$ 30⁰⁰ Receipted by SL # W002604 Date 4/20/89
Publication prepared by GG Date 6-28-89 Published in ID World
Publication approved AT Date 7-28-89 ^{7/6 & 7/13}

MICROFILMED

FEB 27 1990



Sandy Creek

27

26

Bridg

BM 369

Creek

33

34

35

T. 40 N.
R. 4 E.
S. 27
65-13012

BM

Smith

MAY 27 1965

APR 27 1965


4

65-13018

PINE TREE RANCH
SUBDIVISION No 4
A PORTION OF SECTION 27, AND THE W 1/2
OF SECTION 26, T 10 N, R 4 E, B M.
BOISE COUNTY, IDAHO

Safeco Title Insurance Company of Idaho
300 North Sixth Street
Box 2528
Boise, Idaho 83701

While this map is a photographic reproduction of
that on file in either the recorder's or surveyor's
office, the Company assumes no liability for
variation, if any, with another or re-survey



STATE OF IDAHO

County of Boise

Peter A. Wierenga

, being duly sworn, deposes and says: that he is the manager and principal clerk of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and State of Idaho; the said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for two (2) consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy-eight weeks past previous to the first publication of this notice. Such notice was published in the issue beginning with 715 19 84 and ending with the issue of 712 19 84.

Peter A. Wierenga

STATE OF IDAHO

County of Boise

On this 12th day of July, 1984, before me, a Notary Public, personally appeared

Peter A. Wierenga

known or identified to me to be the person whose name subscribed to the within instrument and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Don J. Wierenga

Notary Public for Idaho

Boise, Idaho

Residing at

My commission expires: 9/14/1994

65-13018

INGRAM, CECIL D.
INGRAM, LOIS ANN
7025 EL CABBALLO
BOISE, ID 83704

Source: SCRIVER CREEK, Tributary PAYETTE RIVER, MIDDLE FORK, Diversion Pt. SENE Sec 27 T10N R04E, Use: IRRIGATION (.080 CFS), Date Filed 4/20/1989, In: T10N R04E S27 SENE, 25 ACRES TOTAL

65-13022

WOOD, JOHN W
WOOD, JOYCE M.
2627 MESA AVE
EMMETT, ID 83617

Source: SCRIVER CREEK, Tributary PAYETTE RIVER, MIDDLE FORK, Diversion Pt. LOT 3 (SESW) Sec 22 T10N R04E, NENW Sec 27 T10N R04E, Use: IRRIGATION (.040 CFS), STOCKWATER (.010 CFS), Date Filed 5/03/1989, In: T10N R04E S22 Lot 3 (SESW), S27 NENW, 2.0 ACRES TOTAL

65-13024

LINK, CLARENCE
RT 1, BOX 97
SWEET, ID 83670

Source: SPRING, Tributary, COON CREEK, Diversion Pt. NWNE Sec 32 T08N R02E, Use: STOCKWATER (.050 CFS), STOCKWATER STORAGE (.40 AF), STOCKWATER FROM STORAGE (.40 AF), Date Filed 5/09/1989, In: T08N R02E S32 NENW

65-13072

SHUTE, FREDERICK L.
1680 SHAW MT. RD.
BOISE, ID 83702

Source: PAYETTE RIVER, SOUTH FORK, Tributary, PAYETTE RIVER, Diversion Pt. LOT 11 (NESESW) Sec 6 T08N R05E, Use: IRRIGATION (.040 CFS), STOCKWATER (.020 CFS), DOMESTIC (.080 CFS), Date Filed 5/25/1989, In: T08N R05E S06 Lot 10 (SWSW) Lot 11 (SESW), 105 ACRES TOTAL

MICROFILMED

65-13073

FEB 27 1990

GUSTIN, WADE
GUSTIN, HELEN
328 W. DEWEY AVE
NAMPA, ID 83686

Source: PAYETTE RIVER, MIDDLE FORK, Tributary, PAYETTE RIVER, Diversion Pt. LOT 4 (NWNW) Sec 21 T09N R04E, Use: IRRIGATION (.030 CFS), Date Filed 5/02/1989, In: T09N R04E S21 Lot 4 (NWNW), 1.0 ACRES TOTAL

65-13074

MEINIKHEIM, ERIK RAMSDEN
DRY BUCK RANCH
P.O. BOX 32
BANKS, ID 83602

Source: SPRINGS, Tributary, PAYETTE RIVER, Diversion Pt. NWSE Sec 6 T08N R03E, NWNE Sec 7 T08N R03E, SESENE Sec 7 T08N R03E, Use: IRRIGATION (.400 CFS), STOCKWATER (.020 CFS), DOMESTIC (.020 CFS), Date Filed 4/07/1989, In: T08N R03E S05 Lot 6 (SWSW), S08 Lot 1 (NWNW) Lot 2 (SWNW), 88.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before JULY 24, 1989.

R. KEITH HIGGINSON, Director
Published in the Idaho World, Idaho City, Idaho, July 5 & 12, 1989.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

June 22, 2001

CECIL D INGRAM
LOIS ANN INGRAM
7025 EL CABALLO
BOISE ID 83704

RE License No 65-13018 - Issuance of License

Dear Water Right Holder(s)

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK kit

Enclosure(s)


MICROFILMED
SEP 19 2001

CERTIFICATE OF MAILING

I hereby certify that on June 22, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 65-13018

**CECIL D INGRAM
LOIS ANN INGRAM
7025 EL CABBALLO
BOISE ID 83704**

A handwritten signature in cursive script, reading "Kari Lynn Townsend", written over a horizontal line.

**Kari Lynn Townsend
Secretary**

**MICROFILMED
SEP 19 2001**

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and IDAPA Rules of Procedure 302 and 303)

SEP 19 2001

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

SEP 19 2001

LICENSE REVIEW CHECKLIST

Permit No 65-13018 Date 6-18-2001 Reviewer Kay Walker

Change/OK

Name/Address OK

Source OK
Point of Diversion OK

Does change clarify original intended source? If no, void permit.
Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)
W36 (overlap)
W59 (subdivision description)

Place of Use OK

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)
W27 (ppu acre limit)

Overlaps Right(s) 65-3221, 65-3223
File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion.

Permitted rate 0.08 cfs
Fee Limit 0.39 cfs
Measured 0.08 cfs
Theoretical _____ cfs

Recommended Total Diversion Rate 0.08

Water Uses OK

Change (P46)

Season of Use per new Standards

3-15 10-31

Irrigation 0.08 cfs 8.8 af
Stockwater _____ cfs _____ af
Domestic _____ cfs _____ af
_____ cfs _____ af
_____ cfs _____ af
Total 0.08 cfs 8.8 af

Irrigation - overlap(R58-R61, R62-R65, R66-R69)
supp. Gw (W87/065/104)
overlap spec combined rts (W35)
<1 acre (W31)
Domestic (W01/wb5/070/071/075)
Power (W42 or W43/025/027/R22 or R23)
Fish (042)
Fire (077)
Water Quality (081/R07)
Payette - (W22/047/27A)
Stockwater for US (R37)

Volume Determination

0.08 cfs x 1 9835 x 231 days = 36.7 af (vs) 2.5 acres x 3.5 (FHR) = 8.8 af
2.5 (con)

Remarks R04, R02, W60

Additional Conditions YES Watermaster Control 65M
_____ GW Measurement/Measuring Device
_____ Other
Trust R55 - remove 051)
Non-trust (048/049)

GW Dist? _____
Water Msmt. Dist? _____
Cnt. GWMA? _____
GWMA? _____
Government Lots? _____

Advance Priority? yes If yes, explain why below
no

SRBA Claim? not req'd

Adjust memo _____

Amend Letters _____ P87, S06 Second Amendment Notice _____ S06

* see examinee's narrative R67

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORTRECEIVED
AUG -3 2000
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-130181. Owner: Cecil D. Ingram Phone No. (208) 375-8876Current Address: 7025 El Cabballo, Boise, ID 837042. Accompanied by: Cecil D. Ingram Exam Date: 06/20/2000Address: 7025 El Cabballo, Boise, ID 83704 Phone No. (208) 375-8876Relationship to Permit Holder: Owner3. Source: Scriver Creek tributary to Payette River, Middle Fork

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 65-03221, 65-03223, 65-12103 and 65-123472. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Govt. Lot	1/4	1/4	1/4	SEC	TWP	RNG	County	Method of Determination/Remarks
			SE	NE	27	10N	04E	BOISE	USGS Quad Angle Map

2. Place(s) of Use: Indicate Method of Determination: USGS Quad Angle Map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
10N	04E	27				2.5													2.5

MICROFILMED
SEP 19 2001

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

SEE ATTACHED SHEET.

 X Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

 Aerial Photo Attached (required for irrigation of 10+ acres).

 X Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	unknown	5	unknown	Jacuzzi	unknown

**Code to correspond with No. on map and aerial photo*

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calibration Date
N/A						

2. Measurements: None. The pump was broken at the time of the examination.

MICROFILMED

SEP 19 2001

E. NARRATIVE/REMARKS/COMMENTS

The point of diversion and place of use are located in the SENE of Section 27, Township 10N, Range 04E. The place of use is also known as Lot 1 of Pine Tree Subdivision No. 4. The permit holder owns 2.503 acres per the Boise County Assessor. The pump was broken at the time of the exam, but Mr. Ingram was waiting for Valley Pump and Equipment Company to fix it. Water is diverted from Scriver Creek by a submerged pipe and then a 5 horsepower pump conveys the water through the 3-inch mainline to the handlines. Eight sprinklers are run at a time and the system is designed to deliver 40 gallons per minute. This provides approximately 5 GPM to each sprinkler. Dennis White of Valley pump could not remember exactly, which pump Mr. Ingram was using. He knew that it was a 5-hp Jacuzzi pump, but because it was an older model he could not find a pump curve. He gave me three pump curves for similar pumps (newer models). The capacities of these pumps range from 42 gpm to 163 gpm (0.09 cfs to 0.36 cfs). The permit limits the diversion rate to 0.08 cfs.

Water for in-house domestic use for the home on the property is supplied by a system for the neighborhood under rights 65-12103 and 65-12347. The property owners are encouraged not to use water from the Scriver Woods Homeowner's system, because the system does not have the capacity to provide water for in-house domestic use and irrigation. The homeowner's association is planning to install a pressurized irrigation system in the future. This future development would probably be covered under rights 65-03221 and 65-03223. These two right combined are allow 32 acres to be irrigated in the SENE of Sec. 27, T10N, R04E. At present the land owned by the permit holder is only being irrigate with water authorized by permit 65-13802.

The power box for the pump can be locked in a manner that will provide the watermaster will control over the point of diversion.

I recommend that this permit be licensed with a rate of diversion of 0.08 cfs, an annual volume of 8.8 AF, and a period of use of 04/01 to 11/01.

MICROFILMED
SEP 19 2001

Have the conditions of permit been met? X YES NO

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measurement Method: Pump curves - See attached pump curves

Range of possible diversion rates is 42 to 163 gpm

42 gpm x [1 cfs / 448.83 gpm] = 0.09 cfs

163 gpm x [1 cfs / 448.83 gpm] = 0.36 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2.5 \times 3.5 = 8.8 \text{ AFA}$$

$$V_{D,R} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.08 \text{ cfs} \times 231 \text{ days} \times 1.9835 = 36.7 \text{ AFA}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{D,R} = 8.8 \text{ AFA}$$

2. Volume Calculations for Other Uses:

N/A

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (AFA)
	From	To		
Irrigation	04/01	11/01	0.08 cfs	8.8 AFA
Totals:			0.08 cfs	8.8 AFA

2. Recommended Amendments

Change P.D. as reflected above Add P.D. as reflected above ☒ None

Change P.U. as reflected above Add P.U. as reflected above Other

I. AUTHENTICATION

Richard D. Hansen - Field Examiner


Field Examiner's Name Richard D. Hansen Date: 7/7/2000


Reviewer _____ Date: _____

seal

MICROFILMED

SEP 12 2001





MICROFILMED

SEP 19 2001


65-13018



"The Most Trusted Name In Water"

Model DC1-1/2 Performance for 3500 RPM

1-1/2" Discharge x 2" Suction



Performance Chart - 3500RPM

DC1 1/2 1 1/2" Discharge x 2" Suction			CAPACITIES GPM																	S C H (Ft)		
			Total Head in Feet																			
Model	HP	Imp. Dia.	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	220	240	260	280
3DC1-1/2	3	5-1/16"	130	120	108	92	70															
5DC1-1/2	5	5-13/16"			155	144	132	118	100	84	56											
75DC1-1/2	7-1/2	6-5/8"							180	170	160	150	130	110	80							
10DC1-1/2	10	7-5/16"											176	167	156	143	126	106				
15DC1-1/2	15	8-3/8"																	184	167	140	100

Note: All performance data based on rated nameplate voltage.

Ordering Information - DC1-1/2

Order No.	Model No.	HP	Mtr. Phase	Volt.	Amps	Svc. Fact.	Weight	Price
9312-0848	5DC1-1/2-S	5	1	230	26	1.15	142	\$1428.00
9312-0855	75DC1-1/2-S	7-1/2	1	230	39	1.15	162	1723.00
9312-1168	10DC1-1/2-S	10	1	230	42.8	1.15	190	1944.00
9312-0871	5DC1-1/2-T	5	3	230/460	13.4/5.7	1.15	98	1217.00
9312-0889	75DC1-1/2-T	7-1/2	3	230/460	19.6/9.8	1.15	132	1320.00
9312-0897	10DC1-1/2-T	10	3	230/460	25/12.5	1.15	171	1491.00
9312-0905	15DC1-1/2-T	15	3	230/460	40/20	1.15	175	1666.00


MICROFILMED

SEP 19 2001



Model DB1-1/2 Performance for 3500 RPM

1-1/2" Discharge x 2" Suction



Performance Chart - 3500RPM

DB1-1/2 1-1/2" Discharge x 2" Suction			CAPACITIES GPM																	Shut Off Head (Feet)
			Total Head In Feet																	
Model	HP	Imp. Dia.	25	30	35	40	45	50	60	70	80	90	100	110	120	130	140	150	160	
1DB1-1/2	1	3-15/16"	125	106	95	86	75	63											60	
15DB1-1/2	1-1/2	4-5/16"		123	118	112	106	95	78	50									75	
2DB1-1/2	2	4-5/8"			130	126	120	115	100	82	52								87	
3DB1-1/2	3	5-1/8"						144	132	118	103	86	62						110	
5DB1-1/2	5	5-3/4"									163	153	141	126	107	78			140	
75DB1-1/2	7-1/2	6-7/16"														170	165	135	130	170

Note: All performance data based on rated nameplate voltage

Ordering Information - DB1-1/2

Order No.	Model No.	HP	Mtr. Phase	Volt.	Amps	Svc. Fact.	Weight	Price
9312-0467	1DB1-1/2-S	1	1	115/230	17 0/8 5	1 50	50	\$ 718.00
9312-0475	15DB1-1/2-S	1-1/2	1	115/230	19 8/9.9	1 33	54	779.00
9312-0483	2DB1-1/2-S	2	1	115/230	22.6/11.3	1 25	58	884.00
9312-0491	3DB1-1/2-S	3	1	230	14 4	1.15	74	985.00
9312-0509	5DB1-1/2-S	5	1	230	26	1.15	122	1332.00
9312-0517	75DB1-1/2-S	7-1/2	1	230	39	1 15	184	1595.00
9312-0525	1DB1-1/2-T	1	3	208/230/460	4 7/4.4/2 2	1 50	47	746.00
9312-0533	15DB1-1/2-T	1-1/2	3	208/230/460	6 2/5 7/2.9	1.33	52	785.00
9312-0541	2DB1-1/2-T	2	3	208/230/460	7 2/6.5/3.2	1 25	55	808.00
9312-0558	3DB1-1/2-T	3	3	230/460	5 0/2 5	1 15	63	892.00
9312-0566	5DB1-1/2-T	5	3	230/460	13 4/5 7	1.15	102	1139.00
9312-0574	75DB1-1/2-T	7-1/2	3	230/460	19 6/9 8	1 15	110	1211.00


MICROFILMED
SEP 19 2001



"The Most Trusted Name in Water"™

Model DB1 Performance for 3500 RPM

1" Discharge x 1-1/2" Suction



Performance Chart - 3500RPM

DB1 1" Discharge x 1-1/2" Suction			CAPACITIES GPM																	Shut Off Head (Feet)
			Total Head In Feet																	
Model	HP	Imp. Dia.	25	30	35	40	45	50	60	70	80	90	100	110	120	130	140	150	160	
7DB1	3/4	4-1/4"	61	58	54	49	46	41	29										72	
1DB1	1	4-3/4"			67	63	59	56	46	36	20								84	
15DB1	1-1/2	5-3/16"						72	65	58	50	39	28						109	
2DB1	2	5-1/2"							74	68	61	53	45	33					122	
3DB1	3	6-1/8"									78	73	67	61	54	46	37		151	
5DB1	5	6-7/16"												80	74	68	62	53	42	174

Note: All performance data based on rated nameplate voltage

Ordering Information - DB1


Order No.	Model No.	HP	Mtr. Phase	Volt.	Amps	Svc. Fact.	Weight	Price
9312-0285	7DB1-S	3/4	1	115/230	14 8/7.4	1 50	42	\$655.00
9312-0293	1DB1-S	1	1	115/230	17 0/8 5	1 50	45	686 00
9312-0301	15DB1-S	1-1/2	1	115/230	19 8/9 9	1 33	55	747.00
9312-0319	2DB1-S	2	1	115/230	22.6/11 3	1 25	53	839.00
9312-0327	3DB1-S	3	1	230	14 4	1 15	74	932.00
9312-0335	5DB1-S	5	1	230	26	1 15	122	1212.00
9312-0376	2DB1-T	2	3	208/230/460	7 2/6 5/3 2	1 25	54	747.00
9312-0384	3DB1-T	3	3	230/460	5 0/2 5	1 15	64	843.00
9312-0392	5DB1-T	5	3	230/460	13 4/5 7	1.15	82	1057.00

MICROFILMED

SEP 19 2001

Power Box capable of being locked

P/D



MICROFILMED
SEP 1981


65-13018

P/u



↓ To the pump

P/u



MICROFILMED


SEP 19 2001

65-13018

P/u



P/u



MICROFILMED

SEP 19 2001

65-13018

6-20-00

Field Notes

65-13018

10 Sections of 3" pipe

10 handlines 2" pipe

5 hp Serial Code BKG

Foot Valve to 2" feed

Designed for
40 GPM

8 heads at a time

Pump is broken.

Will be repaired by
Valley Pump & Equip.
(Mr. White) - Emmett

MICROFILMED

SEP 19 2001

October 30, 1992

CECIL D. INGRAM
LOIS ANN INGRAM
7025 EL CABBALLO
BOISE ID 83704

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13018

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a lockable device to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the lockable device must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

NOV 19 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 65-13018

Reviewed by Klg

Date 10/28/92

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?

irrigate 2.5

yes Address same as permit?

yes Proof timely received?

Correct Uses? yes

If not, complete calculation below.

SOURCE OF WATER

☒ Surface water source

☐ Ground water source

NA Drilling permit required?

☐ Copy in the file? Drilling Permit No. _____

☐ Amount paid for permit _____ Correct?

☒ Well log in the file?

LICENSE EXAMINATION FEE

yes Required?

50 Amount Submitted

yes Correct?

MEASURING DEVICE

yes Required?

no Installed?

no Waiver requested?

PRIORITY CALCULATION

Date proof received NA

Date proof due / -

No. of days late / =

Priority Date / +

New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

proof acceptable

needs a lockable

DATA ENTRY

New Address _____

Proof Made 10/28/92

10/30/92 Klg

August 31, 1992

CECIL D. INGRAM
LOIS ANN INGRAM
7025 EL CABBALLO
BOISE ID 83704

PROOF DUE NOTICE

RE: PERMIT NO. 65-13018

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



RECEIVED

NOV 19 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 29, 1991

Cecil D. and Lois Ann Ingram
7025 El Caballo Drive
Boise, ID 83704

Re: Permit No. 65-13081

Dear Mr. and Mrs. Ingram:

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to November 1, 1992.

Please note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

If you have any questions or if I can be of any further assistance, please feel free to contact this office.

Sincerely,

Karen Gustafson
Karen L. Gustafson
Secretary/Records Manager

Enclosure

C: Western Region

RECEIVED
NOV 20 1991

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 65-13018Reviewed by KLGDate 10/29/91

BASIC INFORMATION

- ☒ Date stamp received 9/17/91
☒ Extension received timely (not too early not too late)
☒ Fee received and receipted
☒ Name and signature same as permit
AD Address change

BASIS FOR EXTENSION REQUEST

- ☒ Has adequate work been completed to demonstrate due diligence?
Has the cost incurred been adequate to demonstrate an intent to complete the project?
Has the permit been involved in litigation?
a. Swan Falls _____ Dismissed from Swan Falls _____
Other _____ Identify _____
b. Is supporting documentation needed to complete the file? _____
Requested _____
c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

- Is delay by a government agency?
Is supporting documentation needed to complete the file? _____
Requested? _____

ACTION TAKEN

11/1/92 Recommend approval for one year
Based on due diligence.

Reinstate Date extension received _____ = _____
Proof due date _____ = _____
No. of days late _____ = _____
Priority date _____ = + _____
ADJUSTED PRIORITY DATE _____ = _____

DATE ENTRY

AD Change proof due date _____ Address change
Priority date change _____

138017
August 31, 1991

CECIL D. INGRAM
LOIS ANN INGRAM
7025 EL CABBALLO
BOISE, ID 83704

PROOF DUE NOTICE

RE: PERMIT NO. 65-13018

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED
NOV 20 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
January 30, 1990

CECIL D. INGRAM
LOIS ANN INGRAM
7025 EL CABBALLO
BOISE, ID 83704

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 65-13018

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Natural flow of the Payette River is fully appropriated except during periods of flood flow. Your permit is conditioned to require you to obtain storage water to compensate for your diversion of natural flow from the river. The amount of storage which you will be required to obtain is approximately 3 acre-feet per acre of irrigated ground. You will be notified in the future of the necessity to obtain storage water.

Be sure to note the special condition requiring you to install a lockable device that will provide the watermaster control on your diversion.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of

RECEIVED

FEB 27 1990

Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

FEB 27 1990

2.5
103

PPD } 10N 4E S.27 SENE
P/M }

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: RW DATE: 6-12-89 APPLICATION: 65-13018

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume) Gov't. Lots:
☒ Period of use: NO P/D
☒ Nature of proposed use: (Include description of use) NO P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

- ☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
 ☒ Overlapping point of diversion:
 ☒ Field check required: Field check by:
 ☒ Field report attached:
 ☒ Critical groundwater area:
 ☒ Groundwater management area:
 ☒ Send dam safety information:
 ☒ Send power requirement letter:
 ☒ Send fish farm requirement letter:
 ☒ Power residency affidavit:
 ☒ Power efficiency form:
 ☒ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
 ☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
 ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED:

☒ Additional information on reverse side:

RECEIVED
AUG 15 1989

Department of Water Resources

PROCESSING

YES NO

☒ ☐
☐ ☒
☒ ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # _____

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☒
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☒

Publication dates and paper recorded on application:

Protests received. Final date for protest July 24, 1989

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approved, DWR

Measuring device required:

Measuring port required:

Water delivered by water master? District # 65M-Scriver Ck.

Special conditions of approval or cover letter:

26 A (Recommend that 2 years be allowed for completion of this project.)

See below for additional information

Recommended Date or Priority 4/20/1989

Recommended by: DWR

Date 8/8/1989

STATE OFFICE REVIEW

P71 P17 59 05(65-M) 26 01 H 57

See below for additional information. By KW

Date 9/21/89

ADDITIONAL INFORMATION

P/u overlap: 65-03221 Irr. Pine Tree Ranch
65-03223

65-13018

INGRAM, CECIL D.
INGRAM, LOIS ANN
7025 EL CABBALLO
BOISE, ID 83704

Source: SCRIVER CREEK

Tributary: PAYETTE RIVER, MIDDLE FORK

Diversion Pt: SENE Sec 27 T 10N R 04E

Use: IRRIGATION (.080 CFS)

Date Filed: 4/20/1989

In: T10N R04E S27 SENE

2.5 ACRES TOTAL

RECORDED

FEB 27 1990