


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

SEP 06 1989

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Nathan S. Allison
(Applicant)
Lisa D. Allison

Affidavit of Publication

Copy of Notice

STATE OF IDAHO,
COUNTY OF PAYETTE

SS.

Appls for Water Right (Allison)
TITLE OF PUBLICATION

SPONSOR OR PLAINTIFF

Dept. of Water Resources
PLAINTIFF OR LEGAL AGENT

I, Dorothy Mason, being

duly sworn, deposes and says:

That she is the principal clerk of THE INDEPENDENT-ENTERPRISE, a weekly newspaper published at Payette, in the County of Payette and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Payette; that the advertisement, a copy of which is attached hereto, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of said paper during the period and time of publication, and was published in the newspaper proper and not a supplement; that said paper has been established and regularly published for more than seventy-eight consecutive weeks prior to the date of first publication of said advertisement.

Such notice was published in the issue beginning with

April 19, 1989, and ending with the issue of April 26, 1989.

Subscribed and sworn to before me this 27th day

of April, 1989.

Marilyn J. Rhinehart
Notary Public, Residing at Payette, Idaho.

My Commission Expires 11-28, 1992.

STATEMENT

Independent-Enterprise
PAYETTE, IDAHO

Number of Lines 21 lines

Number of Insertions two

21 Lines @ .81 . . . \$ 17.01

21 Lines @ .72 . . . \$ 15.12

TOTAL COST
WILL BE \$ 32.13

NOTICE OF APPLICATION FOR WATER RIGHT
The following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-13009

ALLISON, NATHAN GLENN
ALLISON, LISA DEE
1845 NE 10TH AVE.
PAYETTE, ID 83661

Source: FORTY NINE SLOUGH Tributary: PAYETTE RIVER

Diversion Pt: SWSE Sec. 3 T 08N R 05W

Use: IRRIGATION (.200 CFS)

Date Filed: 3/29/1989

IN: T08N R05W S03 SWSE

10.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before MAY 8, 1989.

No. 1155

R. KEITH HIGGINSON, Director
April 19, 26

RECEIVED

APR 28 1989

Department of Water Resources
Western Regional Office

MICROFILMED

SEP 06 1989

No 1155

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Nathan and Lisa Allison Permit No. 05-13009
Current Address: 1845 NE 10th Ave., Payette, Idaho 83661 Phone No. 642-4136
2. Accompanied by: Nathan Allison EXAM. DATE: 7-11-91
Address: same Phone No. same
Relationship to Permit Holder: owner
3. Source: 49 Slough tributary to Payette River

B. OVERLAP REVIEW

1. Other water rights with same place of use: 05-00165X, 05-4102, 05-0527,
05-0564, 05-8898, 05-11413 ☐ Copies Attached
2. Other water rights with same point of diversion: 05-4102, 05-0527, 05-0564,
05-8898 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = Not to scale.

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

MICROFILMED
JUL 30 1992

PERMIT 65-13009 INIT

T. R. S. Q/Q

P/D 8NSW 3 SUSE

SCALE

PHOTO ID.



P/D Q

RECEIVED
JUL 30 1992

PERMIT 65-13009 INIT _____
T. R. S. Q/Q
8N 5W 3 SWSE



C 4

Not to Scale

MICROFILMED
JUL 30 1992

65-13009

#1

Pump and diversion
system



#2

View of mainline
going underground
near pump.



MICROFILMED
JUL 30 1992

65-13009



#3

View of mainline
crossing the source -
49 Slough



#4

Place of use
and sprinklers
where measurement
was taken located
East of diversion

MICROFILMED
JUL 30 1992

65-13009



#5

Place of use
located North
of diversion.

MICROFILMED
JUL 30 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13009

Priority: March 29, 1989

Maximum Diversion Rate: 0.19 CFS
Maximum Diversion Volume: 45.0 AF

This is to certify, that NATHAN GLENN ALLISON
LISA DEE ALLISON

1845 NE 10TH AVE
PAYETTE ID 83661

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 29, 1989; and has submitted Proof of Beneficial Use on August 1, 1990. An examination indicates that the works have a diversion capacity of .190 cfs of water from:

FORTY NINE SLOUGH tributary to PAYETTE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.19 CFS	45.0 AF

LOCATION OF POINT(S) OF DIVERSION: SWSE , Sec. 3, Township 08N, Range 05W
PAYETTE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
08N	05W	3	SWSE	10		10

Total number of acres irrigated: 10

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.

MICROFILMED

JUL 30 1992

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 65-13009

CONDITIONS/REMARKS:

6. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
7. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 16TH
day of July, 1992.


Acting for R. Keith Higginson, Director

RECORDED

JUL 30 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant LISA DEE Allison
Nathan^{on} Glenn Allison Phone 642-4136
Post office address 1845 NE 10th Ave. PAYETTE ID 83661
2. Source of water supply Forty Nine Slough which is a tributary of Payette River
3. Location of point of diversion is _____ 1/4 of SW 1/4 of SE 1/4, Govt. Lot _____
Sec. 3 Township 8N Range 5W B.M. Payette County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .20 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .20 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Pump in Slough w/pipe to
Sprinklers


b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

SEP 06 1989

8. Description of proposed uses (if irrigation only, go to item 9):

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile

SEP 06 1989

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Nathan S. Allison
(Applicant)
Lisa S. Allison

Proposed Priority 3/29/89

Received by RW Date 3/29/89 Time 2:30 Preliminary check by SC

Fee \$ 30.00 Receipted by RW # W002497 Date 3/29/89

Publication prepared by GG Date 4-12-89 Published in Independent Enterprise

Publication approved st Date 5-10-89 4/19 & 4/26/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 65-13009, and said application is hereby APPROVED.

1 Approval of said application is subject to the following limitations and conditions.

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this permit.

Use of water under this permit is subject to control by the watermaster of State Water District No. 65, Payette River.

Witness my hand this 5th day of July, 1989.

A. Glen Saylor

MICROFILMED

SEP 06 1989

Affidavit of Publication

Copy of Notice

STATE OF IDAHO,
COUNTY OF PAYETTE

SS.

Appl. for Water Right (Allison)
TITLE OF PUBLICATION

SPONSOR OR PLAINTIFF

Dept. of Water Resources
PLAINTIFF OR LEGAL AGENT

I, Dorthy Mason, being

duly sworn, deposes and says:

That ~~s~~he is the principal clerk of
THE INDEPENDENT-ENTERPRISE, a weekly newspaper published at
Payette, in the County of Payette and State of Idaho; that said paper
has been and is in general circulation in the county aforesaid, and in
the vicinity of Payette; that the advertisement, a copy of which is
attached hereto, was published in said newspaper once a week for
two consecutive weeks in the regular and entire issue of said
paper during the period and time of publication, and was published
in the newspaper proper and not a supplement; that said paper has
been established and regularly published for more than seventy-eight
consecutive weeks prior to the date of first publication of said adver-
tisement.

Such notice was published in the issue beginning with
April 19, 1989, and ending with the issue
of April 26, 1989.

Subscribed and sworn to before me this 27th day
of April, 1989.

Mailep J. Rhinehart
Notary Public, Residing at Payette, Idaho.

My Commission Expires 11-28, 1992

STATEMENT

Independent-Enterprise
PAYETTE, IDAHO

Number of Lines 21 lines

Number of Insertions two

21 Lines @ .81 . . . \$ 17.01

21 Lines @ .72 . . . \$ 15.12

TOTAL COST
WILL BE \$ 32.13

RECEIVED

APR 28 1989

Department of Water Resources
Western Regional Office

MICROFILMED

SEP 06 1989

Nº 1155

65-13009

September 10, 1992

MEMO TO FILE:

From: Carolyn Andregg

During the spring and summer of 1992, drought conditions caused record low flows in the Snake River. Twice, the flow of the Snake River fell below 4,750 cfs, the minimum stream flow at the Weiser gauge. Notices were mailed to the water user listed under this right because the priority is later than July 1, 1976, in order to protect the Snake River minimum stream flow. The following is a chronological history of the mailings.

May 19, 1992: Letter sent to water right holder informing holder of possible temporary cessation of diversion rights and notice of public meetings.

June 8, 1992: Letter sent informing water right holder directing immediate cessation of diversion of water until further notice.

June 12, 1992: Letter sent to water right holder authorizing resumption of diversion of water.

June 26, 1992: Letter sent to water right holder directing immediate cessation of diversion of water until further notice.

June 29, 1992: Letter sent to water right holder authorizing resumption of diversion of water.

July 21, 1992

NATHAN GLENN ALLISON
LISA DEE ALLISON
1845 NE 10TH AVE
PAYETTE ID 83661

RE: WATER RIGHT NO. 65-13009

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED
JUL 30 1992

June 29, 1992

NATHAN GLENN ALLISON
LISA DEE ALLISON
1845 NE 10TH AVE
PAYETTE ID 83661

RE: WATER RIGHT NO. 65-13009

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MINNED
JUL 30 1992

LICENSE REVIEW CHECKLIST

Permit # 65-13009

Date 6-16-92
CB

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance _____
	☐	☒	Order to Reinstate Needed? _____
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended? _____
	☐	☒	Disagree with Actual Measurement? _____
	☐	☒	<u>10 x .02 = .20 allowable / .19 cfs (IRR) per capacity</u>
	☐	☒	Disagree with Theoretical? <u>= .207</u>
	☒	☐	Limited by Capacity? <u>.19 cfs (Measurement)</u>
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
	☐	☒	Disagree with Examiner's Calculations? _____
	☐	☒	<u>10 x 4.5 = 45 afa (IRR)</u>
			Limited by Flow? <u>.19 x 245 x 1.9835 = 92.3 > 45</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source _____
	☐	☒	Notice of Intent to Void. _____
P/D			Verify with Map
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration? _____
P/U			Verify with Map
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration? _____
USES	☐	☒	Change(s) in Nature of Use? _____
	☐	☒	Amendment Needed? _____
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? _____
	☐	☒	Non-Irr. Uses _____
	☐	☒	Special Overlap Condition _____
	☐	☒	Other _____
CONDITIONS	<u>R02</u>	☐	Measuring Device
	<u>R04</u>	☐	W/Master Control
	<u>R32</u>	☐	Overlap
	☐	☒	Water Quality
			DATES/MISC
			<u>65</u> Water Dist.
		☒	App Rec'd
		☒	Exam Made

COMMENTS/MEMOS NEEDED: Reduced Rate

License ☐ 10-Day ☒ 15-Day ☐ Special Correspondence _____

(WATER RIGHT NUMBERS THAT BEGIN WITH AN "A" ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE Lt	NE Ac	SW Lt	SW Ac	SE Lt	SE Ac	NE Lt	NE Ac	SW Lt	SW Ac	SE Lt	SE Ac	SUM
L6513009	TORN ROW S 3 FORTY NINE SLOUGH													10
A6500165A	PAYETTE RI	01-15	02-25	38	11	03-28	04-16	29	33	18-05-13	06-48	33	36	39
A6500165B	PAYETTE RI	01-15	02-25	38	11	03-28	04-16	29	33	18-05-13	06-48	33	36	39
A6500165C	PAYETTE RI	01-15	02-25	38	11	03-28	04-16	29	33	18-05-13	06-48	33	36	39
A6500165X	PAYETTE RI	01-15	02-25	38	11	03-28	04-16	29	33	18-05-13	06-48	33	36	39
A6500165X	PAYETTE RI	01-15	02-25	38	11	03-28	04-16	29	33	18-05-13	06-48	33	36	39
6502894	GROUNDWATE					03-15								15
6503952	FORTY NINE													4
6504475	FORTY NINE								01					1
A6504475	FORTY NINE								01					1
6506070	WASTE WATE									05-13	06-17			30
A6506070	WASTE WATE									05-13	06-17			30
6506073	FORTY NINE													2
6506217	FORTY NINE									02				1
6506218	GROUNDWATE									01				1
A6506218	GROUNDWATE													1
6506334	FORTY NINE													10
A6506334	GROUNDWATE													10
A6507862	GRAVEYARD	01-15	02-25	38	11	03-28	04-16	29	33	18-05-13	06-48	33	36	39
6509154	FORTY NINE													3
6509320	GROUNDWATE													2
6511413	GRAVEYARD	01-15	02-25	38	11	03-28	04-16	29	33	18-05-13	06-48	33	36	39
A6511413	GRAVEYARD	01-15	02-25	38	11	03-28	04-16	29	33	18-05-13	06-48	33	36	39
6512129	FORTY NINE													1
6513009	FORTY NINE													10
6513234	GROUNDWATE													3
6513246	FORTY NINE													3
--86 MAP--	C75a-V 53													
NO QTRS	MAPPING	Lot01-19	Lot02-21	Lot03-23	Lot04-20	Lot05-33	Lot06-23	Lot07-09						309

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Nathan and Lisa Allison Permit No. 05-13009
Current Address: 1845 NE 10th Ave. Payette, Idaho 83661 Phone No. 642-4136
2. Accompanied by: Nathan Allison EXAM. DATE: 7-11-91
Address: same Phone No. same
Relationship to Permit Holder: owner
3. Source: 49 Slough tributary to Payette River

B. OVERLAP REVIEW

1 Other water rights with same place of use: 05-00165X, 05-4102, 05-0527, 05-0564, 05-8898, 05-11413 ☐ Copies Attached
2 Other water rights with same point of diversion: 05-4102, 05-0527, 05-0564, 05-8898 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1 **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = Not to scale

MICROFILMED
JUL 30 1992

2. ☒ Copy of U.S.G.S Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 5 HP pump draws water from the 4" through into a 6" steel discharge pipe. One foot from the pump the 6" pipe becomes a fused mainline that "T's" to a 190" vertical to a moor and 320 feet downstream along the plough with moor. At the pump the 6" pipe is called to take water across the slough and underground to a mainline at over 300' long. Elevation is by 3" sandstone with 64 merged spindles, 19 were being used and 7 were

☒ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Metcalf	5-	VUC184TDR79	Br. & Long	18" 21E90B
			094WL		

**Code to correspond with No. on map and aerial photo*

5. Point(s) of Diversion:

[illegible]

6 Place(s) of Use:

[illegible]

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
sprinkler pressure gauge						
pilot tube						

2. Measurements:

Seven sprinkler head measurements on $\frac{1}{4}$ nozzles taken at various locations. 2 @ 54 psi and 5 @ 55 psi

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

* 55 psi @ $\frac{1}{4}$ = 4.37 gpm x 19 = 83.03 gpm = .19 cfs.

(Examiners Handbook)

2. Alternate Method for Checking Purposes:

$\frac{5 \times 8.8 \times .7}{10 + (2.3 \times 60)} = .21 \text{ cfs.}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 10 \times 4.5 = 45 \text{ afa}$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .19 \times 246 \times 1.9835 = 92.7$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 45 \text{ afa}$

2. Volume Calculations for Other Uses

None

MICROFILMED

JUL 30 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

measured at a range from 54-55 psi.

The combination of this permit and other irrigation district water should not exceed .02 cfs or 4.5 cfs per acre.

Diversion rate is limited to system capacity of .19 cfs.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	.19 cfs	45 afa
Totals:			.19 cfs	45 afa

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

JFW 2/18/92


Signature

Melvin T. Schulte

Certification Date

Field Report Preparation Date

7-25-91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JUL 30 1992

AS 13009 INIT

S. 8/9

8/5/91 3 SUSE

ID.



PERMIT 65-13009 INIT _____
T. R. S. Q/Q
8N 5W 3 SWSE

3-12.4

C 4

Not To Scale


100'

65-13009



#1

Pump and diversion
system



#2

View of mainline
going underground
near pump.

MICROFILMED
JUL 30 1992

65-13009



#3

View of mainline
crossing the source -
49 Slough



#4

Place of use
and sprinklers
where measurement
was taken located
East of diversion

MICROFILMED
JUL 30 1992

65-13009



#5

Place of use
located North
of diversion.

MICROFILMED
JUL 30 1992

August 13, 1990

NATHAN GLENN ALLISON
LISA DEE ALLISON
1845 N.E. 10TH AVE.
PAYETTE, ID 83661

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13009

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a lockable device to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

/ The installation of the lockable device must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

AUG 31 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 65-13009

Date: 8-9-90

General Considerations:

☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change NO If yes, prepare a data entry
☒ Proof received timely
☐ Reinstated

Source of Water:

☒ Surface water
☐ Groundwater
☒ 1. well log in file
☒ 2. drilling permit
☒ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks: *Lockable Device Required*

Proof Acceptable

Priority Calculation:

Date proof received	<u>NA</u>	
Date proof due		
No. of days late		
Priority date		
NEW PRIORITY DATE		

SEND FILES TO DATA *DB* ENTRY AND THEN TO MICROFILM

RECEIVED
AUG 1 1990

STATE OF IDAHO

Department of Water Resources DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Fee Received \$ 50.00

Date 8/1/90

Receipt # 2017876

Receipt by [Signature]

Reviewed by [Signature] 8-9-90

Sent to region

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 65-13009

Name(s) of Permit Holder: Nathan Glenn Allison, Lisa Dee Allison

Post Office Address: 1845 NE 10th Ave, Payette Idaho 83661

Telephone No. (208)-642-4136

Source of Water: 59 Slough A tributary of Payette, River

Extent of Use:

Domestic (number of households) Stockwater (number and type of stock)

Irrigation 10 (acres) Other/Remark

Total rate and/or volume for which proof is submitted .020 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: 7/26/90

Measuring Device: Required? Yes ☒ No
Installed? Yes ☒ No

Fee enclosed \$ 50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes ☒ No
Installed? Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Lisa Dee Allison (208)-642-4136
(Name) (Telephone Number)

1845 NE 10th Ave Payette, Idaho 83661
(Address)

The above information is my true statement of the extent to which the above numbered permit is being used and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

AUG 31 1990

7/26/90
Date

Nathan G. Allison
Signature of Permit Holder (and title, if appropriate)

138841
May 31, 1990

NATHAN GLENN ALLISON
LISA DEE ALLISON
1845 N.E. 10TH AVE.
PAYETTE, ID 83661

PROOF DUE NOTICE

RE: PERMIT NO. 65-13009

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

AUG 31 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
July 6, 1989

NATHAN GLENN ALLISON
LISA DEE ALLISON
1845 NE 10TH AVE.
PAYETTE, ID 83661

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 65-13009

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a lockable device that will provide the watermaster control on your diversion.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

NOT RECORDED

SEP 06 1989

8N SW S. 2 SWSE

Form No. 202a.

4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: SC DATE: 4/3/89 APPLICATION: 65-13009

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality title of signator is required)
☒ Fee:
☒ yes ☐ No* In form to receipt:
- Gov't. Lots:
N P/D
N P/U

ADDITIONAL INFORMATION

YES NO

- ☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion:
☐ Field check required: Field check by: _____
☐ Field report attached:
☐ Critical groundwater area:
☐ Groundwater management area:
☐ Send dam safety information:
☐ Send power requirement letter:
☐ Send fish farm requirement letter:
☐ Power residency affidavit:
☐ Power efficiency form:
☐ Within trust water boundry: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☐ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

☒ Additional information on reverse side:

RECEIVED
JUN 26 1989

Department of Water Resources

PROCESSING

YES NO

- ☒ In form for advertising:
☒ Statewide advertising:
☒ Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

- ☐ I.D. Health and Welfare
☐ I.D. Fish and Game
☐ I.D. Lands
☐ Adjudication Bureau

YES NO

- ☐ U.S. BLM
☐ U.S. Forest Svc.
☐ Water District # _____
☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

- ☒ Affidavit of publication received:
☒ Application published correctly: If not, record action taken.

- ☒ Publication dates and paper recorded on application:
☒ Protests received, Final date for protest May 8, 1989
☒ Protests, dates, resolution of protest recorded on application:
☒ Recommendations attached: Approved, DWR
☒ Measuring device required:
☒ Measuring port required:
☐ Water delivered by water master? District # 65
☐ Special conditions of approval or cover letter: (see additional info. below)
☐ See Below For Additional Information
Recommended Date of Priority 3/29/1989
Recommended by: DWR Date 6/23/89

STATE OFFICE REVIEW

P01, P16 01H 05 (65, Payette River)

See below for additional information. By kw

Date 6/28/89

ADDITIONAL INFORMATION

Overview

P16 - 4 wells

P16 - 65-00165X

65-11413

Payette River, irrig. 39 ac. in applicant's tract. } Lower Payette
gravel and gold washing, irrig. 39 ac. " " } inter cbr

4 domestic wells: 65-04102, 06527, 06564, 08898.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

APRIL 12, 1989

Independent Enterprise
P.O. Box 520
Payette, ID 83661

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MAY 8, 1989.

Yours truly,

JUDY PENSE
Secretary

Encl.

MICROFILMED

SEP 06 1989

65-13009

ALLISON, NATHAN GLENN
ALLISON, LISA DEE
1845 NE 10TH AVE.
PAYETTE, ID 83661

Source: FORTY NINE SLOUGH

Tributary: PAYETTE RIVER

Diversion Pt: SWSE Sec 3 T 08N R 05W

Use: IRRIGATION (.200 CFS)

Date Filed: 3/29/1989

In: T08N R05W S03 SWSE

10.0 ACRES TOTAL

MICROFILMED

SEP 06 1989