


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. Sec. 15 - T18N - R3E - Boise Meridian-Valley(N $\frac{1}{2}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$)



Scale: 2 inches equal 1 mile.

Legal description attached

FEB 27 1990

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Maurin Blahut
(Applicant)

Publisher's Affidavit of Publication

STATE OF IDAHO }
 .SS

County of Valley

I, Maggie Aganew, being duly sworn and say, I am the receptionist of The Central Idaho Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the NOTICE OF APPLICATION FOR WATER RIGHT, a copy of which is enclosed hereto and in a part hereof, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began April 19, 1989, and ended April 26, 1989.

M. A. Aganew
 Subscribed and sworn before me this the 4th day of May, 1989.

STATE OF IDAHO }
 COUNTY OF VALLEY }

On this 4th day of May, in the year of 1989, before me, a Notary Public, personally appeared Maggie Aganew, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Tom Grote

Tom Grote
 Notary Public for Idaho
 Residing at McCall, Idaho
 Commission Expires: 1993

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-13006 ✓
 HEIKKILA FUNERAL CHAPEL C/O MR. & MRS. MARVIN HEIKKILA P.O. BOX AR, MC CALL, ID 83638
 Source: GROUNDWATER
 Diversion Pt: NWSW Sec 15 T 18N R 03E
 Use: COMMERCIAL (.040 CFS)
 DOMESTIC (.040 CFS)
 Date Filed: 3/27/1989
 In: T18N R3E S15 NWSW
 65-13010

MC GINNIS, CHESTER C. P.O. BOX 39, DONNELLY, ID 83615
 Source: POND

Diversion Pt: NESW Sec 34 T 17N R 03E
 Use: IRRIGATION (1.600 CFS)
 IRRIGATION STORAGE (1.70 AF)
 IRRIGATION FROM STORAGE (1.70 AF)
 Date Filed: 12/06/1988
 In: T17N R03E S34 NESW SESW
 80.0 ACRES TOTAL

65-13011
 MC GINNIS, CHESTER C. P.O. BOX 39, DONNELLY, ID 83615

Source: GROUNDWATER
 Diversion Pt: SESW Sec 17 T 18N R 03E
 Use: IRRIGATION (.180 CFS)
 DOMESTIC (.280 CFS)
 Date Filed: 12/06/1988
 In: T18N R03E S17 SESW
 9.0 ACRES TOTAL

65-13012
 SYLVAN BEACH MUTUAL CORP. C/O ALLEN R. DERR P.O. BOX 1006 BOISE, ID 837011006

Source: BIG PAYETTE LAKE
 Tributary: PAYETTE RIVER, NORTH FORK
 Diversion Pt: SESENE Sec 28 T 19N R 03E

Use: IRRIGATION (.080 CFS)
 DOMESTIC: (1.920 CFS)
 Date Filed: 3/22/1989
 In: T19N R03E S28 Lot 2 (SWNE) Lot 3 (SENE) Lot 4 (SENE)
 6.0 ACRES TOTAL

65-13013
 JUGHANDLE CORP P.O. BOX 1324 MC CALL, ID 83638

Source: GROUNDWATER
 Diversion Pt: SENENE Sec 7 T 17N R 04E, SENENE Sec 7 T 17N R 04E, NESENE Sec 7 T 17N R 04E
 Use: IRRIGATION (.440 CFS) DOMESTIC (.350 CFS)

Date Filed: 11/03/1988
 In: T17N R04E S07 NENE NWNE SWNE SENE

NENW Lot 1 (NWNW) SWNW SENW NESWNWSW NESENE NWSE
 24.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before MAY 8, 1989.

R. KEITH HIGGINSON, Director
 2/4/26

RECEIVED
 MAY 5 1989

Department of Water Resources
 Western Regional Office

RECEIVED

FEB 27 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
APR 25 1991
Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Mauri R. Keikkila Permit No. 65-13006
Current Address: P.O. Box AR, McCall, Idaho 83638 Phone No. 634-2220
2. Accompanied by: Mauri Keikkila EXAM. DATE: 7-24-90
Address: same Phone No. same
Relationship to Permit Holder: Owner
3. Source: groundwater tributary to none

B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-7325 ☒ Copies Attached
2. Other water rights with same point of diversion: 65-7325 ☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Lawn acreage:

$$\begin{array}{r} \sim 10710 \\ 440 \\ \hline 4600 \\ \hline 15,750 \text{ ft}^2 \end{array}$$

= .4 ac

not counting home
estimate home
at < .1 ac.

Total ~ .5 ac

MICROFILMED
AUG 06 1991

Scale: 1" = 50'

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).



PERMIT 65-13006 INIT
T. R. S. Q/Q
P/D 18N 3E 15 NWSW
SCALE
PHOTO ID. S10

PID+PIU




AUG 06 1991



Jeffries

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources, within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name: <u>JEFFRIES, IRVING</u> Address: <u>Box 111, Hill, Idaho</u> Phone: <u>208-338-1111</u>		7. WATER LEVEL Static water level: <u>5.1</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F Quality <u>good</u>																			
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement Abandoned (describe method of abandonment) _____		8. WELL TEST DATA 1. Pump ☐ 2. Bailer ☒ 3. Air ☐ Other _____ <table border="1"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td><u>15</u></td> <td><u>76</u></td> <td><u>1</u></td> </tr> </tbody> </table>		Discharge G.P.M.	Pumping Level	Hours Pumped	<u>15</u>	<u>76</u>	<u>1</u>												
Discharge G.P.M.	Pumping Level	Hours Pumped																			
<u>15</u>	<u>76</u>	<u>1</u>																			
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste disposal or injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"> <thead> <tr> <th>Depth</th> <th>Material</th> <th>Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes No</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>2</td> <td></td> </tr> <tr> <td>2</td> <td>19</td> <td></td> </tr> <tr> <td>19</td> <td>22</td> <td></td> </tr> <tr> <td>22</td> <td>26</td> <td></td> </tr> </tbody> </table>		Depth	Material	Water	From	To	Yes No	0	2		2	19		19	22		22	26	
Depth	Material	Water																			
From	To	Yes No																			
0	2																				
2	19																				
19	22																				
22	26																				
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____																					
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ Casing: <u>2 1/2"</u> inches <u>1</u> inch <u>1</u> foot <u>69</u> feet Was casing driven? ☒ Yes ☐ No Was a packer or seal? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforations _____ inches by _____ inches Number of perforations _____ from _____ feet to _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Or oval packed? ☐ Yes ☒ No ☐ Size of gravel _____ feet to _____ feet Placed from _____ feet to _____ feet Surface seal depth <u>19</u> Material used in seal: ☒ Cement grout ☐ Pudding clay ☐ Well casing Sealing procedure used: ☐ Sherry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent ☐ Cemented between joints Describe screen part: <u>Sanitary Well Seal</u>																					
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Valley</u> <u>S. 14. N. 54. W. Sec. 15. T. 18N. R. 3E. W. 4.</u>		10. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Jefferies Drilling Co.</u> Firm No. <u>355</u> Address <u>Box 111, Hill, Idaho</u> Date <u>4-6-79</u> Signed by (Firm Official) <u>Ralph H. Statton</u> and (Operator) <u>Ralph H. Statton</u>																			

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

AUG 06 1991

65-13006

Picture #1



Wellhead located approximately 50' South of the funeral home and 180' North of the residence.

Picture #2



Pressure tank location and relays and gauges in basement closet of funeral home

MISFILMED

AUG 06 1991

65-13006

Picture #3

Residence and lawn
that use water under
domestic portion
of permit.



Picture #4

Funeral home that
uses water under
commercial portion
of permit.



REGISTERED

AUG 06 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13006

Priority: March 27, 1989

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
1.3 AF

This is to certify, that HEIKKILA FUNERAL CHAPEL
MARVIN R. HEIKKILA
MRS. MARVIN R. HEIKKILA

P.O. BOX AR
MC CALL, ID 83638

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 27, 1989; and has submitted Proof of Beneficial Use on October 17, 1989. An examination indicates that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.04 CFS	0.1 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.04 CFS	1.3 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 15, Township 18N, Range 03E
VALLEY County

PLACE OF USE: COMMERCIAL
TWN RGE SEC

18N 03E 15 NWSW

PLACE OF USE: DOMESTIC, same as COMMERCIAL use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Commercial use is for a funeral chapel.
6. Domestic use is for 1 home.

AUG 06 1991


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13006

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 18th
day of July, 1991.

Acting for


R. Keith Higginson, Director

AUG 06 1991

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13006

Proposed Priority: March 27, 1989

Maximum Diversion Rate:

0.08 CFS

This is to certify, that **MARVIN R. HEIKKILA**
HEIKKILA FUNERAL CHAPEL
MRS. MARVIN R. HEIKKILA
P.O. BOX AR
MC CALL, ID 83638

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
COMMERCIAL	01/01 to 12/31	0.04 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.08 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWSW

Sec. 15, Township 18N, Range 03E
VALLEY County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

18N 03E 15 NWSW

PLACE OF USE: DOMESTIC, same as COMMERCIAL use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **November 1, 1990**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Commercial use is for funeral chapel.
5. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

10th day of October, 1989

R. Keith Higginson
for R. Keith Higginson, Director
RECORDED

FEB 27 1990

RECEIVED
Form 202
785
MAR 27 1989

Ident. No 65-13006

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Department of Water Resources
Western Regional Office

To appropriate the public waters of the State of Idaho

1. Name of applicant Heikkila Funeral Chapel & ^{or/} Mr. and Mrs. Marvin R. Heikkila Phone 634-2220
Post office address P.O. Box AR, McCall, Idaho 83638
2. Source of water supply Groundwater which is a tributary of N. Fork of Payette ^{N/A}
3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Govt. Lot
Sec. 15 Township 18N Range 3E B.M. Valley County; additional
points of diversion if any _____
4. Water will be used for the following purposes:
Amount .04 for Commercial * ~~operate business~~ purposes from Jan 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .04 for DM DOMESTIC purposes from Jan 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .08 and/or (b) _____
cubic feet per second ^{acre feet per annum}
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. pump and pipelines *


b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 6" inches; proposed depth of well is 75 feet
MICROFILMED
d. Is ground water with a temperature of greater than 90°F being sought? no
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
Completed Apr. 79 ^{*} years (minimum 1 year).
(Assume one year)

* item 4, commercial use from item 8c, domestic use from item 8d.
item 6, assume from well system.
item 7, assume one year, system in place.

52 3/31/89

* converted per typed info in item 13 and confirmed via follow up with W. Assessor's office 4/14/89. Application attempted to describe NWSM with horizontal instead of vertical interpretation of chart.

13. Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number. Sec. 15 - T18N - R3E - Boise Meridian-Valley(N $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$)



Scale 2 inches equal 1 mile

Legal description attached

FEB 27 1990

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Maurice B. B. B.
(Applicant)

Received by nl Date 3-27-89 Time 1:00 P.M. Preliminary check by RZ
Fee \$ 30.00 Receipted by ZH # 12002480 Date 3-27-89
Publication prepared by GG Date 4-12-89 Published in Star News
Publication approved AT Date 5-10-89
4/19 & 4/26/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____

1 Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED
FEB 27 1989

Publisher's Affidavit of Publication

STATE OF IDAHO }
 }.ss
County of Valley

I, Maggie Aganew, being duly sworn and say, I am the receptionist of The Central Idaho Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the NOTICE OF APPLICATION FOR WATER RIGHT, a copy of which is enclosed hereto and in a part hereof, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number there of during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began April 19, 1989, and ended April 26, 1989.

M. A. Aganew
Subscribed and sworn before me this the 4th day of May, 1989.

STATE OF IDAHO }
COUNTY OF VALLEY }

On this 4th day of May, in the year of 1989, before me, a Notary Public, personally appeared Maggie Aganew, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Tom Grote
Tom Grote
Notary Public for Idaho
Residing at McCall, Idaho
Commission Expires 1993

RECEIVED
MAY 5 1989

Department of Water Resources
Western Regional Office

RECEIVED

FEB 27 1990

July 22, 1991

HEIKKILA FUNERAL CHAPEL
MARVIN R. HEIKKILA
MRS. MARVIN R. HEIKKILA
P.O. BOX AR
MC CALL, ID 83638

RE: WATER RIGHT NO. 65-13006

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED
AUG 06 1991

July 2, 1991

HEIKKILA FUNERAL CHAPEL
MARVIN R. HEIKKILA
MRS. MARVIN R. HEIKKILA
P.O. BOX AR
MC CALL, ID 83638

RE: WATER RIGHT NO. 65-13006

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

AUG 06 1991

ED

LICENSE REVIEW CHECKLIST

Permit No. 65-13006

Name/Address change? ok

Priority date Advance? yes no

Memo to advance no

Order to reinstate needed? yes no

Total cfs

Limited by fee OK

Limited by capacity 280% 24 = .04 cfs

Total volume

Limited by flow N/A

Chart checked for AF rate/ac N/A

Capacity

Actual measurement checked N/A

Theoretical checked N/A

If greater than permit, check for other rts no

Source

Changed? yes no

If so, is memo needed to clarify? no

P/D

Verify with map permit

More than one per 1/4 Remember remark no

Check p/d overlap N/A

Uses

Check irrigation period of use w/ chart N/A

P/U

Verify with map permit

> 5 acres irrigated, run overlap N/A

Remarks

More than one p/d in 1/4

Description of non-irrig uses no

Special overlap condition no

Conditions -

Measuring device no

W.Master control no

Overlap no

Water quality no

Other no

Dates/Misc. -

Water Dist no

App Rec'd no

Proof Rec'd no

CHECK FOR ADJ. CLAIM

Needed according to proof filed no

Filed - needs amended no

Add'l fee required no

Not filed - no

Not needed proof made 1989

Comments/Changes to Examiner's Recommendations:

License no

10-day no

30-day no

Back of field report signed? no

Reviewer S. Curtis

Date 6/24/91

Review time 7

AUG 06 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

65-13006
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

☒ Blank Field Report Form

☒ Copy of Permit

☒ Copies of any Amendments/Orders with conditions of approval

Yes Well Inspection Form Needed

☒ Copy of U.S.G.S. Quad

No Lots Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index 7-11-90 - MTS (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☒ Other: _____

Check of P/U index MTS 7-11-90 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☒ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? 7-11-90 MTS (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

☒ Fully completed and signed Field Report Form

☒ Photographs of Point of Diversion and Place of Use

C. Review and Processing:

Exam Completed _____ (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent gll 4-16-91 (Initial and date)

Exam Reviewed by Manager of Regional Office DM 4/18/91 (Initial and date)

Exam Date Entered in Computer ✓ (Initial and date)

Exam sent to State Office 4-24-91 (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
APR 25 1991

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Marvin R. Heikkila Permit No. 65-13006
Current Address: P.O. Box AR, McCall, Idaho 83638 Phone No. 634-2220
2. Accompanied by: Marvin Heikkila EXAM. DATE: 7-24-90
Address: same Phone No. same
Relationship to Permit Holder Owner
3 Source: groundwater tributary to none

B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-7325 ☒ Copies Attached
2. Other water rights with same point of diversion: 65-7325 ☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Lawn acreage:
~ 10,710
440
4600
15,750 ft²
= .4 ac
not counting home
estimate home
at .1 ac.
Total ~ .5 ac

MICROFILMED
AUG 06 1991

Scale: 1" = 50'

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more)
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Carver's 6" diameter well with 2 HP submersible pump that supplies water through a buried pipe approximately 50' to a pressure tank located in the basement of Carver's home. From the pressure tank water is delivered by a buried line about 180' long to a home with a small lawn area. Water is used in the funeral home for lawn watering, restrooms, ~~car~~ vehicle washing and embalming.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Unknown	Unknown	3/4	Unknown	Unknown	Unknown

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
					15	18N	3E	Valley	Aerial photo and map

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4	NW 1/4	SE 1/4	SW 1/4	NE 1/4	NW 1/4	SE 1/4	SW 1/4	NE 1/4	NW 1/4	SE 1/4	SW 1/4	NE 1/4	NW 1/4	SE 1/4	SW 1/4	Totals
18N	3E	15																	P/C

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q = \frac{.75 \times 8.8 \times .7}{76 + (2.3 \times 30)} = \frac{4.62}{121} = .033 = .03$$

2. Alternate Method for Checking Purposes:

76 = Dynamic level
52 = Static

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

See attached for commercial use.

Domestic use internal & external .6 x 2 = 1.2

Assuming this includes entire associated lawn area.

MICROFILMED

AUG 06 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Other right in same Q@ does not affect this permit.

See attached worksheet for Commercial usage requirements. Information obtained from Melvin T. Schulte during exam and water quantities from Examiners Handbook. Commercial CFS is based on minimum allowed and afa on actual usage by permit owner.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1-1	12-31	.04 .03	1.2
Commercial	1-1	12-31	.04 .03	.1
Totals:			.08 .03	1.3

(cannot exceed system capacity)

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above


☒ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name Melvin T. Schulte
 Signature Melvin T. Schulte
 Certification Date _____
 Field Report Preparation Date 8-9-90

CYH 4-16-91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

AUG 06 1991

65-13006 Heikkila Funeral Home
Commercial use:

60 embalmings a year @ 30 gal. ea = 1800 gallons gpy
(Comparable to a personal shower)

Employees?
2 x 240 days x 15 gal = 7200 gpy

15 services per year @ 100 person ave.
attendance - 20% use restroom.

20 x 15 = 300 x 5 gallons = 1500 gpy

Washing machine @ 30 gallons per load
times 60 times a year = 1800 gpy.

Wash hearse and car 30 times
a year @ 30 gallons each = 900 gpy

~~Lawn area = 16,100 sq ft = .4 ac
Sprinklers set at 20 x 20 spacing = 400 sq ft
16,100 ÷ 400 = 40 sprinklers - GPM for
2 sprinklers = .48 @ 30 min settings -
.48 x 20 sets x 30 min = 288 gallons per watering.
Water season = 5 months @ 2 times
per week = 40 waterings
288 x 40 =~~

Lawn volume covered
under domestic - don't add in
here too.


13,200

17,520 ÷ 325,850 = .05 of ac = .1 of ac
= .04 = .1

AUG 06 1991

520 gallons

17,520 gpy
13,200 gpy



PARK
STATE

PERMIT 65-13116 INIT

T. R. S. Q/Q

P/D 18N 3E 15 100

SCALE

PHOTO ID. 310

P10+P14

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 65-13006

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 18N, Rge 3E, Sec. 15, NW 1/4 SW 1/4 or Lot .
2. Owner: MARVIN R. HEIKKILA
Address PO Box AR, Devilard Lane, City McCall, St. ID.
3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐
4. Access Port: Yes ☒ No ☐ Static Water Level: 50'
Pressure Gauge: Yes ☒ No ☐ Not open Casing Diameter: 8"
Flowing: Yes ☐ No ☒ Temperature:
5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: gauge read 90 psi which is not correct - had rust and water in gauge.

RECEIVED
AUG 06 1991

Jeffries

WELL DRILLER'S REPORT


Form for reporting the results of a well drilled by the Bureau, Department of Water Resources, is to be filled out after the completion or abandonment of the well.

1. WELL OWNER Name <u>Jeffries</u> <u>11-12-11</u> Address <u>Box 111</u> <u>Highway 34140</u> County & Parcel No. _____	2. WATER LEVEL Static water level _____ feet below land surface. Pumping rate _____ G.P.M. flow _____ Artesian character _____ Corrected to _____ Temperature _____																														
3. NATURE OF WORK ☒ New well ☐ Deepened ☐ Restoration Abandoned indicate method of abandonment _____	4. WELL TEST DATA L. Pumping rate _____ Flow rate _____ Head pressure _____																														
5. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Yes ☐ Stocked ☐ Industrial ☐ Stock ☐ Water depend on irrigation ☐ Other _____ (Specify type)	6. LITHOLOGIC LOG <table border="1"> <thead> <tr> <th>Depth</th> <th>From</th> <th>To</th> <th>Description</th> <th>Notes</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>0</td> <td>2</td> <td>TOP SOIL</td> <td></td> </tr> <tr> <td>2</td> <td>2</td> <td>12</td> <td>CLAYED SAND & GRAVEL</td> <td></td> </tr> <tr> <td>3</td> <td>12</td> <td>22</td> <td>CLAYED SAND & GRAVEL</td> <td></td> </tr> <tr> <td>4</td> <td>22</td> <td>32</td> <td>CLAYED SAND & GRAVEL</td> <td></td> </tr> <tr> <td>5</td> <td>32</td> <td>42</td> <td>CLAYED SAND & GRAVEL</td> <td></td> </tr> </tbody> </table>	Depth	From	To	Description	Notes	1	0	2	TOP SOIL		2	2	12	CLAYED SAND & GRAVEL		3	12	22	CLAYED SAND & GRAVEL		4	22	32	CLAYED SAND & GRAVEL		5	32	42	CLAYED SAND & GRAVEL	
Depth	From	To	Description	Notes																											
1	0	2	TOP SOIL																												
2	2	12	CLAYED SAND & GRAVEL																												
3	12	22	CLAYED SAND & GRAVEL																												
4	22	32	CLAYED SAND & GRAVEL																												
5	32	42	CLAYED SAND & GRAVEL																												
6. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dig ☐ Other _____	7. WELL CONSTRUCTION Casing schedule ☐ Steel ☐ Concrete ☐ Other _____ Perforations _____ Flow rate _____ Flow pressure _____ Flow temperature _____ Flow character _____ Flow rate _____ Flow pressure _____ Flow temperature _____ Flow character _____																														
8. LOCATION OF WELL Sketch map location must agree with section location. Section Name _____ Lot No. _____ Block No. _____ County <u>Valley</u> State <u>N.S.</u> <u>N. Sec. 15</u> <u>T. 12N.</u> <u>R. 3E.</u> <u>W. 11.</u>	9. DRILLER'S CERTIFICATION I hereby certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Jeffries Drilling Co.</u> Firm No. <u>225</u> Address <u>Box 111, Highway 34140</u> Signed by Firm Official <u>Jeffries</u> Date <u>4-6-77</u>																														

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHOLE COPY TO THE DEPARTMENT


65-13006

Picture #1



Wellhead located
approximately 50'
South of the funeral
home and 180' North
of the residence.

Picture #2



Pressure tank location and
relays and gauges in
basement closet of funeral
home

NOT FILMED

AUG 06 1991

65-13006

Picture #3

Residence and lawn
that use water under
domestic portion
of permit.



Picture #4

Funeral home that
uses water under
commercial portion
of permit.



RECEIVED

AUG 06 1991

December 21, 1989

MARVIN R. HEIKKILA
MRS. MARVIN R. HEIKKILA
HEIKKILA FUNERAL CHAPEL
P.O. BOX AR
MC CALL, ID 83638

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13006

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

Microfilm

FEB 27 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 65-13006

Date: 12/19/89

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change NO If yes, prepare a data entry
☒ Proof received timely
☐ Reinstated

Source of Water:

- ☐ Surface water
☒ Groundwater
☒ 1. well log in file 1979
☐ 2. drilling permit
☐ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☐ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- ☒ NO Is a measuring device or access port required?
☐ Has one been installed?
☐ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Priority Calculation:

Date proof received	<u>NA</u>	
Date proof due		
No. of days late		
Priority date		
NEW PRIORITY DATE		

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

OCT 17 1989

For Office Use Only
Fee Received D.K. 50⁰⁰
Date 10-18-89
Receipt # C012345
Receipt by D.K.
Reviewed by 12/12/89
Sent to region

STATE OF IDAHO Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 65-13006 Mrs. Marvin R. Heikkila
Name(s) of Permit Holder: Marvin R. Heikkila - Heikkila Funeral Chapel
Post Office Address: P.O. Box AR - McCall Ida 83638
Telephone No. 634-2220

Source of Water: Ground water

Extent of Use:

Domestic One (number of households) Stockwater _____ (number and type of stock)
Irrigation _____ (acres) Other/Remark Funeral Chapel

Total rate and/or volume for which proof is submitted 004 Domestic
004 F.C. cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: Oct. 10, 1989

Measuring Device: Required? Yes ☒ No
Installed? Yes ☒ No
Fee enclosed \$ 50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes ☒ No
Installed? Yes ☒ No
Well Drilled 1979
as per plan conv.
12/20/89

Person to contact to accompany the Department representative during the field examination:

Marvin R. Heikkila 634-2220
(Name) (Telephone Number)

P.O. Box AR - McCall Ida 83638
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

FILED

FEB 27 1990

10/14/89
Date

Marvin R. Heikkila
Signature of Permit Holder (and title, if appropriate)

WELL DRILLER'S REPORT

State law requires this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Mr. HINKLE HINKLE 1000 E. 1st St. Idaho Owner's Permit No. _____	7. WATER LEVEL Static water level <u>52</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF Quality <u>good</u>																																			
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☐ Pump ☐ Baker ☒ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr> <td><u>25</u></td> <td><u>76</u></td> <td><u>1</u></td> </tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>25</u>	<u>76</u>	<u>1</u>																													
Discharge G.P.M.	Pumping Level	Hours Pumped																																		
<u>25</u>	<u>76</u>	<u>1</u>																																		
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Stocked ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Depth</th> <th>From</th> <th>To</th> <th>Material</th> <th>Notes</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>2</td> <td></td> <td>TOP SOIL</td> <td>X</td> </tr> <tr> <td>2</td> <td>19</td> <td></td> <td>Cemented sand & gravel</td> <td>Y</td> </tr> <tr> <td></td> <td></td> <td></td> <td>RAILROADS</td> <td></td> </tr> <tr> <td>19</td> <td>72</td> <td></td> <td>Cemented sand & gravel</td> <td>X</td> </tr> <tr> <td></td> <td></td> <td></td> <td>RAILROADS</td> <td></td> </tr> <tr> <td>72</td> <td>96</td> <td></td> <td>Sand & gravel</td> <td>X</td> </tr> </tbody> </table>	Depth	From	To	Material	Notes	0	2		TOP SOIL	X	2	19		Cemented sand & gravel	Y				RAILROADS		19	72		Cemented sand & gravel	X				RAILROADS		72	96		Sand & gravel	X
Depth	From	To	Material	Notes																																
0	2		TOP SOIL	X																																
2	19		Cemented sand & gravel	Y																																
			RAILROADS																																	
19	72		Cemented sand & gravel	X																																
			RAILROADS																																	
72	96		Sand & gravel	X																																
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	RECEIVED MAY 11 1979 Department of Water Resources Western Regional Office Boise, Idaho RECEIVED MAY 11 1979 Department of Water Resources Western Regional Office Boise, Idaho																																			
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>From</th> <th>To</th> <th>Notes</th> </tr> </thead> <tbody> <tr> <td><u>260</u> inches</td> <td><u>1</u> inch</td> <td><u>1</u> foot</td> <td><u>19</u> feet</td> </tr> </tbody> </table> Was casing driven down? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>19</u> Material used in seal: ☒ Cement grout ☐ Pudding clay ☐ Well casing Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overhaul to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent ☐ Weld Describe casing port <u>SANITARY WELL SEAL</u>		Thickness	From	To	Notes	<u>260</u> inches	<u>1</u> inch	<u>1</u> foot	<u>19</u> feet																											
Thickness	From	To	Notes																																	
<u>260</u> inches	<u>1</u> inch	<u>1</u> foot	<u>19</u> feet																																	
6. LOCATION OF WELL Sketch map location must agree with written location. Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Valley</u> <u>SW</u> x <u>SW</u> x <u>Sec. 15</u>, T. <u>18N</u> N.R. <u>3E</u> S.W.	10. Work started <u>4-6-79</u> Finished <u>4-6-79</u> 11. DRILLERS CERTIFICATION (We certify that all minimum well construction standards were complied with at the time the rig was removed.) Firm Name <u>Teach Drilling Co.</u> Firm No. <u>255</u> Address <u>RT. 1, Dracelly, Idaho</u> Date <u>4-6-79</u> Signed by (Firm Official) <u>Robert H. Gentry</u> and (Operator) <u>Robert H. Gentry</u>																																			

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

FEB 27 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
October 11, 1989

MARVIN R. HEIKKILA
MRS. MARVIN R. HEIKKILA
HEIKKILA FUNERAL CHAPEL
P.O. BOX AR
MC CALL, ID 83638

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P65-13006

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

FEB 27 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

FEB 27 1990

Form No. 202a.
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: 82 DATE: 4/3/89 APPLICATION: 65-13006

REQUIRED INFORMATION

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
Address:
Source: (See USGS Quad for names of water sources)
Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
County:
Quantity: (flow and/or volume) Gov't. Lots:
Period of use: N P/D
Nature of proposed use: (Include description of use) N P/U
Description of diverting works:
Time required for beneficial use of water:
Place of use or acres irrigated:
Map:
Signature: (If applicant is corp., partnership, or municipality title of signator is required)
Fee:
☒ yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO
☒ ☐ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ ☐ Overlapping point of diversion:
☐ ☒ Field check required: Field check by: _____
☐ ☒ Field report attached:
☐ ☒ Critical groundwater area:
☐ ☒ Groundwater management area:
☐ ☒ Send dam safety information:
☐ ☒ Send power requirement letter:
☐ ☒ Send fish farm requirement letter:
☐ ☒ Power residency affidavit:
☐ ☒ Power efficiency form:
☐ ☒ Within trust water boundry: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐ ☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☐ ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

☒ Additional information on reverse side:

RECEIVED
JUL 03 1989

Department of Water Resources

PROCESSING

YES NO

- ☒ In form for advertising:
☒ Statewide advertising:
☒ Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

- ☐ I.D. Health and Welfare
☐ I.D. Fish and Game
☐ I.D. Lands
☐ Adjudication Bureau

YES NO

- ☐ U.S. BLM
☐ U.S. Forest Svc.
☐ Water District # _____
☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

- ☒ Affidavit of publication received:
☒ Application published correctly: If not, record action taken.

- ☒ Publication dates and paper recorded on application:
☒ Protests received, Final date for protest May 8, 1989
☒ Protests, dates, resolution of protest recorded on application:
☒ Recommendations attached: Approve, DAD
☒ Measuring device required:
☒ Measuring port required:
☒ Water delivered by water master? District # 65K-705
☒ Special conditions of approval or cover letter: (see additional info. below)
☒ See Below For Additional Information
Recommended Date of Priority 3/27/1989
Recommended by: DAD Date 6/29/1989

STATE OFFICE REVIEW

P05, P23 P16 46

See below for additional information. By KW Date 9-29-89

ADDITIONAL INFORMATION

Overlay
P/D 65-07325 different well
P/U " " " for domestic use elsewhere.
DEAD END Ditch approved permanent
EST. 1978

MEMORANDUM

TO: FILE

FROM: KAY WALKER

RE: LISTING OF OFFICIALS IN ORGANIZATION

DATE: 28-SEP-1989

=====

On Sept. 27, 1989, I prepared "Notice of Pending Order Voiding Application for Permit" for this file due to the non-response to my correspondence. Once the notice was reviewed by Gary, it was decided that this filing did not need to comply with the requirement.

MicroFILMED

FEB 27 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

July 21, 1989

RE: Application for Permit No. 65-13006

Heikkila Funeral Chapel, Inc.
Mr. & Mrs. Marvin R. Heikkila
P.O. Box AR
McCall, ID 83638

Dear Mr. & Mrs. Heikkila:

We have received your application for permit, for commercial and domestic purposes, from our Western Regional Office for final review. However, prior to final action being taken on the application we need to have a list of the names, titles and addresses of all persons entitled to take action in regard to this water right. This is a requirement of the Department's Water Appropriation Rules and Regulations.

Please submit this information within the next thirty (30) days so we can continue processing your application.

Sincerely,

A handwritten signature in cursive script that reads "Kay Walker".

KAY WALKER
Technical Records Specialist

KW:hm

cc: Western Region

RECORDED

FEB 27 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

APRIL 12, 1989

The Star News
P.O. Box 985
McCall, ID 83638

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MAY 8, 1989.

Yours truly,

JUDY PENSE
Secretary

Encl.

MICROFILMED

FEB 27 1990

65-13006

HEIKKILA FUNERAL CHAPEL
C/O MR. & MRS. MARVIN HEIKKILA
P.O. BOX AR
MC CALL, ID 83638

Source: GROUNDWATER

Diversion Pt: NWSW Sec 15 T 18N R 03E

Use: COMMERCIAL (.040 CFS)
DOMESTIC (.040 CFS)

Date Filed: 3/27/1989

In: T18N R3E S15 NWSW

MICROFILMED

FEB 27 1990