




TION RAE

SPU 3

P.D.

MICROFILMED

See attached map
submitted with application
for correct locations. 5/2 3/17/89

SEP 06 1989

Heidi G. and/or Nellie Labrum
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 18 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-12992

1. Owner: GERALD G. & Nellie Labrum

Phone No. 466-2571

Current Address: 412 3rd ST. South, Nampa, ID 83651

2. Accompanied by: NO PARTY AVAILABLE. Conducted

EXAM. DATE: 6/7/93

Address: EXAM alone.

Phone No. SAME

Relationship to Permit Holder: Applicant

3. Source: Spring tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: many - See overlap sheet

☐ Copies Attached


2. Other water rights with same point of diversion: many - See overlap sheet

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).


☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached

(required for irrigation of 10 acres or more)


RECEIVED
OCT 22 1993



PERMIT 65-12992 INIT EC
T. R. S. Q/D
P/D DN YE 13 SESW
SCALE
PHOTO ID. V-11 Pike Creek

OCT 22 1993

RECORDERS PLAT LIGHTNING CREEK SUBDIVISION



Boise County Idaho me
Request of
Bureau of Reclamation
Time 1453 M 71
Date 5/23/81
#127581
Arlene C. K. lar
By [Signature]
Doc
Fee 36

RICHARD A. JOHNSON

SHEET 4 OF 7



PHOTO ONE-

Pump house located approximately 200' SW of homes. The home with the shiny roof is one of two homes served by spring.



OCT 22 1993

PHOTO TWO-

Pump mounted atop 5' x 9' concrete storage tank.



PHOTO THREE-

Back of pump house where 1" overflow pipe is located.



OCT 22 1993

PHOTO FOUR-

The Two homes served by Spring. (To LEFT of photo, back-to-back).

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 65-12992

Priority: March 7, 1989

Maximum Diversion Rate:
Maximum Diversion Volume:

0.01 CFS
1.2 AF

This is to certify, that GERALD G LABRUM
NELLIE LABRUM

412 3RD ST SOUTH
NAMPA ID 83651

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated March 7, 1989; and
has submitted Proof of Beneficial Use on July 25, 1989. An examination indicates
that the works have a diversion capacity of .010 cfs of water from:

HANEY SPRING

tributary to PAYETTE RIVER, MIDDLE FORK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.01 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSESW , Sec. 13, Township 10N, Range 04E
SESESW , Sec. 13, Township 10N, Range 04E
BOISE County

PLACE OF USE: DOMESTIC
TWN RGE SEC

10N 04E 13 SESW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.

RECORDED

OCT 22 1993


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 65-12992

CONDITIONS/REMARKS:

7. Single point of diversion located on or near line between SESESW and SWSESW, S13, T10N, R04E.
8. Place of use is located within Lot 56, Lightning Creek Subdivision.
9. Domestic use is for 2 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 24TH day of SEPTEMBER, 1993.

Acting for  R. Keith Higginson, Director

OCT 22 1993

APPROVED

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-12992

RECEIVED
SEP 13 1993
Department of Water Resources

Date of Priority: March 7, 1989

Maximum Diversion Rate:
Maximum Diversion Volume:

0.01 CFS
1.2 AF

Comes now

GERALD G LABRUM
NELLIE LABRUM

412 3RD ST SOUTH
NAMPA ID 83651

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 65-12992, and requests that the permit be changed as follows:

Source: HANEY SPRING

tributary to PAYETTE RIVER, MIDDLE FORK

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

ANNUAL VOLUME

DOMESTIC

01/01 to 12/31

0.01 CFS

1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSEW , Sec. 13, Township 10N, Range 04E
SESEW , Sec. 13, Township 10N, Range 04E
BOISE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

10N 04E 13

SESW

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Nampa, this 10 day of Sept, 19 93

Gerald G. Labrum
(Signature)

NOTARIZED

OCT 22 1993

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-12992

FOR DEPARTMENT USE ONLY

Preliminary check by BC Fee = 20.00 Received by gw # C028546 Date 9-13-93 ✓

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 65-12992 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
7. Single point of diversion located on or near line between SESESW and SWSESW, S13, T10N, R04E.
8. Place of use is located within Lot 56, Lightning Creek Subdivision.
9. Domestic use is for 2 homes.

Witness my hand this 24th day of SEPTEMBER, 1993.

Acting for R. Keith Higginson, Director

RECORDED

OCT 22 1993

RECEIVED
JUL 25 1989

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by _____
Sent to region _____

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 65-12992

Name(s) of Permit Holder: GERALD G. LABRUM AND/OR NELLIE LABRUM

Residence Address: 412 3RD ST. SO. NAMPA, IDAHO

Telephone No. 466-2571 / 466-8178

Source of Water: SPRING

Extent of Use:

Domestic 2 (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre-foot

Show the date water was first diverted and beneficially used under this permit: 1973

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ 0
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

SAME AS ABOVE
(Name)

466-2571 / 466-8178
(Telephone Number)

412 3RD ST. SO. NAMPA, IDAHO
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

SEP 06 1989

7-24-89
Date

Gerald G. Labrum
Signature of Permit Holder (and title, if appropriate)

MAR 07 1989

Ident No 65-12992

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Gerald G. & Nellie Labrum Phone 466-2571
Post office address 412 3rd St. So., Nampa, ID 83651
2. Source of water supply Spring which is a tributary of Payette River, Middle Fork
3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 13 Township 10N Range 4E B.M. Boise County; additional
points of diversion if any: NWSESW, Sec. 13, T10N, R4E
4. Water will be used for the following purposes:
Amount 04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 04 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Existing box and pipeline
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year).

MICROFILMED

SEP 06 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 2 (internal use, per telecon with Applicant 3/17/89, SL)
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
10N	4E	13									D								

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

65-11201

11. a. Who owns the property at the point of diversion? Chuck Schell or *
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Spring may be on line of 10 acre tracts.

Place of use is Lot 56, Lightning Ck. Subdiv. *

MICROFILMED

SEP 06 1989

* See 3/17/89 conu. memo. SL



7

12

EM 3120

Tie Creek
Campground

BOUNDARY

Gulch

18

FOREST

2-8-81
18 PM SW

FB

19

Lake

EM 3109

Creek

26

Footbridge

3093

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

TION RAE

SP4/3
x
P.D.

MICROFILMED

See attached map
submitted with application
for cohort locations. 82 3/17/89

Scale 2 inches equal 1 mile

SEP 06 1989

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Gerald H. and/or Nellie Larsen
(Applicant)

Proposed Priority 3/7/89

Received by KSY Date 3-8-89 Time 11:30 AM Preliminary check by SL
Fee \$ 30⁰⁰ Receipted by SL # W002370 Date 3/9/89 *check rec'd with appl 3/7/89 SL*
Publication prepared by GG Date 3-29-89 Published in Idaho World
Publication approved st Date 4-25-89 4/5 & 4/12/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 65-12992, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Use of water under this permit is subject to control by the watermaster of State Water District No. 65, Payette River.

Witness my hand this 19th day of July, 1989.

J. Glen Saylor

MICROFILMED

SEP 06 1989



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 27, 1993

GERALD G LABRUM
NELLIE LABRUM
412 3RD ST SOUTH
NAMPA ID 83651

RE: WATER RIGHT NO. 65-12992

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact this office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

Microfilm
OCT 22 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 8, 1993

GERALD G LABRUM
NELLIE LABRUM
412 3RD ST SOUTH
NAMPA ID 83651

RE: WATER RIGHT NO. 65-12992

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 14 days.

If you do not concur with these findings or if you have any questions, please contact me within the 14-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

OCT 22 1993

WR0749NP
No. L65-12992

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 09/03/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	GERALD G LABRUM	03/07/1989	DOMESTIC	01-01 12-31	0.01 CFS	1.2 AFA
C	NELLIE LABRUM					
	412 3RD ST SOUTH			TOTAL DIVERSION:	0.01 CFS	1.2 AFA
	NAMPA ID 83651					
	(208) 466-2571					

Water Source: HANEY SPRING

Tributary to: PAYETTE RIVER, MIDDLE FORK

Stage: LICENSE

Point(s) of Diversion Capacity: 0.01 CFS

Point(s) of Diversion: T10N R04E S13 SW SE SW SE SE SW

Place of use Legal Description for: DOMESTIC

				NE				NW				SW				SE									
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:		
			:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:
10N	04E	13	:					:					:					:						:	

Pou County: BOISE

~~Non-Irrigation Uses: DOMESTIC 2 HOMES~~

Other Rights: 65-11201

Other Water Rights Listing Overlapping Place(s) of use:
65-03560 65-10370 65-10529

Conditions of Approval:

- 004 - The issuance of this right in no way grants any right-of-way or easement across the land of another.
- R04 - Use of water under this water right will be regulated by the watermaster of State Water District No. 65.

Remarks: Single point of diversion located on or near line between SESESW and SWSESW, S13, T10N, R04E.
Place of use is located within Lot 56, Lightning Creek Subdivision.
Domestic use is for 2 homes.

Dates: App. Received: 03/07/1989 Priority Date: 03/07/1989
Proof Due Date: 08/01/1990 Proof Made Date: 07/25/1989
Exam Made Date: 06/07/1993 Exam Sent to S.O.: 08/16/1993
Licensed Date:

Misc: Water District Number: 65 Field Exam Fee: N (Not Required)

Audit: 09/03/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 65-12992

Date 4-3-93

Brenda Chapman

	Yes	No	
NAME	<u> </u>	<u> </u> ✓	Or Address Change?
PRIORITY DATE	<u> </u>	<u> </u> ✓	Advance? <u> </u> Memo to Advance <u> </u>
	<u> </u>	<u> </u> ✓	Order to Reinstate Needed?
	<u> </u>	<u> </u> -NA-	Incorrect Fee for rate recommended?
SOURCE	<u> </u>	<u> </u> ✓	Changes? Clarification of Originally Intended source <u>HANEY SPRING</u>
	<u> </u>	<u> </u> ✓	Notice of Intent to Void - Source change.
P/D	<u> </u>	<u> </u> CORRECT	Amendment Needed? <u>ON OR NEAR LINE BETWEEN SESESW + SW SESW</u>
	<u> </u>	<u> </u> ✓	Is Overlap Analysis a Consideration?
P/U	<u> </u>	<u> </u> ✓	Amendment Needed? <u>CHANGED TO SESW</u>
	<u> </u>	<u> </u> ✓	Is Overlap Analysis a Consideration?
TOTAL CFS	<u> </u>	<u> </u> ✓	Disagree/Measurement <u>5 GAL BUCKET</u>
	<u> </u>	<u> </u>	<u>At OVERFLOW at COLLECTION BOX =</u>
	<u> </u>	<u> </u>	<u>2 gpm = .01 CFS (DON'T USE FROM PRESSURE TANK)</u>
	<u> </u>	<u> </u> NOT APPLICABLE	Pumping Theoretical <u>8.8 x .70 x</u>
	<u> </u>	<u> </u>	<u>+ 2.31 x</u>
	<u> </u>	<u> </u>	System Capacity <u>.01</u>
	<u> </u>	<u> </u>	Allowable Amount: <u>SYSTEM CAPACITY</u>
TOTAL VOLUME	<u> </u>	<u> </u> ✓	Disagree with Examiner's Calculations?
	<u> </u>	<u> </u>	<u>2 gpm @ .6 = 1.2</u>
	<u> </u>	<u> </u> ✓	Flow limit: <u>.01 x 365 x 1.9835 = 7.23</u>
	<u> </u>	<u> </u>	Season Recommended <u> </u>
USES	<u> </u>	<u> </u> ✓	Change(s) in Nature of Use? <u> </u>
	<u> </u>	<u> </u> ✓	Amendment Needed? <u> </u>
REMARKS	<u> </u>	<u> </u> ✓	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u> </u>	<u> </u>	Special Overlap Condition <u> </u>
	<u> </u>	<u> </u>	Other <u> </u>
CONDITIONS	<u> </u>	<u> </u> ✓	Measuring/Locking Devices <u> </u> Misc/Dates <u> </u>
	<u> </u>	<u> </u>	W/Master Control <u>65</u> Water Dist <u> </u>
	<u> </u>	<u> </u> ✓	Irrigation Overlap <u> </u> App Rec'd <u> </u>
	<u> </u>	<u> </u> ✓	Water Quality <u> </u> Exam Made <u> </u>

COMMENTS: Flow measurement this July = Should be fairly accurate.
(LOT 56, LIGHTENING CREEK SUBDIVISION)

RECOMMENDED	CFS	DIV VOL
<u>Domestic</u>	<u>.01</u>	<u>1.2</u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>

REDUCE RATE
 AMEND P/U
 LICENSE
 AMEND ✓

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 18 1993

Department of Water Resources

A. GENERAL INFORMATION


- Permit No. 65-12992
1. Owner: GERALD G. & Nellie Labrum Phone No. 466-2571
Current Address: 412 3rd ST. South, Nampa, ID 83651
2. Accompanied by: NO PARTY AVAILABLE. Conducted EXAM DATE: 6/7/93
Address: EXAM ALONE. Phone No. SAME
Relationship to Permit Holder: Applicant
3. Source: Spring tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: many - see overlap sheet ☐ Copies Attached
2. Other water rights with same point of diversion: many - see overlap sheet ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable ☐ Alternative diagram attached



Scale: 1" = NTS

- 2 ☒ Copy of U.S.G.S Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more)
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater.)

RECEIVED
OCT 22 1993

3 Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Spring water is captured in 55 gallon drum and directed by gravity ~~it~~ to a 1200 gallon storage tank through $\frac{3}{4}$ " PVC, head deep of approximately 100'. Spring is presently being used by only two cabins. Water is pumped from the storage tank by a $\frac{1}{2}$ hp. pump to the cabins. A 1" overflow was used to measure flow into storage tank. W.R. 65-4034 is same spring for this right. Water used for domestic, internal use only. Lawn irrigation from River.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Sears	$\frac{1}{2}$	Motor, Serial No. Model 390.25/1001	Pump Make Sears	Pump Serial No. or Discharge Size 11690

**Code to correspond with No. on map and aerial photo*

5 Point(s) of Diversion:

[illegible]

6 Place(s) of Use:

Indicate Method of Determination.

Twp.	Rge.	Soc.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
10N	4E	13													D				

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 gallon Bucket						

2. Measurements:

$Q = 7 \text{ gpm} = 0.02 \text{ CFS}$ Pressurized (cabin)
 $Q = 2 \text{ gpm} \approx 0.01 \text{ CFS}$ Flow From Spring

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: 5 gallon bucket at sp collection box overFLOW and home spigot.
2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: $20 \text{ psi} \times 2.31 = 46.2 \text{ ft (1)}$; Dynamic pumping level: 5 ft (2) 0.06
Total Head: $(1) + (2) = 51.2 \text{ (3)}$ $Q = \frac{(8.8)(0.5)(0.7)}{46.2 \times 51.2} = 0.07 \text{ CFS}$: Flow rate: 0.07 cfs (4)

Water HP: $(3) \times (4) \div 8.8 = \text{_____ (5)}$

Meter Input KW: $3.6 \times \text{_____ KH} \times \text{_____ CTR or _____ MULT} \times \text{_____ PTR} \times \text{_____ N/} \text{_____ T} = \text{_____ (6)}$

Meter Input HP: $(6) \times 1.34 = \text{_____ (7)}$

Panel Input KW: $\text{_____ Ave PF} \times \text{_____ Ave Volts} \times \text{_____ Ave Amps} \times .001732 = \text{_____ (6)}$

Panel Input HP: $(6) \times 1.34 = \text{_____ (7)}$ Efficiency: $(5)/(7) \times 100 = \text{_____ \%}$

G. VOLUME CALCULATIONS

1 Volume Calculations for Irrigation: N/A

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \text{_____}$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \text{_____}$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = \text{_____}$

2 Volume Calculations for Other Uses.

$V_{intanal} = 0.6 \text{ AFA} \times 2 = 1.2 \text{ AFA}$

OCT 22 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

OVERLAPS - P/D - Same RQ, different sources
P/U - Same RQ, different areas of use.

The spring was claimed on WR 65-4034 for 0.01 CFS. The measured flow (pressurized to cabins) was 0.04 CFS (Two cabins). Since 0.01 CFS was previously allocated on WR 65-4034, recommend Licensing for 0.03 CFS. ~~to~~ These two rights combined will total the allowable allocation for two home, domestic internal use.

The P/U is in the same RQ as the P/D: SESW, Sec. 13, T10N, R4E.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	0.04 0.03	1.2
Totals:			0.04 0.03	1.2

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION


Field Examiner's Name Rick Collingwood
Signature Rick Collingwood
Certification Date _____
Field Report Preparation Date 7/20/93

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

OCT 22 1993

STERN & SUFFIT CO INC BOISE IDAHO






PHOTO ONE- Pump house located approximately 200' SW of homes. The home with the shing roof is one of two homes served by spring.



OCT 22 1993

PHOTO TWO-

Pump mounted atop 5' x 9' concrete storage tank.





PHOTO THREE-

Back of pump house where 1" overflow pipe is located.



OCT 22 1993

PHOTO FOUR-

The Two homes served by Spring. (To LEFT of photo, back-to-back).

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 65-12992

Date: 8/11/90

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change If yes, prepare a data entry
Y Proof received timely
N Reinstated

Source of Water:

Y Surface water
Y Groundwater
1. well log in file
2. drilling permit
N/A A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof Acceptable

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	-
No. of days late	_____	=
Priority date	_____	+
NEW PRIORITY DATE	_____	=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Water Right Number - 65-12992

Adj. Flag Translation: Standard Water Right Number

Old (D) Number -

--- Last Name --- +

+ First Name --- +

+ Address --- +

*** C - CURRENT OWNER ***

GERALD G.

1 - 412 3RD ST. S.
2 -
3 -

State- ID Zip- 83651

LABRUM

NELLIE

LABRUM

City- MAMPA
Phone - 208-466-2571
1 - 412 3RD ST. S.
2 -
3 -

State- ID Zip- 83651

+ Priority Date --- +
03/07/1989

+ Region --- +
14

+ Stage --- +
P - PERMIT

+ Status --- +

+ Source --- + Point of Diversion --- +
SPRING Stream Index (Blank if no Index Code)

+ --- +
Twn Rng Sec Tract Lot Rflg County
10N 04E 13 NE SE SW (15) BOISE
10N 04E 13 NW SE SW (15) BOISE

+ Code --- + Description --- + Period From --- + Water Use --- + Diversion Rate --- + Diversion Volume --- +
01/01 12/31 0.040

43 - DOMESTIC

+ Total Div. Rate --- + Total Div. Volume --- + Total Div. Capacity --- + Total Consumptive Use --- + KW Usage --- +
0.040

+ --- +
Twn Rng Sec Tract Lot Acres Code Description
10N 04E 13 NE SW 43 DOMESTIC

Total Acres:

+ Diversion Means - EXISTING BOX AND PIPELINE

+ Non-Irrigation Use - DOMESTIC 2 HOMES

+ Other Rights for Same Use - 65-11201

PLACE OF USE IS LOT 56, LIGHTNING CREEK SUBD.

MICROFILMED

SEP 06 1989

Water right number - 65-12992

Adj. flag translation: Standard Water Right Number

004 - The issuance of this permit in no way grants any right-of-way or
- easement across the land of another.
005 - Use of water under this permit is subject to control by the
- watermaster of State Water District No. 65.

- - - - - Decree Plaintiff - - - - - + - - - - - Decree Defendant - - - - - + - - - - - Decree Date - - - - - +
00/00/0000

- - - - - Audit Fields - 03/27/89 GARRETT 07/19/89 CURTIS

+ - - - - - Water Rights Dates and Flags Area - - - - - +

Proof Due Date	- 08/01/1990	Field Exam Made	- 00/00/0000	Field Exam Fee	-
Approved/Denied	- 07/19/1989	Protested Date	- 00/00/0000	Swan Falls	-
Proof Made Date	- 00/00/0000	Hearing Date	- 00/00/0000	Temporary Right	- P
Start Work Date	- 00/00/0000	Verified Date	- 00/00/0000	DLE/Carey Act	-
Order Show Cause	- 00/00/0000	Receipt Number	- W002370	Water District	- 65
Licensed Date	- 00/00/0000	Appl Received	- 03/07/1989	Transfer/Amended	-
Decree Date	- 00/00/0000				

INDEXED

SEP 06 1989

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
July 19, 1989

GERALD G. LABRUM
NELLIE LABRUM
412 3RD ST. S.
NAMPA, ID 83651

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 65-12992

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

SEP 06 1989



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

April 10, 1989

Bureau of Land Management
Idaho State Office
330 Americana Terrace
Boise, ID 83706

Re: Application for Permit No. 65-12992, in the Name of Gerald G. &/or Nellie Labrum.

Gentlemen:

Enclosed is a copy(s) of the above-referenced application(s) for permit which may be of interest to your agency. Please review the application(s) and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application(s), your written protest must be received in this office by April 24, 1989.

If you have any questions regarding the application, please contact this office.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosure(s):

MICROFILMED

SEP 06 1989



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

April 10, 1989

J. S. Tixier, Regional Forester
U. S. Dept. of Agriculture
Forest Service
324 25th St.
Ogden, UT 84401

Re: Application for Permit No. 65-12992, in the Name of Gerald G. and/or
Nellie Labrum.

Gentlemen:

Enclosed is a copy(s) of the above-referenced application(s) for permit which may be of interest to your agency. Please review the application(s) and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application(s), your written protest must be received in this office by April 24, 1989.

If you have any questions regarding the application, please contact this office.

Sincerely,

A handwritten signature in cursive script that reads "David R. Tuthill, Jr.".

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosure(s):

NOTED

SEP 06 1989

CONVERSATION MEMORANDUM

DATE 3/17/89FILE ApplicationNAME OF PARTY Gerald LabrumEMPLOYEE Steve Lester

RE: I called Mr. Labrum to clarify his response to item 11, ownership of land at pld's p/n. He stated that spring may be on or near border of Chuck Schell's property in Lightning Ct. Subdiv. (maps are now in preparation). If the spring is not on C. Schell's land, it may be on D.L.M. or Forest Service property. We should contact both agencies to cover the possibilities.

Mr. Labrum mentioned previous owners (Wester, Hainey, and Rork or York) but no rights were found in the described area in those names. Apparently the spring has been used for about 20 years but was never listed on in PRBA. The Labrum property is Lot 56.

MICROFILMED

SEP 06 1989

STATE OF IDAHO

County of Boise

RECEIVED

APR 13 1989

Department of Water Resources
Western Regional Office

Peter A. Wierenga, being duly

sworn, deposes and says: that he is the manager and principal clerk of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and State of Idaho; the said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for two (2) consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy-eight weeks past previous to the first publication of this notice. Such notice was published in the issue beginning with 4/5 1989 and ending with the issue of 4/12 1989.

Peter A. Wierenga

STATE OF IDAHO

County of Boise

On this 12th day of April
in the year of 1989, before me, a
Notary Public, personally appeared

Peter A. Wierenga

known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Peter A. Wierenga
Notary Public for Idaho

Boise, Idaho

Residing at

My commission expires: 9/14/94

NOTICE OF APPLICATION FOR WATER

RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10776

MARLATT, PAUL
OBERMEYER, ROBERT
2721 N 31ST
BOISE, ID 83703

Source: GRIMES CREEK; Tributary: MORES CREEK, Diversion Pt. LOT 13 (SENE) Sec. 29 T 07N R 05E, LOT 6 (NESE) Sec. 29 T 07N R 05E, LOT 7 (NWSE) Sec. 29 T 07N R 05E, LOT 11 (SWSE) Sec. 29 T 07N R 05E, SESE Sec. 29 T 07N R 05E; Use MINING (200 CFS); Date Filed: 3/06/1989, In: T07N R05E S29 Lot 13 (SENE)SESE Lot 6 (NESE) Lot 7 (NWSE) Lot 11 (SWSE)

65-12992

LABRUM, GERALD G
LABRUM, NELLIE
412 3RD ST S
NAMP, ID 83651

Source: SPRING, Tributary PAYETTE RIVER, MIDDLE FORK, Diversion Pt. NESESW Sec. 13 T 10N R 04E, NWSESW Sec. 13 T 10N R 04E, Use DOMESTIC (040 CFS), Date Filed 3/07/1989, In: T10N R04 E S13 NESW

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before APRIL 24, 1989

R KEITH HIGGINSON, Director

Published in the Idaho World, Idaho City, Idaho, April 5 & 12, 1989

SEP 06 1989

65-12992

LABRUM, GERALD G.
LABRUM, NELLIE
412 3RD ST. S.
NAMPA, ID 83651

Source: SPRING

Tributary: PAYETTE RIVER, MIDDLE FORK

Diversion Pt:

NESESW Sec 13 T 10N R 04E
NWSESW Sec 13 T 10N R 04E

Use: DOMESTIC

(.040 CFS)

Date Filed: 3/07/1989

In: T10N R04E S13

NESW

MICROFILMED

SEP 06 1989