

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

OCT 14 1988

MICROFILMED

T15N

SE NE

Use

R

4

3

E

P/D

MICROFILMED

OCT 24 1989

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lyndell A. Koomis - Agent
Donald George Koomis Sub.
(Applicant) Inc.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Donald George Loomis Sub. Permit No. 65-12968
Current Address: Box 12, Donnelly, Idaho Phone No. 325-8750
2. Accompanied by: Steve Loomis & Sybil Loomis EXAM. DATE: 7-11-90 & 8-11-90
Address: same Phone No. same
Relationship to Permit Holder: owners
3. Source: groundwater tributary to none

B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-12904 ☒ Copies Attached
2. Other water rights with same point of diversion: 65-12904 ☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached *



Scale: 1" = Not to scale

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).

X = water uses

A PLAT OF DONALD GEORGE LOOMIS SUBDIVISION

LYING IN THE SE 1/4 OF THE NE 1/4 OF SECTION 4,
TOWNSHIP 15 NORTH, RANGE 3 EAST, S.M.

RINGEL AND ASSOCIATES

P.O. BOX 742
208-382-4230

CASCADE, IDAHO
83611

SURVEY FOR:

REX LOOMIS

JOB #81053

JULY 1982

BY RWF

- NOTES** - RESTRICTIONS AND COVENANTS INSTRUMENT #
- ARTICLES OF INCORPORATION INSTRUMENT #
- LOTS SHALL NOT BE REDUCED IN SIZE WITHOUT PRIOR APPROVAL OF THE HEALTH AUTHORITY.
- NO ADDITIONAL DOMESTIC WATER SUPPLIES SHALL BE INSTALLED BEYOND THE ORIGINALLY APPROVED SYSTEM
- HEALTH RESTRICTIONS CONTROLLING SEWAGE DISPOSAL AND WATER SERVICE ARE ON FILE WITH THE CENTRAL DISTRICT HEALTH DEPARTMENT AND THE VALLEY COUNTY RECORDER'S OFFICE.
- THIS PLAT IS SUBJECT TO IDAHO CODE, SECTION 31-3605, NO IRRIGATION WATER SUPPLIED.
- ALL LOTS HAVE 6' WIDE UTILITY AND DRAINAGE EASEMENT RUNNING PARALLEL TO AND ON THE INTERIOR SIDE OF ALL LOT LINES.
- ALL ROADS HAVE 10' WIDE SNOW REMOVAL EASEMENTS RUNNING PARALLEL TO AND ON THE EXTERIOR SIDE ALL RIGHT-OF-WAY BOUNDARIES.
- DRIVEWAY ACCESS RESTRICTED TO VIOLA LANE

LEGEND

- 5/8" x 24" REBAR PROPERTY CORNER
- EXISTING 5/8" REBAR PROPERTY CORNER
- U.S.B.L.M. BRASS CAP
- 2" IRON PIPE, TRUE POINT OF BEGINNING
- DRAIN FIELD AREA, LOTS 6, 7, 8
- 6' --- TYPICAL UTILITY AND DRAINAGE EASEMENT, ALL LOT LINES (SEE NOTE)
- 10' --- TYPICAL SNOW REMOVAL EASEMENT (SEE NOTE)

M MEASURED DISTANCE AND BEARING
P PLAT DISTANCE AND BEARING
NBC NO BUILDING CONSTRUCTION, WELL SITE

ROAD CURVE DATA

CURVE	R	Δ	L	T	CH	CH B
C-1	10.00	91°18'08"	18.97	10.27	14.32	81°04'56"W
C-2	10.00	88°30'00"	18.45	9.74	13.98	81°46'04"E
C-3	86.00	55°00'00"	81.99	44.24	70.50	53°51'18"30"W
C-4	86.00	55°00'00"	57.80	31.23	55.41	53°51'18"30"W
C-5	36.00	55°00'00"	33.60	18.22	32.32	53°51'18"30"W
C-6	46.00	268°58'44"	209.70	47.42	65.29	53°41'30"W
C-7	35.00	48°36'18"	18.72	10.00	16.14	51°02'51"W
C-8	35.00	48°36'18"	18.72	10.00	16.14	51°02'51"W
C-9	46.00	97°40'23"	76.71	51.47	67.76	51°02'51"W
C-10	46.00	77°36'48"	56.19	32.42	52.81	51°02'51"W
C-11	46.00	10°30'59"	8.26	4.14	8.25	51°02'51"W
C-12	46.00	87°15'35"	86.53	42.90	62.10	51°02'51"W
C-13	86.00	48°15'34"	71.59	38.08	69.50	51°02'51"W
C-14	86.00	47°44'28"	10.00	5.01	5.01	51°02'51"W

WELL LOT CURVE DATA

CURVE	R	Δ	L	T	CH	CH B
L-1	24.54	94°38'08"	23.56	12.77	22.08	108°40'33"W
L-2	24.54	125°00'00"	53.54	47.14	43.53	56°31'10"30"W
L-3	24.54	180°00'00"	77.10	—	49.08	53°51'18"30"W



U.S.

U.S. Bureau of Reclamation Property Corner 27-3

U.S. Bureau of Reclamation Property Corner 27-2

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites


Boundary Arrowhead Point Cottage Sites

Boundary Arrowhead Point Cottage Sites

PERMIT 65-12908 INIT
T. R. S. Q/Q
P/D 15N 3E 4 SENE
SCALE
PHOTO ID. T70

PIU + PID

RECEIVED
OCT 08 1991





PICTURE #1

Wellhead located inside well house that is shown in pictures #4 and #5. The $1\frac{1}{2}$ " discharge line carries water to a 1500 gallon cistern located adjacent to the well house.



PICTURE #2

View of well head, discharge line to cistern, return line from cistern, two of four lines to the pressure tanks and the three $1\frac{1}{2}$ " delivery pipes to the subdivision lots.

UNFILMED

OCT 03 1991

65-12968

PICTURE #3



Four pressure tanks
located in the
well house.

PICTURE #4



View of the well house and
the lid to the 1500 gallon
cistern. A two Hp pump
returns water from the cistern
to the pressure tanks shown
in Picture #3.

MICROFILMED
OCT 03 1991

65-12968



PICTURE #5

View of well house
and private road
going into the subdivision.



PICTURE #6

View of the start of
construction on the first
cabin located on lot 5
in the subdivision.
Taken 8-11-90

MICROFILMED
OCT 03 1991

State of Idaho
Department of Water Resources

AMENDED **WATER RIGHT LICENSE** AMENDED

WATER RIGHT NO. 65-12968

Priority: November 15, 1988

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

11.7 AF

This is to certify, that DONALD GEORGE LOOMIS SUBDIVISION INC

C/O AMY LOOMIS

325 LOWELL AVE

MILL VALLEY CA 94941

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 15, 1988; and has submitted Proof of Beneficial Use on November 22, 1988. An examination indicates that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.04 CFS	7.5 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	4.2 AF
	Totals	0.04 CFS	11.7 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 4, Township 15N, Range 03E
VALLEY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
15N	03E	4	SENE	2.5		2.5

Total number of acres irrigated: 2.5

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 7 homes.


OCT 26 1988

State of Idaho
Department of Water Resources

AMENDED **WATER RIGHT LICENSE** AMENDED

WATER RIGHT NO. 65-12968

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 12TH
day of OCTOBER, 1994.

Acting for  R. Keith Higginson, Director



OCT 26 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12968

Priority: November 15, 1988

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
6.9 AF

This is to certify, that DONALD GEORGE LOOMIS SUBDIVISION INC
PO BOX 12

DONNELLY ID 83615 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated November 15, 1988; and
has submitted Proof of Beneficial Use on November 22, 1988. An examination indicates
that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER**
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.04 CFS	4.5 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	2.4 AF
	Totals	0.04 CFS	6.9 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 4, Township 15N, Range 03E
VALLEY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
15N	03E	4	SENE	1.5		1.5

Total number of acres irrigated: 1.5

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 4 homes.

RECORDED


OCT 03 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12968

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 27TH
day of SEPTEMBER, 1991.

Acting for  R. Keith Higginson, Director

RECEIVED

OCT 03 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Donald George Leonis Subdivision, Inc. Phone 325-8750
Post office address Box 12, Donnelly, ID 83615
2. Source of water supply Groundwater which is a tributary of N/A
3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 4 Township 15N Range 3E B.M. Valley County; additional
points of diversion if any: _____
4. Water will be used for the following purposes.
Amount 10 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 15 for Irrigation purposes from 4-15 to 10-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 20 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Existing well, pump, pipeline
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet
 - d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

MICROFILMED

OCT 24 1989

התאחדות הסטודנטים

- Total number of acres to be irrigated.

5

8. Description of proposed uses (if irrigation only, go to item 9):
- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____
9. Description of place of use:
- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

Hand-drawn diagram on a grid. A square is drawn with a horizontal line extending to the left and a vertical line extending downwards from its bottom center. The horizontal line is labeled '4' at its left end. The vertical line is labeled 'P/D' at its bottom end. Inside the square, the text 'SE NE' is written at the top left, and 'Use' is written at the top right. A point is marked with a dot and labeled '(5)' near the center of the square. To the right of the square, the letters 'R', '3', and 'E' are stacked vertically. The number '15' is written above the square.

Application for permit to appropriate the public waters of
April D. Koomie - Agent
Donald George Koomie Sub.
 (Applicant) Inc.

Received by 11-22-88 Time 9:30 a.m. Preliminary check by RBW
Fee \$ 30 Received by 11-15-88
Publication prepared by GG Date 2-8-89 Published in The Advocate Date 2/15/ & 2/22/89
Publication approved at Date 3-27-89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 65-12968, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

June 1, 19 90

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e Other:

Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Witness my hand this 30th day of May, 1989.

J. New Taylor

MICROFILMED

OCT 24 1989

Names & addresses of Donald & George Loomis Sub-owners.

Robert W & Roberta W. Halliday
75118 Kavenish Dr.
Indian Wells, Calif. 92210

Ashill A. Loomis
Box 12
Donnelly, Id. 83615

Ameliaheth Loomis
325 Lowell Ave.
Mill Valley, Calif. 94941

RECEIVED
OCT 2 1989

Department of Water Resources
Western Regional Office

Floyd A. Loomis
1350 Ave. of the Americas
New York City, N.Y. 10019
(Loan Pricing Corp.)

Steven J. Loomis
1006 Oakland Ave. #2.
Boise, Idaho. 83706

MICROFILMED

OCT 24 1989

PUBLIC NOTICES

PUBLIC NOTICES

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-12919

LACEY, AURTHUR N.
LACEY, PATRICIA A.

RT 1, BOX 149

CAMBRIDGE, ID 83610

Source: POND

Tributary: SINKS

Diversion Pt: SWSW Sec 3 T 12N R
04E

Use: RECREATION STORAGE (.67 AF)

Date Filed: 11/21/1988

In: T12N R04E S03 SWSW

65-12939

DE LONG, JUNE L.

P.O. BOX 976

CASCADE, ID 83611

Source: GROUNDWATER

Diversion Pt: NENE Sec 16 T 16N R

03E

Use: DOMESTIC (.300 CFS)

Date Filed: 9/27/1988

In: T16N R03E S16 NENE

65-12959

BEAL, ROGER F.

BEAL, DOROTHY F.

OLA, ID 83657

Source: SPRING

Tributary: LITTLE SQUAW CREEK

Diversion Pt: SESESW Sec 12 T 10N R

02E

Use: IRRIGATION (.040 CFS)

IRRIGATION STORAGE (2.00 AF)

IRRIGATION FROM STORAGE

(2.00AF)

STOCKWATER STORAGE (2.00

AF)

Date Filed: 11/10/1988

In: T10N R02E S12 SWNE SESW

NWSE SWSE

16.0 Acres Total

65-12960

BEAL, ROGER F.

OLA, ID 83657

Source: SPRING

Tributary: LITTLE SQUAW CREEK

Diversion Pt: NENWSE Sec 12 T 10N R

02E

Use: STOCKWATER (.020 CFS)

DATE FILED: 11/10/1988

IN: T10N R02E S12 NWSE

65-12961

WUTHERICH, THOMAS M.

P.O. BOX 8232

BOISE, ID 83707

Source: UNNAMED STREAM

Tributary: CASCADE RESERVOIR

Diversion Pt: SWSE SEC 11 T 14N R

03E

Use: IRRIGATION (.030 CFS)

IRRIGATION STORAGE (.50 AF)

IRRIGATION FROM STORAGE

(.50 AF)

STOCKWATER (.020 CFS)

Date Filed: 11/04/1988

In: T14N R03E S11 SWSE

1.0 ACRES TOTAL

65-12962

SHILOH BIBLE CONFERENCE INC.

C/O DALE B. CARDWELL

548 DAY RD.

WEISER, ID 83672

Source: GROUNDWATER

Diversion Pt: NWSW Sec 9 T 16N R

03E

Use: RECREATION (.040 CFS)

Date Filed: 11/09/1988

In: T16N R03E S09 NWSW

65-12963

MEDSKER, KIRK

1715 STAR LN.

MERIDIAN, ID 83642

Source: DEER CREEK

Tributary: CASCADE RESERVOIR

Diversion Pt: LOT 3 (SWNWSW) Sec 7

T 14N R 03E

Use: DOMESTIC (.040 CFS)

Date Filed: 11/15/1988

In: T14N R03E S07 Lot 3 (NWSW)

65-12966

STEVENS, WILLARD H.

STEVENS, ETHEL P.

RT. 1, BOX 586

MIDDLETON, ID 83644

Source: GROUNDWATER

Diversion Pt: NENESE Sec 31 T

14N R 04E

Use: IRRIGATION (.150 CFS)

STOCKWATER (.020 CFS)

DOMESTIC (.040 CFS)

DATE FILED: 11/16/1988

IN: T14N R04E S31 NESE

5.0 ACRES TOTAL

65-12968

DONALD GEORGE LOOMIS SUBD

INC.

P.O. BOX 12

DONNELLY, ID 83615

Source: GROUNDWATER

Diversion Pt: SWSENE Sec 4 T 15N R

03E

Use: IRRIGATION (.150 CFS)

DOMESTIC (.100 CFS)

Date Filed: 11/15/1988

In: T15N R03E S04 SENE

5.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before MARCH 6, 1989.

R. KEITH HIGGINSON, Director

Published 2/15/1989 & 2/22/1989

and ended

2-15-1989

Subscribed and sworn before me, this the

27th day of Feb., 1989

On this 27th day of Feb., 1989
I, a Notary Public in and for the State of Idaho, state that said person, Fred O'Brien, did in fact present me with this document and I did witness his signature on the document.

Kayula J. Lewis, Notary Public residing at Cascade, Idaho

Department of Water Resources
Western Regional Office

MICROFILMED

OCT 24 1989



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

October 14, 1994

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

DONALD GEORGE LOOMIS SUBDIVISION INC
C/O AMY LOOMIS
325 LOWELL AVE
MILL VALLEY CA 94941


RE: WATER RIGHT NO. 65-12968

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Amended Water Right License issued on the above referenced permit. This amended license supercedes the license issued on September 27, 1991.

If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,



JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosure

RECEIVED

OCT 26 1994

OCT 26 1994

Donald George Loomis Subdivision
Inc

2315

Steve Loomis 793-2345

05-12968 11-15-88

NEW Address:

Amy Loomis

325 Lowell Ave

Mill Valley 949 41

MEMORANDUM

Date: October 10, 1994
From: Jim Johnson
To: File
Subject: Reason for Amending License

=====

Mr. Loomis called in reference to the license issued for this right. It appears that the license should be amended to include all seven homes listed in the Donald George Loomis Subdivision.

A water system was developed and a mainline was installed to serve all lots when they were sold. An inspection of the field examination shows information on this system. A strict interpretation was made by a later reviewer of the examination and only "standpipes" were shown on the license.

Since the distribution system serving all seven lots was installed the license should list the seven lots and include the acres irrigated and water used.

INDEXED

OCT 26 1994

September 30, 1991

DONALD GEORGE LOOMIS SUBDIVISION INC
PO BOX 12
DONNELLY ID 83615

RE: WATER RIGHT NO. 65-12968

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

MICROFILMED

OCT 03 1991

September 11, 1991

DONALD GEORGE LOOMIS SUBDIVISION INC
PO BOX 12
DONNELLY ID 83615

RE: WATER RIGHT NO. 65-12968

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

MAILED
OCT 03 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

1. Owner: Donald George Loomis Sub. Permit No. 05-12968
Current Address: Box 12, Donnelly, Idaho Phone No. 325-8750
2. Accompanied by: Steve Loomis & Sybil Loomis EXAM. DATE: 7-11-90 & 8-11-90
Address: same Phone No. same
Relationship to Permit Holder: owners
3. Source: groundwater tributary to none


B. OVERLAP REVIEW

1. Other water rights with same place of use: 05-12904
☒ Copies Attached
2. Other water rights with same point of diversion: 05-12904
☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached *

* See Subdivision Plat for delivery system diagram.



RECEIVED
OCT 03 1991

Scale: 1" = Not to scale

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required)
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Consists of a 6" diameter well with a 3/4 Hp submersible pump and a 1 1/2" discharge pipe that provides water to a 1500 gallon cistern located approximately 20' from the well. A 3 Hp pump delivers water by a 2" line to 4 pressure tanks located in a 12' x 15' well house. From the tanks, water is delivered through 3-1 1/2" lined pipe to 7 tanks in the Donald Borge former subdivision. The system would not operate at the time of event as no pressure reading was taken. The first

☒ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Unknown	Goodpaster	1/2	Unknown	Goodpaster	1 1/2" Unknown

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	%	%	%	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
					4	15N 3E	Valley		Other Photo record

6. Place(s) of Use:

Twp.	Rge.	Sec.	NE 1/4	NW 1/4	SE 1/4	SW 1/4	NE 1/4	NW 1/4	SE 1/4	SW 1/4	NE 1/4	NW 1/4	SE 1/4	SW 1/4	Totals
15N 3E	4	0													1.5

Indicate Method of Determination

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: $Q = \frac{.5 \times 8.8 \times .7}{15 + (2.3 \times 30)} = \frac{3.08}{98} = .04 \text{ cfs}$

2. Alternate Method for Checking Purposes: use 15 for dynamic level.

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001 = _____ (8)

Panel Input HP: (8) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .04 \times 784 \times 1.9835 = 14.5$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 9.0 \text{ } 4.5$

2. Volume Calculations for Other Uses: $\frac{1.5}{4} \text{ internal domestic } \times 16 = 4.2 \text{ } 2.4$

(4 lots)

* Estimated 9.0 AC Irrigated based on total lot sizes less some area for ~~the~~ Structures.

OCT 03 1991

OCT 03 1991

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



Field Examiner's Name: Melvin T. Schulte
Signature: Melvin T. Schulte
Certification Date: 6-3-91
Field Report Preparation Date: 8-15-90

J. AUTHENTICATION

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

2. Recommended Amendments

Totals:

Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (af)
Domestic	1-12-31	.04	2.4
Irrigation	4-15 10-15	.04	4.5
			6.9

1. Recommended Amounts

I. RECOMMENDATIONS

* exam revised after 2nd field check by examiner

H. REMARKS AND OVERLAP REVIEW ANALYSIS

colony was being constructed but no water was being used at the time of exam. A theoretical calculation using 30 gal and 10' well level indicates .04 cfs. Recommendation is to license at .04 cfs and 1.2 af for 1st domestic use and to remove notified to report for additional permits when a determination is further developed.

lots situated in clear view as beneficial use in subdivisions. Other overlapping might not affect this permit.

Domestic use is for 4 homes. 1 existing colour & 3 stubbed lines. 3 other lots no improvements. .04 cfs from well. Actual deliveries advanced by pressure system w/ booster.

1. RECOMMENDATIONS

System capacity .04 cfs from well. Actual deliveries advanced by pressure system w/ booster.


X = water uses

A PLAT OF

DONALD GEORGE LOOMIS SUBDIVISION

LYING IN THE SE1/4 OF THE NE1/4 OF SECTION 4,
TOWNSHIP 18 NORTH, RANGE 3 EAST, 8 N

Boundary Mountain Shadows Subdivision No. 2



ROAD CURVE DATA

Curve	Stationing	Length	Radius	Chord	Chord Bearing	Delta
C-1	10+00 to 10+50	50.00	150.00	49.98	N 89° 58' 42" E	89.98°
C-2	10+50 to 11+00	50.00	150.00	49.98	S 89° 58' 42" E	89.98°
C-3	11+00 to 11+50	50.00	150.00	49.98	S 89° 58' 42" E	89.98°
C-4	11+50 to 12+00	50.00	150.00	49.98	N 89° 58' 42" E	89.98°
C-5	12+00 to 12+50	50.00	150.00	49.98	N 89° 58' 42" E	89.98°
C-6	12+50 to 13+00	50.00	150.00	49.98	S 89° 58' 42" E	89.98°
C-7	13+00 to 13+50	50.00	150.00	49.98	S 89° 58' 42" E	89.98°
C-8	13+50 to 14+00	50.00	150.00	49.98	N 89° 58' 42" E	89.98°
C-9	14+00 to 14+50	50.00	150.00	49.98	N 89° 58' 42" E	89.98°
C-10	14+50 to 15+00	50.00	150.00	49.98	S 89° 58' 42" E	89.98°

WELL LOT CURVE DATA

Curve	Stationing	Length	Radius	Chord	Chord Bearing	Delta
C-1	10+00 to 10+50	50.00	150.00	49.98	N 89° 58' 42" E	89.98°
C-2	10+50 to 11+00	50.00	150.00	49.98	S 89° 58' 42" E	89.98°
C-3	11+00 to 11+50	50.00	150.00	49.98	S 89° 58' 42" E	89.98°
C-4	11+50 to 12+00	50.00	150.00	49.98	N 89° 58' 42" E	89.98°
C-5	12+00 to 12+50	50.00	150.00	49.98	N 89° 58' 42" E	89.98°
C-6	12+50 to 13+00	50.00	150.00	49.98	S 89° 58' 42" E	89.98°
C-7	13+00 to 13+50	50.00	150.00	49.98	S 89° 58' 42" E	89.98°
C-8	13+50 to 14+00	50.00	150.00	49.98	N 89° 58' 42" E	89.98°
C-9	14+00 to 14+50	50.00	150.00	49.98	N 89° 58' 42" E	89.98°
C-10	14+50 to 15+00	50.00	150.00	49.98	S 89° 58' 42" E	89.98°

Red line = 15" plastic pipe

Blue square = well house

Blue circle = cistern

RINGEL AND ASSOCIATES
PO BOX 742
200-585-4230
ELLIS 906
SURVEY FOR

REX LOOMIS

JOB # 8003 JULY 1982 BY RWF

- NOTES: - RESTRICTIONS AND COMMENTS INSTRUMENT #
- ARTICLES OF SUBDIVISION INSTRUMENT #
- LOTS SHALL NOT BE REDUCED IN SIZE WITHOUT
- PRIOR APPROVAL OF THE HEALTH AUTHORITY
- NO ADDITIONAL DOMESTIC WATER SUPPLIES SHALL BE
- INSTALLED BEYOND THE ORIGINALLY APPROVED SYSTEM
- HEALTH RESTRICTIONS CONTROLLING SEWAGE DISPOSAL
- AND WATER SERVICE ARE ON FILE WITH THE CENTRAL
- SANITARY HEALTH DEPARTMENT AND THE VALLEY
- COUNTY RECORDERS OFFICE
- THIS PLAT IS SUBJECT TO DRAIN CODE SECTION
- 3-3005 NO SEWAGE TREATMENT PLANTS
- ALL LOTS SHALL BE CONSIDERED TO HAVE A
- DRAINAGE EASEMENT PARALLEL TO AND ON THE INTERNA
- L BOUNDARY OF ALL LOTS
- SIZE OF ALL LOT LINES
- ALL ROADS HAVE 10' WIDE SNOW REMOVAL EASEMENTS
- PARALLEL TO AND ON THE EXTERIOR SIDE
- ALL RIGHT-OF-WAY BOUNDARIES
- DRIVEWAY ACCESS RESTRICTED TO VIOLE LANE

LEGEND

- ① 5/8" x 24" NEAR PROPERTY CORNER
- ② EXISTING 5/8" NEAR PROPERTY CORNER
- ③ U.S.B.N. BRASS CAP
- ④ 2" IRON PIPE, TRUE POINT OF BEGINNING
- ⑤ DRAIN FIELD AREA, LOTS 6, 7, 8
- ⑥ TYPICAL UTILITY AND DRAINAGE EASEMENT, ALL LOT LINES (SEE NOTE)
- ⑦ TYPICAL SNOW REMOVAL EASEMENT (SEE NOTE)
- ⑧ MEASURED DISTANCE AND BEARINGS
- ⑨ PLAT DISTANCE AND BEARINGS
- ⑩ NO BUILDING CONSTRUCTION, WELL SITE

UNPLATTED

UNPLATTED

UNPLATTED

PERMIT 65-12908 INVT
T. R. S. Q/O
P/O 10N 3E 4 SENE
SCALE
PHOTO ID. T70

PIU + P/D

LONG

Poison Creek

4949


4948

4947

40'
4946


4945

4944



PICTURE #1

Wellhead located inside well house that is shown in pictures #4 and #5. The $1\frac{1}{2}$ " discharge line carries water to a 1500 gallon cistern located adjacent to the well house.



PICTURE #2

View of well head, discharge line to cistern, return line from cistern, two of four lines to the pressure tanks and the three $1\frac{1}{2}$ " delivery pipes to the subdivision lots.

MAILED
OCT 03 1994


65-12968

PICTURE #3



*Four pressure tanks
located in the
well house.*

PICTURE #4



*View of the well house and
the lid to the 1500 gallon
cistern. A two Hp pump
returns water from the cistern
to the pressure tanks shown
in Picture #3.*

MICROFILMED

OCT 03 1994

65-12968



PICTURE #5

*View of well house
and private road
going into the subdivision.*



PICTURE #6

*View of the start of
Construction on the first
Cabin located on lot 5
in the subdivision.*

Taken 8-11-90

**RECEIVED
FILMED**

OCT 09 1991

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 05-12908

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 15N, Rge 3E, Sec. 4, SE 1/4 NE 1/4 or Lot _____.

2. Owner: Donald George Joonis Sub
Address Box 12, , City Donnelly St. Id.

3. Casing $\geq$ 12 inches above ground: Yes X No _____

4. Access Port: Yes _____ No ✓ Static Water Level: 10'
Pressure Gauge: Yes ✓ No _____ Casing Diameter: 6"
Flowing: Yes _____ No ✓ Temperature: _____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ✓

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: 28' - 10' Static

REC
OCT 03 1991

October 17, 1989

DONALD GEORGE LOOMIS SUBDIVISION INC.
P.O. BOX 12
DONNELLY, ID 83615

RE: PERMIT NO. 65-12968

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED
OCT 24 1989

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 65-12968

Date: 10/5/89

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change _____ If yes, prepare a data entry
☒ Proof received timely
_____ Reinstated

Source of Water:

- ☒ Surface water
☒ Groundwater
☒ 1. well log in file *NO WELL LOG FOUND*
☒ 2. drilling permit *1994*
☒ A. amount of drilling fee paid for proposed uses

*per telecon of 1/9/90
well drilled by
Gentlin & Yankee
1982 or 1983*

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- ☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks: ~~*See comments on work sheet 10/1/89*~~

Proof acceptable

Priority Calculation:

Date proof received _____

Date proof due _____

No. of days late _____

Priority date _____

NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

August 18, 1989

Donald George Loomis Subd. Inc.
P.O. Box 12
Donnelly, ID 83615

RE: Permit No. 65-12968

Dear Permit Holder:

The department received your completed proof of beneficial use form and fee, however, before completing processing, additional information is needed.

If you have a well driller's report, please send a copy to the department. If you do not have one, please let me know who drilled the well and when it was drilled.

Please remit the requested information at your convenience. Upon receipt of the well information, the department will continue processing the proof by notifying the region that a field exam is needed.

If you have any questions concerning this matter, feel free to contact this office.

Sincerely,

JENNIFER SEIFERT
Clerical Assistant

c: S. Region

MICROFILMED

OCT 24 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED

NOV 11

Department of Water Resources
Western Region Office

Reviewed by NS 10/5/89
Permit 100-3333
11-15-88

2650.00
Fee Pd
See receipt attached

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 65-12968

Name(s) of Permit Holder: Donald George Loomis Subdivision, Inc.

Post Office Address: Box 12, Donnelly, ID 83615

Telephone No. 325-8750

Source of Water: Groundwater

Extent of Use:

Domestic 8 (number of households)

Stockwater _____ (number and type of stock)

Irrigation 5 (acres)

Other/Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: 7-88

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Flow Measurement Port. Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

MICROFILMED

OCT 24 1989

Person to contact to accompany the Department representative during the field examination:

Sybil Loomis (Name)

Box 12, Donnelly, ID (Address) 325-8750 (Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

11-15-88
Date

Sybil A. Loomis, Agent
Signature of Permit Holder (and Title, if appropriate)

Place
Stamp
Here

Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720

03MAY87

10:11 AM

RECEIPT
For Monies Paid
to the
Idaho Department of Water Resource

Receipt No: C003333

Date: 11/15/88
Time: 10:33:10

Received
From: LOOMIS, AMELIA B.

Type of Payment	Program A cct	Amount
PROOF OF BENEFICIAL FEE	0620122 1238 6490	\$50.00
Total		\$50.00

CHECK 342

Idaho Department of Water Resources

Region: State

Signature: 

MICROFILMED

OCT 24 1989

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
May 30, 1989

DONALD GEORGE LOOMIS SUBD. INC.
P.O. BOX 12
DONNELLY, ID 83615

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 65-12968

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water.

MICROFILMED

OCT 24 1989

└──────────────────┘

Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

OCT 24 1989

- KN 3E 3.4 SENE -

Form No. 202a.

4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: RBW DATE: 2-6-87 APPLICATION: 65-12968

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality title of signator is required)
☒ Fee:
☒ yes ___ No* In form to receipt:
- Gov't. Lots:
NI P/D
NO P/U

ADDITIONAL INFORMATION

YES NO

- ☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion:
☒ Field check required: Field check by: _____
☒ Field report attached:
☒ Critical groundwater area:
☒ Groundwater management area:
☒ Send dam safety information:
☒ Send power requirement letter:
☒ Send fish farm requirement letter:
☒ Power residency affidavit:
☒ Power efficiency form:
☒ Within trust water boundry: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

RECEIVED

APR 19 1987

DATE REQUESTED:

☒ Additional information on reverse side:

Department of Water Resources

PROCESSING

YES NO

- ☒ ☐ In form for advertising:
☐ ☒ Statewide advertising:
☒ ☐ Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

- ☐ ☒ I.D. Health and Welfare
☐ ☒ I.D. Fish and Game
☐ ☒ I.D. Lands
☐ ☒ Adjudication Bureau

YES NO

- ☐ ☒ U.S. BLM
☐ ☒ U.S. Forest Svc.
☐ ☒ Water District # _____
☐ ☒ Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

- ☒ ☐ Affidavit of publication received:
☒ ☐ Application published correctly: If not, record action taken.

- ☒ ☐ Publication dates and paper recorded on application:
☒ ☐ Protests received, Final date for protest March 6, 1988
☒ ☐ Protests, dates, resolution of protest recorded on application:
☒ ☐ Recommendations attached: Approve, DMS
☒ ☐ Measuring device required:
☒ ☐ Measuring port required:
☒ ☐ Water delivered by water master? District # 65-P05
☒ ☐ Special conditions of approval or cover letter: (see additional info. below)
☒ ☐ See Below For Additional Information

Recommended Date of Priority 11/15/1988
Recommended by: DMS Date 4/17/1989

STATE OFFICE REVIEW P05, P23 46

See below for additional information. By KW Date 5/24/89

ADDITIONAL INFORMATION

Persons in Subdivision - Mrs. Will send
info per telecon on 2-7-89

Proof of B/L received. Recommend that the minimum development period be shown.

PLACE
STAMP
HERE

MICROFILMED

OCT 24 1989

8831 23 ACN



Department of Water Resources
Western Regional Office

DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

COMMENCEMENT OF WORKS

Permit No. _____

Name(s) of Permit Holder(s): Donald George Loomis Subd., Inc.

Post Office Address: Box 19, Donnell, ID 83615

Tel. No. 205-8750

☒ I hereby certify that construction of diversion works on the above referenced permit began on 7-86 (date) and I understand that I must continue to develop the water system due diligence to maintain a valid permit.

☐ I hereby certify that construction of diversion works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is
not an acceptable reason

11-15-88

Date

Signature of Permit Holder

65-12968

DONALD GEORGE LOOMIS SUBD. INC.
P.O. BOX 12
DONNELLY, ID 83615

Source: GROUNDWATER

Diversion Pt: SWSENE Sec 4 T 15N R 03E

Use: IRRIGATION (.150 CFS)
DOMESTIC (.100 CFS)

Date Filed: 11/15/1988

In: T15N R03E S04 SENE

5.0 ACRES TOTAL

MICROFILMED

OCT 24 1989