


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

JUN 14 1989

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert L. Seal
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 13 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Roger F. Beal Permit No. 65-12960
Current Address: OLA, ID 83657 Phone No. 365-5623
2. Accompanied by: Roger Beal EXAM. DATE: 6/3/92
Address: Lives in High Valley Phone No. 365-5623
Relationship to Permit Holder: _____
3. Source: Spring tributary to Little Snow Creek

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

RECEIVED
FEB 04 1993

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).



PERMIT 65-12960 INIT EC
T. R. S. Q/O
P/D DN 2E 12 NWSE
SCALE
PHOTO ID. 19 North Valley

NOT RECORDED
FEB 04 1993

Beal 65-12960

(6/3/92)



Spring Location appx. 200' west of Trough.



Looking west to area of spring location. 1" PVC has been disconnected to fill trough. Pipe is connected to water garden about 20' east of trough.

FEB 04 1993

Beal 65-12960

(6/3/92)



7' dia. Steel Water Trough



FEB 04 1993

PHOTOGRAPH

Appx. 20 head of cattle in pasture north of trough.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12960

Priority: November 10, 1988

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.4 AF

This is to certify, that ROGER F BEAL

OLA ID 83657

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 10, 1988; and has submitted Proof of Beneficial Use on May 7, 1990. An examination indicates that the works have a diversion capacity of .020 cfs of water from:

SPRING

tributary to **LITTLE SQUAW CREEK**

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.4 AF

LOCATION OF POINT(S) OF DIVERSION:

NE1/4 Sec. 12, Township 10N, Range 02E
VALLEY County

PLACE OF USE: STOCKWATER

TWN RGE SEC

10N 02E 12

NWSE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 65A.
6. Stockwater use is for 30 range cattle.

MICROFILMED

FEB 04 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12960

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 27th
day of JANUARY, 1993.

Acting for 
R. Keith Higginson, Director

MAILED

FEB 04 1993

NOV 10 1988

Form 202
6/85

Ident No

2512960

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Roger F. Beal Phone 365-5623
Post office address OLA, Idaho 83657
2. Source of water supply Spring which is a tributary of Little Squaw Creek
3. Location of point of diversion is NE ^{*} 1/4 of NW 1/4 of SE 1/4, Govt. Lot _____
Sec 512 Township 10N Range 2E B.M. Valley County; additional
points of diversion if any watering trough
4. Water will be used for the following purposes: max allowed per number of stock *
Amount .02 ~~0.04 cfs~~ for stock water purposes from 01-01 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .02 cfs ~~0.04 cfs~~ and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works.
- a. Description of ditches, flumes, pumps, headgates, etc. watering trough;
spring box, pipeline and tank with trough *
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet, period of year when water will be diverted to storage
_____ to _____ inclusive.
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
- d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 yr. years (minimum 1 year).

MICROFILMED

JUN 14 1989

* per phone conv. with applicant and per allowable use.
Spring is near creek, barely in timber, w. of creek.

SL 2/3/89

~~UNCLASSIFIED~~

13 Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile

JUN 14 1989

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert J. Seal
(Applicant)

MICROFILMED

JUN 14 1989

[Signature]
30 day of May, 1989.

Witness my hand this

The maximum rate of diversion for stockwater purposes under this permit shall not exceed 0.02 cfs.
Use of water under this permit is subject to control by the watermaster of State Water District No. 65-A, Squaw Creek.

e. Other. The maximum rate of diversion for stockwater purposes under this permit shall not exceed 0.02 cfs.
d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

June 1, 19 90

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS

1. Approval of said application is subject to the following limitations and conditions.

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 65-12960, and said application is hereby APPROVED

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by *[Signature]* Date 11-10-88 Time 4:35 pm Preliminary check by *[Signature]*
Fee \$ 30.00 Received by *[Signature]* # 0003284 Date 11-10-88
Publication prepared by GC Date 2-8-89 Published in The Advocate 2/15 & 2/22/89
Publication approved *[Signature]* Date 3-27-89

Proposed Priority 11/10/88

PUBLIC NOTICES

PUBLIC NOTICES

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-12919

LACEY, AURTHUR N.
LACEY, PATRICIA A.

RT. 1, BOX 149

CAMBRIDGE, ID 83610

Source: POND

Tributary: SINKS

Diversion Pt: SWSW Sec 3 T 12N R
04E

Use: RECREATION STORAGE (.67 AF)

Date Filed: 11/21/1988

In: T12N R04E S03 SWSW

65-12939

DE LONG, JUNE L.

P.O. BOX 976

CASCADE, ID 83611

Source: GROUNDWATER

Diversion Pt: NENE Sec 16 T 16N R
03E

Use: DOMESTIC (.300 CFS)

Date Filed: 9/27/1988

In: T16N R03E S16 NENE

65-12959

BEAL, ROGER F.

BEAL, DOROTHY F.

OLA, ID 83657

Source: SPRING

Tributary: LITTLE SQUAW CREEK

Diversion Pt: SESESW Sec 12 T 10N R
02E

Use: IRRIGATION (.040 CFS)

IRRIGATION STORAGE (2.00 AF)

IRRIGATION FROM STORAGE

(2.00AF) STOCKWATER STORAGE (2.00
AF)

Date Filed: 11/10/1988

In: T10N R02E S12 SWNE SESW

NWSE SWSE
16.0 Acres Total

65-12960

BEAL, ROGER F.

OLA, ID 83657

Source: SPRING

Tributary: LITTLE SQUAW CREEK

Diversion Pt: NENWSE Sec 12 T 10N R
02E

Use: STOCKWATER (.020 CFS)

DATE FILED: 11/10/1988

IN: T10N R02E S12 NWSE

65-12961

WUTHERICH, THOMAS M.

P.O. BOX 8232

BOISE, ID 83707

Source: UNNAMED STREAM

Tributary: CASCADE RESERVOIR

Diversion Pt: SWSE SEC 11 T 14N R
03E

Use: IRRIGATION (.030 CFS)

IRRIGATION STORAGE (.50 AF)

IRRIGATION FROM STORAGE

(.50 AF) STOCKWATER (.020 CFS)

Date Filed: 11/04/1988

In: T14N R03E S11 SWSE

1.0 ACRES TOTAL

65-12962

SHILOH BIBLE CONFERENCE INC.

C/O DALE B. CARDWELL

548 DAY RD.

WEISER, ID 83672

Source: GROUNDWATER

Diversion Pt: NWSW Sec 9 T 16N R
03E

Use: RECREATION (.040 CFS)

Date Filed: 11/09/1988

In: T16N R03E S09 NWSW

65-12963

MEDSKER, KIRK

1715 STAR LN.

MERIDIAN, ID 83642

Source: DEER CREEK

Tributary: CASCADE RESERVOIR

Diversion Pt: LOT 3 (SWNWSW)
T 14N R 03E

Use: DOMESTIC (.040 CFS)

Date Filed: 11/15/1988

In: T14N R03E S07 Lot 3 (NWSW)

65-12966

STEVENS, WILLARD H.

STEVENS, ETHEL P.

RT. 1, BOX 586

MIDDLETON, ID 83644

Source: GROUNDWATER

Diversion Pt: NENESE Sec 31 T

14N R 04E

Use: IRRIGATION (.150 CFS)

STOCKWATER (.020 CFS)

DOMESTIC (.040 CFS)

DATE FILED: 11/16/1988

IN: T14N R04E S31 NESE

5.0 ACRES TOTAL

65-12968

DONALD GEORGE LOOMIS SUBD

INC.

P.O. BOX 12

DONNELLY, ID 83615

Source: GROUNDWATER

Diversion Pt: SWSENE Sec 4 T 15N R

03E

Use: IRRIGATION (.150 CFS)

DOMESTIC (.100 CFS)

Date Filed: 11/15/1988

In: T15N R03E S04 SENE

5.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before MARCH 6, 1989.

R. KEITH HIGGINSON, Director

Published 2/15/1989 & 2/22/1989

and ended

2-15, 19 82

2-22, 19 82

2-22, 19 82

2-22, 19 82

2-22, 19 82

2-22, 19 82

2-22, 19 82

2-22, 19 82

2-22, 19 82

2-22, 19 82

2-22, 19 82

2-22, 19 82

2-22, 19 82

2-22, 19 82

2-22, 19 82

Subscribed and sworn before me, this the

22 day of Feb, 19 82

On this 22 day of Feb, 19 82

I, a Notary Public in and for the State of Idaho, state that said person, Fred O'Brien, did in fact present me with this document and I did witness his signature on the document.

Rayola Jarvis, Notary Public residing at Cascade, Idaho

Department of Water Resources
Western Regional Office

MICROFILMED

JUN 14 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 28, 1993

ROGER F BEAL
OLA ID 83657

RE: WATER RIGHT NO. 65-12960

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED

FEB 04 1993

LICENSE REVIEW CHECKLIST

Permit # 65-12960

Date 01-14-93
CS

	<u>Yes</u>	<u>No</u>	
NAME	<u> </u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance? <u> </u>
	<u> </u>	<u>✓</u>	Memo to Advance <u> </u>
	<u> </u>	<u>✓</u>	Order to Reinstate Needed? <u> </u>
TOTAL CFS	<u>NA</u>	<u> </u>	No Fee Paid
	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended? <u> </u>
	<u> </u>	<u>✓</u>	Disagree with Actual Measurement? <u> </u>
	<u> </u>	<u> </u>	<u>.02 cfs (stock)</u>
	<u>NA</u>	<u> </u>	Disagree with Theoretical? <u> </u>
	<u> </u>	<u>✓</u>	Limited by Capacity? <u>.02 cfs</u>
TOTAL VOLUME			Rate/ac <u> </u> AFA Irr. Season <u> </u>
			<u> </u> Standard Irr. Season <u> </u>
			<u> </u> Season Recommended <u> </u>
	<u> </u>	<u>✓</u>	Disagree with Examiner's Calculations? <u> </u>
	<u> </u>	<u>✓</u>	<u>30 x .0134 = .4 cfs (stock)</u>
	<u> </u>	<u>✓</u>	Limited by Flow? <u> </u>
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	<u> </u>	<u>✓</u>	<u>Intended</u> source <u> </u>
	<u> </u>	<u>✓</u>	Notice of Intent to Void. <u> </u>
P/D	<u> </u>	<u>✓</u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration? <u> </u>
P/U	<u> </u>	<u>✓</u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration? <u> </u>
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use? <u> </u>
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u>✓</u>	<u> </u>	Non-Irr. Uses <u>stock / 30 cattle</u>
	<u> </u>	<u>✓</u>	Special Overlap Condition <u> </u>
	<u> </u>	<u>✓</u>	Other <u> </u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device
	<u>B04</u>	<u> </u>	W/Master Control <u>65A</u>
	<u> </u>	<u>✓</u>	Overlap <u> </u>
	<u> </u>	<u>✓</u>	Water Quality <u> </u>
			DATES/MISC
			<u> </u> Water Dist.
			<u> </u> App Rec'd
			<u> </u> Exam Made

COMMENTS:

Disregard measurement due to drought conditions - Allow permitted rate.

LICENSE ✓ AMEND SPECIAL PARAGRAPH

DATE: 01/14/93
PAGE: 1

Misc: Water District Number: 65A Field Exam Fee: N (Not Required)
Audit: 01/14/93 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 13 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-12960
1. Owner: Roger F. Beal Phone No. 365-5623
Current Address: OLA, ID 83657
2. Accompanied by: Roger Beal EXAM. DATE: 6/3/92
Address: Lives in High Valley Phone No. 365-5623
Relationship to Permit Holder: _____
3. Source: Spring tributary to Little Snow Creek

B. OVERLAP REVIEW


1. Other water rights with same place of use: NONE

☐ Copies Attached
2. Other water rights with same point of diversion: NONE

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



RECEIVED
FEB 04 1993

Scale: 1" = NT 5'

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Spring water piped through 1" PVC to 2' dia. steel trough. Trough approx. 10' below spring inlet. (Currently has about 20 head of cattle and horses. When calving is over, this number should increase between 30 to 35)

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

***Code to correspond with No. on map and aerial photo**

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination

[illegible]

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

5 gallon bucket (0.5 gpm)

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: 5 gallon bucket

$$0.5 \text{ gpm} \left(\frac{1 \text{ ft}^3}{7.48 \text{ gal}} \right) \left(\frac{1 \text{ min}}{60 \text{ s}} \right) = 0.001 \text{ CFS} \quad \text{---} \quad \text{(Low due to drought. Increase to 0.02 cfs)}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

N/A

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

$$V_R = \frac{30 \times 12 \text{ ft} \times 7.65 \text{ ft}}{325,850 \text{ ft}^3/\text{AF}} = \frac{2754}{325,850} \text{ AF} = 0.00845 \text{ AF}$$

$$V_D = (0.02)(365)(1.9835) = 14.5 \text{ AF}$$

$$V_R < V_D, \text{ use } 0.00845 \text{ AF}$$

FEB 04 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Stockwater	1/1	12/31	.02	0.7243

Totals:

0.7243
'4

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
- ☐ Add P.U. as reflected above

☐ None

J. AUTHENTICATION

Field Examiner's Name

Signature

Certification Date

Field Report Preparation Date

6/23/92

Rick Collingwood
Rick Collingwood

6/4/92

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



FEB 04 1993

RECEIVED





Spring location appx. 200' west of Trough.




Looking west to area of spring location. 1" PVC has been disconnected to fill trough. Pipe is connected to water garden about 20' east of trough.

FEB 04 1993


Beal

65-12960

(6/3/92)



7' dia. Steel Water Trough



FEB 04 1993

Microfilm

Appx. 20 head of cattle in pasture north of trough.

June 4, 1990

ROGER F. BEAL
OLA, ID 83657

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-12960

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JUN 11 1990

Spring

RECEIVED

MAY 07 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only

Fee Received _____

Date _____

Receipt # _____

Receipt by _____

Reviewed by *[Signature]*Sent to region *8-24-90*

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 65-12960Name(s) of Permit Holder: Roger F. BealPost Office Address: Old, Idaho, 83657Telephone No. 584-3563Source of Water: Spring

Extent of Use:

Domestic _____ (number of households) Stockwater 35 cattle (number and type of stock)

Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 102 cfs _____ acre-feetShow the date water was first diverted and beneficially used under this permit: 1974Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ NoFee enclosed \$ NO. fee
(See License Examination Fee Schedule)Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Parker Woodall
(Name)584-3455
(Telephone Number)Sweet,Idaho
(Address)**MICROFILMED**

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JUN 06 1990

5/21/90
Date

Roger F. Beal
Signature of Permit Holder (and title, if appropriate)

Phil Hamilton
Watermaster District 65 A
Sweet, Idaho, 83670

Idaho Department of Water Resources
Mr. Gary Spackman, Supervisor
Water Right Permits Section

RE: PERMITS NO. 65-12959 and 65-13026

Mr. Spackman:

On January 4, 1990, Mr. Beal visited the Water Resources Office and discussed with you the impracticality of installing the lockable/ measuring devices to be installed with the issuance of these two permits. You mentioned to him that these two requirements could be waived if he could get the consent of the Watermaster of the District.

Mr. Beal and I have discussed this issue. I will agree to waive these requirements. He states that he will comply with my decision, and any subsequent watermasters', regarding use of this water.

Yours truly,



Phil Hamilton

RECEIVED
MAY 07 1990

Department of Water Resources

MICROFILMED

JUN 06 1990

*No such condition
on this permit.
5-24-90*



138557

March 31, 1990

ROGER F. BEAL
OLA, ID 83657

PROOF DUE NOTICE

RE: PERMIT NO. 65-12960

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1990.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

FILED

JUN 9 6 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
May 30, 1989

ROGER F. BEAL
OLA, ID 83657

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 65-12960

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

INDEXED

JUN 14 1989

P/L 10N 2E 5.12 NENESE
P/L " NWSE

Form No. 202a.
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: SL DATE: 2/3/89 APPLICATION: 65-12960

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map:
- ☒ Signature: (If applicant is corp., partnership, or municipality title of signator is required)
- ☒ Fee:
- ☒ Yes ☐ No* In form to receipt:

Gov't. Lots:
N P/D
N P/U

ADDITIONAL INFORMATION

- | YES | NO |
|--|--------------------------|
| ☒ | ☐ |
| Overlapping place of use: (Describe source & relationship to present application on the back.) | |
| ☒ | ☐ |
| Overlapping point of diversion: | |
| ☒ | ☐ |
| Field check required: Field check by: _____ | |
| ☒ | ☐ |
| Field report attached: | |
| ☒ | ☐ |
| Critical groundwater area: | |
| ☒ | ☐ |
| Groundwater management area: | |
| ☒ | ☐ |
| Send dam safety information: | |
| ☒ | ☐ |
| Send power requirement letter: | |
| ☒ | ☐ |
| Send fish farm requirement letter: | |
| ☒ | ☐ |
| Power residency affidavit: | |
| ☒ | ☐ |
| Power efficiency form: | |
| ☒ | ☐ |
| Within trust water boundry: (If yes, attach Trust Water Supplementary Analysis Sheet.) | |
| ☒ | ☐ |
| Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.) | |
| ☒ | ☐ |
| *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT | |

DATE REQUESTED: _____
☒ Additional information on reverse side:

RECEIVED
APR 10 1989

PROCESSING

YES NO

- ☒ ☐ In form for advertising:
☐ ☒ Statewide advertising:
☒ ☐ Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

- ☐ ☒ I.D. Health and Welfare
☐ ☒ I.D. Fish and Game
☐ ☒ I.D. Lands
☐ ☒ Adjudication Bureau

YES NO

- ☐ ☒ U.S. BLM
☐ ☒ U.S. Forest Svc.
☐ ☒ Water District # _____
☐ ☒ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ YES NO

- ☒ ☐ Affidavit of publication received:
☒ ☐ Application published correctly: If not, record action taken.

- ☒ ☐ Publication dates and paper recorded on application:
☐ ☒ Protests received, Final date for protest March 6, 1989
☐ ☒ Protests, dates, resolution of protest recorded on application:
☐ ☒ Recommendations attached: Approve, DLO
☐ ☒ Measuring device required:
☐ ☒ Measuring port required:
☐ ☒ Water delivered by water master? District # 65 65-A Squaw Creek
☐ ☒ Special conditions of approval or cover letter: (see additional info. below)
☐ ☒ See Below For Additional Information
Recommended Date of Priority 11/10/1988 ☒
Recommended by: DLO Date 4/17/1989

STATE OFFICE REVIEW

- P16 28 (stockwater, 0.02 cfs)
05 (65-A, Squaw Creek)
See below for additional information. By KW Date 5/24/89

ADDITIONAL INFORMATION

- Overlap
pln 65-12959 spring, stockwater was overlap with 65-12960 in NWSE. Both
applications filed at same time.

05 (65-A, Little Squaw Creek)
010

65-12960

BEAL, ROGER F.
OLA, ID 83657

Source: SPRING

Tributary: LITTLE SQUAW CREEK

Diversion Pt: NENWSE Sec 12 T 10N R 02E

Use: STOCKWATER (.020 CFS)

Date Filed: 11/10/1988

In: T10N R02E S12 NWSE

MicroFILMED

JUN 14 1989